



Creek

31 Corral

CORRAL
4789T

4795T

ROUND

Property described
in last page of
memorandum agreement


T 11 N
R 3 E
S. 1

MICROFILMED

JUN 14 1989

D. SYSTEM DESCRIPTION (General system description)

1. Diagram



2. Narrative

The system is two springs, 100 Ft. apart, tied into a common mainline which leads to a 750 gallon storage tank located in the garage of Mr. DeMasters. Spring # 1 (south of spring #2) is located on property belonging to Don Black (see overlap analysis). This right uses the overflow from the storage tank of Mr. Blacks system. The plumbing design will not allow Mr. DeMasters to receive water from this system whenever Mr. Black draws down the level in his storage cistern below the overflow pipe. The line from Mr. Black's storage tank to Mr. DeMasters storage tank is 125 Ft long and 3/4 inch in diameter. The fall on this line is approximately 2 Ft.

Spring # 2 is developed by digging out the spring and placing an aluminum beer keg (perforated) into the spring and then running a 1 & 1/2 inch black plastic line to the common main line. The spring development is approximately 100 Ft. west of the junction with the mainline and the junction is approximately 25 Ft. from the storage tank. The fall for this line is 15 Ft.

Water is to be pumped from the storage tank to the house. The pump was not installed at exam time but the plumbing for this installation existed.

Although the second spring located on Mr. DeMasters property was not mentioned on the permit, his use of this source does not affect any other water right and I recommend including this source as an additional P/D. The overflow from the two systems returns to the same drainage at the edge of his property.

3. Overlap Analysis Narrative

65-07598 is the domestic right that this system is tied into. An agreement between the two parties gives Mr. DeMasters access to the overflow water from the holding tank of Mr. Black. No other sources, uses, or rights were identified.

JUL 15 1991

PERMIT 65-12946 INIT KRC
T. R. S. Q/Q
P/D 1W 3E 1 SE/SE
SCALE
PHOTO ID. SMITHS FERRY
4-60

P/U

P/D #142

NOT RECORDED
JUL 15 1961



PICTURE # 1

This picture is looking northwest and shows the storage building and the spring development (the culvert in the background).



PICTURE # 2

This picture shows the inside of the storage building. The pressure tank shown is for license 65-07598. Note the circular cement lid that covers the holding tank.

MICROFILMED

JUL 15 1991

PICTURE # 3

This picture set is looking west and southwest. Although not visible, both spring developments are covered by this set.

SPRING # 1



SPRING # 2 LINE FROM SPRING
(BURIED)



RECEIVED

JUL 15 1991

PICTURE # 4

This picture shows the relationship between spring # 1 and the P/U. The red building is the garage where the storage tank is located. The house is barely visible through the tree branches located in the center of the picture. This picture is looking north.



PICTURE # 5

This picture shows the holding tank, the incoming line, the overflow line, and the mainline going to the home.

OVERFLOW MAIN LINE

MAIN LINE TO HOME



REFILMED
JUL 15 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12946

Priority: November 16, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
0.6 AF

This is to certify, that EMMETT W. DE MASTERS
2711 LOWER BLUFF RD.
EMMETT, ID 83617

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 16, 1988; and
has submitted Proof of Beneficial Use on May 10, 1990. An examination indicates
that the works have a diversion capacity of .070 cfs of water from:

SPRINGS tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWSESE, Sec. 1, Township 11N, Range 03E VALLEY County	

PLACE OF USE: DOMESTIC
TWN RGE SEC

11N 03E 1 SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion located within the SWSESE, S1, T11N, R3E.

RECEIVED

JUL 15 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12946

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27TH
day of JUNE, 1991.

Acting for


R. Keith Higginson, Director

RECEIVED
JUL 15 1991

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	65-12946	Gorrano, Louie Randy	0.02
Full Assignment	65-12946	DeMasters, Emmett W.	0.02

RECORDED

SEP 18 1980

State of Idaho

Department of Water Resources

ASSIGNMENT OF PERMIT

I, Louie BORRINO, hereby assign to EMMETT W. DeMASTERS

of 2711 Lower Bluff Rd., Emmett, Idaho 83617
Address

All my right, title, and interest in and to Permit No. 65-12946
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

RECEIVED
JUN 19 1990

Made this 6th day of June, 1990.

Department of Water Resources

Louie Borrino
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Gem) ss

On this 6th day of June, 1990, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

s e a l

MICROFILMED

SEP 18 1991

Wm Ellen Stevens
any Public residing at
Emmett, Idaho

My commission expires:

10-20-94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED
108 -

1 Name of applicant ^{and/or *} Louie GORRANO - RANDY GORRANO Phone 365-2421
Post office address P.O. Box 637, Emmett, IDAHO 83617

2. Source of water supply SPRING (unnamed) which is a tributary of N/A sinks *

3. Location of point of diversion is * SE SW 1/4 of SE 1/4 of SE 1/4, Govt Lot —
Sec. 1 Township 11 N Range 3 E B.M. Valley County; additional
points of diversion if any N/A

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from JAN 1st to Dec. 31st (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 and/or (b) —
cubic feet per second acre feet per annum

6. Proposed diverting works

a. Description of ditches, flumes, pumps, headgates, etc Concrete intake filtering
Box & Spring on said land - my application pursuant to written & recorded agreement
with Tony Skoro (owner of said land & spring facilities) only applies to his surplus or "over-flow."

b Height of storage dam N/A feet, active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet, period of year when water will be diverted to storage
N/A to N/A inclusive

c. Proposed well diameter is N/A inches, proposed depth of well is N/A feet

d Is ground water with a temperature of greater than 90°F being sought? NO

7 Time required for the completion of the works and application of the water to the proposed beneficial use is

AT POINT OF DIVERSION
(already completed) years (minimum 1 year) 2 years -

MICROFILMED

JUN 14 1989

* per telephone conv. with and survey/topo map
interpretation, 11/28/88.

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower; show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal, show name of municipality _____
- d Domestic; show number of households ONE
- e Other, describe fully _____

9. Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example. D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	3E 2N.	1																✓	SE 1/4 SE 1/4

Total number of acres to be irrigated N/A


10. Describe any other water rights used for the same purposes as described above. N/A

- 11 a. Who owns the property at the point of diversion? TONY SKORO
- b. Who owns the land to be irrigated or place of use? LOUIE GORRANO
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks MY USE OF THE "RUN-OFF OR SURPLUS" FROM THE SPRING OF TONY SKORO
SHALL NOT INTERFERE WITH THE PRIOR RIGHT OF TONY SKORO TO USE THE EXISTING
DOMESTIC WATER RIGHT HE HAS. (SEE AGREEMENT ATTACHED & INCORPORATED HEREIN
BY REFERENCE)

MICROFILMED

JUN 14 1989



Creek

31
Corral

CORRINO
4789T

483T

4795T

ROUND

Property described
in last page of
non-ambigu agreement

T 11 N
R 3 E
S. 1

4823T

Chipps

483T

495

MICROFILMED

JUN 14 1989

578T

13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number

Twp 11 N R 3 E. B. M.

□→□

ALSO SEE MEMO. AGREEMENT, LAST PG.

and topo map, attached.

82 11/28/88

MICROFILMED

~~JUN 14 1989~~

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Janet L. Lerner
(Applicant)

Proposed Priority 11/16/88

Received by RL Date 11-16-88 Time 12:00 Preliminary check by RL

Fee \$ 30⁰⁰ Receipted by RL # W001533 Date 11/28/88 check rec'd. with application on 11/16/88.

Publication prepared by GG Date 12-28-88 Published in The Advocate 1/4 & 1/11/89

Publication approved RL Date 2/6/89 RL

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-12946, and said application is hereby APPROVED

1 Approval of said application is subject to the following limitations and conditions

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 22nd day of May, 1989.

J. Blus Saylor

MICROFILMED

JUN 14 1989

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12941
STEINER, HAROLD A.
P.O. BOX 2260
MURPHY, ID 83650
Source: SPRING
Tributary: SINKS
Diversion Pt: SENENW Sec 19 T 16N R 03E

Use: DOMESTIC (.040 CFS)
Date Filed: 10/31/1988
In: T16N R03E S19 NENW

65-12942
SEITZ, DONALD K.
1331 TETONIA DR.
BOISE, ID 83705
Source: CAMPBELL CREEK
Tributary: CASCADE RESERVOIR
Diversion Pt: NWSE Sec 33 T 14N R 03E

Use: IRRIGATION (.030 CFS)
Date Filed: 11/10/1988
In: T14N R03E S33 SESE
1.0 ACRES TOTAL
65-12943

FLATLANDERS WATER USERS ASSN.
RT. 4 BOX 4218
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: NENW Sec 28 T 16N R 03E

Use: DOMESTIC (.110 CFS)
Date Filed: 11/15/1988
In: T16N R03E S28 NENW
65-12944

NICKELS, CARL D.
NICKELS, VICKI L.
P.O. BOX 351
CASCADE, ID., 83611
Source: SPRING
Tributary: SINKS
Diversion Pt: NENESE Sec 4 T 12N R 04E

Use: STOCKWATER (.020 CFS)
Date Filed: 11/16/1988
In: T12N R04E S04 SENE
65-12945

WESTWINDLANDINGSUBD.OWNERS
ASSN. INC.

C/O REALTY ONE
FRONTIER REALTY
7310 POTOMAC DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: SESE Sec 27 T 16N R 03E

Use: IRRIGATION (.120 CFS)
DOMESTIC (.160 CFS)

Date Filed: 11/16/1988
In: T16N R03E S27 SESE
4.0 ACRES Total
65-12946

GORRANO, LOUIE
GORRANO, RANDY
P.O. BOX 637
EMMETT, ID 83617
Source: SPRING
Tributary: SINKS
Diversion Pt: SWSESE Sec 1 T 11N R 03E

Use: DOMESTIC (.020 CFS)
Date Filed: 11/16/1988
In: T11N R03E S01 SESE
65-2948

BARTON, DAVID M.
BARTON, DOROTHY L.
115 E. HIGHLAND VIEW DR.
BOISE, ID 83702
Source: CASCADE RESERVOIR
Tributary: PAYETTE RIVER, NORTH FORK
Diversion Pt: NWSE Sec 4 T 15N R 03E

Use: DOMESTIC (.040 CFS)
Date Filed: 11/29/1988
In: T15N R03E S04 NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho, 83705 on or before JANUARY 23, 1989.

R. KEITH HIGGINSON, Director
Published 1/04/1989 & 1/11/1989

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of The Advocate, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The Issue of November 11, 1988 a copy of which is attached hereto; was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement and that publication of such notice began:

and ended 1-11, 19 89

13 day of Jan, 19 89

On this 13th day of Jan, 19 89
I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Rebecca J. Jarrys
Rebecca Jarrys, Notary Public residing at Cascade, Idaho

MICROFILMED

JUN 14 1989

July 1, 1991

EMMETT W. DE MASTERS
2711 LOWER BLUFF RD.
EMMETT, ID 83617

RE: WATER RIGHT NO. 65-12946

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
JUL 15 1991

LICENSE REVIEW CHECKLIST

Permit No. 65-12946

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity permit

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒ spring to springs
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses ☒
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

JUL 15 1991

Comments/Changes to Examiner's Recommendations:

Amendment not req'd to add 2nd p/d - agreement memo in file Talk
about spring water overflow from neighbor.

License 10-day 30-day

Back of field report signed?

Reviewer S. Curtis Date 6/12/91 Review time 6 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-12946
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval

no Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

none Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index S-11-90 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☒ Add acres or uses to existing system (*verify diff owners during field exam*)
☐ Increase rate of flow or volume
☒ Other: other owners diff systems in same Q-Q

Check of P/U index S-11-90 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☒ Other: new home tied into previously developed spring

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 7-17-90 Kelly Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JH 4-16-91 (Initial and date)

Exam Reviewed by Manager of Regional Office Dr 4/19/91 (Initial and date)

Exam Date Entered in Computer ✓ ST (Initial and date)

Exam sent to State Office 4-25-91 ST (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

Permit No. 65-12946

A. GENERAL INFORMATION

1. Owner: EMMETT DEMASTERS Phone No. _____
Current Address 2711 LOWER BLUFF RD. EMMETT, ID. 83617
2. Accompanied by: SAME EXAM DATE: 5-18-90
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source SPRINGS (2) tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe id as applicable ☐ Alternative diagram attached

THIS FORM WAS
USED FOR FIELD NOTES.
A REVISED FIELD REPORT FORM WAS
USED FOR THE COMPLETE REPORT.

MICROFILMED
JUL 15 1991

Scale: 1" = _____

- 2 ☐ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3 **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE SYSTEM IS 2 SPRINGS APPROX 100 FT APART. SPRING #1 (SOUTH) IS ON DON BLACK'S PROPERTY AND THE WATER USED FROM THIS SOURCE COMES FROM HIS OVERFLOW LINE, CONNECTED TO HIS HOLDING TANK. WATER FROM THIS SOURCE IS ONLY AVAILABLE WHEN THE BLACKS ARE NOT USING THE WATER. SPRING #2 (NORTH) IS ON DEMASTER'S PROPERTY, IT IS LOCATED 100' WEST OF THE GARAGE. BOTH SPRINGS ARE GRAVITY OPERATED. SPRING #1 USES A 3/4" LINE WHICH RUNS 125' TO THE 750 GAL HOLDING TANK. THE

☒ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5 **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Do not use this space

JUL 15 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:**

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

JUL 15 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

FALL IS APPROX 2'. SPRING #2 IS AN ALUMINUM BEER KEG PERFORATED AND THEN BURIED IN THE SPRING. A 1/2" P.U. LINE RUNS 100' TO THE HOLDING TANK. FALL IS APPROX 15'. BLACK WAS USING WATER DURING THE EXAM AND I WAS THEREFORE UNABLE TO MAKE A MEASUREMENT.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Totals:				

2. Recommended Amendments

- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name _____

Signature _____

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

PERMIT NO: 65-12946

DATE EXAM

CONDUCTED: 5-18-90

1. OWNER LISTED ON PERMIT

Name: Emmett DeMasters
Address: 2711 Lower Bluff RD.
City, State: Emmett, ID Zip 83617
Phone No. (208) 365-5228

Name/Address Updated ☒

2. PERSON ACCOMPANYING EXAMINER OR NEW OWNERS NAME AND ADDRESS

Name: Same
Address: _____
City, State: _____ Zip _____
Phone No. _____
Relationship to Permit holder: Owner

3. SOURCE ~~of~~ springs TRIBUTARY TO sinks

B. DOCUMENTS INCLUDED WITH THIS REPORT

- | | |
|--|-------------------------------------|
| 1. <u>x</u> Copy of U.S.G.S Quadrangle | 5. _____ Aerial Photo (if required) |
| 2. <u>3</u> No. of Photo Pages Attached | 6. _____ Overlap Sheet (form) |
| 3. _____ Well Inspection Form | 7. _____ Pump Efficiency form |
| 4. <u>x</u> P/D Overlap Field Exams Copy | 8. _____ Other |

C. OVERLAP REVIEW

No Overlap Found -- ☐

1. Water rights found within the same Q/Q but they have
a different owner and acres -- ☒
same owner but different
source and/or acres -- -- ☐

2. P/D overlap found. (same source only) Right Numbers. 65-7598
This right is for domestic use another home and owner.
old acre overlap -- -- ☐
new acre overlap -- -- ☐


3. P/U overlap found. (permit acres only) Right Numbers. None

MAILED

JUL 15 1991

D. SYSTEM DESCRIPTION (General system description)

1. Diagram



2. Narrative

The system is two springs, 100 Ft. apart, tied into a common mainline which leads to a 750 gallon storage tank located in the garage of Mr. DeMasters. Spring # 1 (south of spring #2) is located on property belonging to Don Black (see overlap analysis). This right uses the overflow from the storage tank of Mr. Black's system. The plumbing design will not allow Mr. DeMasters to receive water from this system whenever Mr. Black draws down the level in his storage cistern below the overflow pipe. The line from Mr. Black's storage tank to Mr. DeMasters storage tank is 125 Ft long and 3/4 inch in diameter. The fall on this line is approximately 2 Ft.

Spring # 2 is developed by digging out the spring and placing an aluminum beer keg (perforated) into the spring and then running a 1 & 1/2 inch black plastic line to the common main line. The spring development is approximately 100 Ft. west of the junction with the mainline and the junction is approximately 25 Ft. from the storage tank. The fall for this line is 15 Ft.

Water is to be pumped from the storage tank to the house. The pump was not installed at exam time but the plumbing for this installation existed.

Although the second spring located on Mr. DeMasters property was not mentioned on the permit, his use of this source does not affect any other water right and I recommend including this source as an additional P/D. The overflow from the two systems returns to the same drainage at the edge of his property.

3. Overlap Analysis Narrative

JUL 15 1991

65-07598 is the domestic right that this system is tied into. An agreement between the two parties gives Mr. DeMasters access to the overflow water from the holding tank of Mr. Black. No other sources, uses, or rights were identified.

E. FLOW MEASUREMENT DESCRIPTION

Well		Motor		Pump	
Id. #	Hp	Make	Serial #	Make	Discharge Dia.

1. Diagram (Indicate weir size/ditch size/pipe i.d. as applicable.

alternate diagram attached -- ☐

2. Narrative (measurement conditions/sketch clarification/ flow calculations; include the results from any measurements.)

No flow measurement was made. Water was being used under 65-07598 (a.k.a. spring # 1) and the water level in the holding tank was below the overflow therefore no water was being diverted under this system.

Flow from spring # 2 was minimal and there was no access that would allow a measurement at the holding tank therefore no measurement was made from this spring.

THEORETICAL CALCULATION FOR FLOW RATE USING A GRAVITY SYSTEM

SPRING # 1. system is a 3/4 in pipe with a 100' run and a 2' drop.

$$\text{Using } Q = V * \pi * R^2$$

$$Q = 3.0' \text{ per sec} * 3.1416 * (.375"/12)^2$$

$$Q = \underline{0.009 \text{ cfs}} \quad (3 \text{ ft per sec was selected as the drop for 100 of run was only 2 Ft.)}$$

SPRING # 2. system is a ^(1 1/2") 1 & 1/2" pipe with a 100' run and a 15' drop.

$$\text{Using } Q = V * \pi * R^2$$

$$Q = 5.0' \text{ per sec} * 3.1416 * (0.75"/12)^2$$

$$Q = \underline{0.061 \text{ cfs}}$$

$$\text{SPRING \# 1 } Q = 0.009 \text{ cfs}$$

$$\text{SPRING \# 2 } Q = \underline{0.061 \text{ cfs}}$$

$$\text{TOTAL} = \underline{\underline{0.07 \text{ cfs}}}$$

Theoretically the system is capable of carrying more water than the permit holder applied for, therefore, I recommend licensing at the rate applied for.

3. Alternate method for checking purposes

4. Measurement Equipment Used During Field Exam

Measurement Equipment	Type	Make	Model No.	Serial No.	Size

MISSOURI

JUL 15 1991

5. Point of Diversion Legal Description

Ident. No.	Twp	Rng	Sec	1/4	1/4	1/4	Gov't Lot	County	Remarks and Method of Determination
Spring #1	11N	3E	1	SW	SE	SE		VALLEY	ORTHO PHOTO
*Spring #2	11N	3E	1	SW	SE	SE		VALLEY	ORTHO PHOTO

P/D modified -- ☐*
(an asterisk indicates the amendment)

F. PLACE OF USE (if acres, show acres recommended for the license)

METHOD OF DETERMINATION																		
			NE				NW				SW				SE			
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
11N	3E	1																D

Amendment required to change acres to new Q-Qs -- -- ☐

G. VOLUME CALCULATIONS (for irrigation, use the acres and the diversion rate recommended for licensing)

1. Volume Calculations for irrigation

2. Volume calculations for domestic use

Found one home with inside use only therefore the recommendation is 0.02 cfs and 0.60 afa.

MICROFILMED

JUL 15 1991

H. RECOMMENDATIONS

1. Permit Summary

Domestic -- -- -- -- -- 1 Homes 0.02 Rate
TOTAL -- -- -- 0.02 Rate
Fees Paid for -- -- -- -- -- N/A Max.

2. Found during field exam

Domestic -- -- -- -- -- Homes 0.07 Rate
TOTAL -- -- -- Rate

3. Legal limit -- -- -- domestic (1) homes * 0.02 = 0.02 cfs

2. Recommended Amounts

Beneficial use	Period of Use From To	Q-- Rate of Diversion	V-- Annual Volume
<u>Domestic</u>	<u>1-1</u> <u>12-31</u>	<u>0.02</u>	<u>0.60</u>

3. Recommended Amendments

Change P/D as reflected above	--	--	--	--	--	--	--
Change P/U as reflected above	--	--	--	--	--	--	--
Add P/D as reflected above	--	--	--	--	--	--	*
Add P/U as reflected above	--	--	--	--	--	--	--

I. AUTHENTICATION *Is actual amendment necessary? P/D has same legal.*
Change source to "springs" (plural)

Field Examiner's name Kelly K. Christensen
Signature Kelly K. Christensen


Field Report Preparation Date 07-17-90

Reviewed by
Signature CJH
Date 4-16-91


Certification Date CONSULTANT SEAL

RECEIVED

JUL 15 1991



PERMIT 65-12946 INIT KRC
T. R. S. 0/0
P/D 11N 3E 1 SE/SE
SCALE
PHOTO ID. SMITH'S FERRY
4-60





PICTURE # 1

This picture is looking northwest and shows the storage building and the spring development (the culvert in the background).



PICTURE # 2

This picture shows the inside of the storage building. The pressure tank shown is for license 65-07598. Note the circular cement lid that covers the holding tank.

RECORDED

JUL 15 1991

PICTURE # 3

This picture set is looking west and southwest. Although not visible, both spring developments are covered by this set.

SPRING # 1

SPRING # 2 LINE FROM SPRING
(BURIED)



RECEIVED

JUL 15 1991

PICTURE # 4

This picture shows the relationship between spring # 1 and the P/U. The red building is the garage where the storage tank is located. The house is barely visible through the tree branches located in the center of the picture. This picture is looking north.



PICTURE # 5

This picture shows the holding tank, the incoming line, the overflow line, and the mainline going to the home.

OVERFLOW MAIN LINE

MAIN LINE TO HOME



RECEIVED
JUL 15 1991

August 20, 1990

Emmett W. DeMasters
2711 Lower Bluff Rd.
Emmett, ID 83617

Dear Mr. DeMasters:

Re: Permit No. 65-12946

The department received the proof of beneficial use form. The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but he will try to contact you prior to being in the area.

If you have questions concerning the field inspection, please contact the Western Regional office at 334-2190.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: W. Region

MICROFILMED

SEP 18 1990

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12946

Date: 5-16-90

General Considerations:

NO Name same as permit
Signature the same as permit holder
Address change _____ If yes, prepare a data entry
✓ Proof received timely
Reinstated _____

Source of Water:

✓ Surface water
Groundwater
NA 1. well log in file
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

✓ Rate of diversion appropriate for uses
✓ Is rate or volume and fee appropriate?
NO Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NO Is a measuring device or access port required?
Has one been installed?
✓ Waiver or modification of measuring device requested

Remarks:

needs assignment OK proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

08/89

RECEIVED
MAY 10 1990Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES MAY 15 1990

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only

Amt. of Fee \$ NONE

Date 5-10-90

Receipt No. 11

Received by KKC

5-10-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12946 Telephone No. 365-5228Name(s) of Permit Holder(s): Emmett W De MastersPost Office Address: 2711 Lower Bluff Rd Emmett, Id 83617Source of Water: Spring.

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic 1 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ NoFee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination

Name

Telephone No.

MICROFILMED

Address

SEP 18 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and relinquish any undeveloped portion of the permit to the state of Idaho

5-10-90
DateEmmett W De Masters
Signature (and title if on behalf of a company or organization)

May 24, 1990

Emmett W. DeMasters
2711 Lower Bluff Rd.
Emmett, ID 83617

Dear Mr. DeMasters:

Re: Permit No. 65-12946

This office received the proof of beneficial use form submitted on May 10, 1990 at our Western Regional office. Before the department processes the proof form, more documentation is needed.

A permit is considered as personal property and only the permit holder or authorized agent can take action on the permit or in the case where it is impossible to locate the permit holder, by a demonstration of possessory interest in the land.

The permit was issued in the name of Louie and/or Randy Gorrano. The proof has been submitted by you. The best way to show a change in permit ownership is by the permit holders completing an assignment conveying the permit to you. With this letter, I have notified them of this procedure and provided them with a form.

If you have any questions, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: Louie & Randy Gorrano

MICROFILMED

SEP 18 1990

138553
March 31, 1990

LOUIE GORRONO
RANDY GORRONO
P.O. BOX 637
EMMETT, ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-12946

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 18 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 23, 1989

LOUIE GORRONO
RANDY GORRONO
P.O. BOX 637
EMMETT, ID 83617

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12946

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
JUN 14 1989

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: sc DATE: 11/28/88 APPLICATION: 65-12946

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ☐ No* In form to receipt:

Gov't. Lots:

N P/D
N P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
MAR 30 1989

Department of Water Resources

DATE REQUESTED:

☒ Additional information on reverse side:

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District # _____
☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest January 23, 1989
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approve, Dnr
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # 65- d/a source sinks
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 11/16/1988
Recommended by: DAT Date 3/30/1989

STATE OFFICE REVIEW

PILE 04

See below for additional information. By KW Date 5/15/89

ADDITIONAL INFORMATION

- OVERLAP?
110: 65-07598 Same spring
65-10775 groundwater, 65-03848 haw. stream, 65-03849 different spring.
11u: 65-07598 for domestic use in different site.
65-10775 " " " " " "
65-03848 " " " " " "

04, 20A (June 20, 1983) [but substitute the word "neighbor" for "protestant"]

↑
taken care of
in remarks
KW

MEMORANDUM AGREEMENT

GORRONO

THIS AGREEMENT, made and entered into on this 20th day of June, 1983, by and between TONY SKORO and RUTH SKORO, husband and wife, of Emmett, Idaho, hereinafter designated Skoros, and LOUIE GORRONO and MARIE GORRONO, husband and wife, hereinafter designated Gorronos, WITNESSETH;

WHEREAS, Skoros are the owners of certain premises located in Valley County, Idaho, described in Exhibit A, attached hereto and incorporated herein by reference;

WHEREAS, Gorronos are the owners of certain property located in Valley County, Idaho, which is adjacent and contiguous to the said Skoro property. The Gorrono property is described in Exhibit B, attached hereto and incorporated herein by reference;

WHEREAS, Skoro has developed a water spring or springs on the Skoro property, to provide domestic water for the Skoro premises;

WHEREAS, the said Skoro water development permits a surplus, or run-off of water that is not used or required by Skoro; this run-off for surplus water is not utilized by Skoro;

WHEREAS, Gorrono desires to have the said surplus run-off water for domestic use in reference the said-described Gorrono property;

THEREFORE, in consideration of \$1.00, the receipt of same hereby acknowledged by Skoro, it is agreed Gorrono is hereby granted the right to have and receive the said surplus, or run-off, of said developed spring waters that now are produced on said Skoro premises, provided such use by Gorrono shall not in any way interfere with the use of said spring waters by Skoro. The use by Gorrono shall not obstruct, impede, reduce, or interfere with the use of the developed spring waters on the Skoro premises; provided, however, Gorrono is entitled to have

MICROFILMED

JUN 14 1989

and use the surplus run-off waters that run from the developed spring or springs on the Skoro property. Gorrone is further granted a right to convey the said surplus water from the Skoro premises to the Gorrone premises by means of a buried pipeline, and proper facilities connected therewith. The pipeline shall be located and buried in such a manner so as not to interfere with the reasonable use of the Skoro property. It is understood gravity flow through a buried pipeline shall carry any such run-off to the Gorrone property, on order to effect the intent and purpose of this agreement. This agreement includes the right to construct, inspect, repair and replace any of said facilities and pipeline necessary to implement and effect the purpose of this agreement, and also includes rights of access to and egress from the facilities and water herein mentioned; provided such activities shall not interfere with the said springs, water, and water facilities of Skoro, and the use of his land by Skoro. The use of run-off water by Gorrone shall be secondary and junior to the prior rights of Skoro in and to the water and land rights of Skoro. Skoro and Gorrone agree to cooperate and be reasonable to permit the objective and intent of this agreement, and both parties shall act in good faith and in the spirit of cooperation, to allow maximum and beneficial use of the Skoro water and surplus run-off. Skoro is not surrendering any prior water and use rights on the Skoro premises. . Skoro is agreeing to allow Gorrone to have and take delivery of only run-off or surplus spring water as herein described.

This agreement is binding on said parties, their heirs, assigns, successors and personal representatives; this agreement is perpetual and runs with said lands.

IN WITNESS WHEREOF, said parties have hereunto set

MICROFILMED

JUN 14 1989

their hands and seals, the day and year in this agreement first above written.

Tony Skoro
Tony Skoro

Ruth Skoro
Ruth Skoro

Louie Gorrone
Louie Gorrone

Marie Gorrone
Marie Gorrone

STATE OF IDAHO,)
County of Gem.) ss.

On this 20th day of June, 1983, before me, the undersigned, a Notary Public in and for said state, personally appeared TONY SKORO and RUTH SKORO, husband and wife; LOUIE GORRONE and MARIE GORRONE, husband and wife, known to me to be the persons whose names are subscribed to the within instrument, and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, the day and year in this certificate first above written.

(SEAL)

S/Elroy E. Robbins
Notary Public for Idaho;
Residing at Emmett, Idaho.

ASSIGNMENT

Parcel of land located in Valley County, Idaho:
COMES NOW, Louie Gorrone and Marie Gorrone, hereinafter
designated assignors, husband and wife, of Emmett, Idaho, and
in consideration of one dollar, do hereby assign, transfer and
set over to Randy Gorrone, of Emmett, Idaho, all of the right, title,
and interest of said assignors in and to the attached
memorandum agreement and the contents thereof.

Louie Gorrone

Marie Gorrone

STATE OF IDAHO,)
County of Gem.) ss. EXHIBIT A

On this 10th day of June, 1983, before me, the undersigned,
a Notary Public in and for said State, personally appeared
LOUIE GORRONE and MARIE GORRONE, husband and wife, known to me to
be the persons whose names are subscribed to the within instrument,
and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed
my official seal, the day and year in this certificate first
above written.

S/GARY E. RUBBINS
Notary Public for Idaho;
Residing at Emmett, Idaho.

(SEAH)

MICROFILMED

JUN 14 1989

Being situate in Valley County, Idaho:

A parcel of land located in the SE 1/4 SE 1/4, Section 1, Twp. 11 N., R. 3 E., B.M., Valley County, Idaho, more particularly described as follows:

Commencing at the Section corner common to Sections 1 and 12, T. 11 N., R. 3 E., B.M.; thence N.89°39'W a distance of 724.52 feet to a point; thence N.10°33'W. a distance of 199.74 feet to the True Point of Beginning; thence N.89°15'W. a distance of 553.28 feet to a point; thence North a distance of 186.39 feet to a point; thence S.89°15'E. a distance of 518.55 feet to a point; thence S.10°33'E. a distance of 190.0 feet to the true point of beginning.

EXHIBIT A

MICROFILMED

JUN 14 1989

Being situate in Valley County, Idaho:

A parcel of land located in the SE 1/4 SE 1/4, Section 1, Twp. 11 N., R. 3 E., B.M., Valley County, Idaho, more particularly described as follows:

Commencing at the Section corner common to Sections 1 and 12, T. True Point, thence N. 10° 33' W. a distance of 724.52 feet N. 89° 15' W. a distance of 389.74 feet to the North a distance of 518.55 feet to a point; thence S. 89° 15' E. a distance of 187.86 feet to a point; thence S. 10° 33' E. a distance of 483.47 feet to a point; thence Beginning.

EXHIBIT B

140609

STATE OF IDAHO, }
County of Valley, } st.

I hereby certify that this instrument
was filed for record at the request of

L. Garrison

at 41 minutes past 10

o'clock A.M. This 19

day of Feb. 1985

in my office and duly recorded in

Dr. # L. of Boise

J. W. Crutcher

Ex-Officio Recorder

By P. Penabaz Deputy

Fee \$ 12.00

COMPARED ☐

INDEXED-DIRECT ☐

INDEXED-INDIRECT ☐

MICROFILMED

Jan 4 1989

65-12946

GORRONO, LOUIE
GORRONO, RANDY
P.O. BOX 637
EMMETT, ID 83617

Source: SPRING

Tributary: SINKS

Diversion Pt: SWSESE Sec 1 T 11N R 03E

Use: DOMESTIC (.020 CFS)

Date Filed: 11/16/1988

In: T11N R03E S01 SESE

MICROFILMED
JUN 14 1989