

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

100-1-1898
MICROFILMED

7/6
• P/M
19

See attached map for additional details of
location of P/M & P/L
SC 12/28/88

MICROFILMED

Scale: 2 inches equal 1 mile.

JUN 14 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold A. Steiner
(Applicant)

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12941
STEINER, HAROLD A.
P.O. BOX 2260
MURPHY, ID 83650
Source: SPRING
Tributary: SINKS
Diversion Pt: SENENW Sec 19 T 16N R 03E
Use: DOMESTIC (.040 CFS)
Date Filed: 10/31/1988
In: T16N R03E S19 NENW

65-12942
SEITZ, DONALD K.
1331 TETONIA DR.
BOISE, ID 83705
Source: CAMPBELL CREEK
Tributary: CASCADE RESERVOIR
Diversion Pt: NWSE Sec 33 T 14N R 03E
Use: IRRIGATION (.030 CFS)
Date Filed: 11/10/1988
In: T14N R03E S33 SESE
1.0 ACRES TOTAL

65-12943
FLATLANDERS WATER USERS ASSN.
RT. 4 BOX 4218
NAMP, ID 83651
Source: GROUNDWATER
Diversion Pt: NENW Sec 28 T 16N R 03E
Use: DOMESTIC (.110 CFS)
Date Filed: 11/15/1988
In: T16N R03E S28 NENW

65-12944
NICKELS, CARL D.
NICKELS, VICKI L.
P.O. BOX 351
CASCADE, ID., 83611
Source: SPRING
Tributary: SINKS
Diversion Pt: NENESE Sec 4 T 12N R 04E
Use: STOCKWATER (.020 CFS)
Date Filed: 11/16/1988
In: T12N R04E S04 SENE

65-12945
WESTWINDLANDINGSUBD.OWNERS
ASSN. INC.
C/O REALTY ONE
FRONTIER REALTY
7310 POTOMAC DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: SESE Sec 27 T 16N R 03E
Use: IRRIGATION (.120 CFS)
DOMESTIC (.160 CFS)

65-12946
GORRINO, LOUIE
GORRINO, RANDY
P.O. BOX 637
EMMETT, ID 83617
Source: SPRING
Tributary: SINKS
Diversion Pt: SWSE Sec 1 T 11N R 03E
Use: DOMESTIC (.020 CFS)
Date Filed: 11/16/1988
In: T11N R03E S01 SESE

65-12948
BARTON, DAVID M.
BARTON, DOROTHY L.
115 E. HIGHLAND VIEW DR.
BOISE, ID 83702
Source: CASCADE RESERVOIR
Tributary: PAYETTE RIVER, NORTH FORK
Diversion Pt: NWSE Sec 4 T 15N R 03E
Use: DOMESTIC (.040 CFS)
Date Filed: 11/29/1988
In: T15N R03E S04 NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho, 83705 on or before JANUARY 23, 1989.
R KEITH HIGGINSON, Director
Published 1/04/1989 & 1/11/1989

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of *The Advocate*, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The *Notice of Appli. for Water Rht* a copy of which is attached hereto; was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began:

1-4, 19 89

and ended 1-11, 19 89

Fred K O'Brien

Subscribed and sworn before me, this the

13th day of Jan, 1989

On this 13th day of Jan, 1989
I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Rayola J. Jarvis
Rayola Jarvis, Notary Public residing at Cascade, Idaho

MICROFILMED
JUN 14 1989

RECEIVED

MAY 24 1993

Form 219
6/86

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 25 1993

Department of Water Resources

Department of Water Resources

BENEFICIAL USE FIELD REPORT

(CURRENT OWNERS LISTED AS STEVENS WARREN ASSOC? - no ASSIGNMENT IN FILE) ^{gs}

A. GENERAL INFORMATION


1. Owner: CLAYTON H. & BETTY G. LEE (Former owner: HAROLD STEINER) Permit No. 65-12941
Current Address: 2453 West Mountain Road, Donnelly, ID 83615 Phone No. 325-8249
2. Accompanied by: CLAYTON LEE EXAM. DATE: 7/6/92
Address: (same) Phone No. (same)
Relationship to Permit Holder: Applicant
3. Source: Spring tributary to sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECORDED

JUL 01 1993

RECORDED

JUL 08 1993

Retake

PERMIT 65-12941 INIT RC
T. R. S. Q/Q
P/D 10N 3E 19 NENW
SCALE
PHOTO ID. T-9 Lone Tree

CASCADE
65-12941

RESERVOIR

FORK

PAYETTE

RIVER

1120 000
FEET
4954

JUL 01 1993

Ritake
JUL 08 1993

plu

p/d

TAIN'S

Creek

4952

4951

42' 30"

4950



PHOTO ONE-

Spring STORAGE box Located approximately 300' west of Leo property. Water piped to two homes. Spring located just west, about 15', of box.

>



PHOTO TWO-

OVERFLOW at southeast corner. Nose is tapped into overflow to supplement outside irrigation.

RECEIVED

JUL 01 1993

RECEIVED

JUL 08 1993



PHOTO THREE-

Water Valves near corner of adjacent properties.
 Valve to the right controls Flow to Lee, while
 VALVE to the left controls Flow to neighbor.*

>



PHOTO FOUR-

Nose tapped into overflow. 'Y' connection allows
 either neighbor* to use water.

UNPROCESSED

JUL 01 1993

* Neighbor =
 STEVENS WARREN
 Assoc. (A/Cook)
 - SL 5/21/93

UNPROCESSED

JUL 08 1993
 Retake



PHOTO FIVE-

View easterly of cabin. Garden, lawn, and shrubs are irrigated by this system, and supplemented by overflow in hose to the left.

LEE's
cabin

SL
5/21/93



PHOTO SIX-

View southeast of raspberries, trees, shrubs, and lawn behind cabin.

RECEIVED
JUL 01 1993

RECEIVED
JUL 08 1993
Retake



SEVEN
PHOTO THREE-

South end of cabin and the only lawn on property. Spigot, located at the southwest corner of cabin, use to irrigated property.

Lee's
Cabin

SL
5/28/93



JUL 01 1993

EIGHT
PHOTO FOUR-

Outdoor spigots which are tied into spring.

JUL 08 1993
Retake



~~PHOTO FIVE-~~

STEVENS WARREN Assoc. (Alcock) cabin

>

~~PHOTO SIX-~~

INDEXED
JUL 01 1993
RECORDED
JUL 08 1993
Retake

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12941

Priority: October 31, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that STEVENS WARREN ASSOCIATES
BOX 372

DONNELLY ID 83615 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated October 31, 1988; and
has submitted Proof of Beneficial Use on April 20, 1990. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENENW , Sec. 19, Township 16N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

16N 03E 19

NWNE

NENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located on or near the line between NWNE and NENW, S19, T16N, R03E.
6. Domestic use is for 1 home.

JUL 01 1993

JUL 08 1993

Rethke

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12941

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15th
day of JUNE, 1993.

Acting for R. Keith Higginson, Director

JUL 08 1993
Retcher

JUL 01 1993

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	65-12941	Harold A Steiner	0.04
Full Assignment	65-12941	Stevens Warren Associates	0.04

RECORDED

JUN 26 1992

JUN - 1 1992

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources

Watering Rights Office

I, Harold A Steiner, hereby assign to Stevens Warren Associates
of Dannelly, Id. Box 372 83615
Address

CHECK ONE

☐ All my right, title, and interest in and to Permit No. 65-12941
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 29th day of May, 1992.

Harold A Steiner
Permit Holder

Barbara J Steiner
Spouse of Permit Holder

State of Idaho)
County of Owyhee) ss.

On this 29th day of May, 1992, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he-(she)-(they) executed the same.

seal

Nicholas K. Shick
Notary Public residing at
Murphy, Id

MICROFILMED

My commission expires:
1/31/94

JUN 26 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

RECEIVED

JUN - 1 1992

Department of Water Resources
Western Regional Office

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 26, 1992

Harold Steiner
P.O. Box 2260
Murphy, ID 83650

Dear Mr. Steiner:

Enclosed is a form to assign your water right permit # 65-12941 to Mr. Clayton Lee.

No fees are involved, but we do need to have the permit in Mr. Lee's name since he is the current property owner.

If you have any questions, please give me a call.

Sincerely

Rick Collingwood
Water Rights Examiner

Dear Rick.

I was wrong on where or who now owns this property - it is recorded under Stevens Warren associates a father & son. The son Stevens Alcock is the one living there. his Box # 372 Donnelly 83615
Telephone 325-8161

Thank you Harold Steiner

JUN 26 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant HAROLD A. STEINER Phone (208) 834-2093

Post office address P.O. Box 2260, Murphy, ID 83650

2. Source of water supply * ~~UNKNOWN~~ SPRING which is a tributary of SINKS

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 2 *

Sec 19 Township 16N Range 03E B M VALLEY County; additional

points of diversion if any _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works.

a. Description of ditches, flumes, pumps, headgates, etc 1000 GAL STORAGE TANK
320 ft UNDERGROUND PLASTIC PIPE TO RESIDENCE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage.
_____ to _____ inclusive

c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? NA

7. Time required for the completion of the works and application of the water for beneficial use is
(EXISTS) 1 * years (minimum 1 year)
* 8/12/28/88

MICROFILMED

JUN 14 1989

8 Description of proposed uses (if irrigation only, go to item 9)

- a. Hydropower; show total feet of head and proposed capacity in KW _____
- b. Stockwatering, list number and kind of livestock. _____
- c. Municipal; show name of municipality _____
- d. Domestic, show number of households. 1 - HOME
- e. Other, describe fully _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example. D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
16N	03E	19					D												NA

Total number of acres to be irrigated NA

10. Describe any other water rights used for the same purposes as described above NONE

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks _____

RECORDED

JUN 14 1989



13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.

See attached map for additional details of
location of PM & 7/6 SC 12/28/88

RECEIVED MED

See attached map for additional details of
location of p/m & p/m SC 12/20/88

82 12/28/88

MicroFILMED

Scale 2 inches equal 1 mile

JUN 14 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Harold A. Steiner
(Applicant)

(Applicant)

Proposed Priority 10/31/88

Received by Ron Date 10-31-88 Time 11:37 Preliminary check by RBW

Fee \$ 30.00 Receipted by Rdh # W001238 Date 10-31-1988

Publication prepared by GG Date 12-28-88 Published in The Advocate

Publication approved HA Date 2/6/89
1/4 & 1/11/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12941, and said application is hereby APPROVED.

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other:

Witness my hand this 22nd day of May, 1989.

J. Glen Saylor

MICROFILMED

JUN 14 1989

NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12941
STEINER, HAROLD A.
P.O. BOX 2260
MURPHY, ID 83650
Source: SPRING
Tributary: SINKS
Diversion Pt: SENENW Sec 19 T 16N R 03E
Use: DOMESTIC (.040 CFS)
Date Filed: 10/31/1988
In: T16N R03E S19 NENW

65-12942
SEITZ, DONALD K.
1331 TETONIA DR.
BOISE, ID 83705
Source: CAMPBELL CREEK
Tributary: CASCADE RESERVOIR
Diversion Pt: NWSESE Sec 33 T 14N R 03E

Use: IRRIGATION (.030 CFS)
Date Filed: 11/10/1988
In: T14N R03E S33 SESE
1.0 ACRES TOTAL
65-12943
HEATLANDERS WATER USERS ASSN.
P.O. BOX 4218
CAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt: NENW Sec 28 T 16N R 03E

Use: DOMESTIC (.110 CFS)
Date Filed: 11/15/1988
In: T16N R03E S28 NENW
65-12944
NICKELS, CARL D.
NICKELS, VICKI L.
P.O. BOX 331
CASCADE, ID, 83611
Source: SPRING
Tributary: SINKS
Diversion Pt: NENESE Sec 4 T 12N R 04E

Use: STOCKWATER (.020 CFS)
Date Filed: 11/16/1988
In: T12N R04E S04 SENE
65-12945
WESTWINDLANDINGSUBD.OWNERS ASSN. INC.
CO REALTY ONE
FRONTIER REALTY
7310 POTOMAC DR.
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: SESE Sec 27 T 16N R 03E
Use: IRRIGATION (.120 CFS)
DOMESTIC (.160 CFS)

Date Filed: 11/16/1988
In: T16N R03E S27 SESE
4.0 ACRES Total
65-12946
GORRANO, LOUIE
GORRANO, RANDY
P.O. BOX 637
EMMETT, ID 83617
Source: SPRING
Tributary: SINKS
Diversion Pt: SWSESE Sec 1 T 11N R 03E

Use: DOMESTIC (.020 CFS)
Date Filed: 11/16/1988
In: T11N R03E S01 SESE
65-12948
MARTON, DAVID M.
MARTON, DOROTHY L.
111 E. HIGHLAND VIEW DR.
BOISE, ID 83702
Source: CASCADE RESERVOIR
Tributary: PAYETTE RIVER, NORTH FORK
Diversion Pt: NWSE Sec 4 T 15N R 03E

Use: DOMESTIC (.040 CFS)
Date Filed: 11/29/1988
In: T15N R03E S04 NWSE
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho, 83705 on or before JANUARY 23, 1989.
2 copies of this notice must be filed with the Director of Water Resources.

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of *The Advocate*, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The *Advocate of Valley County, Idaho* is a copy of which is attached hereto; was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began:

1-4, 19 89
and ended 1-11, 19 89

Subscribed and sworn before me, this the 13 day of Jan, 1989

On this 13 day of Jan, 1989
I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Katonia Jacobs
Katonia Jacobs, Notary Public residing at Cascade, Idaho

FILED
JAN 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 2, 1993

STEVENS WARREN ASSOCIATES
BOX 372
DONNELLY ID 83615

RE: WATER RIGHT NO. 65-12941

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on
the above referenced permit.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUL 01 1993

RECEIVED

JUL 08 1993

Rebala

WR0749NP
No. L65-12941

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/25/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STEVENS WARREN ASSOCIATES BOX 372 DONNELLY ID 83615 (208) 325-8161	10/31/1988	DOMESTIC	01-01 12-31	0.02 CFS	1.2 AFA
TOTAL DIVERSION:					0.02 CFS	1.2 AFA

Water Source: SPRING

Tributary to: SINKS

Stage: LICENSE

Point(s) of Diversion Capacity: 0.02 CFS

Point(s) of Diversion: T16N R03E S19 SE NE NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
16N	03E	19	:			D				D										:

Pou County: VALLEY

Remarks: Place of use is located on or near the line between NWNE and
NENW, S19, T16N, R03E.
Domestic use is for 1 home.

Dates:	App. Received:	10/31/1988	Priority Date:	10/31/1988
	Proof Due Date:	06/01/1990	Proof Made Date:	04/20/1990
	Exam Made Date:	07/06/1992	Exam Sent to S.O.:	05/21/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 05/25/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 105-12941

Date 1-28-93 *Bum*

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u> </u>	Address Change?
PRIORITY DATE	<u> </u>	<u> </u>	Advance?
	<u> </u>	<u> </u>	Memo to Advance
	<u> </u>	<u> </u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u> </u>	(NO FEE - .04 cfs) Incorrect Fee for rate recommended?
	<u> </u>	<u> </u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>5 ÷ 448.8 gpm = .01 cfs</u>
	<u> </u>	<u> </u>	Disagree with Theoretical? <u>NA</u>
	<u> </u>	<u> </u>	Limited by Capacity? <u>.01</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			Standard Irr. Season
			Season Recommended
	<u> </u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>DOMESTIC = .6 AF (EXTERNAL ONLY)</u>
	<u> </u>	<u> </u>	Limited by Flow? <u>.01 X 365 X 1.9835 = 7.24 > .6</u>
SOURCE	<u> </u>	<u> </u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u> </u>	<u>Intended</u> source
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u> </u>	Amendment Needed?
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u> </u>	Verify with Map
	<u> </u>	<u> </u>	Amendment Needed? <u>CHANGE FROM NENW TO NUNE, S 19</u>
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration? <u>T16N, R 3E</u>
USES	<u> </u>	<u> </u>	Change(s) in Nature of Use?
	<u> </u>	<u> </u>	Amendment Needed?
REMARKS	<u> </u>	<u> </u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u> </u>	Non-Irr. Uses <u>DOMESTIC / EXTERNAL ONLY</u>
	<u> </u>	<u> </u>	Special Overlap Condition
	<u> </u>	<u> </u>	Other <u>EXTERNAL USE ONLY</u>
CONDITIONS	<u> </u>	<u> </u>	Measuring Device
	<u> </u>	<u> </u>	W/Master Control
	<u> </u>	<u> </u>	Overlap
	<u> </u>	<u> </u>	Water Quality
	<u> </u>	<u> </u>	DATES/MISC
	<u> </u>	<u> </u>	Water Dist.
	<u> </u>	<u> </u>	App Rec'd
	<u> </u>	<u> </u>	Exam Made
COMMENTS:	<u>REDUCE RATE TO .02 cfs</u>		
	<u>AMEND P/U</u>		
	<u>EXTERNAL DOMESTIC REMARK</u>		
LICENSE	<u> </u>	<u> </u>	AMEND <u> </u> SPECIAL PARAGRAPH <u> </u>

MEMORANDUM

MAY 24 1993

NOTED FOR DISCUSSION

TO: PAM SKAGGS

FROM: STEVE LESTER *SL*

DATE: MAY 21, 1993

SUBJECT: FIELD EXAMINATION FOR 65-12941

Attached is the original exam that had been returned to the region for more work. I spoke with the examiner, Rick C., and the situation is clarified by his information. See his memo dated 5-20-93.

The P/U in the exam was for Mr. Lee's cabin but should have covered the Alcock (Stevens Warren Assoc.) cabin per revised assignment. Rick's memo has a photograph of the Alcock cabin where water is used for internal and external uses and thus fulfills the full volume of water allowed in the D/1 permit. The Lee cabin uses water for external purposes only but cannot be added to the permit.

The exam describes the Lee site. All of the information is the same for Alcock place except that internal and external uses occur. The permit should be licensed for .02 cfs and 1.2 afa for Stevens Warren Assoc. cabin (used by Alcock). According to WRQ1, WRQ4 (checked NENW & NWNE), AQQ1, and AQQ4 (again, both QQ), no water right or SRBA claim covers Mr. Lee's use. He needs to file a new application for permit. I prepared an application that S.O. can mail to him after Stevens Warren Assoc. license is prepared. Please have Mr. Lee return the application to me. (I did not mail application and letter of explanation to Mr. Lee due to possible questions that still may occur to you or other S.O. staff).

Rick told me that the cabins are close together and are on or near QQ line of NWNE & NENW (see topo). He said it was difficult to exactly specify one QQ over the other QQ. Without a subdivision plat and more detailed survey information, it appears that P/U for both cabins should show both QQ. In this case, an amendment for Alcock's site should not be required since additional QQ is a clarification instead of a change.

An additional field trip should not be necessary to resolve this matter or to eventually license a new right to be filed by Mr. Lee. Please let me know if any questions remain.

*I have been instructed
not to microfilm
memos such as
this one
DAB*

May 20, 1993

CONVERSATION MEMORANDUM

NAME OF PARTY: Harold A. Steiner/Stevens Warren Associates

EMPLOYEE: Rick Collingwood, Water Rights Examiner, Western Region

Re: Water Right Clarification

In May of 1992, I sent a notice for a water right examination to Mr. Harold Steiner. The property is located near Donnelly and Cascade Reservoir. Mr. Steiner notified me that he sold the property to Mr. Clayton Lee. An Assignment of Permit was sent to Mr. Steiner to assign this water right to Mr. Lee. An appointment was made with Mr. Lee, and a water right field examination was conducted on July 6, 1992.

In reviewing the memorandum from Pam Skaggs, I noticed that Mr. Steiner had changed the Assignment of Permit from Mr. Lee to Stevens Warren Associates. This change was never brought to my attention, therefore the wrong parcel was examined. The system represented in the file is correct, except for the residence. A picture of the Alcock home next to Mr. Lee's is attached.

Mr. Alcock's water use is for domestic indoor and outdoor, while Mr. Lee's is domestic outdoor only. The flow measurement is the same for either parcel, so no new examination should be needed.

In order for Mr. Lee to protect his access to this spring, he may need to file for a new water right, since this particular water right is for only one home.

If you have any more questions regarding this matter, please give me a call.

Sincerely,

Rick Collingwood

Rick Collingwood,
Water Rights Examiner, Western Region

JUL 01 1993

RECEIVED

JUL 08 1993

Retahe

RECEIVED

MAY 24 1993

Form 219
6/86

RECEIVED

JAN 25 1993

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

Department of Water Resources

BENEFICIAL USE FIELD REPORT

(CURRENT OWNERS LISTED AS STEVENS WARREN ASSOC? - NO ASSIGNMENT IN FILE) 9

A. GENERAL INFORMATION


1. Owner: CLAYTON H. & BETTY G. LEE (Former owner) HAROLD STEINER Permit No. 65-12941
 Current Address: 2453 West Mountain Road, Donnelly, ID 83415 Phone No. 325-8249
 2. Accompanied by: CLAYTON LEE EXAM. DATE: 7/6/92
 Address: (same) Phone No. (same)
 Relationship to Permit Holder Applicant
 3. Source: Spring tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
 2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more)

JUL 01 1993

JUL 08 1993
Retake

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

Spring water is piped to an approximate 1000 gallon storage Tank. This tank is an old truck bed with a plywood top. Water is piped by gravity, dropping approximately 60' to a 'T' where two valves exist. One valve services Leo property, the other services Alcock property. Water is then pipe to home to (2) outdoor spigots. Water used for garden, lawn, and trees and shrubs. No domestic (inside) use due to poor quality of water. Hose tapped into overflow is also used to water garden, trees, shrubs, and lawn.

☐ See Remarks on page 4 for continuation

4.

N/A

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NW	19	16N	3E	Valley	aerial map

6. Place(s) of Use:

Indicate Method of Determination Same as P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
16N	3E	19		D															

Retake
JUL 08 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket at back spigot

Flow = 5 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

- 1 Measured Method. 5 gallon bucket
 $\frac{5 \text{ gpm}}{2.48 \text{ gpm}} = 0.01 \text{ cfs}$ (Low due to drought conditions)
Recommend flow of 0.02 cfs
2. Alternate Method for Checking Purposes

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure _____ psi x 2.31 = _____ ft (1), Dynamic pumping level _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1.34 = _____ (7)
Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$V_R = \text{Domestic (Outside)} = 0.6 \text{ AF}$

0/1 Ext. + int. = 1.2 AF

← Lee's
← STEVENS
WARREN
ARROW

JUL 08 1993
Retcher

H. REMARKS AND OVERLAP REVIEW ANALYSIS

P/U on permit should read NWE section 19, T. 16N, R 3E..

Initially, water was to be used for domestic inside and outside, but due to unhealthy water for consumptive use, water is used only for domestic (outside) and a well has since been drilled for domestic inside use. Due to change of use, and the measured flow of 0.01 cfs, recommend Licensing for 0.02 cfs instead of 0.04 cfs as requested on permit. Also, indicate domestic use is outside only.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.02	0.6 1.2
Totals:			0.02	1.2 0.6

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name Rick Collingwood
Signature Rick Collingwood
Certification Date _____
Field Report Preparation Date 7/16/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Jul 08 1993

Jul 01 1993



060087

PERMIT 65-12941 INIT PC

T. R. S. 210

P/D 100 3E 19 NENW

SCALE PHOTO ID. 7-9 Lone Tree

TAIN S

P/D

P/D

CASCADE 65-2929
FORK
RESERVOIR
PAYETTE
RIVER


Ritake
JUL 08 1993



PHOTO ONE-

Spring storage box located approximately 300' west of Lee property. Water piped to two homes. Spring located just west, about 15', of box.

>



JUL 01 1993

PHOTO TWO-

OVERFLOW at southeast corner. Nose is tapped into overflow to supplement outside irrigation.

JUL 08 1993
Rethke




PHOTO THREE-

Water Valves near corner of adjacent properties
Valve to the right controls flow to Lee, while
VALVE to the left controls flow to neighbor *

>



JUL 6 1993

* Neighbor =
Stevens Warren
Assoc. (A/c work)
- 92 5/21/93

PHOTO FOUR-

Nose tapped into overflow. 'Y' connection allows
either neighbor to use water

08 1993
Retake



PHOTO FIVE-

View easterly of cabin. Garden, lawn, and shrubs are irrigated by this system, and supplemented by overflow in hose to the left.

LEE's

cabin

SL
5/21/93



PHOTO SIX

View southeast of raspberries, trees, shrubs, and lawn behind cabin.

JUL 08 1993

Retake



SEVEN
PHOTO THREE-

South end of cabin and the only lawn on property. Spigot, located at the southwest corner of cabin, use to irrigated property.

Lee's
Cabin

SL
5/20/93



JUL 01 1993

EIGHT
PHOTO FOUR-

Outdoor spigots which are tied into spring.

JUL 08 1993
Ritake



~~PHOTO FIVE-~~

STEVENS WARREN Assoc. (Alameda) Cabin

>

~~PHOTO SIX~~

JUL 01 1993
JUL 08 1993
Retake

- Copy To File -

MEMORANDUM

TO: STEVE LESTER/WESTERN REGION

FROM: PAM SKAGGS/S.O. *OS*

RE: RETURNED EXAM #65-12941

DATE: 5-FEB-1993

=====

This is one of the exams that Jim talked to you about yesterday, that you requested be returned.

I reviewed and prepared the license according to the exam information. An amendment was required to the P/U and was sent to current owner, Stevens Warren Associates. Mr. Steven Alcock contacted me with questions regarding the amendment and exam.

Mr. Alcock had never been contacted by the examiner and wanted to know why. He said that he and the Lee's have been having problems sharing the water in the past and didn't appreciate Mr. Lee being contacted about his (Alcock) water right. After discussing the information on the exam, I am not sure if the examiner identified Mr. Alcock or Mr. Lee's home and portion of the system. If the examiner identified the wrong home, it's possible from the diagram and map that an amendment wouldn't be required.

Mr. Alcock states that the spring water is piped into his home and he has used it for internal domestic use. He has drilled a well, but uses the spring water when available and for back up in case of power failure. He doesn't agree with the license recommendation of external use only.

I was not able to confirm the home or lawn identified in the pictures with Mr. Alcock by phone. He was quite definite about the raspberry bushes belonging to the Lees. The field report states that the examiner was accompanied by Clayton Lee, applicant. He apparently wrote (copy attached) the original owner and requested an assignment. Both the letter and assignment were returned to the region office on 06-04-92, prior to the exam on 07-06-92.

I have contacted Mr. Alcock and explained that the exam has been returned to the region for clarification and that he would be contacted prior to final recommendations. His phone number is 325-8161.

RECEIVED
JUL 01 1993

JUL 01 1993

JUL 08 1993
Retake



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 2, 1993

STEVENS WARREN ASSOCIATES
BOX 372
DONNELLY ID 83615

RE: WATER RIGHT NO. 65-12941

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUL 01 1993

JUL 08 1993
Retake



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 24, 1992

STEVENS WARREN ASSOCIATES
PO BOX 372
DONNELLY ID 83615-0372

Re: Permit No. 65-12941

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

RECEIVED

JUN 26 1992

June 19, 1990

HAROLD A. STEINER
P.O. BOX 2260
MURPHY, ID 83650

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12941

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 21 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12941

Date: 6-14-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
Y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
APR 20 1990

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee of a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12941 Telephone No. 834-2093

Name(s) of Permit Holder(s): Harold Steiner

Post Office Address: P. O. Box 2260, Murphy, ID 83650

Source of Water: Spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit Dec. 1974

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Harold Steiner
Name Telephone No. _____
same as above
Address _____

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

April 20, 1990
Date

Harold Steiner
Signature (and title if on behalf of a company or organization)

138551
March 31, 1990

HAROLD A. STEINER
P.O. BOX 2260
MURPHY, ID 83650

PROOF DUE NOTICE

RE: PERMIT NO. 65-12941

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 23, 1989

HAROLD A. STEINER
P.O. BOX 2260
MURPHY, ID 83650

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-12941

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 14 1989

P/D NENW 5.19 16N 3E
P/U

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RBW DATE: 11-29-88 APPLICATION: 65-12941

REQUIRED INFORMATION

sc 12/28/88

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: No P/D
☒ Nature of proposed use: (Include description of use) No P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ___ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ___ ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
___ ☒ Overlapping point of diversion:
___ ☒ Field check required: Field check by: RECEIVED
___ ☒ Field report attached: MAR 30 1989
___ ☒ Critical groundwater area:
___ ☒ Groundwater management area:
___ ☒ Send dam safety information:
___ ☒ Send power requirement letter:
___ ☒ Send fish farm requirement letter: Department of Water Resources
___ ☒ Power residency affidavit:
___ ☒ Power efficiency form:
___ ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
___ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
___ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

Additional information on reverse side:

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

- ☐ U.S. BLM
☒ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest January 23, 1989
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: approve, DNR
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # 105-N/A source sinks
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 10/31/1988 ✓
Recommended by: DNR Date 3/29/1989

STATE OFFICE REVIEW

PIC

See below for additional information. By KW Date 5/15/89

ADDITIONAL INFORMATION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

DECEMBER 28, 1988

The Advocate
P.O. Box 1079
Cascade, ID 83611

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 23, 1989.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

JUN 14 1989

65-12941

STEINER, HAROLD A.
P.O. BOX 2260
MURPHY, ID 83650

Source: SPRING

Tributary: SINKS

Diversion Pt: SENENW Sec 19 T 16N R 03E

Use: DOMESTIC (.040 CFS)

Date Filed: 10/31/1988

In: T16N R03E S19 NENW

MICROFILMED

JUN 14 1989