

4976 T.

T.

010 i

4975

65-12933

4974

55'

18N 3E S. 6
+ 40 TS N 1/2 N 1/2 & W 1/2 W 1/2

4972



Wells in place since early 1980's.
INTERNAL USE = 1.18 cfs
EXTERNAL USE = .02 cfs
All considered Domestic.

RECEIVED

SEP 20 1955

Should questions arise during the processing of this application please contact:

For: **ERL L. CHAPMAN**
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12933


1. Owner: Brundage Meadows, Inc. Phone No. 344-1944
Current Address: 2107 Norcrest Drive, Boise, ID 83705
2. Accompanied by: Tom and Frances West EXAM. DATE: 6/25/90
Address: 2107 Norcrest Drive, Boise, ID 83705 Phone No. 344-1944
Relationship to Permit Holder: Treasurer
3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



Unit 2 of 4 - 16 Total Units

MICROFILMED

MAR 19 1991



WELL #1



WELL #2

65-12933




PRESSURE SYSTEM



PRESSURE SYSTEM

MICROFILMED
MAR 19 1991



57' 30"

4978

4977

4976

T19N

T18N

4975

4974

55'

AEROFILMED

MAR 29 1951

4973



FOR PROMPT
SERVICE
PHONE

THE PUMP MAN

Paul E. Shafer



Ahsahka, Idaho 83520

Phone: 476-4762

AUTHORIZED DEALER FOR BERKELEY PUMPS

TWO WIRE SINGLE PHASE

STANDARD TANK
(NO DISC FLOAT)



Customer

DON CLARK

#1

Mailing Address

Location

MC CALL

Terms

Well Dia.

4 1/4

Depth

105

Static Level

45-60

Pumping Level

95' SET

GPM

Quan.	Description	Price
1	Pump Model <u>40LM14</u> HP <u>3</u> Voltage <u>230</u>	<u>1115 00</u>
<u>100</u>	Cable Size <u>AWG #12/3</u> (with motor lead if required)	<u>94 50</u>
<u>84'</u>	Drop Pipe - Size <u>2"</u> Inches	<u>266 56</u>
<u>1</u>	Well Seal - Size <u>1 1/2" X 2"</u> Inches <u>PITLESS</u>	<u>175 00</u>
<u>2</u>	Pressure Tank - Size _____ Gallons <u>WX 251</u>	<u>590 00</u>
	Discharge Pipe - Size _____ Inches	
<u>100'</u>	~~Slip Coupling~~ <u>AIRLINE</u>	<u>15 00</u>
<u>1</u>	~~Gate Valve~~ <u>2" CHECK</u>	<u>47 00</u>
Miscellaneous		
<u>1</u>	<u>MAG CONTACTOR</u>	<u>48 00</u>
<u>1</u>	<u>FSG-2 PR SWITCH, GAUGE, PR RELIEF</u>	<u>38 00</u>
<u>1</u>	<u>MISC ELEC & PIPE FITT (APPROX)</u>	<u>150 00</u>
<u>1</u>	<u>2" GATE VALVE</u>	<u>30 00</u>
<u>1</u>	<u>FREIGHT (APPROX)</u>	<u>30 00</u>

ACCEPTED: _____ 19 _____

Customer

Salesman

* total 1017 +/-

Sub Total

Sales Tax

Installation

Total Price

x2 for cash

2599 06

97 97


200 00

2897 03

CABLE CLAMPS
10' INTERVALS

CABLE CONNECTOR

PUMP AND
MOTOR UNIT



NOT FILLED
MAR 19 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12933

Priority: November 30, 1988

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:¹

19.2 AF

This is to certify, that BRUNDAGE MEADOWS INC.

2107 NORCREST DR.

BOISE, ID 83705

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 30, 1988; and has submitted Proof of Beneficial Use on July 5, 1990. An examination indicates that the works have a diversion capacity of .260 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.20 CFS	19.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE, Sec. 6, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

18N 03E 6 NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. 2 points of diversion located in NESE, S6, T18N, R3E.
6. Domestic use is for 16 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 15TH day of FEBRUARY, 1991.

RECEIVED

Acting for

R. Keith Higginson, Director

MAR 19 1991

State of Idaho
Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12933

Date of Priority: November 30, 1988 Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume:¹ 19.2 AF

Comes now BRUNDAGE MEADOWS INC.
2107 NORCREST DR.
BOISE, ID 83705

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-12933, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.20 CFS	19.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 6, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

18N 03E 6 NESE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Id., this 21st day of December, 1990.

RECEIVED

MAR 19 1991

Frances Della West
(Signature)
Secretary/Treasurer

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12933

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee ✓ \$20.00 Received by SC Date 12/26/90 #C019226

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12933 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. 2 points of diversion located in NESE, S6, T18N, R3E.
6. Domestic use is for 16 homes.

Witness my hand this 15TH day of FEBRUARY, 1991.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

RECEIVED

12/26/90

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-12933

Proposed Priority: November 30, 1988 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **BRUNDAGE MEADOWS INC.**
2107 NORCREST DR.
BOISE, ID 83705

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE Sec. 6, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

18N 03E 6 SENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1990.**
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 16 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

25th day of July, 1989.

for R. Keith Higginson, Director

MICROFILMED

SEP 06 1989

Ident. No. 65-12933

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: BRUNDAGE MEADOWS INC. 208-344-1944
Address: 2107 NORCREST DR.
BOISE, ID 83705
2. Source: GROUNDWATER Trib. to:
3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
18N	03E	6	SE	NE			VALLEY
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
DOMESTIC	01/01	12/31	0.200		
5. Total quantity appropriated is:
0.200 CFS (and/or) AFA
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
SUBMERSIBLE PUMPS FOR TWO WELLS, PIPELINES TO HOMES
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
DOMESTIC USE FOR 16 HOMES AND UP TO 1/2 ACRE OF IRRIGATION (DOMESTIC)

MICROFILMED

SEP 06 1969

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
18N	03E	6	SE NE		DOMEST	

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT

b. Who owns the land to be irrigated or place of use?
APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

~~WELLS HAVE BEEN IN PLACE SINCE EARLY 1980'S. INTERNAL USE IS .18~~
~~CFS AND EXTERNAL IS .02 CFS. The two wells are in same tract~~ SL 11/30/88.
TWO P/O IN SENE.

13. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Brundage Meadows, Inc.
Applicant
by *Frances Jella West*
Secretary/Treasurer

Received by SL Date 11/30/88 Time 2:45 Preliminary check by SL

Fee \$ 30⁰⁰ Receipted by SL # W001548 Date 11/30/88

Publication prepared by GG Date 12-14-88 Published in The Star News
12/21 & 12/28/88

Publication approved SL Date 2/1/89

MICROFILMED

SEP 06 1989

4976 T.

T

010 f

4975

65-12933

4974

55'

18N 3E S. 6

4973

N $\frac{1}{2}$ W $\frac{1}{2}$ S. 6 (w $\frac{1}{2}$ W $\frac{1}{2}$ S. 6)

4972

Wells in place since early 1980's.
INTERNAL USE = 1.18 cfr
EXTERNAL USE = .02 cfr
All considered Domestic.

65-12933
BRUNNORSE
MEADINS, INC.

President

J. Scott Tunnell

10013 W. Ironclad Ct.

Boise, Id. 83704

Vice Pres.

NATHAN KIM

C/O BLAINE & Co. INS.

1095 FEDERAL WAY

BOISE, ID. 83705

SEC./TREAS.

FRANCES SELLE WEST

2107 NORCREST DR.

BOISE, ID. 83705


MICROFILMED

SEP 06 1989

Publisher's Affidavit of Publication

STATE OF IDAHO }
 }.ss
County of Valley

I, Maggie Aganew, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and in a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began December 21, 1988, and ended December 28, 1988.



Subscribed and sworn before me this the 5th day of January, 1989.

STATE OF IDAHO }
COUNTY OF VALLEY }

On this 5th day of January in the year of 1989, before me, a Notary Public, personally appeared Maggie Aganew, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.



Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires 1993

RECEIVED
JAN 1989

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12888

STOCKTON, BETTY R., P.O. BOX 5, MC CALL, ID 83638 Source: UNNAMED STREAM Tributary: PAYETTE RIVER, NORTH FORK Diversion Pt. NESW Sec 15 T 18N R 03E Use: STOCKWATER (.020 CFS) STOCKWATER STORAGE (1.03 AF) STOCKWATER FROM STORAGE (1.03 AF) WILDLIFE STORAGE (1.03 AF) WILDLIFE FROM STORAGE (1.03 AF) FIRE PROTECTION STORAGE (1.03 AF) Date Filed: 10/13/1988 In: T18N R03E S15 NESW

65-12933 ✓

BRUNDAGE MEADOWS INC. 2107 NORCREST DR. BOISE, ID 83705 Source: GROUNDWATER Diversion Pt: SENE Sec 6 T 18N R 03E Use: DOMESTIC (.200 CFS) Date Filed: 11/30/1988 In: T18N R03E S06 SENE

65-12934

WILLCUTT, MILES WILLCUTT, MARY T. 421 S. CURTIS ROAD SP 76 BOISE, ID 83705 Source: PAYETTE LAKE Tributary: PAYETTE RIVER, NORTH FORK Diversion Pt: LOT 3 (NWSNW) Sec 2 T 18N R 03E Use: DOMESTIC (.040 CFS) Date Filed: 12/02/1988 in: T18N R03E S02 Lot 3 (SENW)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JANUARY 9, 1989. R. KEITH HIGGINSON, Director 2/12/28

February 19, 1991

BRUNDAGE MEADOWS INC.
2107 NORCREST DR.
BOISE, ID 83705

RE: WATER RIGHT NO. 65-12933

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
MAR 19 1991

January 10, 1991

BRUNDAGE MEADOWS INC.
2107 NORCREST DR.
BOISE, ID 83705

RE: WATER RIGHT NO. 65-12933

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received the amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure



November 30, 1990

BRUNDAGE MEADOWS INC.
2107 NORCREST DR.
BOISE, ID 83705

RE: WATER RIGHT NO. 65-12933

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED

MAR 19 1991

LICENSE REVIEW CHECKLIST

Permit No. 65-12933

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee CERT. EXAM

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked DONE

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒ amendment needed

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 ☒
Description of non-irrig uses ☒
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed **RECEIVED**
Filed - needs amended
Not filed - send form
Not needed ☒ Proof after 11/19/87 MAR 18 1991

Comments/Changes to Examiner's Recommendations:

License 10-day 30-day ☒

Back of field report signed? ☒

Reviewer J. Curtis Date 11-24-90 Review time 10 min.

Should questions arise during the processing of this application please contact:

Form 20-6
SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12933


1. Owner: Brundage Meadows, Inc. Phone No. 344-1944
Current Address 2107 Norcrest Drive, Boise, ID 83705
2. Accompanied by Tom and Frances West EXAM. DATE. 6/25/90
Address: 2107 Norcrest Drive, Boise, ID 83705 Phone No. 344-1944
Relationship to Permit Holder Treasurer
3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with same place of use None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i d as applicable ☐ Alternative diagram attached



RECEIVED
MAR 19 1991

Scale: 1" = _____.

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more)
place(s) of use (required)
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement Indicate pressure, number of sprinklers, etc.)

Two drilled wells, (logs attached) installed submersible pumps (3 hp).

Sixteen total units constructed. Each is for a single family unit. Pumps set at 95', static level 45', pumps rated at 60 gpm.

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	Franklin	3	Unavailable	Berkeley	4CLM14 (mdl#)
#2	Franklin	3	Unavailable	Berkeley	4CLM14 (mdl#)

*Code to correspond with No on map and aerial photo

5 **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		NE	NE	SE	6	18N	3E	Valley	Field/map
2		SE	NE	SE	6	18N	3E	Valley	Field/map

6 **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
18N	3E	6													D				

RECEIVED

MAR 19 2001

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Calculated/pump curve						

2. Measurements:

Flow measurement unable to be made due to lack of access to discharge port and plumbing tie-in to units. Flow based on:

$$Q = \frac{HP \times L \times 3960}{TDH}$$

$$Q = .13 \text{ cfs for well \#1} \qquad Q = .13 \text{ cfs for well \#2}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses.

$$.20 \text{ cfs} \times 1.9835 \times 365 = 145 \text{ ac. ft.}$$

MAILED
MAY 18 1961

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly textured appearance and some minor discoloration or shadows, suggesting it's a physical scan. There is no handwriting or other markings on the paper.

I. RECOMMENDATIONS

1 Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Domestic	1/1	12/31	.20	145
		Totals:	.20	145

2. Recommended Amendments

- ☒ Change P D as reflected above ☐ Add P D as reflected above ☐ None
☒ Change P U as reflected above ☐ Add P U as reflected above ☐ Other

J AUTHENTICATION

Field Examiner's Name Sheri L. Chapman
Signature *Sheri L. Chapman*
Certification Date 3/16/90
Field Report Preparation Date 6/25/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

REFUSED


MAR 19 1961



Unit 2 of 4 - 16 Total Units




WELL #1



WELL #2

65-12933



PRESSURE SYSTEM



PRESSURE SYSTEM

RECEIVED
MAR 19 1991

57' 30'

4978

1977

4976

T19N

T18N

1975

1974

1973

REPRODUCED FROM
AERIAL PHOTOGRAPH

U.S. GEOLOGICAL SURVEY

1973





FOR PROMPT
SERVICE
PHONE

THE PUMP MAN

Paul E. Shafer
Ahsahka, Idaho 83520
Phone: 476-4762

AUTHORIZED DEALER FOR BERKELEY PUMPS TWO WIRE SINGLE PHASE STANDARD TANK (NO DISC FLOAT)



Customer

DON CLARK

#1

Mailing Address

Location

Mc CALL

Terms

Well Dia.

6 1/4

Depth

105

Static Level

45-60

Pumping Level

95' SET

68PM

Quan.	Description	Price
1	Pump Model <u>40LM14 HP 3</u> Voltage <u>230</u>	<u>1115 00</u>
<u>100</u>	Cable Size <u>AWG #12/3</u> (with motor lead if required)	<u>94 50</u>
<u>84'</u>	Drop Pipe - Size <u>2"</u> Inches	<u>266 56</u>
<u>1</u>	Well Seal - Size <u>V6 X 2</u> Inches <u>PITLESS</u>	<u>175 00</u>
<u>2</u>	Pressure Tank - Size _____ Gallons <u>10X251</u>	<u>590 00</u>
	Discharge Pipe - Size _____ Inches	
<u>100'</u>	~~Slip Coupling~~ <u>AIRLINE</u>	<u>15 00</u>
<u>1</u>	~~Gate Valve~~ <u>2" CHECK</u>	<u>47 00</u>
Miscellaneous		
<u>1</u>	<u>MAG CONTACTOR</u>	<u>48 00</u>
<u>1</u>	<u>FSG-2 PR SWITCH, GAUGE, PR RELIEF</u>	<u>38 00</u>
<u>1</u>	<u>MISC BLEB & PIPE FITT (APPROX)</u>	<u>150 00</u>
<u>1</u>	<u>2" GATE VALVE</u>	<u>30 00</u>
<u>1</u>	<u>FREIGHT (APPROX)</u>	<u>30 00</u>

CABLE CLAMPS

10' INTERVALS

CABLE CONNECTOR

PUMP AND MOTOR UNIT

AIR INLET VALVE
(RUBBER ORIFICE)

MAR 19 1990

BLEEDER VALVE
(RUBBER ORIFICE)

ACCEPTED: _____ 19 _____

Customer

Salesman

* 1017 -1

Sub Total

Sales Tax

Installation

Total Price

Y1

2599 06

97 97

200 00

2897 03

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

LINE TYPEWRITER AND
BALL POINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

REFINED

[illegible]

November 29, 1990

Brundage Meadows, Inc.
2107 Norcrest Drive
Boise, ID 83705

Gentlemen:

Re: Permit No. 65-12933

This office acknowledges receipt of the proof of beneficial use form and the beneficial use report completed by Sherl L. Chapman. The department will review the report and notify you of the results recommended for licensing.

If you have any questions, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: W. Region

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

DATE 11-18-1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12733

Date: 11-27-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
y Groundwater
 y 1. well log in file
 _____ 2. drilling permit
 ~~_____~~ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
 y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

PK Is a measuring device or access port required?
PK Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
ack sign. field & farm*

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

Should questions arise during
the processing of this applica-
tion please contact.

SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

RECEIVED
JUL 5 1990
STATE OF IDAHO
Department of Water Resources
Western Regional Office
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12933

Name(s) of Permit Holder: Brundage Meadows, Inc.

Post Office Address: 2107 Norcrest Drive, Boise, ID 83705

Telephone No. 344-1944

Source of Water: Groundwater

Extent of Use:

Domestic 16 units (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .20 cfs 145 acre-feet

Show the date water was first diverted and beneficially used under this permit: 1989

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-28-1990
Date

Frances West, Treasurer/Secretary
Signature of Permit Holder (and title, if appropriate)

138836
May 31, 1990

BRUNDAGE MEADOWS INC.
2107 NORCREST DR.
BOISE, ID 83705

PROOF DUE NOTICE

RE: PERMIT NO. 65-12933

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 19 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 25, 1989

BRUNDAGE MEADOWS INC.
2107 NORCREST DR.
BOISE, ID 83705

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12933

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

SEP 06 1989

[Handwritten signature]

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILM

SEP 90 1960

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 12/6/88 APPLICATION: 65-12933

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ☐ No* In form to receipt:

Gov't. Lots:
N P/D
N P/U

see attached pg.

ADDITIONAL INFORMATION

YES NO
☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☒ ☐ Field check required: Field check by: _____
☒ ☐ Field report attached:
☒ ☐ Critical groundwater area:
☒ ☐ Groundwater management area:
☒ ☐ Send dam safety information:
☒ ☐ Send power requirement letter:
☒ ☐ Send fish farm requirement letter:
☒ ☐ Power residency affidavit:
☒ ☐ Power efficiency form:
☒ ☐ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ ☐ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED

JUL 03 1989

Department of Water Resources

PROCESSING

YES NO

- ☒ ☐ In form for advertising:
☐ ☒ Statewide advertising:
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☒ ☐ I.D. Health and Welfare
☐ ☐ I.D. Fish and Game
☐ ☐ I.D. Lands
☐ ☐ Adjudication Bureau

YES NO

- ☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water District # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

- ☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Protests received, Final date for protest January 9, 1989
☐ ☒ Protests, dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached: Approve, OK
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☒ ☐ Water delivered by water master? District # 65-P05
☐ ☒ Special conditions of approval or cover letter: (see additional info. below)
☐ ☒ See Below For Additional Information
Recommended Date of Priority 11/30/1988
Recommended by: OK Date 6/30/1989

STATE OFFICE REVIEW

P23, P05

P16

46

See below for additional information. By

kw

Date 7/17/89

ADDITIONAL INFORMATION

OVERLAP

P10: Other wells: 65-08200, 08779, 08957

plu: " " " " " each on different domestic sites.



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

December 19, 1988

Idaho Dept. of Health & Welfare
Division of Environment
Statehouse
Boise, ID 83720

Re: Application for Permit No. 65-12933, in the Name of Brundage Meadows,
Inc.

Ladies and Gentlemen:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to you. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by January 9, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:gg

Enclosure(s)

MICROFILMED

SEP 06 1989

65-12933

BRUNDAGE MEADOWS INC.
2107 NORCREST DR.
BOISE, ID 83705

Source: GROUNDWATER

Diversion Pt: SENE Sec 6 T 18N R 03E

Use: DOMESTIC (.200 CFS)

Date Filed: 11/30/1988

In: T18N R03E S06 SENE

MICROFILMED

SEP 06 1989