

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Krista L. M. Peterson
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Kevin L.M. Peterson Permit No. 65-12932
Current Address: 610 W. Highland View Dr.; Boise, Idaho 83702 Phone No. 343-9433
2. Accompanied by: Remy Van Praepgham EXAM. DATE: 7-2-90
Address: Middleton, Idaho Phone No. _____
Relationship to Permit Holder: Tenant rancher
3. Source: spring tributary to Round Valley Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: 65-7283 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

RECORDED
DEC 27 1991

An aerial photograph of a coastal area, possibly a beach or dunes. A red 'RECEIVED' stamp is overlaid on the image, with the date 'DEC 27 1964' printed below it. The stamp is oriented diagonally. The photograph shows a mix of dark and light tones, suggesting different terrain features like sand and vegetation. A small number '374' is visible in the bottom left corner.

65-12932

Picture #1



Spring box
where water
is diverted to
a $\frac{3}{4}$ " pipe for
delivery to a
corral for
stock water and
one domestic
home site.

Picture #2



Place of use -
Domestic site
and pasture
area for stock.

UNREELMED
DEC 27 1991

65-12932

Picture #3



Measurement site of that portion of spring that Aree flows under a county road to a pasture area for use as stockwater. Stock will water directly from a small ditch in the pasture.

Picture #4




Downstream view of the measurement site shown also in Picture #3. The plastic pipe in both pictures was not used for any purpose.

MICROFILMED

DEC 27 1991

Survey Designated	By Whom Surveyed	State of Contract	Amount
West Township lines (as)	William Riley	Supplemental, Special	M.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12932

Priority: November 22, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.9 AF

This is to certify, that KERSTIN I M PETERSON
610 W HIGHLAND VIEW DR
BOISE ID 83702

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 22, 1988; and
has submitted Proof of Beneficial Use on June 9, 1989. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

SPRING

tributary to **ROUND VALLEY CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	1.3 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	1.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NESESE , Sec. 36, Township 12N, Range 03E
VALLEY County

PLACE OF USE: STOCKWATER
TWN RGE SEC

12N 04E 31 NWSW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

RECEIVED

DEC 27 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 65-12932

CONDITIONS/REMARKS:

6. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
7. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
8. Stockwater use is for 200 range cattle; domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 9TH day of DECEMBER, 1991.

Acting for


R. Keith Higginson, Director

DEC 27 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

- 1 Name of applicant KERSTIN I. M. PETERSON Phone 343-9433
Post office address 610 W. HIGHLAND VIEW DR., BOISE, ID 83702
2. Source of water supply ~~WATER~~ SPRING which is a tributary of VALLEY CRK.
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 36 Township 12N Range 3E B.M. VALLEY County; additional
points of diversion if any: _____
- 4 Water will be used for the following purposes.
- Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .16 for STOCK purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) ~~0.20~~ 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a Description of ditches, flumes, pumps, headgates, etc. SPRING BOX, PIPED
TO PLACE OF USE, spring box located appr. 150 feet south west of home.
- b Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage:
_____ to _____ inclusive
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

MAR 16 1989

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. UP TO 700 HEAD BEEF
- c. Municipal; show name of municipality. _____
- d Domestic, show number of households. 1 HOUSEHOLD
- e. Other; describe fully. _____

9 Description of place of use:

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12 N	4 E	31									D/S								
											2.3								

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? STATE

b Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. LEASED

12. Remarks: _____

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Kurtis L. M. Peterson
(Applicant)

Received by nl Date 11-15-88 Time 11:00 Preliminary check by OKFee \$ 30⁰⁰ Receipted by OK # W001567 Date 11-22-88Publication prepared by GG Date 11-30-88 Published in The Advocate
12/7 & 12/14/88Publication approved [Signature] Date 12-27-1988**ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES**

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12932, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1,, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this permit.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 17th day of February, 1989.

[Signature]

RECEIVED
MAR 16 1989

Affidavit of publication

STATE OF IDAHO

COUNTY OF VALLEY

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of *The Advocate*, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The Application for water right, a copy of which is attached hereto; was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began:

12-7, 1988

and ended 12-14, 1988

Fred K. O'Brien
Subscribed and sworn before me, this the

15th day of Dec, 1988

On this 15th day of Dec, 1988

I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Raylene J. Jarvis
Raylene Jarvis, Notary Public residing at Cascade, Idaho

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12927

YANKE, RONALD C.
P.O. BOX 5405
BOISE, ID 83705
Source: ARLING HOT SPRING
Tributary: HOT SPRING CREEK
Diversion Pt: SWNWNW Sec 13 T 15N R 03E

Use: IRRIGATION (2.100 CFS)
FISH PROPAGATION (.100 CFS)
HEATING (.100 CFS)

Date Filed: 11/01/1988

In: T15N R03E S13 NWNW SWNW
NWSW

S14 NENE NWNE
SWNE SENE NENW SENW

NESE NWSE
220.0 ACRES TOTAL

65-12931

BROWN, ALLAN L.
BROWN, HELEN B.

695 EAST 3125 N.
NORTH OGDEN, UT 84414
Source: UNNAMED STREAM
Tributary: CASCADE RESERVOIR
Diversion Pt: SWSESW Sec 30 T 15N R 03E

Use: IRRIGATION (.030 CFS)
DOMESTIC (.020 CFS)

Date Filed: 11/07/1988

In: T15N R03E S30 SESW
1.0 ACRES TOTAL

65-12932

PETERSON, KERSTIN I. M.
610 W. HIGHLAND VIEW DR.
BOISE, ID 83702
Source: SPRING
Tributary: VALLEY CREEK
Diversion Pt: NESESE Sec 36 T 12N R 03E

Use: STOCKWATER (.160 CFS)
DOMESTIC (.040 CFS)

Date Filed: 11/22/1988

In: T12N R04E S31 Lot 3 (NWSW)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way,

PUBLIC NOTICES

Boise, Idaho 83705 on or before
DECEMBER 27, 1988.

R. KEITH HIGGINSON, Director

Published 12/07/1988 & 12/14/1988

MAR 16 1989

RECEIVED

DEC 19 1988

Department of Water Resources
Western Regional Office

December 10, 1991

KERSTIN I M PETERSON
610 W HIGHLAND VIEW DR
BOISE ID 83702

RE: WATER RIGHT NO. 65-12932

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

17 1991

September 11, 1991

KERSTIN I M PETERSON
610 W HIGHLAND VIEW DR
BOISE ID 83702

RE: WATER RIGHT NO. 65-12932

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

DEC 27 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

65-12932
Permit No.

RECEIVED
JUL 22 1991

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval
NA ☐ Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

NA Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index MTS (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: Water right in same area

Check of P/U index MTS (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? yes (Initial and date)

☒ Appointment made and telephone conversation memo attached

made with senior agent

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed Melvin T. Schultz 8-1-90 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent YH 7-2-91 (Initial and date)

Exam Reviewed by Manager of Regional Office Dmr 7/8/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 7-10-91 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Reister L.M. Peterson Permit No. 65-12932
Current Address: 610 W. Highland View Dr.; Boise, Idaho 83702 Phone No. 343-9433
2. Accompanied by: Remy Van Praepogham EXAM DATE: 7-2-90
Address: Middleton, Idaho Phone No. _____
Relationship to Permit Holder: Tenant rancher
3. Source: spring tributary to Round Valley Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: 65-7283 ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

DEC 27 1991

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The system consists of spring water flowing through a 4" pipe for approximately 500' to the site of domestic use starting in a ditch. The remainder of the spring water flows directly to the pipe for use for stock water from an open ditch. Both the 4" pipe and open flow cross under a public road that lies between the point of diversion and place of use.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NA					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	SE	36	12N	3E	Valley	Outcrop. Pot. good well

6. Place(s) of Use:

Indicate Method of Determination *confirmed during exam.*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
12N	4E	31									P/S								

FILED

DEC 27 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Weir	V-notch					
staff gauge						
5 gallon bucket						
stopwatch						

2. Measurements:

5 gallon bucket measurement at hydrant by corral provides 2 gallons in 38 seconds. V-notch weir measurement below county road at extreme west side of pasture area provides 1.6" volume on staff gauge

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method

2 gallons in 38 seconds = 3.16 gpm or .007 cfs
V-notch weir @ 1.6" = 6.27 gpm or .014 cfs

2. Alternate Method for Checking Purposes:

$\Delta = .13'$ head = .016 from chart

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

200 head x 12 gallons x 183 days = 1.3 afa
325,850

one internal domestic use = .6 of a

DEC 27 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The other right on same QQ does not affect this permit.
The owner's tenant has rented the property for many years and is more knowledgeable about the water source than the owner.
He lives on the property while his cattle are pasturing at the site.
The tenant indicated that 200 head of yearling feeders from May 1st to November 1st is typical operation. The spring produces a larger flow in the spring season but not lower than flow at time of exam. Recommendation is based on the flow produced by the spring & the annual volume used in conjunction with the data provided by the owner's tenant.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	5-1	10-31	.02	.6
Stockwater	5-1	10-31	.02	1.3
Totals:			.02	1.9 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte


Signature

Melvin T. Schulte

Certification Date

Field Report Preparation Date


8-1-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 27 1991

PERMIT 65-12432 INIT MTS
T. R. S. 0/0
P/D 12N 3E 36 (NE) SESE
SCALE _____
PHOTO ID. U60




65-12932

Picture #1



Spring box
where water
is diverted to
a $\frac{3}{4}$ " pipe for
delivery to a
corral for
stock water and
one domestic
home site.

Picture #2



Place of use -
Domestic site
and pasture
area for stock.

DEC 27 1991


65-12932

Picture #3



Measurement site of that portion of spring that Aree flows under a county road to a pasture area for use as stockwater. Stock will water directly from a small ditch in the pasture.

Picture #4



Downstream view of the measurement site shown also in Picture #3. The plastic pipe in both pictures was not used for any purpose.

DEC 27 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12932

Date: 6-20-87

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
N/A 1. well log in file
Y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

MICROFILMED

JUL 18 1989

RECEIVED
JUN 09 1989

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received N/A
Date 6-7-1989
Receipt # N/A
Receipt by N/A
Reviewed by BB
Sent to region yes

Copy Keep Region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12932

Name(s) of Permit Holder: KERSTIN I. M. PETERSON

Post Office Address: 610 W. HIGHLAND VIEW DR, BOISE IDAHO 83702

Telephone No. 343-9433

Source of Water: SPRING Tributary of VALLEY CREEK

Extent of Use:

Domestic ONE (number of households) Stockwater 700 BEEF CATTLE (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .2 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Completed and used since 1924

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ NO FEE Required
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

SAME AS ABOVE
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUL 18 1989

6-7-1989
Date

x Kerstin I. M. Peterson
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

MICROFILMED

JUL 18 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
February 27, 1989

KERSTIN I. M. PETERSON
610 W. HIGHLAND VIEW DR.
BOISE, ID 83702

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12932

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
MAR 16 1989

P/D T12N R3E S36

NE SE SE

7/4 712N R4E S31

NWSW 4.3

Form No. 202a.

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: DK DATE: 11-21-88 APPLICATION: 65-12932

REQUIRED INFORMATION

11/22/88

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:

Gov't. Lots:

112 P/D

414 P/U

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion:
- ☒ Field check required: Field check by: _____
- ☒ Field report attached:
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ Send dam safety information:
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Power efficiency form:
- ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED:

☒ Additional information on reverse side:

RECEIVED
DEC 30 1988

Department of Water Resources

PROCESSING

YES NO

☒ In form for advertising:

☒ Statewide advertising:

☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ I.D. Health and Welfare

☒ I.D. Fish and Game

☒ I.D. Lands

☒ Adjudication Bureau

YES NO

☒ U.S. BLM

☒ U.S. Forest Svc.

☒ Water District # _____

☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest December 27, 1988

☒ Protests, dates, resolution of protest recorded on application:

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District # 65

☒ Special conditions of approval or cover letter: (see additional info. below)

☒ See Below For Additional Information

Recommended Date of Priority 11/22/88 / 15/1188

Recommended by: DRG 26A, Recommend that 2 years be allowed for completion of this project

Date 12/30/1988

STATE OFFICE REVIEW

P01, P17 04 26 05 (65, Payette River)

See below for additional information. By KW

Date 2/14/89

ADDITIONAL INFORMATION



STATE OF IDAHO

DEPARTMENT OF LANDS
PAYETTE LAKES AREA OFFICE
P.O. Box AS, McCall, Idaho 83638
(208) 634-7125

Nancy
ETV

RECEIVED
DEC 21 1988

December 15, 1988

Dept. of Water Resources
David R. Tuthill
2735 Airport Way
Boise, ID 83705

Department of Water Resources
Western Regional Office

Dear David:

I have reviewed the application for permit No. 65-12932, Kerstin Peterson.

This department has no objection to this filing. We issued an easement for this spring and pipeline in 1970. It is easement #4167.

Thank you for the opportunity to review this application.

Sincerely,

Bryce Taylor

BRYCE D. TAYLOR
Lands & Range Specialist

BDT/sk

cc: Lance Nielsen, C-BNW

RECEIVED

MAR 16 1989

RECEIVED
DEC 30 1988

KEEP IDAHO GREEN Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 5, 1988

Idaho Department of Lands
Bureau of Navigable Waters
Attn: Lance Nielsen
Statehouse Mail
Boise, ID 82702

Re: Applications for Permit Nos. 65-12932[✓] - Kerstin Peterson, and 77-7284 &
77-7285 - Hecla Mining

Dear Mr. Nielsen:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by December 27, 1988.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

RECEIVED
MAR 16 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 5, 1988

Idaho Department of Lands
Bureau of Navigable Waters
Attn: Lance Nielsen
Statehouse Mail
Boise, ID 82702

Re: Applications for Permit Nos. 65-12932 - Kerstin Peterson, and 77-7284 &
77-7285 - Hecla Mining

Dear Mr. Nielsen:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by December 27, 1988.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

Wygodna i wygodna

1. Date of Contract

USA



65-12932

PETERSON, KERSTIN I. M.
610 W. HIGHLAND VIEW DR.
BOISE, ID 83702

Source: SPRING

Tributary: VALLEY CREEK

Diversion Pt: NESESE Sec 36 T 12N R 03E

Use: STOCKWATER (.160 CFS)
DOMESTIC (.040 CFS)

Date Filed: 11/22/1988

In: T12N R04E S31 Lot 3 (NWSW)

MICROFILMED

MAR 16 1989