

65-12915

18N
3E
5.17

X straddles
1/4 1/4 1/4 line
SL 11/28/88.

(Gout.
Lots in E 1/2 and in
NESW of section)

P/D
P/U

MICROFILMED

MAY 15 1989

1170 000
FEET
44° 52' 30"
116° 07' 30"

Produced by the Geological Survey
in cooperation with the U.S. Forest Service

Orthophotograph prepared from 1:80,000-scale
aerial photographs taken July 4, 1981



65-12916

81653

S 0° 03' 00" E

C-1

C-3

C-2

18N R3E
SEC 17
NW 1/4 SW 1/4

PARCEL E
2.46 Ac.

Section Line

511.75

N 0° 03' 00" W

N 0° 03' 00" W

310.22

MICROFILMED

MAY 15 1989

505.17


S 89° 51' 38"

SCALE: 1" = 50'

70'

400'

PARCEL
2.46 Ac.



Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

DEC 19 1988

County of Valley

Department of Water Resources
Western Regional Office

I, Maggie Aganew, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began December 7, 1988, and ended December 14, 1988.

M.A. Aganew

Subscribed and sworn before me this the 15th day of December, 1988.

STATE OF IDAHO

COUNTY OF VALLEY

On this 15th day of Decemberr in the year of 1988, before me, a Notary Public, personally appeared Maggie Aganew, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote

Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12899
CRUPPER, JOHN L. CRUPPER, DIANA M. P.O. BOX 4088 MC CALL, ID 83638. Source: SPRING Tributary: SINKS Diversion Pt: SESWSW Sec 24 T 18N R 03E. Use: IRRIGATION (.020 CFS) STOCKWATER (.020 CFS) Date filed: 10/31/1988 In: T18N R03E S24 SWSW 1.0 ACRES TOTAL

65-12909
JONES, JIM JONES, KAYH P.O. BOX 713 LAKE FORK, ID 83635 Source: SPRING Tributary: LAKE FORK CREEK Diversion Pt: NESENW Sec 10 T 17N R 03E SESENW Sec 10 T 17N R 03E Use: IRRIGATION (.020 CFS) IRRIGATION STORAGE (.06 AF) IRRIGATION FROM STORAGE (.06 AF) FIRE PROTECTION (.010 CFS) FIRE PROTECTION STORAGE (.06 AF) FIRE PROTECTION FROM STORAGE (.06 AF) COMMERCIAL (.010 CFS) COMMERCIAL STORAGE (.06 AF) COMMERCIAL FROM STORAGE (.06 AF) Date filed: 11/03/88 In: T17N R03E S10 SENW 1.0 ACRES TOTAL

65-12912
PARKER, ED, PARKER, PAM P.O. BOX 1507 MC CALL, ID 83638 Source: UNNAMED STREAM Tributary: LAKE FORK CREEK Diversion Pt: NWSESE Sec 27 T 18N R 03E Use: IRRIGATION (.100 CFS) Date filed: 11/10/88 In: T18N R03E S27 SESE 3.3 ACRES TOTAL

65-12913
HELMICH, KIM P.O. BOX 1536 MC CALL, ID 83638 Source: SPRINGS Tributary: LAKE FORK CREEK Diversion Pt: NENWNE Sec 27 T 17 N R 03E NWNWNE Sec 27 T 17N R 03E SWNWNE Sec 27 T 17N R 03E SENWNE Sec 27 T 17N R 03E Use: COMMERCIAL (.040 CFS) COMMERCIAL STORAGE (20.00 AF) DOMESTIC (.040 CFS) DIVERSION TO STORAGE (.200 CFS) Date filed: 11/10/88 In: T17N R03E S27 NWNE

65-12915
KIRKLAND, KIM, KIRKLAND, JUDY M. RT. 1 BOX A 8 MC CALL, ID 83638 Source: GROUNDWATER Diversion Pt: SESE Sec 16 T 18N R 03E Use: COMMERCIAL (.020 CFS) Date filed: 11/17/88 In: T18N R03E S16 SESE

65-12916
DONICA, JACK E., DONICA, FLOSSIE M. P.O. BOX 1186 MC CALL, ID 83638 Source: SPRING Tributary: WILLIAMS CREEK Diversion Pt: SENWSW Sec 17 T 18N 03E NESWSW Sec 17 T 18N R 03E Use: DOMESTIC (.040 CFS) Date filed: 11/17/88 In: T18N R03E S17 NWSW

65-12920
FIRST INTERSTATE BANK OF IDAHO TRUSTEE P.O. BOX 57 BOISE, ID 837570550 Source: GROUNDWATER Diversion Pt: LOT 2 (NENWNE) Sec 1 T 17N R 03E Use: IRRIGATION (.060 CFS) Date Filed: 11/21/1988 In: T17N R03E S01 Lot 2 (NWNE) 2.0 ACRES TOTAL

65-12928
PAYETTE LAKES WATER & SEWER DIST. P.O. BOX 1566 MC CALL, ID 83638 Source: GROUNDWATER Diversion Pt: SWSE Sec 16 T 18N R 03E Use: COMMERCIAL (.020 CFS) Date Filed: 11/03/1988 In: T18N R03E S 16 SWSE

65-12929
OWSLEY, LESLIE G. OWSLEY, PATRICIA L. P.O. BOX 676 LAKE FORK, ID 83635 Source: GROUNDWATER Diversion Pt: NWNE Sec 7 T 18N R 03E Use: COMMERCIAL (.020 CFS) DOMESTIC (.020 CFS) Date Filed: 11/04/1988 In: T18N R03E S07 NWNE

77-07284
HECLA MINING CO. P.O. BOX 8000 COEUR D'ALENE, ID 838141931 Source: GROUNDWATER Diversion Pt: LOT 1 (NENE) Sec 3 T 19N R 09E Use: MINING (.200 CFS) Date Filed: 11/07/1988 In: T19N R09E S03 Lot 1 (NENE)

77-07285
HECLA MINING CO. P.O. BOX C 8000 COEUR D'ALENE, ID 838141931 Source: GROUNDWATER Diversion Pt: SWSENE Sec 15 T 19N R 09E Use: MINING (.500 CFS) Date Filed: 11/07/1988 In: T19N R09E S15 SWNE SENE NWSE

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before DECEMBER 27, 1988. R. KEITH HIGGINSON, Director

2/12/14

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Jack & Thelma Donica Permit No. 65-12916
Current Address: P.O. Box 1186, McCall, Idaho 83638 Phone No. 634-5939
2. Accompanied by: Jack & Thelma Donica EXAM. DATE: 7-30-90
Address: same Phone No. same
Relationship to Permit Holder: owners
3. Source: Spring tributary to Williams Creek & N. Fork Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

PERMIT 05-12916 INIT _____
T. R. S. Q/Q
P/D 18N 3E 17 SWSW 2 NWSW
SCALE _____
PHOTO ID. T10



65-12916


Picture #1

View of 6' diameter metal tank that holds pressure tank, pump and 4'x4' concrete tile cistern that receives water through a 4" pipe from the spring.



Picture #2

View of inside the 6' metal tank described in picture #1 above.



FILMED
OCT 01 1991

65-12916

Picture #3

Mobile home that
is the primary
place of use.



Picture #4

Overflow pipe 4" in
diameter that releases
excess water into a small
stream. A bucket flow
measurement was taken
at this place.



INDEXED

OCT 01 1991


65-12916



Picture #5



View of garden
and part of lawn
area that is
irrigated with
water under this
permit.

RECEIVED
OCT 01 1991




RECEIVED
OCT 01 1991

30psi



$$\frac{8.8 \times .5 \times .70}{30 \times 2.3 \times 5} = \frac{3.08}{41.5}$$

$$.07 \text{ cfs} = \text{Hp requirement}$$



13,250 sq ft lawn & garden

$$\text{Flow in } 11.5 = 10.4 \text{ gpm} = .023 \text{ cfs}$$

MAINTENANCE
OCT 01 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12916

Priority: November 17, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that JACK E. DONICA
FLOSSIE M. DONICA

P.O. BOX 1186

MC CALL ID 83638

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 17, 1988; and has submitted Proof of Beneficial Use on June 20, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to WILLIAMS CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESWSW , Sec. 17, Township 18N, Range 03E
SENWSW , Sec. 17, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

18N 03E 17

NWSW

SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this right will be regulated by the watermaster.
6. Domestic use is for 1 home.

OCT 01 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12916

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of SEPTEMBER, 1971.

Acting for


R. Keith Higginson, Director

331

RECEIVED
SEP 05 1991

State of Idaho
Department of Water Resources

APPROVED

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12916

Date of Priority: November 17, 1988 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

Comes now JACK E. DONICA
FLOSSIE M. DONICA

P.O. BOX 1186
MC CALL, ID 83638

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-12916, and requests that the permit be changed as follows:

Source: SPRING tributary to WILLIAMS CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESWSW, Sec. 17, Township 18N, Range 03E
SENEWSW, Sec. 17, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

18N 03E 17 NWSW SWSW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 11:45, this 3 day of Sept., 1991.

Jack E. Donica
(Signature)

OCT 01 1991

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12916

FOR DEPARTMENT USE ONLY

#0021669

Preliminary check by SL Fee = \$20.00 Received by CR Date 9-5-91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12916 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 65
5. Domestic use is for 1 home.

Witness my hand this 23RD day of September, 1991.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

65-12916

State of Idaho
Department of Water Resources

Proposed Priority: November 17, 1988 **Amount:** 0.04 CFS

has applied for a permit to appropriate water from:

tributary of WILLIAMS CREEK

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
----------------	---------------	-------------------

0.04 CFS

VALLEY County

TWN RGE SEC

NWSW

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1990**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
4. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.

for H. Keith Higginson, Director

SECRET

MAY 13 1989

Ident. No. 65-12916

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JACK E. DONICA 208-634-5939
Address: P.O. BOX 1186
MC CALL, ID 83638

Name: FLOSSIE M. DONICA 208-634-5939
Address: P.O. BOX 1186
MC CALL, ID 83638

2. Source: SPRING Trib. to: WILLIAMS CREEK

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
18N	03E	17	SE	NW	SW		VALLEY
			NE	SW	SW		VALLEY

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
50' PIPELINE FROM SPRING TO ROUND TILE HOLDING BASIN THEN PIPED TO
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

RECEIVED

MAY 15 1989

8. Description of proposed uses:
DOMESTIC 1 HOME

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
18N	03E	17	NW SW		DOMEST	

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

CONTINUED REMARKS FROM DIVERSION DESCRIPTION: PIPED TO HOME.
DIVERSION IS A SINGLE POINT ON TRACT BOUNDARY. SL 11/28/88

13. Map of proposed point of diversion and place of use attached? [1]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Thosie Davis
Applicant

Received by Ron H. Date 11/17/88 Time 4:21 Preliminary check by RL

Fee \$ 30.00 Receipted by Ron H. # MOO1954 Date 11/17/88

Publication prepared by GG Date 11-30-88 Published in The Star News

Publication approved RL Date 12/7 & 12/14/88
12-27-1988

MICROFILMED

MAY 15 1989

65-12916

4975

4974

55'

4973

4972

4971

4970

18N

3E

5.17

X straddles
1/4 1/4 1/4 line

SL 11/28/88.

(G94
Lots in E42 and in
NESEW of section)

P10
P14 →

1170000
FEET

44° 52' 30"



116° 07' 30"

570

410000 FEET

Produced by the Geological Survey
in cooperation with the U.S. Forest Service

Orthophotograph prepared from 1:80,000-scale
aerial photographs taken July 4, 1981



$$\frac{0.69}{1.71:1.15}$$

○

517

06009

5-1

031.604

ON

M. E. O. N.

N. 00° N

$$\begin{array}{r} 640 \\ 91.25 \overline{) 58400} \\ \underline{548} \\ 360 \\ \underline{275} \\ 850 \\ \underline{820} \\ 300 \\ \underline{271} \\ 290 \\ \underline{272} \\ 180 \\ \underline{182} \\ 20 \\ \underline{20} \\ 0 \end{array}$$
$$\begin{array}{r} 96 \overline{) 96159} \\ \underline{96159} \\ 0 \end{array}$$

2508

81.22

○

10

06009

5-1

031.604

ON

M. E. O. N.

N. 00° N

$$\begin{array}{r} 640 \\ 91.25 \overline{) 58400} \\ \underline{548} \\ 360 \\ \underline{275} \\ 850 \\ \underline{820} \\ 300 \\ \underline{271} \\ 290 \\ \underline{272} \\ 180 \\ \underline{182} \\ 20 \\ \underline{20} \\ 0 \end{array}$$
$$\begin{array}{r} 96 \overline{) 96159} \\ \underline{96159} \\ 0 \end{array}$$

2508

81.22

○

10

06009

5-1

031.604

Publisher's Affidavit of Publication

STATE OF IDAHO

DEC 19 1988

SS

County of Valley

Department of Water Resources
Western Regional Office

I, Maggie Aganew, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began December 7, 1988, and ended December 14, 1988.

M.A. Aganew

Subscribed and sworn before me this 15th day of December, 1988.

STATE OF IDAHO

COUNTY OF VALLEY

On this 15th day of December in the year of 1988, before me, a Notary Public, personally appeared Maggie Aganew, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote

Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires, 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12899

CRUPPER, JOHN L. CRUPPER, DIANA M. P.O. BOX 4088 MC CALL, ID 83638.

Source: SPRING Tributary: SINKS

Division Pt: SESWSW Sec 24 T 18N R

03E Use: IRRIGATION (.020 CFS)

STOCKWATER (.020 CFS) Date filed:

10/31/1988 In: T18N R03E S24 SWSW 1.0

ACRES TOTAL

65-12909

JONES, JIM JONES, KAYH P.O. BOX

713 LAKE FORK, ID 83635 Source:

SPRING Tributary: LAKE FORK CREEK

Division Pt: NESENW Sec 10 T 17N R

03E SESENW Sec 10 T 17N R 03E Use:

IRRIGATION (.020 CFS)

IRRIGATION STORAGE (.06 AF)

IRRIGATION FROM STORAGE (.06 AF)

FIRE PROTECTION STORAGE (.06 AF)

FIRE PROTECTION STORAGE (.06 AF)

FIRE PROTECTION FROM STORAGE

(.06 AF) COMMERCIAL (.010 CFS)

COMMERCIAL STORAGE (.06 AF)

COMMERCIAL FROM STORAGE (.06

AF) Date filed: 11/03/88 In: T17N R03E

S10 SENW 1.0 ACRES TOTAL

65-12912

PARKER, ED, PARKER, PAM P.O. BOX

1507 MC CALL, ID 83638 Source:

UNNAMED STREAM Tributary: LAKE

FORK CREEK Division Pt: NWSESE Sec

27 T 18N R 03E Use: IRRIGATION (.100

CFS) Date filed: 11/10/88 In: T18N R03E

S27 SESE 3.3 ACRES TOTAL

65-12913

HELMICH, KIM P.O. BOX 1536 MC

CALL, ID 83638 Source: SPRINGS

Tributary: LAKE FORK CREEK Division

Pt: NENWNE Sec 27 T 17 N R 03E

NWNNWNE Sec 27 T 17N R 03E SWNNWNE

Sec 27 T 17N R 03E SENWNE Sec 27 T

17N R 03E Use: COMMERCIAL (.040

CFS) COMMERCIAL STORAGE (20.00

AF) DOMESTIC (.040 CFS) DIVERSION

TO STORAGE (.200 CFS) Date filed:

11/10/88 In: T17N R03E S27 NWNE

65-12915

KIRKLAND, KIM, KIRKLAND, JUDY M.

RT. 1 BOX A 8 MC CALL, ID 83638

Source: GROUNDWATER Division Pt:

SESE Sec 16 T 18N R 03E Use:

COMMERCIAL (.020 CFS) Date filed:

11/17/88 In: T18N R03E S16 SESE

65-12916

DONICA, JACK E., DONICA, FLOSSIE

M. P.O. BOX 1186 MC CALL, ID 83638

Source: SPRING Tributary: WILLIAMS

CREEK Division Pt: SENWSW Sec 17 T

18N 03E NESWSW Sec 17 T 18N R 03E

Use: DOMESTIC (.040 CFS) Date filed:

11/14/88 In: T18N R03E S17 NWSW

65-12920

FIRST INTERSTATE BANK OF IDAHO

TRUSTEE P.O. BOX 57 BOISE, ID

837570550 Source: GROUNDWATER

Division Pt: LOT 2 (NENWNE) Sec 1 T

17N R 03E Use: IRRIGATION (.060 CFS)

Date filed: 11/24/1988 In: T17N R03E S01

Lot 2 (NWNE) 2.0 ACRES TOTAL

65-12928

RAYETTE LAKES WATER & SEWER

DIST. P.O. BOX 1566 MC CALL, ID

83638 Source: GROUNDWATER Division

Pt: SWSE Sec 16 T 18N R 03E Use:

COMMERCIAL (.020 CFS) Date Filed:

11/03/1988 In: T18N R03E S 16 SWSE

65-12929

OWSLEY, LESLIE G. OWSLEY,

PATRICIA L. MO. BOX 676 LAKE

FORK, ID 83635 Source:

GROUNDWATER Division Pt: NWNE

Sec 7 T 18N R 03E Use: COMMERCIAL

(.020 CFS) DOMESTIC (.020 CFS) Date

Filed: 11/04/1988 In: T18N R03E S07

NWNE

77-07284

HECLA MINING CO. P.O. BOX 8000

COEUR D'ALENE, ID 838141931 Source:

GROUNDWATER Division Pt: LOT 1

(NENE) Sec 3 T 19N R 09E Use: MINING

(.200 CFS) Date Filed: 11/07/1988 In:

T19N R09E S03 Lot 1 (NENE)

77-07285

HECLA MINING CO. P.O. BOX C 8000

COEUR D'ALENE, ID 838141931 Source:

GROUNDWATER Division Pt: SWSENE

Sec 15 T 19N R 09E Use: MINING (.500

CFS) Date Filed: 11/07/1988 In: T19N

R09E S15 SWNE SENE NWSE

The permit(s) will be subject to all prior

water rights Protests must be filed with

the Director, Dept. of Water Resources,

Western Region, 2735 Airport Way, Boise,

Idaho 83705 on or before DECEMBER 27,

1988. R. KEITH HIGGINSON, Director

2112/14

September 24, 1991

JACK E. DONICA
FLOSSIE M. DONICA
P.O. BOX 1186
MC CALL ID 83638

RE: WATER RIGHT NO. 65-12916

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED

OCT 01 1991

August 21, 1991

JACK E. DONICA
FLOSSIE M. DONICA
P.O. BOX 1186
MC CALL, ID 83638

RE: WATER RIGHT NO. 65-12916

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

001 11991

LICENSE REVIEW CHECKLIST

Permit No. 15-12916

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance n/a
Order to reinstate needed? yes no ✓

Total cfs Limited by fee n/a
Limited by capacity n/a

Total volume Limited by flow n/a
Chart checked for AF rate/ac n/a

Capacity Actual measurement checked ✓
Theoretical checked ✓
If greater than permit, check for other rts n/a

Source Changed? yes no ✓
If so, is memo needed to clarify? n/a

P/D Verify with map ✓ permit
More than one per 44? Remember remark n/a
Check p/d overlap n/a

Uses Check irrigation period of use w/ chart n/a

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap n/a

Remarks More than one p/d in 44 n/a
Description of non-irrig uses ✓
Special overlap condition n/a

Conditions -	Dates/Misc. -
Measuring device <u> </u>	Water Dist <u>✓</u>
W.Master control <u>204</u>	App Rec'd <u>✓</u>
Overlap <u> </u>	Proof Rec'd <u>✓</u>
Water quality <u> </u>	
Other <u>~~204~~</u>	

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day 30-day ✓

Back of field report signed?
Reviewer August Date 8/19/91 Review time min.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with Conditions of Approval
- ☐ Well Inspection Form (If Needed)
- ☐ Aerial Photo Required? ☐ yes ☒ no If yes: ☐ copy attached
- ☒ SRBA Attachment A Submitted to Adjudication Section
- SRBA Claim Check Received MTS 7-27-90 (initial & date)
- ☐ N/A ☐ Applicable, See Attachment A _____
- ☒ Copy of U.S.G.S. Quad
- Whole* ☒ Check for Government Lots. If so, make a copy of government plat
- ☒ Check of P/D index 7-19-90 MTS (initial & date)
- Overlap ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
- Type of Overlap? ☐ Add acres or uses to existing system
- ☐ Increase rate of flow or volume
- ☐ Other: _____
- ☒ Check of P/U index 7-19-90 MTS (initial & date)
- Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
- Type of Overlap? ☐ Increase rate of flow or volume
- ☐ Add P/D's
- ☐ Increase number of acres within tracts
- ☐ Other: _____
- ☒ Scheduling Letter Sent? 7-19-90 MTS (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ✓ Fully Completed and Signed Field Report Form
✓ Photographs of Point of Diversion and Place of Use
✓ Copy of SRBA Claim Verification Sheet / Original Returned to
Adjudication Section

C. Review and Processing:

- Exam Completed MTS (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent gll 4-19-91 (initial & date)
Exam Reviewed by Manager of Regional Office Ont 4/19/91 (initial & date)
Exam Sent to State Office 4-25-91 st (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Jack & Gladie Donica Permit No. 65-12916
Current Address: P.O. Box 1186, McCall, Idaho 83638 Phone No. 634-5939
2. Accompanied by: Jack & Gladie Donica EXAM. DATE: 7-30-90
Address: same Phone No. same
Relationship to Permit Holder: owners
3. Source: Spring tributary to Williams Creek & W. Fork Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d as applicable. ☐ Alternative diagram attached



acreage:

6450
1500
1000
2250
2050
13250

2.3 ac

OCT 01 1991

Scale: 1" = 100'

2. ☒ Copy of U.S.G.S Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Consists of a spring that flows into 4" buried perforated pipe about 75' to a 4'x4' concrete tile cistern. Water is pumped by a 2 Hp pump to a pressure tank set at 30-50 psi. The cistern, pump and tank are located in a 6'x7' metal tank. A 4" plastic overflow pipe allows excess water to flow into a stream. From the pressure tank water flows in a 1" buried pipe 275' to the place of use, a single domestic home with less than 2 acre of lawn and garden.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown.	Few	2	91J10	Few	CPJ0530

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	SW	17	18N	3E	Valley	Ortho photo quad map and
		SE	NW	SW	17	18N	3E	Valley	confirmation during exam
									that spring is most likely
									on 1/4 1/4 line

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
18N	3E	17																	0
		18																	0

OCT 01 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
Stopwatch						

2. Measurements:

Two gallon flow measurement taken at 4" overflow pipe.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2 gallons in 11.5 seconds = 10.4 gpm = .023 cfs

2. Alternate Method for Checking Purposes:

numbers $Q = \frac{.5 \times 8.8 \times .7}{530 + (2.3 \times 5)30} = \frac{3.08}{41.5} = .074 \text{ cfs}$ N/A. Need to know source flow, not booster flow.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{OR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} =$ _____

2. Volume Calculations for Other Uses:

Domestic internal & external .6 x 2 = 1.2 AFA

MAINTAINED

OCT 01 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps.

According to owners, midsummer flow is the lowest all year.
Recommend license at requested .04 cfs and 1.2 afa.
System is capable of satisfying normal single family
domestic use with less than 2 acre irrigation.

can probably safely assume in this case adequate flow to
satisfy .04 most of year.

P/U - If Spring is on tract line, according to drawing, place of
use crosses tract line too.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.04	1.2 afa
Totals:			.04	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Melvin T. Schulte

Signature

Melvin T. Schulte


Certification Date

8-9-90

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



OCT 01 1991

PERMIT 05-12916 INIT

T. R. S. Q/Q

P/D 8W 3E 17 SWSW & NWSW

SCALE

PHOTO ID. T10

McC

High Sch

McC

McC

P/D+P/U

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

McC

FIELD EXAMINATION SCHEDULING CHECK LIST

PERMIT NO. 05-12916

Employee Initial MS *no fee*
 Fees Paid For 0.4 CFS Maximum
 Estimated Time to
 Conduct This Exam 1 1/2 hrs
 Permits to be done
 With this exam _____

Exam Area _____
 Caller's Name Mr. Donci
 Caller's Phone 634-5939
 Scheduled Date 7-30
 Scheduled Time 1:00
 Measurement Device
 Required -- -- Yes () No ()
 Type of Device Installed _____

I. DETERMINE ALL USES:

- A. Primary use -- -- -- -- -- domestic
 1. Irrigation (approximate acres irrigated) -- one-half
 2. Domestic -- -- -- -- Size of Yard () # homes 1
 3. Subdivision: Is it fully developed or do the
 lots have the water line stubbed in?
 Subdivision Name _____ is a plat available? _____
 B. Source (if ground water determine if a
 measurement is required) -- -- -- -- Spring
 C. Miscellaneous Notes: _____

II. TYPE OF DIVERSION SYSTEM:

cistern with pump to pressurized system to home and yard.

HP _____ PSI _____
 Dynamic Level _____
 Groundwater/Irrigation no
 Measurement Required -- ☐

Measurement Device Required for Field Examination -- -- --

III. COMMENTS:

Hwy 55 to New Meadows past ~~road~~ to Bedford St. then left ~~from~~ on pavement stay ~~left~~ to Blue Jay Subd. to S corner (this turn East top) Ched Drive of George Colored with Brown shutters - pale fence in front

RECEIVED

OCT 01 1991

REMINDER: Reaffirm with the permit holder that his system needs to be ready for the field exam in a manner consistent with his normal operations

ATTACHMENT A

SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER WEL DATE SUBMITTED 7-19
 ADJUDICATION AGENT Linda RESPONSE DUE DATE 7-27
 COUNTY Valley OWNER'S NAME Douglas, Jack & Dossie

PERMIT DATA	T	R	S	Q/Q	T	R	S	Q/Q
P/D	<u>18W</u>	<u>3E</u>	<u>17</u>	<u>SE NW SW</u> <u>NESWSW</u>				
P/U	<u>11</u>	<u>11</u>	<u>11</u>	<u>NW SW</u>				

ADJUDICATION DATA

Number Index _____ (Initial & Date) LW
 Claim required for permit 7-25-90

Claim required for permit

☐ yes ☒ no If yes: ☐ copy attached?

Claim files Although Not Required

☐ yes ☒ no If yes: ☐ copy attached?

Name Index None Pl. of Use None (Initial & Date) LW
 Claim(s) filed in permit owner's name? 7-25-90

Claim(s) filed in permit owner's name?

☐ yes ☒ no If yes: ☐ copy attached? ☐ N/A *

Non-Data Entry Claims Found by County and Name LD 7-26-90
 (Initial & Date)

☐ yes ☒ no If yes: ☐ copy attached? ☐ N/A *

* copies included only if pertinent to permit field exam

OCT 01 1991

65-12916



Picture #1

View of 6' diameter metal tank that holds pressure tank, pump and 4'x4' concrete tile cistern that receives water through a 4" pipe from the spring.



Picture #2

View of inside the 6' metal tank described in picture #1 above.

65-12916

Picture #3

Mobile home that
is the primary
place of use.



Picture #4

Overflow pipe 4" in
diameter that releases
excess water into a small
stream. A bucket flow
measurement was taken
at this place.




65-12916

Picture #5



View of garden
and part of lawn
area that is
irrigated with
water under this
permit.



tributary to
William Creek to
WF Payette



4' x 4' tile to
4" overflow pipe
well is 7' deep
6' metal tank

contains pump with 1 1/4" intake
& 1" discharge to a pressure tank
set at 30 psi to 50 psi

275'
1" hand
line

916

OCT 01 1991



30psi

$$\frac{8.8 \times .5 \times .70}{30 \times 2.3 \times .5} = \frac{308}{41.5}$$

07 cfs = Hp garden

13,250 Δ lawn & garden

Drain 11.5 =
10.4 gpm = .023 cfs

OCT 01 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 105-12916

Date: 7-5-89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED
JUN 20 1989

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P 65-12916

Name(s) of Permit Holder: Jack E. - Flossie M. Donica

Post Office Address: P.O. Box 1186 McCall, Id. 83638

Telephone No. 634-5939

Source of water: Underground spring - used with pump

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 4 1/2 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs 4 1/2 acre-feet

Show the date water was first diverted and beneficially used under this permit: 11/17/88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Jack E. - Flossie M. Donica 634-5939
(Name) (Telephone Number)

P.O. Box 1186 - Chad Dr. McCall, Id. 83638
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

6/19/89
Date

Flossie M. Donica SEP 06 1989
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 5, 1989

JACK E. DONICA
FLOSSIE M. DONICA
P.O. BOX 1186
MC CALL, ID 83638

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. ~~65~~-12916

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAY 15 1989

1/2 18N 3E 5.17 SE NW SW } a single point
NE SW SW }
NW SW

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SC

DATE: 11/28/88

APPLICATION: 65-12916

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ___ No* In form to receipt:
- Gov't. Lots:
N P/D
N P/U

ADDITIONAL INFORMATION

- YES NO
☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
DEC 30 1988

Department of Water Resources

PROCESSING

YES NO

☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District # _____
☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest December 27, 1988
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approve, Dns
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # 65
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 11/17/1988
Recommended by: Dns Date 12/30/88

STATE OFFICE REVIEW

P110 05(65, Payette River) 03A

See below for additional information. By kw Date 2/14/89

ADDITIONAL INFORMATION

65-12916

DONICA, JACK E.
DONICA, FLOSSIE M.
P.O. BOX 1186
MC CALL, ID 83638

Source: SPRING

Tributary: WILLIAMS CREEK

Diversion Pt: SENWSW Sec 17 T 18N R 03E
 NESWSW Sec 17 T 18N R 03E

Use: DOMESTIC (.040 CFS)

Date Filed: 11/17/1988

In: T18N R03E S17 NWSW

REPROFILMED

MAY 15 1989