


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



JAN 23 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia Jordine
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: John and Arlene Gardine
Current Address: 9173 Ustick, Nampa, Idaho 83687
2. Accompanied by: John Gardine EXAM. DATE: 8-11-90
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: unnamed stream tributary to Cascade Reservoir

Permit No. 05-12893


Phone No. 466-0496

B. OVERLAP REVIEW

1. Other water rights with same place of use: 05-7570, 05-8993
☒ Copies Attached
2. Other water rights with same point of diversion: 05-7570, 05-8993
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
AUG 06 1991




PERMIT 05-12843 INIT
T. R. S. 0/0
P/D 16N 3E 29 SW 1/4 Lot 4
SCALE
PHOTO ID.

MAINTAINED
AUG 06 1981



PERMIT 05-12843 INIT _____
T. R. S. Q/Q
P/D 16N 3E 29 SW NW
SCALE _____
PHOTO ID. _____

P/D+P/U



PERMIT 65-12893 INIT _____

T. R. S. Q/Q

P/D 16N 3E 29 SWNW

SCALE _____

PHOTO ID. _____

PAYETTE
NAT FOR

FORK
CASCADIA
RIVER

MOUNTAINS

WL 4828

65-12893



Picture # 1

Place of diversion
from stream.
White pipe in
stream is 1" plastic
pipe used to divert
water to place of use.



Picture # 2.

Part of place of use.
One sprinkler is
visible in middle
of picture where
measurement was
taken.

Sprinkler

MICROFILMED

AUG 06 1991

65-12893

Picture # 3



Part of place of use -
native vegetation

Picture # 4



Part of place of use -
native vegetation

MICROFILMED
AUG 06 1991

65-12893

Picture #5



Part of place of
use - native vegetation.
White pipe on right
is part of the
delivery system.

MICROFILMED

AUG 06 1991

SMITH & KANGAS ENGINEERS, INC
JULY 1985

1-1



LEGEND

- ## NOTES

3. Property line between said land and adjacent property owned by Valley County, Minnesota.
4. That plot is subject to compliance with Idaho Code, Section 31-3003, the irrigation water will be supplied.
5. That the flow between said plot and adjacent water use on this with the Colorado River is subject to the flow of water between the Colorado River and the Colorado River.

CC 247

Only

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12893

Priority: September 16, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
3.0 AF

This is to certify, that JOHN JARDINE
ARLENE JARDINE

9173 W. USTICK
NAMPA, ID 83687

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 16, 1988; and has submitted Proof of Beneficial Use on October 25, 1989. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

UNNAMED STREAM tributary to CASCADE RESERVOIR

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.02 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWNW), Sec. 29, Township 16N, Range 03E
VALLEY County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
16N	03E	29	LOT 4(SWNW)	1	1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 65

RECORDED

AUG 06 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12893

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of June, 1991.

Acting for R. Keith Higginson, Director

RECORDED

AUG 06 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John and / or Elaine Jordani Phone 466-0196
Post office address 9173 W. Utah Nampa 83651
2. Source of water supply unnamed stream which is a tributary of CASCADE RESERVOIR
WF Payette River
3. Location of point of diversion is SW 1/4 of NW 1/4, Govt. Lot 4
Sec. 29 Township 16N Range 3E B.M. Valley County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for IRRIGATION purposes from 4/15 to 10/15 (both dates inclusive) changed per items 8 and 9 - 8c 10/19/88
(cfs or acre-feet per annum) 11/1 to 12/31
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pumped from stream, piped to lawn for sprinkling
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to 5 years (minimum 1 year).

MICROFILMED

JAN 23 1989

UNCLASSIFIED

the entire to be used for migration only

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

WASH

Sumner

[Signature]

1/2

[illegible]

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

9 Description of place of use.


d. Domestic; show number of households.

~~upstanding (even up till now)~~

a Hydropower; show total feet of head and proposed capacity in kW

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



JAN 23 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia Jordan
(Applicant)

Proposed Priority 9/16/88

Received by RAH Date 4/5/88

Time 12:30

Preliminary check by [Signature]

Fee \$ 30.00

Received by RAH

W000914

Date 16/SEPT/88

Publication prepared by GC

Date 10-26-88

Published in The Star News

Publication approved RAH

Date 11-16-88

11/2 & 13/9/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 65-12893, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

January 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 19th day of December, 1988.

[Signature]

MICROFILMED

JAN 23 1989

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley

I, Maggie Aganew, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began November 2, 1988, and ended November 9, 1988.

M. Aganew

Subscribed and sworn before me this the 10th day of November, 1988.

STATE OF IDAHO

COUNTY OF VALLEY

On this 10th day of November in the year of 1988, before me, a Notary Public, personally appeared Maggie Aganew, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12886
PETERSON, KERSTIN L.M.
610 W. HIGHLAND VIEW
BOISE, ID 83702
Source: PAYETTE LAKE-Tributary:
PAYETTE RIVER, NORTH FORK
Diversion Pt: LOT 1 (NW/4NW) Sec 5T
18N R 03E. Use: DOMESTIC (.040 CFS).
Date Filed: 10/11/1988. In: T18N R03E
S05 Lot 1 (NW/4)
65-12893
JARDINE, JOHN, JARDINE, ARLENE.
9173 W. USTICK
NAMPA, ID 83651
Source: UNNAMED STREAM. Tributary:
CASCADE RESERVOIR. Diversion Pt:

LOT 4 (SWNW) Sec 29 T 16N R 03E. Use:
IRRIGATION (.040 CFS). Date Filed
9/16/1988. In: T16N R03E S29 Lot 4
(SWNW) 1.5 ACRES TOTAL
77-07280

BENHAM, JOYCE
WARM LAKE HC 72
CASCADE, ID 83611
Source: LICK CREEK. Tributary: BIG
CREEK. Diversion Pt: NWSE Sec 2 T 20N
R 09E. Use: POWER. (1,000 CFS) Date
Filed: 10/24/1988. In: T20N R09E S02
SENW

The permit(s) will be subject to all prior
water rights. Protests must be filed with the
Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho
83705 on or before NOVEMBER 21, 1988.

R. KEITH HIGGINSON, Director
2/11/9

Department of Water Resources
Western Region
Boise, Idaho 83725

MICROFILMED
JAN 23 1989

July 18, 1991

JOHN JARDINE
ARLENE JARDINE
9173 W. USTICK
NAMPA, ID 83687

RE: WATER RIGHT NO. 65-12893

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

AUG 06 1991

June 25, 1991

JOHN JARDINE
ARLENE JARDINE
9173 W. USTICK
NAMPA, ID 83687

RE: WATER RIGHT NO. 65-12893

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

AUG 06 1991

LICENSE REVIEW CHECKLIST

Permit No. 65-12893

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity —

Total volume Limited by flow —

Chart checked for AF rate/ac 3.0 ☒

Capacity Actual measurement checked —

Theoretical checked —

If greater than permit, check for other rts —

Source Changed? yes no ☒

If so, is memo needed to clarify? —

P/D Verify with map — permit — ☒

More than one per 44? Remember remark —

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart — ☒

P/U Verify with map — permit —

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 —

Description of non-irrig uses —

Special overlap condition —

Conditions -

Measuring device 204
W.Master control 221
Overlap —
Water quality —
Other —

Dates/Misc. -

Water Dist —
App Rec'd —
Proof Rec'd —

CHECK FOR ADJ. CLAIM

Needed according to proof filed —

Filed - needs amended —

Add'l fee required —

Not filed - —

Not needed —

Comments/Changes to Examiner's Recommendations:

License — 10-day — ☒ 30-day —

Back of — signed?

Reviewer — Date 6/17/91 Review time 6 min.

AUG 06 1991

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☐ Copy of Permit
☒ Copies of any Amendments/Orders with Conditions of Approval
NA Well Inspection Form (If Needed)
☐ Aerial Photo Required? ☐ yes ☒ no If yes: ☐ copy attached
☒ SRBA Attachment A Submitted to Adjudication Section
 SRBA Claim Check Received 7-13 MTS (initial & date)
☐ N/A ☐ Applicable, See Attachment A _____
☒ Copy of U.S.G.S. Quad
74 Check for Government Lots. If so, make a copy of government plat
☒ Check of P/D index _____ (initial & date)
 Overlap ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
 Type of Overlap? ☐ Add acres or uses to existing system
 ☐ Increase rate of flow or volume
 ☒ Other: Other in same QP
☒ Check of P/U index _____ (initial & date)
 Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
 Type of Overlap? ☐ Increase rate of flow or volume
 ☐ Add P/D's
 ☐ Increase number of acres within tracts
 ☒ Other: Other in same QP
☒ Scheduling Letter Sent? 7-3-90 MTS (initial & date)
☒ Appointment Made and Telephone Conversation Memo Attached
 8-11-90

B. After Conducting the Exam, the File Contains:

- ✓ Fully Completed and Signed Field Report Form
✓ Photographs of Point of Diversion and Place of Use
✓ Copy of SRBA Claim Verification Sheet / Original Returned to
Adjudication Section

C. Review and Processing:

- Exam Completed _____ (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent CH 4-17-91 (initial & date)
Exam Reviewed by Manager of Regional Office JD 4/18/91 (initial & date)
Exam Sent to State Office 4-24-91 st (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: John and Arlene Jardine
Current Address: 9173 Ustick, Nampa, Idaho 83687
2. Accompanied by: John Jardine EXAM. DATE: 8-11-90
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: unnamed stream tributary to Cascade Reservoir

Permit No. 65-12893


Phone No. 466-0496

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-7570, 65-8993
2. Other water rights with same point of diversion: 65-7570, 65-8993
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Area: 10,000
27,000
37,000 ft²
= .16 AC.

Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
AUG 06 1991

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Canarite is a 1" plastic pipe that diverts water directly from a small unnamed stream and carries it down hill approximately 300' to the place of use. At the place of use the pipe has 4 joints. Poles 40' apart the fall line for the hanging of garden hose. Two garden hose bands number 16 with $\frac{3}{16}$ nylon secured to joints at joint. one side of native grass and vegetation. Pressure gauge readings were 22 psi at 15' and 20 at least.

☐ See Remarks on page 4 for continuation

☐ See Remarks on page 4 for continuation

Well or Division Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NA					

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>pilot tube and pressure gauge</i>						

2. Measurements:

Pressure gauge readings taken on 12 + sprinkler and 4 + sprinkler locations.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Average psi = 21 on $\frac{3}{16}$ nozzle = $4.80 \text{ gpm} \times 2 = 9.60 \div 449 = .02 \text{ cfs}$.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.0 = 3$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 183 \times 1.9835 = 7.26$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3$

2. Volume Calculations for Other Uses:

RECEIVED

AUG 06 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Other rights do not affect this permit.

Diversion changed method of diversion from pump and pipeline to a pipe with gravity flow but the place of diversion is still in the same place as the previous diversion practice.
 Recommended license at 0.2 cfs and 3 cfs which the system is capable of providing and meets the needs of the owner.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afe)
	From	To		
Drainage	4-15	10-15	0.2	3

Totals:

0.2 3.0

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Signature

Certification Date


Field Report Preparation Date

McLain T. Schulte
 Melvin T. DeBorja
 8-15-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
 AUG 06 1991



PERMIT 05-12843 INIT
T. R. S. 0/0
P/D 16N 3E 29 SWNW lot 4
SCALE
PHOTO ID.

AUG 06 1981



PERMIT 605-12843 INIT
T. R. S. 0/0
P/D 164 3E 24 50000
SCALE
PHOTO ID.

P/2+0/11

CASH CREEK
CASH RIVER

MOUNTAINS

WEST

Creek

6615AT

132

4028

1860

4828

4828

263

48397

48477

48187

29

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

30

MOUNTAINS

PERMIT 65-12893 INIT
T. R. S. O/G
P/D 16N 3E 29 SWNW
SCALE
PHOTO ID.

FORK

CASCADE

RIVER

WL 4828

65-12893


Picture #1

Place of diversion
from stream.
White pipe in
stream is 1" plastic
pipe used to divert
water to place of use.



Picture #2.

Part of place of use.
One sprinkler is
visible in middle
of picture where
measurement was
taken.



Sprinkler

MICROFILMED

AUG 06 1991

65-12893


Picture # 3

Part of place of use -
native vegetation



Picture # 4

Part of place of use -
native vegetation



MICROFILMED

AUG 06 1991

65-12893

Picture #5

Part of place of
use - native vegetation.
White pipe on right
is part of the
delivery system.



FILED
JUL 06 1991

December 21, 1989

JOHN JARDINE
ARLENE JARDINE
9173 W. USTICK
NAMP, ID 83651

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12893

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

FEB 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12893

Date: 12/19/89

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

☒ Surface water
_____ Groundwater
_____ NA 1. well log in file
_____ 2. drilling permit
_____ NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
_____ ☒ Is rate or volume and fee appropriate?
_____ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

OCT 25 1989

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by ML
Sent to region _____

OCT 30 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12893

Name(s) of Permit Holder: John and/or Colene Jardine

Post Office Address: 9173 2stick

Nampa, Idaho 83687 Telephone No. 466-0496

Source of Water: Stream

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)
Irrigation 1.5 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ NO FEE
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

John Jardine 466-0496
(Name) (Telephone Number)

9173 2stick Nampa, Idaho
(Address)

The above information is my true statement of the extent to which the above named water right has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

FEB 27 1990

10-23-89
Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

FILE # 65-12893
SEPT. 11, 1989

To Dept of Water Resources

We have commenced construction of
diverting water within one year of the date
the permit was issued Permit # 65-12893

Alene Jordine

NOTE: APPLICANT RECEIVED LETTER OF DEC. 21 1988
BUT RECEIVED NO "BLUE" CARD TO RETURN
Permit #65-12893.

J. Westra
Western Region.
Sept. 11, 1989

RECEIVED
SEP 11 1989

Department of Water Resources

MICROFILMED
FEB 27 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 21, 1988

JOHN JARDINE
ARLENE JARDINE
9173 W. USTICK
NAMPA, ID 83651

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12893

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

NOT FILMED

JAN 23 1989

- PD 584 16N 3E- S. 29 SWNW L. 4

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 10/19/88 APPLICATION: 65-12893

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ yes ___ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion:
- ☐ Field check required: Field check by: _____
- ☐ Field report attached:
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ Send dam safety information:
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Power efficiency form:
- ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

DATE REQUESTED: _____
☒ Additional information on reverse side: _____

NOV 23 1988
Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District # _____
☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest November 21, 1988
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached: Approve, DWR
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # 65
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 1/16/1988
Recommended by: DWR Date 11/22/1988

STATE OFFICE REVIEW

P17 26 05 (65, Payette River)

See below for additional information. By KW Date 12/14/88

ADDITIONAL INFORMATION

OVERLAP P/O. 65-07570 #08993, unnamed stream, different diversions.
P/O. " " " " for domestic & domestic plus 2 acres, respectively.
These apply to different lands

Conditions of Approval: 26A Recommend that 2 years be allowed for completion of this project.

SN

65-12893

JARDINE, JOHN
JARDINE, ARLENE
9173 W. USTICK
NAMPA, ID 83651

Source: UNNAMED STREAM

Tributary: CASCADE RESERVOIR

Diversion Pt: LOT 4 (SWNW) Sec 29 T 16N R 03E

Use: IRRIGATION (.040 CFS)

Date Filed: 9 /16/1988

In: T16N R03E S29 Lot 4 (SWNW)

1.5 ACRES TOTAL

MICROFILMED

JAN 23 1989