








PERMIT	17	1000	100
DATE	6-5-1980	100	100
TIME	10:00	100	100
BY	10	100	100
NO.	10	100	100
CHART	10	100	100



PHOTO ONE-

Looking NW at spring area



PHOTO TWO-

Not a well casing - this is a cover for
 1 of 2 valves on 10" burial pipe from
 pld. This valve is about 100' SE of pld.
 Natural drainage for hot water is seen in
 photos #1 & 2.

PROFILMED
 JAN 24 1992



PHOTO THREE- P/W Looking NE at home & shop on east side of Railroad tracks.



PHOTO FOUR- P/W, 2 other homes between RR tracks & Brush creek. View is SW. Yards here are irrigated with Brush ck. water (65-06628).

REPRODUCTION
JAN 24 1992



PHOTO FIVE-

4" Return flow pipe from swimming pool
to Brush Creek. Measured 94°F at this
pipe.

RECEIVED
JAN 24 1992

State of Idaho
Department of Water Resources

RECEIVED

DEC 23 2003

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12891

Department of Water Resources

Priority: October 19, 1988

Maximum Diversion Rate:

0.44 CFS

Maximum Diversion Volume:

51.3 AF

This is to certify, that DUANE PANCHERI
DARWIN PANCHERI

RT 1 BOX 48

MELBA ID 83641

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 19, 1988; and has submitted Proof of Beneficial Use on August 21, 1989. An examination indicates that the works have a diversion capacity of .440 cfs of water from:

SPRING

tributary to MOORES CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	0.40 CFS	47.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	3.6 AF
	Totals	0.44 CFS	51.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NESENE , Sec. 13, Township 13N, Range 03E
SENESE , Sec. 13, Township 13N, Range 03E
VALLEY County

PLACE OF USE: HEATING
TWN RGE SEC

13N 04E 18

SESW

NWSE

SWSE

PLACE OF USE: DOMESTIC, same as HEATING use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

REC'D MED

JAN 24 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12891

CONDITIONS/REMARKS:

5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. Domestic use is for 3 homes and a shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5 day of January, 1992.

For 
R. Keith Higginson, Director

RECEIVED

JAN 24 1992

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12891

Date of Priority: October 19, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.44 CFS
51.3 AF

Comes now

DUANE PANCHERI
DARWIN PANCHERI

RT 1 BOX 48
MELBA ID 83641

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-12891, and requests that the permit be changed as follows:

Source: **SPRING**

tributary to **MOORES CREEK**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	0.40 CFS	47.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	3.6 AF
	Totals	0.44 CFS	51.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NESENE , Sec. 13, Township 13N, Range 03E
SENESE , Sec. 13, Township 13N, Range 03E
VALLEY County

PLACE OF USE: HEATING
TWN RGE SEC

13N 04E 18 SESW NWSE SWSE

PLACE OF USE: DOMESTIC, same as HEATING use

APPROVED

JAN 24 1992

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Bain, this 28 day of Oct, 1991.

Duane Pancheri
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12891

FOR DEPARTMENT USE ONLY

#C022151

Preliminary check by SC Fee ☒ \$20.00 Receipted by SC Date 10/28/91

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 65-12891 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
5. Domestic use is for 3 homes and a shop.

Witness my hand this 5 day of January, 19 92

for  R. Keith Higginson, Director


JAN 24 1992

State of Idaho

Department of Water Resources

ASSIGNMENT OF PERMIT

Darwin & / or
I, Duane Pancheri, hereby assign to Duane Pancheri
of 19010 S. Can-Ada Melba 83641
Address

All my right, title, and interest in and to Permit No. 65-12891
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of
the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second for
direct diversion, or acre feet for storage)

Made this 28th day of October, 1991.

Duane Pancheri
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Gem) ss

On this 28th day of October, 1991, personally appeared before
me the signer(s) of the above instrument, who duly acknowledged to me that
he (she) (they) executed the same.

Shirley R. Curtis

Notary Public residing at

Emmett, Idaho

s e a l

My commission expires:

10-6-96

JAN 24 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-12891

Proposed Priority: October 19, 1988 Maximum Diversion Rate: 0.44 CFS

This is to certify, that **DUANE PANCHERI**
DARWIN PANCHERI
RT. 1 BOX 48
MELBA, ID 83641

has applied for a permit to appropriate water from:

SPRING tributary of **MOORES CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
HEATING	01/01 to 12/31	0.40 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.44 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NESWNW), Sec. 18, Township 13N, Range 04E
VALLEY County

PLACE OF USE: HEATING

TWN RGE SEC

13N 04E 18 SESW NWSE SWSE

PLACE OF USE: DOMESTIC, same as HEATING use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1990**.
2. Subject to all prior water rights.
3. Use of water under this permit is subject to control by the watermaster of State Water District No. 65.
4. Domestic use is for 3 homes and a shop.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

76 day of **July**, 19**89**

[Signature]
for **R. Keith Higginson, Director**

RECORDED

SEP 22 1989

Ident. No. 65-12891

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DUANE PANCHERI 208-495-2513
Address: RT. 1 BOX 48
MELBA, ID 83641

AND/OR
Name: DARWIN PANCHERI 208-467-1348
Address: RT. 4 BOX 4261
NANPA, ID 83651

2. Source: SPRING Trib. to: MOORES CREEK

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
13N	04E	18	NE	SW	NW	2	VALLEY

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	APA
HEATING	01/01	12/31	0.400		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.440 CFS (and/or) AFA

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
BURIED PIPE DRAIN SYSTEM, 10" & THEN 4" PIPE TO PLACE OF USE.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

WATER DIVISION

SEP 24 1989

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

HEATING AND DOMESTIC (3 homes & 1 shop, domestic use includes up to 1/2 ac.)

9. Description of place of use:

DATA ENTRY
FL 10/19/88

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
13N	04E	18	SE SW		HEAT	
			SE SW		DOMEST	
			NW SE		HEAT	
			NW SE		DOMEST	
			SW SE		HEAT	
			SW SE		DOMEST	

10. Describe any other water rights used for the same purposes.
NONE.

11. a. Who owns the property at the point of diversion?

APPLICANTS

b. Who owns the land to be irrigated or place of use?

APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

12. Remarks:

SYSTEM IN PLACE AND USED SINCE 1978. TOTAL IRRIGATION OF YARDS DOES NOT EXCEED 1/2 ACRE.

13. Map of proposed point of diversion and place of use attached? [Y]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Darwin Pancheri
Applicant

MICROFILMED


SEP 22 1989

Ident. No. 65-12891
Page 3

Received by SL Date 10/19/88 Time 11:30 Preliminary check by SL
Fee \$ 45⁰⁰ Receipted by SL # W 001140 Date 10/19/88
Publication prepared by GG Date 10-26-88 Published in The Advocate
Publication approved SL 6/6/89 Date 11/2 & 11/9/88

MICROFILMED

SEP 22 1989



State of Idaho

Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner w/ field examination to determine the extent of be water from a well or whenever a well is insp reasons. The form should be forwarded to Ground Section in the State Office upon completion.

1. Legal Description of well location. Twp 2N
Sec. 2, Qtr. SW or Lo
2. Owner STATE OF IDAHO FISH & GAME
Address P.O. Box 25, City BOISE
3. Approx. date of well construction _____
- Well Driller _____
4. Casing: Diameter _____ Condition _____
5. Casing length above land surface _____
6. Well depth (ft) _____ Flowing 0
Access port _____
7. Condition of piping and valving _____
8. Evidence of well seal _____
9. Shut in pressure or static water level _____
10. Evidence of leakage around the casing _____
11. Does well need repair _____
12. Comments _____

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

65-12878

CASH, EDWARD O.

CASH, MARIE L.

10784 OSWEGO WAY

BOISE, ID 83709

Source: UNNAMED STREAM

Tributary: DUCK CREEK

Diversion Pt: NWSE Sec 18 T 15N R
03E

SWSE Sec 18 T 15N R
03E

Use: DOMESTIC (.040 CFS)

Date Filed: 10/11/1988

In: T15N R03E S18 SWSE

65-12891

PANCHERI, DUANE

PANCHERI, DARWIN

RT. 1, Box 48

MELBA, ID 83641

Source: SPRING

Tributary: MOORES CREEK

Diversion Pt: LOT 2 (NESWNW) Sec 18
T 13N R 04E

Use: HEATING (.400 CFS)

DOMESTIC(.040 CFS)

Date Filed: 10/19/1988

In: T13N R04E S18 SESW NWSE
SWSE

65-12894

IIIJ WATER USERS ASSN.

C/O J.V. or JUNE S. OTTER

906 Houston Rd.

Boise, Id. 83706

Source: UNNAMED STREAM

Tributary: CASCADE RESERVOIR

Diversion Pt: SWSWNE Sec 19 T 15N
R 03E

Use: IRRIGATION (.060 CFS)
DOMESTIC (.060 CFS)

Date Filed: 10/20/1988

In: T15N R03E S19 SWNE NWSE

2.7 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be filed
with the Director, Dept. of Water
Resources, Western Region, 2735 A
Way, Boise, Idaho 83705 on or
NOVEMBER 21, 1988.

R. KEITH HIGGINSON, Dir.

Published 11/02/1988

NOT RECORDED

SEP 22 1989

Affidavit of publication

RECEIVED
STATE OF IDAHO
JUL 9 1989

County of ^{of the State of Idaho} ~~Valley~~ ^{Blaine} ~~Valley~~
County OF VALLEY

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of *The Advocate*, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The Notice of Appeal in Wt. Rt., a copy of which is attached hereto; was published in said newspaper once a week for _____ consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began:

11-2, 1988

and ended 11-9, 1989

[Signature]
Subscribed and sworn before me, this the

5th day of June, 1989

On this 5th day of June, 1989

I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

[Signature]
Rayola Jarvis, Notary Public residing at Cascade, Idaho

NOT RECORDED

SEP 22 1989

RECEIVED

INTER-DEPARTMENT MEMO--1

SEP 17 1998

FROM Steve L. Department of Water Resources

DATE 9/15/98

TO Karibyan T. 65-12891

SUBJECT Change in Address

They have Bs. 63 + Bs. 65 rights,
maybe others too?

Recently I sent letter to Darwin P. c Stagehand Rd.
address but it was returned w/ P.O. ✓ c "forwarding
address expired" language. I re-sent letter to new address
as shown. I rec'd the attached from Darwin on
c 9/10/98.

Looks like can show new address for Darwin/Jean P.
per attached. Does not appear can add son's name based
on this, however (?).

thanks, JK
SIGNATURE

cc → Western SRBA staff for claims

MICROFILMED
FEB 24 2004

9/8/98 -

✓ New address: 9325 Missouri Ave.
Nampa, ID 83686

Names: Darwin Pancheri
Joan Pancheri

if possible add our son's name -
Joseph Kurt Pancheri

✓ Phone: 467-1348

Wells: Valley Co. Idaho

✓ Fax - 467-1348

MICROFILMED

FEB 24 2004



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

August 27, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MR DARWIN PANCHERI
~~15501 STAGECOACH~~
NAMPA ID 83686

9325 Missouri Ave
Nampa 83686

per AS West
Inventory 1998

9/2/98

RE: LICENSING OF WATER RIGHT PERMITS

Dear Darwin:

After your call a few days ago, I checked the status of all your water rights in the Cabarton area. All of your permits for that site have been field examined in the last several years. The permits are now in the licensing process.

A perennial problem at this agency is not having the resources to complete everything in a timely manner. More often than not, completion of the licensing process is forced to take a back seat to more urgent work. This is regrettable but unavoidable given the present realities.

I hope that the licenses can be issued soon. The good news is that the beneficial use developed under the permits has been verified. The rights remain fully protected by completion of that verification.

Please let me now if you have any questions about this subject.

Sincerely,

Steve Lester
Water Rights Supervisor

MICROFILMED

FEB 24 2004

January 12, 1992

DUANE PANCHERI
DARWIN PANCHERI
RT 1 BOX 48
MELBA ID 83641

RE: WATER RIGHT NO. 65-12891

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

RECEIVED

JAN 24 1992

October 15, 1991

DUANE PANCHERI
DARWIN PANCHERI
RT 1 BOX 48
MELBA ID 83641

RE: WATER RIGHT NO. 65-12891

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JAN 24 1992

LICENSE REVIEW CHECKLIST

Permit No. 65-12891

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance

Order to reinstate needed? yes no ✓

Total cfs Limited by fee ok

Limited by capacity

Total volume Limited by flow

Capacity Chart checked for AF rate/ac N/A

Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ✓

If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓ Amendment needed

More than one per 44? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44

Description of non-irrig uses ✓

Special overlap condition

Conditions -

Dates/Misc. -

Measuring device FOC

W.Master control FOC

Overlap

Water quality

Other

Water Dist ✓

App Rec'd ✓

Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed

Comments/Changes to Examiner's Recommendations:

Volume for heating: 180 gpm (40 cfs) x 8 hrs/day x 180 days/yr

325,800 = 47.4 AF

License 10-day 30-day ✓

Back of field report signed?

Reviewer J. Curtis Date 9/3/91 Review time 10 min.

CONVERSATION MEMORANDUM

DATE

8/7/91

FILE

65-12891

NAME OF PARTY

Duane Pancher

EMPLOYEE

Jan Thurtel

RE:

Additional proof of B/U fee paid.

On 8/6/91 Mr. Pancher phoned requesting an update on 65-12891. In reviewing the file I informed him the field exam had been done and the recommended amount would be limited to .30 cps per the \$50 exam fee paid rather than the .44 cps on the permit. The exam does indicate that the system could deliver .44 cps & more, therefore, I did tell Mr. Pancher about paying the additional proof of B/U fee plus the penalty, in order to license the permit for .44 cps. He opted to ~~do~~ pay the fee and come in the next day to do so. He paid the additional \$50 fee plus a \$25 penalty fee for up to 1.0 cps. He requested also that the licensing be expedited at this time. I informed him I would request the expediting of the license for him.

RECEIVED

JAN 24 1992

\$75⁰⁰ - Receipt # WD13564

P12 13N 4E 5.18 - NESW NW

11/12

SESW
NWSE
SWSE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

65-12891
Permit
RECEIVED
JUL 22 1991

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index PL 10/16/89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached? N/A

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: other sources

Check of P/U index PL 10/16/89 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? N/A

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: other uses

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

☒ Proof filed
8-18-89, SRBA
claim not required
and not filed.

C. Review and Processing:

Exam Completed Steve Latta 4/25/91 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent lw 5/2/91 (Initial and date)

Exam Reviewed by Manager of Regional Office Dr 6/22/91 (Initial and date)

Exam Date Entered in Computer 7-2-91 ST (Initial and date)

Exam sent to State Office 7-2-91 ST (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12891
1 Owner: Darwin and/or Duane Pancheri Phone No. 467-1348 or 495-2513
Current Address: 15501 Stagecoach Rd. Nampa Id, 83686
2 Accompanied by: Joan Pancheri EXAM. DATE: 10/17/89
Address: as above Phone No. as above
Relationship to Permit Holder: Spouse of Darwin Pancheri
3 Source: Spring tributary to Moore's Creek

B. OVERLAP REVIEW

1 Other water rights with same place of use: 65-06628 -02696 -11250
☐ Copies Attached N/A
2 Other water rights with same point of diversion: 65-01972 -01973 -11250 -08430
-12127 -01988 ☐ Copies Attached ☐ Copies of Field Exam's Attached
N/A

C. SYSTEM DESCRIPTION

- 1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

See top of alternative diagram

MICROFILMED
JAN 24 1992

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)
N/A

3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A hot spring (approx. 101°F) is utilized as a drain system and approx 2100 ft of 10" pipe is then ²⁰⁰⁰ft. at 4" pipe. Two control valves for this gravity system are found with 115' of source. Water is used to heat 3 houses / shop as well as to irrigate $\frac{1}{2}$ acre of yard (external domestic use). The hot water is used in a swimming pool at one home. Discharged water (measured discharge temps of 90 & 94°F) is returned to Bank Creek via 4" overflow pipes and a small ditch paralleling one of the discharge pipes. The system has been operating since 1978.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		N/A	(gravity)	(gravity)	

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NE	~~18~~ 13	13 N	3 E	Walk	USGS 7 1/2' quad area OCTHOPE, Twp. Used compass engravers 100' tape, and pacing plot pld

5th
pid on
Cacy line

acetophenone. Used compress
engineers 100' tape, and pacing to
plot old

Indicate Method of Determination

6. Place(s) of Use:

[illegible]

RECEIVED

JAN 24 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

Flow - no measurements possible

For sq. ft. of heating areas & other details, see Attachment #1.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method *None*

2. Alternate Method for Checking Purposes. *see additional pg., Attachment #1*

F. PUMP EFFICIENCY DATA (Optional) *N/A*

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

V. (.20)(365)(1.9835) = 144.8 afa

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation *N/A*

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses

Domestic 3 Homes, 1 shop:

2 homes int only = (2)(.6) = 1.2 afa
1 home & shop, int + ext = (2)(1.2) = 2.4 afa **(3.6)**

V. (.10)(365)(1.9835) = 72.4 afa

HEATING

Although Hot Air runs continuously since also used for domestic, estimate that heat needed ≈ 12 hrs/day, 80% of year for that area (292 days).
 $[.20 \text{ cfs} \times 448.8 \frac{\text{gal}}{\text{cfs}} \times 60 \frac{\text{min}}{\text{hr}} \times 12 \frac{\text{hrs}}{\text{day}} \times 292 \frac{\text{days}}{\text{yr}}] \div 725850 = 57.9 \text{ afa}$

continued

MICROFILMED
JAN 24 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PLO would have to be signed here to be in OAG's
 stream or permit. Using NE corner of intersection of Cushman & Roseman Rds.,
 measured 175' N. & passed 50' East, then passed 50' N. to spring area.
 No method of measurement was available for the diversion. The return flow from
 swimming pool (terminal use end of 4" delivery line) via a very small ditch & 4" pipe (see
 photograph #5) did not allow a flowmeter or 5 gal bucket measurement. However, see attached
 copy of 10/19/88 comm. memo from original applicant. This reports flow rate in
 permit.
 Limit record flow to .20 cfs per 50 flow rate paid (Receipt 000020). Increased
 rate for 0/4 but still within permit's limit of 5 in. limits.
 Overlap - see attachment #2.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	From	To	Period of Use	Rate of Diversion Q (cfs)	Annual Volume 57.9 V (cfs)
Heating	1/1	12/31	12/31	.20	3.6
Domestic	1/1	12/31	12/31	.10	3.6
Totals:					
				.20	61.5


2. Recommended Amendments

- ☒ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☐ None

J. AUTHENTICATION

Field Examiner's Name: Don McLean
 Signature: Steven M. Lester
 Certification Date: 10/17/89
 Field Report Preparation Date: 10/17/89
 CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources
 employee on a computer printout attached hereto.



65-12891

MILE 35
PAYETTE

T13N

BIG

gov't lots in W1/4 and
SESE 5.18

but not in P10 & P14
19 20

R4E

R3E

SEE gov't AT
plot for 13N SE 5.18
for additional info
concerning spring located

P10 close enough to
QA line to show in
two QAQA.

ROAD TO
RESERVOIR

CABARTON
ROAD

Olden
Creek

ESERVOIR

RIVER

Greek

Belvidere

49821

48511

48011

47931

47851

47771

47691

47611

47531

47451

47371

47291

47211

47131

47051

46971

46891

46811

46731

46651

46571

46491

46411

46331

46251

46171

46091

46011

45931

45851

45771

45691

45611

45531

45451

45371

45291

45211

45131

45051

44971

44891

44811

44731

44651

44571

44491

44411

44331

44251

44171

44091

44011

43931

43851

43771

43691

43611

43531

43451

43371

43291

43211

43131

43051

42971

42891

42811

42731

42651

42571

42491

42411

42331

42251

42171

42091

42011

41931

41851

41771

41691

41611

41531

41451

41371

41291

41211

41131

41051

40971

40891

40811

40731

40651

40571

40491

40411

40331

40251

40171

40091

40011

39931

39851

39771

39691

39611

39531

39451

39371

39291

39211

39131

39051

38971

38891

38811

38731

38651

38571

38491

38411

38331

38251

38171

38091

38011

37931

37851

37771

37691

37611

37531

37451

37371

37291

37211

37131

37051

36971

36891

36811

36731

36651

36571

36491

36411

36331

36251

36171

36091

36011

35931

35851

35771

35691

35611

35531

35451

35371

35291

35211

35131

35051

34971

34891

34811

34731

34651

34571

34491

34411

34331

34251

34171

34091

34011

33931

33851

33771

33691

33611

33531

33451

33371

33291

33211

33131

33051

32971

32891

32811

32731

32651

32571

32491

32411

32331

32251

32171

32091

32011

31931

31851

31771

31691

31611

31531

31451

31371

31291

31211

31131

31051

30971

30891

30811

30731

30651

30571

30491

30411

30331

30251

30171

30091

30011

29931

29851

29771

29691

29611

29531

29451

29371

29291

29211

29131

29051

28971

28891

28811

28731

28651

28571

28491

28411

28331

28251

28171

28091

28011

27931

27851

27771

27691

27611

27531

27451

27371

27291

27211

27131

27051

26971

26891

26811

26731

26651

26571

26491

26411

26331

26251

26171

26091

26011

25931

25851

25771

25691

25611

25531

25451

25371

25291

25211

25131

25051

24971

24891

24811

24731

24651

24571

24491

24411

24331

24251

24171

24091

24011

23931


23851

23771

23691

23611

65-12891 ALTERNATIVE DIAGRAM



CONVERSATION MEMORANDUM

DATE

10/19/88

FILE

65-12891

NAME OF PARTY

Pancheri

EMPLOYEE

Steve Lester

RE:

Estimating flow for heating per Admin. memo 23:

3 2-story homes, 1 shop

sq. ft. = $2200 + 1000 + 1800 + 720 = 5720$, round to 5800 since area estimates may be low.source temp. = $101^\circ F$ $t_i = 70^\circ F$ (assumed) $t_o = -8^\circ F$ (assumed $\approx$ Pacatello)

efficiency is average.

 $\rightarrow$ for 2-story units

$$E = [e \cdot \Delta T][.8A]$$

where $\Delta T = t_i - t_o = 70 - (-8) = 78$ and e extrapolate

$$E = [(52.6)(78)][(.8)(5800)] = 19,036,992$$

$$W = \frac{Q}{500(\Delta T_s)}$$

where $Q = E$ and $\Delta T_s = (.6)(101 - 70) = 18.6$

$$W = \frac{19,036,992}{(500)(18.6)} = 2047 \text{ gpm} = 4.56 \text{ cfs}$$

Applicants want to use .40 cfs for heating, well within the suggested range.

JAN 24 1992

ALLOW FOR LICENSING:

.20 cfs (\$50 proof paid)

 $\downarrow$

Domestic (4 units) = .10 cfs

Heating = .20 cfs

TOTAL

.20 cfs

SEP 22 1989

MICROFILMED

Attachment #1
65-12891 Expm




PHOTO ONE-

Looking NW at spring area




PHOTO TWO-

Not a well casing - this is a cover for
1 of 2 valves on 10" buried pipe from
pld. This valve is about 100' SE of pld.
Natural drainage for hot water is seen in
photos #1 & 2.

PROCESSED

NOV 24 1992



PHOTO THREE-

P/W Looking NE at home & shop on East side of Railroad tracks.



PHOTO FOUR-

P/W, 2 other homes between RR tracks & Brush creek. View is SW. Yards here are irrigated with Brush ck. water (65-06628).

RECEIVED
JAN 24 1992



PHOTO FIVE-

4" Return flow pipe from swimming pool
to Brush Creek. Measured 94°15' at this
pipe.

JAN 24 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12891

Date: 8/25/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely
N Reinstated

Source of Water:

Y Surface water
Y Groundwater
 1. well log in file
 2. drilling permit
 N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Address change -

Proof ACCEPTABLE

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

AUG 21 1989

For Office Use Only
Fee Received 50.00
Date 8/22/89
Receipt # C00020
Receipt by CP
Reviewed by 11/2/89
Sent to region

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12891

Name(s) of Permit Holder: DARWIN PANCHERI AND DUANE PANCHERI

Post Office Address: 15501 STAGECOACH RD.

NAMPA, ID 83686

Telephone No. 467-1348

Source of Water: SPRING Tributary of Moore's Creek

Extent of Use:

300 head

Domestic 3 (number of households) Stockwater cattle (number and type of stock)

Irrigation none (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.44CFS cfs acre-foot

Show the date water was first diverted and beneficially used under this permit: 11/89 * 1978

Measuring Device: Required? — Yes X No
Installed? — Yes X No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes — No
Installed? — Yes X No

* See item 12-remarks
on application.

Person to contact to accompany the Department representative during the field examination:

DARWIN 467-1348 or DUANE...4952513

(Name)

(Telephone Number)

15501 STAGECOACH RD NAMPA, ID 83686

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Aug 18 1989
Date

Darwin Pancheri Owner
Signature of Permit Holder (and title, if appropriate)

SEP 24 1989

NOT FILMED

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 26, 1989

DUANE PANCHERI
DARWIN PANCHERI
RT. 1 BOX 48
MELBA, ID 83641

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12891

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 22 1989

- PP 13N 4E S. 18- NE SW NW 6.2
pu " SESW
NWSE
SWSE

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: 82 DATE: 10/24/88 APPLICATION: 65-12891

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ Yes ___ No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO |
|--|-------------------------------------|
| ☒ | ☐ |
| Overlapping place of use: (Describe source & relationship to present application on the back.) | |
| ☐ | ☒ |
| Overlapping point of diversion: | |
| ☐ | ☒ |
| Field check required: Field check by: _____ | |
| ☐ | ☒ |
| Field report attached: | |
| ☐ | ☒ |
| Critical groundwater area: | |
| ☐ | ☒ |
| Groundwater management area: | |
| ☐ | ☒ |
| Send dam safety information: | |
| ☐ | ☒ |
| Send power requirement letter: | |
| ☐ | ☒ |
| Send fish farm requirement letter: | |
| ☐ | ☒ |
| Power residency affidavit: | |
| ☐ | ☒ |
| Power efficiency form: | |
| ☐ | ☒ |
| Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) | |
| ☐ | ☒ |
| Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) | |
| *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT | |

RECEIVED
JUN 12 1989

DATE REQUESTED: _____
☒ Additional information on reverse side:

Department of Water Resources

PROCESSING

YES NO

In form for advertising: ☒
 Statewide advertising: ☒
 Fee amount, receipt number and date recorded on application: ☐

SEND COPIES TO

YES NO

I.D. Health and Welfare ☒
 I.D. Fish and Game ☒
 I.D. Lands ☒
 Adjudication Bureau ☒

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received: ☒ Rec'd 6/6/89 See attached phone memo dated 5/15/89
 Application published correctly: If not, record action taken. ☒

☒

Publication dates and paper recorded on application: ☒
 Protests received, final date for protest *Memorandum 2/1, 1988*
 Protests, dates, resolution of protest recorded on application: ☒
 Recommendations attached: ☒ Approved *DM*
 Measuring device required: ☒
 Measuring port required: ☒
 Water delivered by water master? District # *105*
 Special conditions of approval or cover letter: (see additional info. below) ☒
 See Below For Additional Information ☒
 Recommended Date of Priority *10/19/1988*
 Recommended by: *DM*

STATE OFFICE REVIEW

Plc

05 (05, Bay State River)

Date *5/18/89*

See below for additional information. By *PLC*

Date *6/1/89*

ADDITIONAL INFORMATION

*OVERLAP: ALL ON APPLICATIONS, LANA BUT DIFFERENT AREAS DRAWN HAYNES & SHOP:
 Pln - 65-06628 Beach Ck., Irvingston, Jessu
 65-11250 Moores Ck., -02696 N. E. North, -06628 Beach Ck., Irvingston in NWSE.
 65-02696 & 06628 as above, Irvingston in NWSE.*

RECEIVED

JUN 6 1989

Published in

Department of Cascade
Western Regional Office
Valley County

The

Advocate

P.O. Box 1079

Cascade, Idaho 83611

(208) 382-3233

June 2, 1989

Dear Steve,

As requested in your telephone call this week, enclosed is an Affidavit of Publication for your Notice of Application for Water Right which was published November 2 & 9, 1988.

The bill for this application has been paid. We do appreciate your business, thank you.

Elzo
Elzo O'Brien

MicroFILMED

SEP 22 1989

CONVERSATION MEMORANDUM

DATE 5/15/89FILE 65-12891NAME OF PARTY Darwin Parshani 467-1348EMPLOYEE Stan Lester

RE: D.P. called about status of application. Appears that ~~delay~~ delay has been related in part to newspaper (no affidavit sent). Told him I would look into this.

5/16 called Newspaper 382-3233. Elgo O'Brien is new contact for legal notices.

Her records show affd. mailed but she will mail another one today (attention to me at Weston).

6/1 Haven't received reply from newspaper. Called to inquire, Elgo gone but left message for her.

6/2 Spoke with Elgo. Said she mailed affd. 5/16.

Will mail again. Stated has mailed to W. office at correct address. This will be 3rd mailing.

6/6 Received affd. & letter from Elgo today.

MICROFILMED

SEP 22 1989

CONVERSATION MEMORANDUM

DATE 10/19/88FILE 65-12891NAME OF PARTY PancheriEMPLOYEE Steve LesterRE: Estimating flow for heating per Admin memo 23:3 2-story homes, 1 shop

Sq. ft. = $2200 + 1000 + 1800 + 720 = 5720$, round to 5800 since area
estimates may be low.

Source temp. = 101°F $t_1 = 70^{\circ}\text{F}$ (assumed) $t_2 = -8^{\circ}\text{F}$ (assumed $\approx$ Pocutello)efficiency is average. $\rightarrow$ for 2-story units

$E = [e \cdot \Delta T][.8A]$

where $\Delta T = t_1 - t_2 = 70 - (-8) = 78$ and e extrapolated

$E = [(52.6)(78)][(.8)(5800)] = 19,036,992$

$W = \frac{Q}{500(\Delta T_s)}$

where $Q = E$ and $\Delta T_s = (6.6)(101 - 70) = 18.6$

$W = \frac{19,036,992}{(500)(18.6)} = 2047 \text{ gpm} = 4.56 \text{ cfs}$

Applicants want to use .40 cfs for heating, well
within the suggested range.

MICROFILMED

SEP 22 1989

65-12891

PANCHERI, DUANE
PANCHERI, DARWIN
RT. 1 Box 48
MELBA, ID 83641

Source: SPRING

Tributary: MOORES CREEK

Diversion Pt: LOT 2 (NESWNW) Sec 18 T 13N R 04E

Use: HEATING (.400 CFS)
DOMESTIC (.040 CFS)

Date Filed: 10/19/1988

In: T13N R04E S18

SESW

NWSE

SWSE

MICROFILMED

SEP 22 1989