


See attached

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JAN 23 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vernon Ponto
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Vernon Points Estate
Current Address: P.O. Box 53, Donnelly, Idaho
2. Accompanied by: Scott Points
Address: Donnelly
Relationship to Permit Holder: grandson to deceased
3. Source: Spring tributary to sinks
- Permit No. 65-12884
Phone No. 326-4315 (Son Lyle Points, PR of Estate)
EXAM. DATE: 7-17-90
Phone No. 325-8783

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
2. Other water rights with same point of diversion: None
- ☐ Copies Attached
☐ Copies Attached
☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

MICROFILMED
AUG 06 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



PERMIT 05-12884 INIT _____
T. R. S. Q/Q
P/D 10N 4E 19 SWNE
SCALE 770

P/D + P/U

FILMED
AUG 18 1991

T

T

Picture #1



Diversion pipe to
stockwater tank.
Bucket measurement
was taken at this
place.

Picture #2



Place of use. Pipe at
front of tank is an
overflow pipe that allows
excess to seep back into
the ground.

MICROFILMED

AUG 06 1991

65-12884

Picture # 3



Some of the cattle that use the stock-water tank are shown in the background.

MICROFILMED

AUG 06 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12884

Priority: October 4, 1988

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:¹

0.7 AF

This is to certify, that FLORENCE POINTS
VERNON POINTS

P.O. BOX 53

DONNELLY, ID 83615

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated October 4, 1988; and
has submitted Proof of Beneficial Use on December 5, 1989. An examination indicates
that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NESWNE , Sec. 19, Township 16N, Range 04E
VALLEY County

PLACE OF USE: STOCKWATER

TWN RGE SEC

16N 04E 19

SWNE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 50 cattle.

RECEIVED

AUG 06 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12884

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of July, 1991.

Acting for


R. Keith Higginson, Director

RECORDED

AUG 06 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident No. 65-12884

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Vernon or Florence Points Phone 325-8783
Post office address Box 53, Donnelly, ID 83615
2. Source of water supply Spring which is a tributary of Sinks
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 19 Township 16 N Range 4 E B.M. Valley County; additional
points of diversion if any _____
4. Water will be used for the following purposes
Amount 0.02 for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum
- 6 Proposed diverting works
 - a. Description of ditches, flumes, pumps, headgates, etc Pipeline to trough.
 - b Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive
 - c Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
- 7 Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

JAN 23 1989

DECLASSIFIED

applicant to make this filing

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b Who owns the land to be irrigated or place of use?

11 a. Who owns the property at the point of diversion? —

10 Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding column.

a If water is for irrigation, indicate acreage in each subdivision in the tabulation below

9 Description of place of use

e Other, describe fully

d Domestic; show number of households

c Municipal, show name of municipality.


b Stockwatering, list number and kind of livestock

a Hydropower, show total feet of head and proposed capacity in kW.

8 Description of proposed uses (if irrigation only, go to item 9).

see attached ↓

13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

JAN 20 1969

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vernon R. Poirer
(Applicant)

Received by H. W. Wernert Date 10-4-88 Time 1620
Preliminary check by [Signature]
Fee \$ 30.00
Received by H. W. Wernert # W1039 Date 10/4/88
Publication prepared by JP Date 10/12/88 Published in The Star News
Publication approved by [Signature] Date 11-3-88 10/19 & 10/26/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 65-12884, and said application is hereby APPROVED

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

January 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other.

Witness my hand this 16th day of December, 1988.

[Signature]

MICROFILMED
JAN 23 1989

Publisher's Affidavit of Publication

STATE OF IDAHO, ss.

County of Valley

I, Maggie Aganew, being duly sworn and say, I am the receptionist of the Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began October 19, 1988, and ended October 26, 1988.

Subscribed and sworn before me this the 27th day of October, 1988.

STATE OF IDAHO, COUNTY OF VALLEY, ss.

On this 27th day of October, 1988 before me, a Notary Public in and for said State, personally appeared Maggie Aganew, known to me or identified to me to be the receptionist of the corporation that executed the instrument of the person(s) who executed the instrument on behalf of said corporation, and acknowledged to me that such corporation executed the same.

Tom Grote
Notary Public
Residing at McCall, Idaho
Commission Expires 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho: 65-12879, FRYE, TOM, 7000 MC MULLEN, BOISE, ID. 83709. Source: PAYETTE LAKE. Tributary: PAYETTE RIVER, NORTH FORK. Diversion Pt: LOT 3 (SESW) SEC 32 T 19N R 03E. USE: DOMESTIC (.020 CFS) FIRE PROTECTION (.020 CFS). Date Filed: 9/23/88. In: T19N R03E S32 Lot 3 (SESW). 65-12881,

LANG, FRED A., LANG, DOROTHY P.O. BOX 1417, MC CALL, ID 83638. Source: UNAMED, STREAM, COLD CREEK. Tributary: COLD CREEK, BOULDER CREEK. Diversion Pt: SENW Sec 1 T 17N R 4, 03E. Use: IRRIGATION (.200 CFS). Date Filed: 10/03/1988. In: T17N R03E S01 Lot 3 (NENW) SENW. 10.0 ACRES TOTAL. 65-12883, DAMIANO, FRANK, DAMIANO, HARRIETTE, P.O. BOX 357, DONNELLY, ID 83615. Source: SPRING. Tributary: SINKS. Diversion Pt: NESWSB Sec 19 T 16N R 04E. Use: DOMESTIC (.040 CFS) IRRIGATION (.120 CFS) STOCKWATER (.020 CFS) Date Filed: 10/04/1988. In: T16N R04E S19 SWSE, 4.0 ACRES TOTAL. 65-12884, POINTS, VERNON, POINTS, FLORENCE, P.O. BOX 53, DONNELLY, ID 83615. Source: SPRING. Tributary: SINKS. Diversion Pt: NESWNE Sec 16 T 16N R 04E. Use: STOCKWATER (.020 CFS). Date Filed: 10/04/1988. In: T16N R04E S19 SWNE. 65-12885, FELLER, DARWIN, FELLER, VERNIA CO, BOB, FELLER, 2318 DIXIE CIR., CALDWELL, ID: 83605. Source: GROUNDWATER. Diversion Pt: NWSE, Sec 21 T 16N R 03E. Use: DOMESTIC (.040 CFS). Date Filed: 10/04/1988. In: T16N R03E S21 NWSE.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 7, 1988.
R. KEITH HIGGINSON,
Director
2/10/26

RECEIVED

OCT 28 1988

Department of Water Resources
Western Regional Office

July 18, 1991

FLORENCE POINTS
VERNON POINTS
P.O. BOX 53
DONNELLY, ID 83615

RE: WATER RIGHT NO. 65-12884

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

AUG 06 1991

June 25, 1991

FLORENCE POINTS
VERNON POINTS
P.O. BOX 53
DONNELLY, ID 83615

RE: WATER RIGHT NO. 65-12884

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

AUG 06 1991

LICENSE REVIEW CHECKLIST

Permit No. 65-12884

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance

Total cfs Order to reinstate needed? yes no ☒
Limited by fee N/A
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 44? Remember remark
Check p/d overlap

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap

Remarks More than one p/d in 44
Description of non-irrig uses
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed?
Reviewer Curtis Review time 7 min.

AUG 06 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-12884
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

No Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

No Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index MTS 7-6-90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index MTS 7-6-90 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 7-3 MTS (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed _____ (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 4/1/91 (Initial and date)

Exam Reviewed by Manager of Regional Office 4/10/91 (Initial and date)

Exam Date Entered in Computer 4-24-91 st (Initial and date)

Exam sent to State Office 4-24-91 st (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 25 1991

Department of Water Resources

A. GENERAL INFORMATION

1 Owner: Vernon Points Estate Permit No. 65-12884
Current Address: PO Box 53, Donnelly, Idaho Phone No. 326-4315 (Son Lyle Points, PR of Estate)
2 Accompanied by: Scott Points EXAM. DATE: 7-17-90
Address: Donnelly Phone No. 325-8783
Relationship to Permit Holder: grandson to deceased
3 Source Spring tributary to sinks

B. OVERLAP REVIEW


1. Other water rights with same place of use. None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

MICROFILMED
AUG 06 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Concrete of a Spring that delivers water through a 1" pipe to a 3' x 12' stockwater tank that has a 1" steel flow pipe that allows excess water to return to the ground approximately 50' from the water tank.

The overhang
The only pedicle measurement was a bracket measurement.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	111	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

AUG 6 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
Stopwatch						

2 Measurements:

One gallon flow into a 5 gallon bucket at the point where water enters the stockwater tank.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1 Measured Method.

One gallon in 4:32 minutes = .22 gpm = .0005 cfs

2 Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure. _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP. (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses.

.22 gpm = 13.2 gph = 317 gpd = 115,632 gpy ÷ 325,892 = .35 afa rounded to .4 afa

1 test tank, 30-50 range cattle, 6.7 AFA

RECEIVED
AUG 06 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlaps

317 gpd at 12 gpd/acre load will support 26 head of range cattle. Recommendation is to license at minimum of 0.01 cfs with limitation of 0.40 cfs. 40-50 range cattle - using unit volume? Springs are variable - should be used. allow volume recommendation for 26-50 head, which is 0.7. *var*

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use *Stockwater*
 Period of Use From *1-1* To *12-31*
 Rate of Diversion *0.01* Q (cfs)
 Annual Volume *4* V (ata) *0.7*

Totals: *0.01*
4 *0.7*

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name *Melvin T. Schultz*
 Signature *Melvin T. Schultz*
 Certification Date *8-8-90*
 Field Report Preparation Date *8-8-90*



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 06 1991

REC'D

Roseberry

PERMIT _____ INIT _____
T. R. S. 0/0
P/D _____ 112
SCALE _____

PIC + PJU

4953

4952

4951

42' 30"

4950

4949

UNMED


1991

4947

T

T

Picture #1



Diversion pipe to
stockwater tank.
Bucket measurement
was taken at this
place.

Picture #2



Place of use. Pipe at
front of tank is an
overflow pipe that allows
excess to seep back into
the ground.

MICROFILMED

AUG 06 1991

65-12884

Picture #3



Some of the cattle
that use the stock-
water tank are
shown in the
background.

RECEIVED
FILMED

AUG 06 1991

February 12, 1990

VERNON POINTS
FLORENCE POINTS
P.O. BOX 53
DONNELLY, ID 83615

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12884

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

FEB 27 1990

1/08

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12884

Date: 2-9-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☐ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ NO Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

Good acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

28 2-9-90
RECEIVED

DEC 5 1989

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12884 Telephone No. 325-8783

Name(s) of Permit Holder(s): LERNON POINTS ESTATE

Post Office Address: Box 53 Donnelly Idaho 83301

Source of Water: SPRINGS

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No of households) Irrigation _____ (No of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 1.02 ^{AS PER PERMIT} cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination

FILED

Name

Telephone NOV 27 1990

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

Date _____ Signature Lyle Points Personal Representative
(and title if on behalf of a company or organization)

138825

October 31, 1989

VERNON POINTS
FLORENCE POINTS
P.O. BOX 53
DONNELLY, ID 83615

PROOF DUE NOTICE

RE: PERMIT NO. 65-12884

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 27 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 21, 1988

VERNON POINTS
FLORENCE POINTS
P.O. BOX 53
DONNELLY, ID 83615

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12884

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

JAN 23 1989

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 10/11/88 APPLICATION: 65-12884

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☒ yes ___ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO
☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached: _____
Critical groundwater area: _____
Groundwater management area: _____
Send dam safety information: _____
Send power requirement letter: _____
Send fish farm requirement letter: _____
Power residency affidavit: _____
Power efficiency form: _____
Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) _____
Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) _____
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side: _____

RECEIVED
NOV 23 1988

Department of Water Resources

PROCESSING

YES NO

In form for advertising: ☒

Statewide advertising: ☒

Fee amount, receipt number and date recorded on application: ☐

SEND COPIES TO

YES NO

I.D. Health and Welfare ☐

I.D. Fish and Game ☐

I.D. Lands ☐

Adjudication Bureau ☐

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received: ☒

Application published correctly: If not, record action taken. ☐

YES NO

U.S. BLM ☐

U.S. Forest Svc. ☐

Water District # ☐

Other ☐

☒

Publication dates and paper recorded on application: ☒

Protests received, Final date for protest ☒

Protests, dates, resolution of protest recorded on application: ☒

Recommendations attached: ☒

Measuring device required: ☒

Measuring port required: ☒

☒

Water delivered by water master? District # ☒

Special conditions of approval or cover letter: (see additional info. below) ☒

See Below For Additional Information ☒

Recommended Date of Priority ☒

Recommended by: ☒

STATE OFFICE REVIEW

plc

Date *11/22/1988*

See below for additional information. By *plc*

Date *12/14/88*

ADDITIONAL INFORMATION

Staw news

65-12884

POINTS, VERNON
POINTS, FLORENCE
P.O. BOX 53
DONNELLY, ID 83615

Source: SPRING

Tributary: SINKS

Diversion Pt: NESWNE Sec 19 T 16N R 04E

Use: STOCKWATER (.020 CFS)

Date Filed: 10/04/1988

In: T16N R04E S19 SWNE

FILED

JAN 23 1989