


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 23 1988

x Ronald E. Yankel
(Applicant)



24 000



VAL 20 FEET
INTERVAL 10 FEET
IN CASCADE RESERVOIR
multiply by 3.2808
multiply by .3048

AL MAP ACCURACY STANDARDS
VEY, DENVER, COLORADO 80225
GINIA 22092



1	2	3	1 No Business Mountain
			2 Lake Fork
			3 Paddy Flat
4		5	4 Lone Tree
			5 Sloans Point
			6 Cold Spring Ridge
6	7	8	7 Cascade
			8 Eagle Nest

ADJOINING 7.5' QUADRANGLE NAMES

3E 4E

ROAD LEGEND

- Improved Road
- Unimproved Road
- Trail
- Interstate Route
- U.S. Route
- State Route

MICROFILMED

DEC 23 1988 **DONNELLY, IDAHO**
PROVISIONAL EDITION 1985

44116-F1-TF-024

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 18 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Ronald C. Yonke Permit No. 65-12868
Phone No. 342-8901
Current Address: P.O. Box 5411, Boise, ID 83705
2. Accompanied by: Bob Tilden EXAM. DATE: 5-27-92
Address: P.O. Box 293, Donnelly, ID Phone No. 382-3263
Relationship to Permit Holder: Hot Springs Ranch Foreman
3. Source: Unnamed Streams tributary to Hot Springs Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

SEP 22 1993



RESERVOIR

VALLEY

GOLD

CENTER

Hot Spring Creek

Davis

AND

PERMIT 65-12868 INIT INS.
T. R. S. Q/Q
P/D 15N 3E 13 SE 1/4
SCALE
PHOTO ID. T-10 Donnelly
OCT 22 1993

P12

410,000 FEET 572

65-12868



Reservoir
with dam
on right.



Location of
both streams
entering
reservoir

MISSOURI MED
OCT 22 1993

65-12868



Stream #1
Facing West



Stream #2
Facing
Northeast

UNRECORDED

OCT 22 1993

65-12868



Drain on
Northwest
corner of
reservoir



10" pipe
leading from
drain

MICROFILMED

OCT 22 1993

65-12868



Ditch leading
From drain



Valve in
center of
dam

RECEIVED

OCT 22 1993

65-12868



Pipe leading
From valve
to channel
created by
natural
runoff.

RECEIVED
OCT 22 1993

Affidavit of publication

STATE OF IDAHO

COUNTY OF VALLEY

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of *The Advocate*, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The *Not. Appl. Water right: Yanke, Kling, De Angeli*, a copy of which is attached hereto; was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began:

10-5, 19 88

and ended 10-12, 19 88

Fred K. O'Brien
Subscribed and sworn before me, this the

14th day of October, 19 88

On this 14th day of October, 19 88
I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Rayola Jarvis
Rayola Jarvis, Notary Public residing at Cascade, Idaho

RECEIVED
OCT 17 1988

Department of Water Resources
Western Regional Office

MICROFILMED

DEC 23 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12868- ✓ DK

YANKE, RONALD C.

P.O. Box 5411

Boise, Idaho, 83705.

Source: UNNAMED STREAM

Tributary: HOT SPRING CREEK

Diversion Pt.: SESE SEC 13 T 15N R 03E

Use: FISH PROP. STORAGE
(65.00 AF)

FISH PROP. FROM STORAGE

(65.00 AF)

Date Filed: 9/16/1988

In: T15N R03E S 13 SESE

65-12870-

KLING, JIM

KLING, CAROLYN

7301 E. LOCUST LN.

NAMPA, ID, 83651

Source: SPRINGS Tributary: CHIPPS CREEK

Diversion Pt.: SESWSE SEC 7 T 11N R 04E, SWSSE SEC 7 T 11N R 04E, SWNWNE SEC 18 T 11N R 04E.

Use:

STOCKWATER STORAGE (1.00 AF)
STOCKWATER FROM STORAGE (1.00 AF)

WILDLIFE STORAGE (1.00 AF)

WILDLIFE FROM STORAGE (1.00 AF)
DOMESTIC (.040 CFS)

RECREATION STORAGE (1.00 AF)

Date Filed: 9/19/1988

In: T11N R04E S07 SWSE

65-12872

DE ANGELI, PHILIP

DE ANGELI, JUDY

HIC 71 BOX 44

CASCADE, ID 83611

Source: PAYETTE RIVER, NORTH FORK

Tributary: PAYETTE RIVER

Diversion Pt.: LOT 4 (NESE) Sec 15 T 11N R 03E

Use: IRRIGATION (.020 CFS)

Date Filed: 9/20/1988

In: T11N R03E S15 NESE

1.0 ACRES TOTAL

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho, 83705 on or before OCTOBER 24, 1988.

R. KEITH HIGGINSON, Director
Published 10/05/1988 & 10/12/1988

10/04/93

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12868

Priority: September 16, 1988 Maximum Storage Volume: 65.0 AF

This is to certify, that RONALD C YANKE

PO BOX 5411

BOISE ID 83705

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 16, 1988; and has submitted Proof of Beneficial Use on November 28, 1990. An examination indicates that the works have a storage capacity of .000 af of water from:

UNNAMED STREAMS

tributary to HOT SPRING CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROP. STORAGE	01/01 to 12/31		65.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 13, Township 15N, Range 03E
VALLEY County

PLACE OF USE: FISH PROP. STORAGE

TWN RGE SEC

15N 03E 13

SWSE

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
5. Two points of diversion are located within SWSE, S13, T15N, R03E.
6. Fish propagation storage use under this right shall be for non-commercial, recreational purposes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 12TH day of OCTOBER, 1993.

Acting for R. Keith Higginson, Director

OCT 22 1993

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12868

RECEIVED

SEP 30 1993

Department of Water Resources

Date of Priority: September 16, 1988

Maximum Storage Volume: 65.0 AF

Comes now
PO BOX 5411
BOISE ID 83705

RONALD C YANKE

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 65-12868, and requests that the permit be changed as follows:

Source: UNNAMED STREAMS

tributary to HOT SPRING CREEK

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

FISH PROP. STORAGE

01/01 to 12/31

65.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 13, Township 15N, Range 03E
VALLEY County

PLACE OF USE: FISH PROP. STORAGE
TWN RGE SEC

15N 03E 13

SWSE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 29TH day of SEPTEMBER, 1993.

Ronald C Yanke
(Signature)

RECEIVED

OCT 22 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12868

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 20⁰⁰ Received by JV # C028085 Date 9-20-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12868 with the following;

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
5. Two points of diversion are located within SWSE, S13, T15N, R03E.
6. Fish propagation storage use under this right shall be for non-commercial, recreational purposes.

Witness my hand this 12TH day of OCTOBER, 1993.

Robert C. [Signature]
Acting for R. Keith Higginson, Director

RECEIVED

OCT 22 1993

STATE OF IDAHO

RECEIVED
NOV 28 1990

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed an development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 65-12868 Telephone No. 342 8301

2 Name(s) of Permit Holder(s): RONALD C. YANKE

3 Post Office Address: P.O. Box ~~5411~~ 5411, Boise ID 83705

4 Source of Water: RICE AND UNDAINED CREEKS

a. If ground water, well driller's name: _____ Date drilled: _____

b Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5 Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

Fish Culture (Trout)

6 Total rate and/or volume for which proof is submitted _____ cfs 65 acre/feet

7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

8 Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Bob TILDEN HOT SPRINGS RANCH (208) 382-3263
Name Telephone No.

P.O. Box 293 Donnelly ID 83415
Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9/13/90
Date

[Signature]
Signature (and title if on behalf of a company or organization)

FILED

JAN 23 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT TO APPROPRIATE)
WATER NO. 65-12868 IN THE NAME OF)
RONALD C. YANKE)
_____)

ORDER REMOVING
MEASURING DEVICE
REQUIREMENT


The permit holder, Mr. Yanke, requested through his engineer, Keith Stokes, a waiver of the measuring device requirement. The reason set forth for the waiver is that the dam and pond will only be used for recreational purposes (trout fishing). He also stated that there will be no consumptive use of the water.

As a result of the request;

IT IS HEREBY ORDERED that the third condition of permit no. 65-12868 requiring a permanent measuring device to determine the amount of water entering and the amount released from the reservoir can be measured is waived.

IS IS FURTHER ORDERED that the permit holder may be required to test the reservoir by a method approved by the Department of Water Resources to determine the amount of loss in the reservoir.

Dated this 26th day of July, 1989.


L. GLEN SAXTON, Chief
Water Allocations Bureau

MICROFILMED

SEP 06 1989

Gary

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Ronald C. Yanke Phone 342-8901
Post office address P.O. Box 5411 Boise, ID 83705
- 2 Source of water supply ~~Rice Creek~~ * Unnamed Stream which is a tributary of ~~Hot Spring Cr.~~ Hot Spring Cr.
- 3 Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of $\frac{1}{4}$, Govt. Lot
Sec. 13 Township 15N Range 3E B.M. Valley County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
RE 7/28/88 propagation storage
Amount 65 a.f. for fish culture purposes from Jan. 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 65 a.f. for fish propagation purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) and/or (b) 65
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc.
- b. Height of storage dam 20 feet; active reservoir capacity 65 acre-feet; total
reservoir capacity 65 acre-feet; period of year when water will be diverted to storage:
Jan. 1 to Dec. 31 inclusive.
- c. Proposed well diameter is inches; proposed depth of well is feet.
- d. Is ground water with a temperature of greater than 90°F being sought?
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

DEC 23 1988

RBW

* Changes made per G.S. Quad.

8 Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower; show total feet of head and proposed capacity in KW. _____
- b Stockwatering, list number and kind of livestock. _____
- c Municipal; show name of municipality. _____
- d Domestic; show number of households. _____
- e Other; describe fully Fish culture - trout pond

9 Description of place of use:

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols.

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
* 15N	3E	13																FP	

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above _____

- 11 a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12 Remarks: _____

MICROFILMED

DEC 23 1988

RBW * See Copy of Map Attached

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number





Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 23 1988

x Ronald C. Janda
(Applicant)



QUADRANGLE LOCATION

VAL 20 FEET
INTERVAL 10 FEET
IN CASCADE RESERVOIR
multiply by 3.2808
multiply by .3048

1	2	3	1 No Business Mountain
			2 Lake Fork
			3 Paddy Flat
4		5	4 Lone Tree
			5 Sloans Point
			6 Cold Spring Ridge
6	7	8	7 Cascade
			8 Eagle Nest

ADJOINING 7.5' QUADRANGLE NAMES

MICROFILMED

DEC 23 1988

U.S. Route State Ro

DONNELLY IDAHO

PROVISIONAL EDITION 1985

44116-F1-TF-024

AL MAP ACCURACY STANDARDS
VEY, DENVER, COLORADO 80225
GINIA 22092

Proposed Priority 9/16/88

Received by LL Date 9/16/88 Time 10:00 AM Preliminary, check by RBW

Fee \$ 45- Received by RBW # W000923 Date 9-19-88

Publication prepared by GG Date 9-28-88 Published in Advocate

Publication approved OK Date 10-28-88 10/5 & 10/12/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-12868, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 91

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

The storage of water under this permit is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.

Witness my hand this 8th day of December, 1988.

L. Glen Saxton

MICROFILMED

DEC 23 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 13, 1993

RONALD C YANKE
PO BOX 5411
BOISE ID 83705


RE: WATER RIGHT NO. 65-12868

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

OCT 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 27, 1993

RONALD C YANKE
PO BOX 5411
BOISE ID 83705

RE: WATER RIGHT NO. 65-12868

Dear Water Right Holder(s):

I previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me.


Sincerely,

A handwritten signature of Jim Johnson, written in dark ink, appearing as a stylized 'J' followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure



OCT 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 8, 1993

RONALD C YANKE
PO BOX 5411
BOISE ID 83705

RE: WATER RIGHT NO. 65-12868


Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with these findings or if you have any questions, please contact me within the 14-day period.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

OCT 22 1993

DATE: 09/07/93
PAGE: 1

Audit: 09/07/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-12868

Date 9-7-93

Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? <u> </u> Memo to Advance <u> </u> Order to Reinstate Needed? Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒	Changes? <u>Clarification of Originally Intended source (Unnamed stream)</u> Notice of Intent to Void - Source change.
P/D	☒ ☐ ☐ ☒	Amendment Needed? <u>CHANGE TO SWSE</u> Is Overlap Analysis a Consideration?
P/U	☒ ☐ ☐ ☒	Amendment Needed? <u>CHANGE TO SWSE</u> Is Overlap Analysis a Consideration?
TOTAL CFS	<u>NA</u>	Disagree/Measurement <u>NONE DONE</u> <u>NO ACTIVE FLOW COMPONENT ON PERMIT</u> System Capacity <u> </u> Allowable Amount: <u> </u>
TOTAL VOLUME	☐ ☒ ☐ ☐	Disagree/Measurement <u> </u> <u>600 x 300 x 15 ÷ 43560 = 62.4F</u> <u>(65 acre ft is acceptable - permit limit)</u> Flow limit: <u> </u> x <u> </u> x 1.9835 = <u> </u> Season recommended <u>1-1 to 12-31</u>
USES	☐ ☒ ☐ ☒	Change(s) in Nature of Use? <u> </u> Amendment Needed? <u> </u>
REMARKS	☒ ☒ ☐ ☒	<u>(U32)</u> Multiple P/Ds in 1/4 1/4? <u>2 IN SWSE</u> Special Overlap Condition <u> </u> Other <u> </u>
CONDITIONS	<u>Removed</u> <u>ROY</u>	Measuring/Locking Devices <u> </u> Misc/Dates <u> </u> W/Master Control <u>65</u> Water Dist <u> </u> Irrigation Overlap <u> </u> App Rec'd <u> </u> Water Quality <u> </u> Exam Made <u>5-27-92</u>
COMMENTS:	<u>Amend P/D and P/U</u>	

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>(20) Fish Prop</u>	<u> </u>	<u>65 AFA</u>	<u> </u>
<u>Storage</u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
			AMEND ☒

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 18 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-12868
1. Owner: Ronald C. Yanke Phone No. 342-8901
Current Address: P.O. Box 5411, Boise, ID 83705
2. Accompanied by: Bob Tilden EXAM. DATE: 5-27-92
Address: P.O. Box 293, Donnelly, ID Phone No. 382-3263
Relationship to Permit Holder: Hot Springs Ranch Foreman
3. Source: Unnamed Streams tributary to Hot Springs Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
☐ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

AUG 22 1993

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

A 30' high, 600' long earthen dam is used to contain flow from five unanned runoff streams. Overflow from the pond drains into a 10" corrugated pipe located on the northwest corner of the pond. A valve located in the center of the popd dam can be used to channel water into a 10" pvc pipe. The pvc pipe directs the water back into the natural runoff channel of the two streams. At the time of the exam, the valve was closed.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Assume 15' avg. depth, based on 20' dam and visual inspection
 $600' \times 300' \times 15' / 43560 = 62 \text{ a.f.}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
OCT 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No. other rights affect this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Fish Reproduction Savings

From 1/1

To 12/31

Rate of Diversion

Q (cfs)

Annual Volume

V (afa)

65 - F.a.

2. Recommended Amendments

- ☒ Change P.D. as reflected above
- ☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☐ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Mark S. Jones

Signature

[Signature]

Certification Date

6-8-92

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

CONSULTANT SEAL

1000000000

OCT 22 1993

BM
1828

#7M
4826

21

VALLEY

4859

4856

#912

Israel

AGLING

Rebitor

007

6257


5283

105


20

87

65-12868




Reservoir
with dam
on right.




Location of
both streams
entering
reservoir

MINNESOTA
OCT 22 1993

65-12868




Stream #1
Facing West




Stream #2
Facing
Northeast

MICROFILMED

OCT 22 1993



Drain on
Northwest
corner of
reservoir




10" pipe
leading from
drain


UNRECORDED

OCT 22 1993

65-12868



Ditch leading
From drain




Valve in
center of
dam

RECEIVED
OCT 22 1993

65-12868



Pipe leading
from valve
to channel
created by
natural
runoff.



OCT 22 1993

December 27, 1990

RONALD C. YANKE
P.O. BOX 5411
BOISE, ID 83705

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12868

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JAN 29 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 65-12868

Date 12-24

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Well log in file?
☐ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted? 100
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION *B*

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

[Handwritten diagonal line through calculation table]

_____	_____
_____	- _____
_____	= _____
_____	+ _____
_____	= _____

RONALD C. YANKE
P.O. BOX 5411
BOISE, ID 83705

138680
October 31, 1990

PROOF DUE NOTICE
RE: PERMIT NO. 65-12868

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 19 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 27, 1989

Ronald Yanke
P.O. Box 5411
Boise, Idaho 83705

Dear Mr. Yanke:

Enclosed is an order removing measuring device requirement for
permit no. 65-12868.

Sincerely,

GARY SPACKMAN, Manager
Water Right Permits Section

cc: Keith Stokes
IDWR - Northern Region

MICROFILMED

SEP 06 1989

KEITH STOKES, P.E.
CONSULTANT

3709 Kootenai Street
Boise, Idaho 83705
Phone 343-5877 or 375-1130

RECEIVED

JUN 30 1989

Department of Water Resources
Western Regional Office

June 29, 1989

Mr. David Tuthill, Jr., P.E.
Manager, Western Regional Office
Department of Water Resources
2735 Airport Way
Boise, ID 83705

RECEIVED

Department of Water Resources

RE: 65-12868

Dear Dave:

On behalf of my client, Mr. Ron Yanke, I am requesting that the condition for measuring devices on the permit be waved.

The dam and result pond will only be used for recreational purposes (trout fishing). There is no consumptive use of the water.

Any measuring device we could construct for normal flow of either the inlet streams or outlet would be destroyed by the spring run-off flows.

for these reasons we request this waver.

Very truly yours,



Keith E. Stokes, P.E.
for Ronald C. Yanke

KES:cjw
cc:Ron Yanke

MICROFILMED

SEP 06 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 65-12868

Name(s) of Permit Holder(s). Franklin Page

Post Office Address: PO Box 531 Boise

Idaho 83725

Tel. NE 472 8901

☒ I hereby certify that construction of diversion works for the above referenced permit began on 227 March 1989 and I understand that I must continue to develop the water system with diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reasons beyond my control*:

*Note: A financing difficulty is Dec 23 1988 Line 17 C 3 Page 2
not an acceptable reason. Date Signature of Permit Holder

PLACE
STAMP
HERE

REC-211
JAN 17 1989

Department of Water Resources



MICROFILMED

SEP 00 1989

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 12, 1988

RONALD C. YANKE
P.O. BOX 5411
BOISE, ID 83705

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12868

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

If the diversion dam is 10 feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 23 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 29, 1988

Stacy Gebhards
Regional Supervisor
Idaho Department of Fish & Game
Region 3/Statehouse
Boise, ID 83720

Re: Application for Permit No. 65-12868, in the Name of Ronald C. Yanke

Dear Mr. Gebhards:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by October 24, 1988.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

MICROFILMED
DEC 40 1988

Affidavit of publication

STATE OF IDAHO

COUNTY OF VALLEY

I, Fred K. O'Brien, being duly sworn deposes and says, I am the Publisher of *The Advocate*, a weekly newspaper published at Cascade, in Valley County, Idaho; and having a general circulation therein and of legal status in said county.

The *Nat. Appl. Water Right: For Irrigation*, a copy of which is attached hereto; was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began:

10-5, 19 88

and ended 10-12, 19 88

Fred K. O'Brien
Subscribed and sworn before me, this the
14th day of October, 19 88

On this 14th day of October, 19 88
I, a Notary Public in and for the State of Idaho, state that said person, Fred O'Brien, did in fact present me with this document and I did witness his signature on the document.

Rayla Jayvis
Rayla Jayvis, Notary Public residing at Cascade, Idaho

RECEIVED
DEC 14 1988

Department of Water Resources
Western Regional Office

MICROFILMED

DEC 23 1988

MICROFILMED

DEC 23 75

S T A T E O F I D A H O
DEPT/ MENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

SEPTEMBER 28, 1988

The Advocate
P.O. Box 1079
Cascade, ID 83611

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 24, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

DEC 40 1988

65-12868

YANKE, RONALD C.
P.O. BOX 5411
BOISE, ID 83705

Source: UNNAMED STREAM

Tributary: HOT SPRING CREEK

Diversion Pt: SESE Sec 13 T 15N R 03E

Use: FISH PROP. STORAGE

(65.00 AF)

FISH PROP. FROM STORAGE

(65.00 AF)

Date Filed: 9/16/1988

In: T15N R03E S13

SESE

MICROFILMED

DEC 23 1988