

f diversion, place of us



MAR 06 1988

corrected section per note on
pg. 1

Max Moorhouse
(Applicant)
President

STATE OF IDAHO }

County of Boise

Peter A. Wierenga, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every issue of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with Nov. 16, 19 88 and ending with the issue of Nov. 23, 19 88.

Peter A. Wierenga

STATE OF IDAHO }

County of Boise

On this 1st day of December in the year of 1988, before me, a Notary Public, personally appeared

Peter A. Wierenga known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Joan Stierenga
Notary Public for Idaho
Boise, Idaho
Residing at

My commission expires: 9/14/94

RECEIVED
DEC 5 1988
Department of Water Resources
Western Regional Office

NOTICE OF CORRECTION

Notice is hereby given that on September 7 & 14, 1988, Application for Permit No. 65-12861 was advertised in error. The name was advertised as Wapili Creek Home Improvement Assn. WHEREAS, the name should have read Wapiti Creek Home Improvement Assn.

The Point of Diversion and Place of Use was listed as in Section 31, WHEREAS, the legal description is in Section 33.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before December 5, 1988.

R. Keith Higginson, Dir.

Published in the Idaho World, Idaho City, Idaho, Nov. 16 & 23, 1988.

MICROFILMED

MAR 06 1989

65-12861

8/16/94 complaint
photos 10/18/94 *

pg 1 of 2



- ① 8" artesian well. Bucket covers insulated area; assumed control valve(s) toward under bucket.



- ② Locked storage tank shed c 150' N. of well.

* timely follow-up from complaint to site visit dates delayed by fires in area that prohibited access.

65-12861


10/18/94

pg 2 of 2



- ③ $3/4$ " overflow pipe emerges & discharges into bucket & thence stream or ditch.
No flow today.
This is c 50' E. of storage tank.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS.

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4. N/A (ARTESIAN - no pump - Gravity system)

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

AUG 11 1993

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 GALLON bucket						

2. Measurements: 5 gallon bucket in WALTERS Cabin 700 8 3 1823

$$Q = 5 \text{ gallon} / 40 \text{ sec} = 7.5 \text{ gpm} \pm 0.02 \text{ CFS}$$

PERMIT 65-12861 INIT PC
T. R. S. Q/Q
P/D 10N/ 11E 33 SESW
SCALE _____
PHOTO ID. V-17 Grandjean



PHOTO FIVE-

Well and Valve Box Located south of cabins.



AUG 27 1993

PHOTO SIX-

Box with Lid on Top of buried 3000 gallon storage Tank. Well is approximately 150 feet in background.



PHOTO THREE-

Valve box for irrigation line and domestic line.
Located just south of cabins.



PHOTO FOUR- Irrigation and domestic valve boxes.

RECORDED
AUG 27 1993



PHOTO ONE-

Two of seventeen cabins served by well.

>

MICROFILM
AUG 27 1993

PHOTO TWO-

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12861

Priority: August 30, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

10.2 AF

This is to certify, that WAPITI CREEK HOME IMPROVEMENT ASSN

C/O LORIN WALTERS

1814 MORTIMER DR

BOISE ID 83712

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 30, 1988; and has submitted Proof of Beneficial Use on February 27, 1992. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	10.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 33, Township 10N, Range 11E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

10N 11E 33

NENW

SESW

NESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 17 cabins.

RECORDED

AUG 27 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12861

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of August, 1993

Acting for *Norm Young*
R. Keith Higginson, Director

RECORDED
AUG 27 1993

RECEIVED

FEB 27 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Received by _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- 1 Permit No. 65-12861 Telephone No. 345-7275
- 2 Name(s) of Permit Holder(s): WAPITI CREEK HOME IMPROVEMENT ASSN.
- 3 Post Office Address: 1814 MORTIMER DR. BOISE, ID 83712
- 4 Source of Water: WELL (DOMESTIC) STREAM (IRRIGATION)
- a If ground water, well driller's name: GESTRIN & YANKE Date drilled: 9-1-88
- b Pump horsepower: N/A Pressure (psi): N/A Dynamic pumping level (ft.): _____
- 5 Extent of Use:

Domestic 17 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

- 6 Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

- 7 Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

- 8 Fee Enclosed: \$ NA (See License Examination Fee Schedule)

- 9 Person to contact to accompany the Department representative during the field examination:

LORIN A. WALTERS

Name

345-7275

Telephone No.

1814 MORTIMER DR, BOISE, ID 83712

Address

- 10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

27 FEB 92

Date

Lorin A. Walters, PRESIDENT

Signature (and title if on behalf of a company or organization)

MAR 06 1992

MED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED
Amended

See memo of 10/31/88
82

To appropriate the public waters of the State of Idaho

1. Name of applicant Wapiti Creek Home Improvement Assn Phone 375-4533
Post office address 90 max moore house
7720 Preece Drive Boise, Idaho 83704

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____
* 33
Sec. 31 Township 19 N Range 11 E B.M. Boise County; additional
points of diversion if any: _____

4. Water will be used for the following purposes: * Short Township, sections irregularly numbered, per
BLM 1:100,000 QUAD AND FOREST SERVICE RECREATION MAP.
82 9/16/88.

Amount ~~2.30~~ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount 2.0 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.5 for Irrigation purposes from 6-1 to 8-30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .35 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc well w/pump to system

b Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

MAR 06 1989


9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

* INTENT IS FOR 5 ACRES OF LAWN IN TRACTS SHOWN

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

corrected section per note on pg. 1

[Signature]
(Applicant)
President

Priority 8/30/1988

Received by CCS Date 30 Aug 88 Time 1:00 PM
Received by CCS Date 30 Aug 88
Fee \$ 45.00
W000797 Date 30 Aug 88
Received by CCS Date 30 Aug 88
Published in Idaho World Date 8-31-88
Publication prepared by CC Date 8-31-88
Publication approved JS Date 12/1/88
9/7 & 9/14/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12861, and said application is hereby APPROVED
1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1992.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Witness my hand this 8th day of February, 1989.

J. Neil Dayton

RECEIVED

MAR 06 1989

STATE OF IDAHO

County of Boise

Peter A. Wierenga, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every issue of said paper during the period and term of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with the Nov. 16, 19 88 and ending with the issue of Nov. 23, 19 88.

Peter A. Wierenga

STATE OF IDAHO

County of Boise

On this 1st day of December in the year of 1988, before me, a Notary Public, personally appeared

Peter A. Wierenga known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.


Peter A. Wierenga
Notary Public for Idaho
Boise, Idaho
Residing at

My commission expires: 9/14/94

MICROFILMED

MAR 05 1989

1/58



Department of Water Resources
Western Regional Office

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

RECEIVED

NOV 01 1994

RE: ANONYMOUS
COMPLAINT REC'D
8/16/94 C.S.O.
(BOB FLEMMER)

1. DRILLING PERMIT NO: 65-88-2-99 OTHER APPLICABLE NO: 65-12861
Department of Water Resources

2. OWNER: Wapiti Creek Home Improvement Assn. Phone: 259-3538
345-7275
Address: 910 Lorin Walters, President 1814 Mortimer Dr. Boise 83712

3. WELL LOCATION: Twp 10N, Rge. 11E, Sec. 33, 56 1/4 5W 1/4
County Boise (Provide sketch map and photo on reverse.)

4. DRILLER: Gestard/Yanke Lic. No. 408
When Drilled? 8/31-9/1, 1988

5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe e 4" > LSO
Depth of Casing 33 ft. Method Drilled air rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving assume valve in storage tank shed - see remarks
Auger to a depth of N/A ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☒ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:
Depth to Static Water 3 ft. Water Temperature 44 °F
Flowing Artesian ☒ Yes ☐ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE: multi-home
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: Anonymous telephone complaint received 8/16/94 by B. Flemer of S.O. that flowing artesian well has outlet in creek. This is apparently same artesian well as Lin. 65-12861. Visited site today & found well - properly located in field exam report of 6/13/93. Gravity system from well to storage tank in partly buried shed (photo #2). Overflow line runs from tank to small unnamed stream (or possibly dry ditch, difficult to tell) but no overflow noted today. Thus, assume that control valve must be found in

Stan M. Lester Water Rights Engineer
Signature of Dept. Representative & Title

10/18/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

Shed s/l or valve(s) covered by bucket next to wellhead (photo #1).
6/93 exam mentions overflow found; not found today so obviously controllable. No violations/problems found at this time.
Infrequent overflow via 3/4" pipe to stream/ditch does not appear to be much of a problem - however, would be problem if this occurred for significant part of year.

No action or followup needed unless hear of significant overflow ~~again~~ occurring. If this happens, could probably handle via letter.

- Map - See 6/93 field exam
- photos - " " and attached
- original - S.O. file
- copy - Regm file

NOTE checked up & down Wapiti ck. for any discharge pipes from any wells & found nothing.

IMPORTANT MESSAGE

FOR DT

DATE 8/16 TIME 4:10 A.M.
P.M.

M. BOB FLEENOR

OF SO

PHONE 7954

AREA CODE NUMBER EXTENSION

TELEPHONED		PLEASE CALL	☒
CAME TO SEE YOU		WILL CALL AGAIN	
WANTS TO SEE YOU		RUSH	
RETURNED YOUR CALL		SPECIAL ATTENTION	

MESSAGE Flowing Artesian Well

@ Grandjean -

Outlet in creek

Well owners

Wapiti Creek Home Temp Again

SIGNED Who Examined? Follow-up?

LITHO IN U.S.A. - per Mr -

SPRINGS

- 65-12861 -

1983
8/23/83

Drop-B, : e Art. well
Bony. complaint.

Camera; well insp. form +
File 65-12861; FS map

Any Expts can be in area
or on way ??

10N 11E - Grandjean
5.33

65-12861

8/16/94 complaint
photos 10/18/94 *

pg 1 of 2



- ① 8" artesian well. Bucket covers insulated area; assumed control valve(s) found under bucket.



- ② Locked storage tank shed c 150' N. of well.

* timely following from complaint to site visit dates delayed by times in area that prohibited access.

65-12861

10/18/94

Pg 2 of 2



③ $3/4$ " overflow pipe emerges & discharges
into bucket & thence stream or ditch.

No flow today.

This is $\approx 50'$ E. of storage tank.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 23, 1993


WAPITI CREEK HOME IMPROVEMENT ASSN
C/O LORIN WALTERS
1814 MORTIMER DR
BOISE ID 83712

RE: WATER RIGHT NO. 65-12861

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

MICROFILMED

AUG 27 1993

WR5809NP
No. L45-12861

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/13/93
PAGE: 2

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WAPITI CREEK HOME IMPROVEMENT ASSN C/O LARRY WALTERS 1814 MORTIMER DR BOISE ID 83712 (208) 345-7275	08/30/1988	DOMESTIC	01-01 12-31	0.04 CFS	10.2 AFA
TOTAL DIVERSION:					0.04 CFS	10.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE "

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T10N R11E S33 SE SW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
10N	11E	33	:																
			:																

Pou County: BOISE

~~Non-Irrigation Uses: 0/20 HOMES.~~

Other Rights: 65-0712 & 65-12272.

Other Water Rights Listing Overlapping Place(s) of use:
65-05709 65-12861

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Domestic use is for 17 cabins.

Dates:	App. Received:	08/30/1988	Priority Date:	08/30/1988
	Proof Due Date:	03/01/1992	Proof Made Date:	02/27/1992
	Exam Made Date:	06/13/1993	Exam Sent to S.O.:	08/06/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 08/12/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-12861 Date 8-12-93 Brenda Chapman

NAME	Yes <u>Check</u> No	Or Address Change?
PRIORITY DATE	<u>✓</u> Advance? <u> </u> Memo to Advance <u> </u>	
	<u>✓</u> Order to Reinstate Needed?	
SOURCE	<u>✓</u> Changes? Clarification of Originally	
	<u>✓</u> Intended source	
	<u>✓</u> Notice of Intent to Void - Source change.	
P/D	<u>✓</u> Amendment Needed? <u> </u>	
	<u>✓</u> Is Overlap Analysis a Consideration?	
P/U	<u>✓</u> Amendment Needed? <u> </u>	
	<u>✓</u> Is Overlap Analysis a Consideration?	
TOTAL CFS	<u>-NA-</u> <u>✓</u> Incorrect Fee for rate recommended? 7.5gpm =	
	<u>✓</u> Disagree/Measurement <u>5 gal bucket = .02 CFS</u> in	
	<u>-NA-</u> Pumping Theoretical <u>8.8 x .70 x</u> one	
	(ARTESIAN-NO PUMP) <u>+ 2.31 x</u> <u>cabin</u>	
	<u>✓</u> System Capacity <u>.04</u>	
	Allowable Amount: <u>.04 by B/L Form limit</u>	
TOTAL VOLUME	Rate/ac <u> </u> AFA Irr. Season <u> </u>	
	Standard Irr. Season <u> </u>	
	Season Recommended <u> </u>	
	<u>✓</u> Disagree with Examiner's Calculations?	
	<u>17 @ .6 = 10.2 af</u>	
	<u>✓</u> Flow limit: <u>.04 x 365 x 1.9835 = 29</u>	
USES	<u>✓</u> Change(s) in Nature of Use? <u> </u>	
	<u>✓</u> Amendment Needed? <u> </u>	
REMARKS	<u>✓</u> Multiple P/Ds in 1/4 1/4? <u> </u>	
	<u>✓</u> Non-Irr. Uses <u>DOMESTIC</u>	
	<u>✓</u> Special Overlap Condition <u> </u>	
	<u>✓</u> Other <u> </u>	
CONDITIONS	<u>✓</u> Measuring/Locking Devices Misc/Dates <u> </u>	
	<u>✓</u> W/Master Control <u>✓</u> Water Dist <u> </u>	
	<u>✓</u> Irrigation Overlap <u>8-30-93</u> App Rec'd	
	<u>✓</u> Water Quality <u>6-13-93</u> Exam Made	
COMMENTS:	<u>Delete irrigation use / covered under 65-12272</u>	
	<u>REDUCE RATE</u>	

RECOMMENDED	CFS	VOL	LICENSE <u>✓</u>
Irrigation	<u>.04</u>	<u>10.2</u>	
Domestic			
Stockwater			
			AMEND <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 09 1993

A. GENERAL INFORMATION

Department of Water Resources
Permit No. 65-12867

1. Owner: Wapiti Creek Home Improvement Assn. Phone No. 259-3538/345-7275

Current Address: 1814 Mortimer Drive, Boise, ID 83712

2. Accompanied by: Lauren Walters EXAM DATE: 6/10/93

Address: _____ Phone No. Same

Relationship to Permit Holder: President, Homeowners Assn.

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-05709, 65-12272, 65-09885

2. Other water rights with the same point of diversion: 65-09885

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	33	10N	11E	Boise	Quad map

2. Place(s) of Use:


Indicate Method of Determination Same as P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	11E	33					D			D	D								

RECEIVED

AUG 27 1993

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4. N/A (Agriculture - no pump - gravity system)

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

AUG 21, 1993

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						

2. Measurements:

5 gallon bucket in water cabin 11.5 x 18.25

$$Q = 5 \text{ gallon} / 40 \text{ sec} = 7.5 \text{ gpm} \approx 0.02 \text{ cfs}$$

E. NARRATIVE/REMARKS/COMMENTS

Overlap - P/O - Same QQ, different source, and use
P/U - Same QQ, different area of use and type
of use.

An artesian well, located approximately $\frac{1}{4}$ mile from southern end of development, supplies domestic internal water to 17 cabins. Lawns and outdoor watering is provided by separate irrigation system, piped throughout development. Irrigation water is diverted from collection box in unnamed stream and Wapiti Creek and transported through 4", 3", and finally 2" PVC to cabins.

Approximately 6500 feet of 4", 3", and 2" PVC from well to cabins in development. A 3000 gallon storage tank is located approximately 150' north of well. A 4" PVC line is tapped into 8" well casing and water enters storage tank via gravity. A $\frac{3}{4}$ " overflow, which was unmeasurable during exam, is located approximately 50' east of storage tank, and discharges into small runoff ditch. Since no measurement was attainable due to water use by cabins, so determined allowable allocation as per domestic use curve. As per curve, recommend licensing as requested on permit of 0.20 cfs. Irrigation allocated should be removed since no ~~irrigation~~ well is a separate irrigation system is available and licensed under WR-# 65-12272.

P/U only in NE $\frac{1}{4}$, SE $\frac{1}{4}$, of the NW $\frac{1}{4}$, and the NE of the SW $\frac{1}{4}$.

Have conditions of permit approval been met? ☒ yes ☐ no

AUG 27 1993

(See
Attached
Sheet)

AUG 27 1993

UNRECORDED

SEAL

Field Examiner's Name Rick Collingsworth Date 7/1/93
Reviewer _____ Date _____

I. AUTHENTICATION

2. Recommended Amendments
☒ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

Beneficial Use	Domestic	From	1/1	To	12/31	Rate of Diversion	Q (cfs)	0.04	Totals:	10.2	Annual Volume	V (afa)	10.2

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:
$$V_k = 0.04 \times 365 \times 1.9835 = 29.0 \text{ AFA}$$
$$(N_b) V_{\text{instream}} = 17 \times 0.6 = 10.2 \text{ AFA}$$

USE 10.2 AFA

$V_{LR} = (\text{Acres Irrigated} \times (\text{Irrigation Requirement})) =$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$

G. VOLUME CALCULATIONS
1. Volume Calculations for Irrigation: N/A

F. FLOW CALCULATIONS
Measured Method: N/A
Additional Computation Sheets Attached

8" casing (artesian, no pump)
water level $8\frac{1}{2}'$
4" line (PVC) 150' to 3000 gallon
STORAGE TANK (OLD MILK TANK)

Well not used for irrigation

IRRIGATION

4 x 6 x 2' collection box with sluice gate
on "AD NAME" creek
4" PVC service line to 17 cabins

Pipe from STORAGE TANK feathers down
from 4" to 3" to 2"

Flow in Walters cabin 5 gal / 40 sec

2" pipe at cabin (main line)
1" service to each cabin

Future installation of $1\frac{1}{2}"$ risers on irrigation
line for fighting fires.

65th pressure at end of 2" line in lower level.

Approx. $\frac{1}{4}$ mile from bend in road to well.
Cabins begin at approx. this point in road



AUG 27 1993

E. Narrative/Remarks/Comments

65-12861

(Flow recommendation)

Cabin measurement - 0.02 cfs


Diversion from well to tank in 4" line
non-measurable

Insufficient data to show theoretical Q
from well to tank using PC (pipeflow program on PC)*


Since no proof FEP paid, allowable allocation
is only 0.04 cfs.

Recommend Licensing for only 0.04 cfs, not
0.20 cfs as requested on permit

* PL 7/30/93



AUG 27 1993



Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-12861

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 10N, Rge 11E, Sec. 33, SE 1/4 SW 1/4
or Lot _____.

2. Owner: Wapiti Creek Home Improvement Assn.
c/o Lorin Walters
Address 1814 Mortimer Drive, City Boise, ST ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No ☒

4. Access Port: Yes _____ No ☒ Static Water Level: 8.5' AS PER MR. WALTERS
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 8"
Flowing: Yes ☒ No _____ Temperature: 44° F

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

IMPROVED

AUG 27 1993

WELL DRILLER'S REPORT

OCT 06 1988

OCT 27 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1 WELL OWNER Name <u>Wapiti Creek Home Improvement Assn.</u> Address <u>704 Mac Houghness 7720 Presque Dr.</u> <u>Boise, ID. 83704</u> Owner's Permit No. <u>65-88-2-99</u>		7 WATER LEVEL Static water level <u>3</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>44</u> °F. Quality <u>Good</u> Describe artesian or temperature status below																																	
2 NATURE OF WORK <u>65-12-61</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials plug depths, etc in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other <table border="1"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>10</u></td> <td><u>33</u></td> <td><u>2</u></td> </tr> </tbody> </table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>10</u>	<u>33</u>	<u>2</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																	
<u>10</u>	<u>33</u>	<u>2</u>																																	
3 PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>10</u></td> <td><u>0</u></td> <td><u>19</u></td> <td><u>Brown loess, sand & gravel</u></td> <td></td> <td>☒</td> </tr> <tr> <td><u>9</u></td> <td><u>19</u></td> <td><u>20</u></td> <td><u>Brown loess, sand & gravel</u></td> <td></td> <td>☒</td> </tr> <tr> <td><u>8</u></td> <td><u>20</u></td> <td><u>35</u></td> <td><u>Sand, gravel, & boulders</u></td> <td></td> <td>☒</td> </tr> </tbody> </table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>10</u>	<u>0</u>	<u>19</u>	<u>Brown loess, sand & gravel</u>		☒	<u>9</u>	<u>19</u>	<u>20</u>	<u>Brown loess, sand & gravel</u>		☒	<u>8</u>	<u>20</u>	<u>35</u>	<u>Sand, gravel, & boulders</u>		☒				
Bore Diam.	Depth		Material		Water																														
	From	To		Yes	No																														
<u>10</u>	<u>0</u>	<u>19</u>	<u>Brown loess, sand & gravel</u>		☒																														
<u>9</u>	<u>19</u>	<u>20</u>	<u>Brown loess, sand & gravel</u>		☒																														
<u>8</u>	<u>20</u>	<u>35</u>	<u>Sand, gravel, & boulders</u>		☒																														
4 METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dig ☐ Other _____		 RECEIVED OCT 12 1988 Department of Water Resources Boise Regional Office																																	
5 WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>8</u> inches</td> <td><u>1</u> feet</td> <td><u>26</u> feet</td> </tr> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>13</u> feet</td> <td><u>33</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/16</u> inches by <u>4</u> inches <table border="1"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>150</u> perforations</td> <td><u>13</u> feet</td> <td><u>33</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal. ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>SANITARY WALL SEAL</u>		Thickness	Diameter	From	To	<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>26</u> feet	<u>.250</u> inches	<u>6</u> inches	<u>13</u> feet	<u>33</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>150</u> perforations	<u>13</u> feet	<u>33</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started <u>8-31-88</u> finished <u>9-1-88</u>	
Thickness	Diameter	From	To																																
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>26</u> feet																																
<u>.250</u> inches	<u>6</u> inches	<u>13</u> feet	<u>33</u> feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
_____ inches	_____ inches	_____ feet	_____ feet																																
Number	From	To																																	
<u>150</u> perforations	<u>13</u> feet	<u>33</u> feet																																	
_____ perforations	_____ feet	_____ feet																																	
_____ perforations	_____ feet	_____ feet																																	
6 LOCATION OF WELL Sketch map location must agree with written location Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Boise</u> S.E. 1/4 Sec. 31, T. 10 N., R. 11 E., W.		11 DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed Firm Name <u>Excavation & Drilling</u> Firm No. <u>10-8</u> Address <u>HC 38 Box 10 Ranelly</u> Date <u>9-1-88</u> Signed by (Firm Official) <u>Carl L. Smith</u> and (Operator) <u>Carl L. Smith</u>																																	



PHOTO FIVE-

Well and Valve Box Located south of cabins.



AUG 27 1993

PHOTO SIX-

Box with Lid on Top of buried 3000 gallon storage Tank. Well is approximately 150 feet in background.




PHOTO THREE-

Valve box for irrigation line and domestic line.
Located just south of cabins.




PHOTO FOUR-

Irrigation and domestic valve boxes.




PHOTO ONE-

Two of seventeen cabins served by well.

>

MEMPHIS

AUG 27 1993

PHOTO TWO-

Wapiti Creek Home Improvement
c/o Lorn Walters
1814 Mortimer Dr.
Boise, ID 83712

SSN.

February 28, 1992

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12861

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
MAR 06 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 65-12861

Reviewed by Klg

Date 2/27/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Domestic - 17
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 65-88-2-99
100 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

NA Required?
/ Amount Submitted
/ Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address c/o Louie Walters
1814 Mortimer Dr. 83712

Proof Made 2/27/92
2/28/92 Klg

INTER-DEPARTMENT MEMO

TO: File

SUBJECT: CFs

FROM: Karen

DATE: 2/27/92

President of this association came in & asked for a conversion of water being used. He stated that have never used the well, ~~only for~~ ~~was for~~ for irrigation only domestic. He stated the well has never pumped more than 4 gpm. **RECORDED** 0.00223

MAR 06 1992

4
0.00892

Mr. Walters asked stated that he wanted to apply for .04 & still avoid the fee -

() For your information

() Response required

Karen Gustafson
signature

OCT 27 1988

requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

Department of Water Resources
Western Regional Office

138379
December 31, 1991

WAPITI CREEK HOME IMPROVEMENT ASSN.
C/O MAX MOOREHOUSE
7720 PREECE DR.
BOISE ID 83704

PROOF DUE NOTICE

RE: PERMIT NO. 65-12861

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 06 1992



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

RECEIVED

OCT 13 1988

R. Department of Water Resources
Director

October 11, 1988

J. S. Tixier
Regional Forester
U.S. Dept. of Agriculture
Forest Service
324 25th St.
Ogden, UT 84401

Re: Water Right Application for Permit No. 65-12861

Dear Mr. Tixier:

We are in receipt of your letter dated September 22, 1988, regarding the above-referenced application for permit. We understand that the intent of the letter is to inform this office and the applicant of the future actions of the Forest Service regarding the future claiming of water rights for the use described in the application.

The letter does not clarify whether a protest against the approval of the application is intended. Our initial reading of the letter would indicate that a protest is not intended. If this is incorrect, and a protest is in fact intended, please so advise this office no later than October 28, 1988. We will withhold further processing of the application until that time.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

c.c. Glen Saxton/State Office'

MAL 06 1392

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
February 16, 1989

WAPII CREEK HOME IMPROVEMENT ASSN.
C/O MAX MOOREHOUSE
7720 PREECE DRIVE
BOISE, ID 83704

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12861

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

MAR 06 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

MAY 1989

PP 10N 11E S. 31 SE SW
NW 1/4 (All)
SW 1/4 (All)

cm No. 202a
87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SL DATE 8/30/88 APPLICATION NUMBER 65-12861

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) yes
- ☒ Overlapping point of diversion yes
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

Date Requested DEC 1 1988

Department of Water Resources

p/v

65-7012 (decree) uses unnamed stream.

65-12272 (decree) uses Wapiti creek.

p/v

as above, both are for domestic use in all of S. 31 for
same subeline described on application.

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☒ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit

☐ U.S. BLM
☒ U.S. Forest Service P/O, P/W
☐ Water District
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☒ No Application published correctly. If not, record action taken.

Incorrect Section & Name

☒ Yes ☐ No Publication dates & paper, recorded on application

☐ Yes ☒ No Protests received

Final date for protest *September 26, 1988* 12/5/88

☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application

☐ Yes ☒ No Recommendations attached *Approve, Det*

☐ Yes ☒ No Measuring device required

☐ Yes ☒ No Access port required

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. *65*

☐ Yes ☒ No Special conditions of approval or cover letter below.

26A, Recommend that 3 years be allowed for completion of this project.

☐ See below for additional information

Date of priority recommended *8/30/1988*

By *DRW* Date *12/6/1988*

STATE OFFICE REVIEW

P05, P23

P17 46 26 04

By *KW*

☐ See below for additional information

Date *2/1/89*

ADDITIONAL INFORMATION

Processing was delayed due to the discovery that the township is short

and only goes to Sec 33, causing a requirement for readvertisement. Det

*Drilling permit issued 9/7/88 - see below.
allow 2 yrs. for B/U development*

ER-DEPARTMENT MEMO — 1

FROM *Steve Lester*

DATE *10/31/88*

TO *File 65-12861*

✓ OK

SUBJECT *Amendal application*

*Department error resulted in wrong section being shown in
p/d and p/m. The irregular township means that S. 33
is involved.*

No charge should accompany the amendment.

Microfilmed

MAR 06 1989

[Signature]
SIGNATURE



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

October 11, 1988

J. S. Tixier
Regional Forester
U.S. Dept. of Agriculture
Forest Service
324 25th St.
Ogden, UT 84401

Re: Water Right Application for Permit No. 65-12861

Dear Mr. Tixier:

We are in receipt of your letter dated September 22, 1988, regarding the above-referenced application for permit. We understand that the intent of the letter is to inform this office and the applicant of the future actions of the Forest Service regarding the future claiming of water rights for the use described in the application.

The letter does not clarify whether a protest against the approval of the application is intended. Our initial reading of the letter would indicate that a protest is not intended. If this is incorrect, and a protest is in fact intended, please so advise this office no later than October 28, 1988. We will withhold further processing of the application until that time.

Sincerely,

A handwritten signature in cursive script, reading "David R. Tuthill, Jr.", is positioned above the typed name.

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

c.c. Glen Saxton/State Office

MICROFILMED
MAR 06 1989



United States
Department of
Agriculture

Forest
Service

Intermountain
Region

324 25th Street
Ogden, UT 84401

Reply to: 2540

Date: **SEP 22 1988**

RECEIVED
SEP 26 1988

Mr. R. Keith Higginson
Director
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720

Department of Water Resources

Dear Mr. Higginson:

We are writing about Application for Permit No. 65-12861 filed by the Wapiti Creek Home Improvement Association to appropriate 0.35 cfs from groundwater for domestic and irrigation purposes. The intent of this letter is to inform you and the applicant of our future actions.

In the on-going Snake River Adjudication, the Forest Service will file, in the name of the United States, for all water used on National Forest land for multiple use objectives. This Application for Permit is for a use that meets our criteria. Consequently, we will file a claim for this same use at the appropriate time.

If we can provide more information, please call.

Sincerely,

for *Randall S. Stee*
J. S. TIXIER
Regional Forester

RECEIVED
OCT 3 1988

Department of Water Resources
Western Regional Office

MICROFILMED

MAR 06 1989



ER-DEPARTMENT MEMO — 1

FROM

Steve Lester

DATE

9/16/88

TO

File 65-12861

SUBJECT

P/O, P/L

We need to readvertise ^{*}this application showing Section 33 instead of 31. The township is a "short" corrected one with irregular numbering. The BLM award (Deerwood River) and Boise Natl Forest recreation map ^{map} the correct sections for the township.

Microfilm

MAR 06 1989

* NO amendment fee since error is not applicant's.

SL

SIGNATURE



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENTAL QUALITY

BOISE FIELD OFFICE
801 Reserve Street
Boise, Idaho 83712
(208) 334-3823

September 8, 1988

Mr. David R. Tuthill
Western Region Supervisor
Department of Water Resource
Statehouse Mail
Boise, ID 83720

RECEIVED

SEP 08 1988

Department of Water Resources

RE: Permit No. 65-12861 (Wapiti Cr. H.I.A.)

Dear Mr. Tuthill:

This office has reviewed the above referenced application and has no objections to this appropriation.

Sincerely,

Jon Wroten
Water Quality Compliance Officer

JW:11

cc: Craig Shepard
Larry Koenig

MICROFILMED

MAR 06 1989

Form 235-1
4/88

JOHN BEAL
1301 N. ORCHARD
Boise

RECEIVED

SEP 02 1988

Drilling Permit No. 65-12861
Water Permit No. 65-12861
Injection Permit No. 65-12861

65-88-2-99

Department of Water Resources of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Wapiti Creek Home Improvement Assn.
2. Address % Max Moorehouse 7720 Preece Drive Boise, Id 83704
Telephone 375-4533
- (☒) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 31, Twp. 3N, Rge. 11E, County Boise,
Lot, block and subdivision 10 Wapiti Creek Summer Homes
4. Proposed use of well: (Check all that apply)
(☒) Domestic () Stockwater () Monitoring
(☒) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(☒) New well () Deepen () Replace
Proposed surface diameter 8" Maximum depth 100'
Anticipated bottom hole temperature: _____
(☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 8-30-88
7. Well Driller (if known) Robert Gestrin #408
Address _____
8. Applicant's signature Max Moorehouse
Title PRESIDENT
Date 30 AUG 88

MICROFILMED

MAR 06 1989

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

- 8 This drilling permit does not represent a right to divert and use the water of the State of Idaho. Prior to diversion of water, the well owner must submit a claim or application for permit to the Department of Water Resources. Use of the water will be regulated by any approvals issued by the Department.

MICROFILMED

MAR 06 1989

Dated this 7th day of September, 1988.

Signed

Title

John E. Beil
SECTION MANAGER
GROUNDWATER PROTECTION

Received by BB Fee 100⁰⁰ Date 30 Aug 88

Receipt No. W000794 Construction start extension to _____

Extension approved by _____

65-88-2-99

Boise, Idaho
August 31, 1988

Dept. of Water Resources
1301 No Orchard Street
Boise, Idaho 83706-2237
Attn. John Beal

Dear Sir:

The Wapiti Creek Home Improvement Assn. Needs immediate drilling
lisense, in order to drill before winter. Driller is in vicinity now.

We are aware it is subject to an approval of water rights.

Sincerely,
Max Moorehouse
Max Moorehouse
Wapiti Creek Improv. Assn.
7720 Preece Dr.
Boise, Idaho 83704

MICROFILMED

MAR 06 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 1, 1988

J. S. Tixier, Regional Forester
U. S. Dept. of Agriculture
Forest Service
324 25th St.
Ogden, UT 84401

Re: Application for Permit No. 65-12861, in the Name of Wapili Creek Home Improvement Assn.

Dear Mr. Tixier:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by September 26, 1988.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

MICROFILMED

MAK 06 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 1, 1988

Idaho Dept. of Health & Welfare
Division of Environment
Attn: George Varin
Statehouse
Boise, ID 83720

Re: Application for Permit No. 65-12861, in the Name of Wapiti Creek Home Improvement Assn.

Dear Mr. Varin:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by September 26, 1988.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure(s):

MICROFILMED

MAR 06 1989

STATE OF IDAHO, }

County of Boise }

Peter Wierenga, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

9/7, 1988 and ending with the issue of 9/14

1988

Peter A. Wierenga

Subscribed and sworn to before me this 22 day of Sept, 1988

Joan Wierenga

Resides in Boise, Id

Commission Expires 9/14/94

A copy of this Notice of Default has been sent to all required parties.
DATED this 5th day of August, 1988.

Charles Johnson, III
JOHNSON OLSON ROBISON, CHARTERED

Douglas R. Schwartz
IDAHO CENTRAL CREDIT UNION

Published in the IDAHO WORLD, Aug. 24, 31, Sept. 7 & 14, 1988.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10692
HIGBY, ORLESCO A.
HC-33, BOX 2053
BOISE, ID 83706

Source: SPRING; Tributary: ROBIE CREEK, SOUTH FORK; Diversion Pt: LOT 1 (NENENE) Sec. 1 T 03N R 03E; Use: DOMESTIC (.020 CFS); Date Filed: 8/23/1988; In: T04N R04E S31 SESW.

65-12859
WOODS, LEE M.
WOODS, ANN
RT. 1, BOX 98
HORSESHOE BEND, ID 83629

Source: GROUNDWATER; Diversion Pt: LOT 3 (NENW) Sec. 5 T 07N R 02E; Use: IRRIGATION (.100 CFS), STOCKWATER (.040 CFS), DOMESTIC (.040 CFS); Date filed: 8/01/1988; In: T07N R02E S05, Lot 1 (NENE) SWNW, Lot 2 (NWNE) SENW, Lot 3 (NENW), Lot 4 (NWNW), 50.0 ACRES TOTAL

65-12860
PETERSON, JACK E.
PETERSON, SHIRLEY A.

HC 76, BOX 2384 Department of Water Resources, Boise, ID 83622
GARDEN VALLEY, ID 83622

Source: PAYETTE RIVER, MIDDLE FORK; Tributary: PAYETTE RIVER; Diversion Pt: SESE Sec. 14 T 10N R 04E; Use: IRRIGATION (.030 CFS), FIRE PROTECTION (.040 CFS); Date Filed: 8/30/1988; In: T10N R04E S14 SESE, 1.0 ACRES TOTAL

65-12861
WAPITI CREEK HOME IMPROVEMENT ASSN.
C/O MAX MOOREHOUSE
7720 PREECE DRIVE
BOISE, ID 83704

Source: GROUNDWATER; Diversion Pt: SESW Sec. 31 T 10N R 11E; Use: IRRIGATION (.150 CFS), DOMESTIC (.200 CFS); Date Filed: 8/30/1988; In: T10N R11E S31 NENW, NESW, NWNW, NWSW, SWNW, SWSW; SENW, SESW; 5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 26, 1988.

R. KEITH HIGGINSON, Director

Published in the IDAHO WORLD, Sept. 7 & 14, 1988.

MICROFILMED

MAR 06 1989

65-12861

WAPILI CREEK HOME IMPROVEMENT ASSN.
C/O MAX MOOREHOUSE
7720 PREECE DRIVE
BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: SESW Sec 31 T 10N R 11E

Use: IRRIGATION (.150 CFS)
 DOMESTIC (.200 CFS)

Date Filed: 8/30/1988

In: T10N R11E S31	NENW	NWNW	SWNW	SENW
	NESW	NWSW	SWSW	SESW

5.0 ACRES TOTAL

.00223
4
.00992

.00223
4
2

MICROFILMED

MAR 06 1989