





CHANGES
 ISSUE NO 101
 10-16-75
 155. 110. 1000
 REVIEWED
 ON 10-16-75
 11/21/75

CHAIN LINK FENCE ALL AROUND



LEGAL DESCRIPTION

STARTING AT A POINT THAT IS S. 40 DEGREES 12 MINUTES E. 1170.16 FEET AND S. 24 DEGREES 18 MINUTES E. 300 FEET FROM THE N.W. CORNER OF SE 1/4, SEC. 26 T. 9 N. RANGE 4 E. B.M. (TO A POINT ON EAST LINE OF STATE HIGHWAY 17) THENCE S. 24 DEGREES 18 MINUTES E. 100 FEET (ALONG EAST LINE OF SAID HIGHWAY 17) THENCE N. 65 DEGREES 42 MINUTES E. 208.8 FEET; THENCE N. 24 DEGREES 18 MINUTES WEST 100 FEET THENCE S. 65 DEGREES 42 MINUTES W. 208.8 FEET TO POINT OF BEGINNING.

ALL IN SE 1/4 OF NW 1/4 OF SECTION 26, T. 9 N., R. 4 E., B.M., GARDEN VALLEY, BOISE COUNTY, IDAHO. CONTAINING .478 ACRES (FOUR HUNDRED - SEVENTY EIGHT THOUSANDTHS).

OCT 03 1988

		COMPANY CONTINENTAL TEL. CO. OF THE WEST GARDEN VALLEY LOCATION GARDEN VALLEY, IDAHO	
DRAWING JOB ORDER NUMBER		SHEET 1 OF 1 SHEETS	
SCALE 1" = 20'		DATE 10-16-75	
PREPARED BY FK		APPROVED BY	
BLDG. # 200 & 201		SIZE 102	
PLOT PLAN COE SITE		ISSUE 102	

STATE OF IDAHO,

County of Boise

RECEIVED
MAY 13 1988

Christina Harris, being
duly sworn, deposes and says: Resources
that he is the manager and principal Office
clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; the said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
two consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

May 4....., 1988...and end-
ing with the issue of May 11
1988.....

Christina Harris

Subscribed and sworn to before
me this 12 day of May 1988...

Resides in Idaho City, ID

Commission Expires 7/18/88

LEGAL NOTICES

LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public
waters of the State of Idaho:

65-12831 ✓ JP

CONTEL OF THE NORTHWEST
P.O. BOX 91400
BELLEVUE, WA 980091400

Source: GROUNDWATER

Diversion Pt: SENW Sec 26 T 09N R 04E

Use: DOMESTIC (.020 CFS)

Date Filed: 2/24/1988

In: SENW Sec 26 T 09N R 04E FOR ACRES

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 23, 1988.

R. KEITH HIGGINSON, Director

Published 5/04/1988 & 5/11/1988

FILED

OCT 03 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

MAR 13 1990

A. GENERAL INFORMATION

Permit No. LS-12831

1. Owner: CONTEL OF THE NORTH WEST

Phone No. _____

Current Address: P.O. Box 91400, BELLEVUE, WA. 98009-1400

2. Accompanied by: MIKE LOWE

EXAM. DATE: 11-02-88

Address: _____

Phone No. _____

Relationship to Permit Holder: COMM. TECHNICIAN

3. Source: GROUNDWATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached


(required for irrigation of 10 acres or more).

MICROFILMED

JUN 06 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



TO
GARDEN
VALEY
APPROX
1/4 MI.

ROAD

Inspected by

Kelly K. Christensen


Date

11-02-88

MICROFILMED
JUN 06 1990



Mapped by U. S. Forest Service
Edited and published by the Geological Survey
Control by USGS, USC&GS, and USFS
Topography from aerial photographs by photogrammetric methods. Aerial photographs taken 1946
Field check by the Geological Survey 1959
Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinates



P/D LOOKING WEST



PRESSURE TANK IN STORAGE BUILDING



JUN 8 1994

MICROFILMED

P/u

LOOKING EAST



P/D IN WEEDS

MICROFILMED
JUN 06 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12831

Priority: February 24, 1988

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
0.6 AF

This is to certify, that CONTEL OF THE NORTHWEST
P.O. BOX 91400

BELLEVUE, WA 980091400 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 24, 1988; and has submitted Proof of Beneficial Use on April 25, 1988. An examination indicates that the works have a diversion capacity of .020 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 26, Township 09N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

09N 04E 26 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for telephone switch station office.

MICROFILMED

JUN 06 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12831

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of April, 19 90.

Acting for


R. Keith Higginson, Director

MICROFILMED

JUN 06 1990

RECEIVED

FEB 24 1988

Form 202
6/85

Ident. No. 65-12831

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Contel of the Northwest Phone 206 462-4800
Post office address P.O. Box 91400, Bellevue, WA 98009-1400

2. Source of water supply Ground Water which is a tributary of N/A

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of $\frac{1}{4}$, Govt. Lot
Sec. 26 Township 9N Range 4E B.M. Boise County; additional
points of diversion if any:

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.02 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL IS OF DOMESTIC TYPE, PUMP SIZE
IS UNKNOWN, THE WELL SERVES AN UNMANNED TELEPHONE SWITCH OFFICE
W/ 1 TELLER & 1 CAV. CAPACITY (TYPE OF TESTING) = 1.5 gal per minute.

b. Height of storage dam feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
 to inclusive

c. Proposed well diameter is 6 inches, proposed depth of well is 220 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
(already complete) years (minimum 1 year).

Allow 1 yr. BD 3/8/88

RECEIVED

OCT 03 1988

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower; show total feet of head and proposed capacity in KW. _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal; show name of municipality. _____
- d Domestic; show number of households. _____
- e Other; describe fully Telephone Switch Office

9. Description of place of use:

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9 N	4 E	26								D									

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above _____

11 a. Who owns the property at the point of diversion? Contel


b. Who owns the land to be irrigated or place of use? Contel

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks: _____


RECEIVED

OCT 03 1988



CHANGES
 155. NO. 101
 10-16-75
 155. NO. 101
 REVISED PER
 CU ST+ PL.
 11/21/75

CHAIN LINK FENCE ALL AROUND



HIGHWAY "17"

220' WELL, TOP 90' CAP
 STEEL CASING, W/ 20'
 BENTONITE SEAL
 WELL DRILLED
 9/16 - 10/88

12' SLIDING
 GATE

STORAGE

BLDG.
 # 200

BLDG. #
 201

CENTRAL
 OFFICE

LEGAL DESCRIPTION

STARTING AT A POINT THAT IS S. 40 DEGREES 12 MINUTES E. 1170.16 FEET AND S. 24 DEGREES 18 MINUTES E. 300 FEET FROM THE N.W. CORNER OF SE 1/4 OF NW 1/4, SEC. 26 T. 9N. R. 4E. B.M. (TO A POINT ON EAST LINE OF STATE HIGHWAY 17) THENCE S. 24 DEGREES 18 MINUTES E. 100 FEET (ALONG EAST LINE OF SAID HIGHWAY 17) THENCE N. 45 DEGREES 42 MINUTES E. 208.8 FEET; THENCE N. 24 DEGREES 18 MINUTES WEST 100 FEET THENCE S. 65 DEGREES 12 MINUTES W. 208.8 FEET TO POINT OF BEGINNING.

ALL IN SE 1/4 OF NW 1/4 OF SECTION 26, T. 9N., R. 4E., B.M., GARDEN VALLEY, BOISE COUNTY, IDAHO, CONTAINING .478 ACRES (FOUR HUNDRED-SEVENTY EIGHT THOUSANDTHS).

OCT 03 1988

CONTINENTAL TEL. CO. OF THE WEST	
COMPANY	EXCHANGE
GARDEN VALLEY	
LOCATION	
GARDEN VALLEY, IDAHO	
TIME	

PLOT PLAN
 COE SITE

DATE	10-16-75	APPROVED BY	
SCALE	1"=20'	PREPARED BY	FK
SHEET	1	OF	1
SHEETS			
BLDG. #	200 & 201		
ISSUE	102		
SIZE	B		

13. Map of proposed project. show clearly the proposed point of diversion, place of use, section number, township and range number

* SEE ATTACHED TOPOGRAPHIC MAP & LOT PLAN.

RECEIVED
OCT 03 1988

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

* Al Shuman
(Applicant)
President

nl
nl
7-25-88 11.00 am
2-29-88 3 30 pm
Received by JP Date 2-24-88 Time 9:25 a Proposed Priority 2/24/88
Preliminary check by _____
Fee \$ 30 . Receipted by 4P # W000010 Date 3/1/88
Publication prepared by GG Date 4-27-88 Published in Idaho World
5/4 & 5/11/88
Publication approved 38 Date 5/24/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-12831 , and said application is hereby APPROVED

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1 , 19 89 .

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 14th day of June , 1988.

R. Keith Higgins
Director

RECEIVED

OCT 03 1988

STATE OF IDAHO,

County of Boise

Christina Harris, being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; the said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
two consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

May 4, 1988 and end-
ing with the issue of May 11
1988.

Christina Harris

Subscribed and sworn to before
me this 17th day of May 1988.

Resides in Idaho City, ID

Commission Expires 7/18/88

LEGAL NOTICE

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed with the public
waters of the State of Idaho:

CONTROL OF THE MONTGOMERY
P.O. BOX 91400
BELLINGHAM, WA 980091400

Source: GROUNDWATER

Diversion Pt.

Use: DOMESTIC

Date Filed: 5/17/1988

In:

The permit(s) will be subject to all prior water rights. Protests
must be filed with the Director, Dept. of Water Resources, Boise
Region, 2735 Airport Way, Boise, Idaho 83703 on or before May 22, 1988.

R. KEITH HIGGINSON, Director

Published 5/04/1988 & 5/11/1988

FILED

OCT 03 1988

April 30, 1990

CONTEL OF THE NORTHWEST
P.O. BOX 91400
BELLEVUE, WA 980091400

RE: PERMIT NO. 65-12831

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 06 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-12831
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

yes Well Inspection Form Needed

☒ Copy of U.S.G.S. Quad

None Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 11-1-88 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: OTHER SYSTEMS IN SAME Q Q

Check of P/U index 11-01 PKK (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: OTHER SYSTEMS IN SAME Q Q

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☐ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed 12-15-88 Kelly A. Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office DNR 2/15/90 (Initial and date)

Exam Date Entered in Computer 3-9-90 AT (Initial and date)

Exam sent to State Office 3-9-90 AT (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

MAR 13 1990
Department of Water Resources

A. GENERAL INFORMATION

Permit No. LS-12831

1. Owner: CONTEL OF THE NORTH WEST

Phone No. _____

Current Address: P.O. Box 91400, BELLEVUE, WA. 98009-1400

2. Accompanied by: MEKE LOWE

EXAM. DATE 11-02-88

Address: _____

Phone No. _____

Relationship to Permit Holder: COMM. TECHNICIAN

3. Source: GROUND WATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

- ☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

JUN 06 1990

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

WELL PROVIDES WATER TO A PRESSURE TANK AND THEN TO THE BATHROOM. BATHROOM CONTAINS JUST A SINK & A TOILET. NORMAL USE IS ONE PERSON FOR PART OF A DAY AND PART OF EACH WEEK. NO OUTSIDE USE FOUND.

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN	4NK	UNKNOWN	UNKNOWN	3/4" ENTERING PRESSURE TANK

*Code to correspond with No on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	26	9N	4E	BOISE	QUAD MAP

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9N	4E	26								D									

MISFILMED

JUN 06 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

PRESSURE SYSTEM, NONE MADE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head (1) + (2) = _____ (3) ; Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

DOMESTIC 0.02 cfs
0.6 RFA

MICROFILMED

JUN 06 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OTHER USES FOUND
NOR P/D.

OTHER SYSTEMS IN SAME Q Q DIFF OWNERS
AND USES.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>0.02</u>	<u>0.60</u>
Totals:			<u>0.02 CFS</u>	<u>0.60 AFA</u>

2 Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN
Signature Kelly K. Christensen
Certification Date _____
Field Report Preparation Date 12-15-88



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 06 1990

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.


1. Legal Description of well location. Twp. 9N, Rge. 4E,
Sec. 26, Qtr./Qtr. SE/NW or Lot _____
2. Owner CONTEL OF THE NORTH WEST
Address P.O. Box 91460, City BELLEVUE, State WA
3. Approx. date of well construction 1987
Well Driller Manasco Drilling
4. Casing: Diameter 6" Condition GOOD
5. Casing length above land surface 12"
6. Well depth (ft) UNKNOWN Flowing No Temp. _____
Access port No (CAN REMOVE BOLTED COVER)
7. Condition of piping and valving GOOD
8. Evidence of well seal No
9. Shut in pressure or static water level UNKNOWN
10. Evidence of leakage around the casing No
11. Does well need repair No
12. Comments _____

(OVER)

RECEIVED
JUN 06 1990

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



TO
GARDEN
VALEY
APPROX
1/4 MI

ROAD

Inspected by


Kelly L. Christensen

Date


11-02-88

JUN 06 1990

MICROFILMED




Mapped by U S Forest Service
 Edited and published by the Geological Survey
 Control by USGS, USC&GS, and USFS
 Topography from aerial photographs by photogrammetric methods Aerial photographs taken 1946
 Field check by the Geological Survey 1959
 Polyconic projection 1927 North American datum



P/D LOOKING WEST



PRESSURE TANK IN STORAGE BUILDING



JUN 4 1994

MICROFILMED

P/u

LOOKING EAST



P/D IN WEEDS

MICROFILMED

JUN 06 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12831

Date: 8/29/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
 Y 1. well log in file
 Y 2. drilling permit
 Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
 Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____ + _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by 98
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12831

Name(s) of Permit Holder: COMTEL OF THE NORTHWEST

Post Office Address: PO BOX 91400, BELLEVUE WA 98009-1400

Telephone No. 206 462-4800

Source of Water: GROUND WATER

Extent of Use:

Domestic 1 UNMANNED SWITCH OFFICE (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9/18/87

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No
Fee enclosed \$ NO FEE REQD PER YOUR SCHEDULE
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

JIM JACKSON 208 634 6110
(Name) (Telephone Number)

PO BOX 9200 - 1ST & LENORE MC CALL ID 83038
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 03 1988

4/20/88 John B. Baker OWNER - LAND & BLDG.
Date Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

<u>cfs</u>	<u>AF</u>	<u>Fee</u>
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 23, 1988

CONTEL OF THE NORTHWEST
P.O. BOX 91400
BELLEVUE, WA 980091400

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12831

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

RECEIVED

OCT 03 1988

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

OCT 03 1989

Drilling Permit No. 65-88-Z-051
Water Permit No. 65-12831
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

Department of Water Resources

RECEIVED

OCT 02 1987

1. Applicant Continental Telephone Co.
2. Address 106 West MAIN / Box 507
Silverton, Or. 97381
- ☒ Well Owner ☒ Well Operator () Other, specify _____
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location SE 1/4 NW 1/4 ~~SE 1/4~~, or Gov't lot No. _____,
Sec. 26, Twp. 9N, Rge. 4E, County Boise,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
() Irrigation ☒ Industrial () Municipal
() Injection ☒ Other, Specify phone Co. Station Bldg.
6. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 6" Proposed depth 220'
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date 9-16-87
8. Well Driller (if known) Menasco Drilling # 391
Address Box 349 McCall, Id. 83638
Date 9-29-87 Applicant's signature Menasco Drilling at Menasco
Title _____ per phone call.

* After other pre-requisite approvals have been obtained.

OCT 03 1988

Let Rec
10/2/87

ACTION OF IDWR

(✓) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

RECEIVED

OCT 05 1988

Dated this 14/88 day of June, 1988.

Signed

Title

R. Keith Higgins
Director

Received by CW Fee 100.00 Date 10/2/87

Receipt No. 45303 Construction start date _____

Construction start extension to _____

Extension approved by _____

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

gjm

1. WELL OWNER

Name Continental Telephone Co.
106 West Main / Box 507
Address Silverton, OR 97381
Owner's Permit No. CALL IN 65-12831
65-882-051

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Phone Co. Station (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other
Thickness 1.250 inches Diameter 6 inches + 1 feet 90 feet
____ inches _____ inches _____ feet _____ feet
____ inches _____ inches _____ feet _____ feet
____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port Well Seal

7. WATER LEVEL

Static water level 100' feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 56 °F. Quality Clear
Describe artesian or temperature zones below

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other
Discharge G.P.M. 1.5 Pumping Level 200 Hours Pumped 1.0


9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	3	Top soil		X
	3	20	Decomp granite		X
	20	35	Brown sandy clay		X
	35	57	Decomp granite		X
	57	94	Decomp granite		X
	94	108	Blue granite		X
	108	144	Blue granite		X
	144	156	White clay + granite	X	
	156	220	Blk Granite	X	

10.

Work started 9-16-87 finished 9-18-87

6. LOCATION OF WELL

Sketch map location must agree with written location.

County Boise
SE ¼ NW ¼ Sec. 26, T. 9 N, R. 4 W.

Subdivision Name _____
Lot No. _____ Block No. _____

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Menasco Drilling Firm No. 391
Address M'CALL, ID Date 9-29-87
Signed by (Firm Official) [Signature]
and
(Operator) [Signature]

RECEIVED
OCT 02 1987

Department of Water Resources

RECEIVED
OCT 03 1988

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

P.O. 4E 5.26 SENW
P.D. . .

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

65-12831

INITIAL REVIEW BY SD DATE 3/8/88 APPLICATION NUMBER _____

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
 - ☐ Yes ☒ No Field check required
 - Field check by _____
 - ☐ Yes ☐ No Field report attached
 - ☐ Yes ☐ No Critical groundwater area
 - ☐ Yes ☐ No Groundwater management area
 - ☐ Yes ☐ No Send dam safety information
 - ☐ Yes ☐ No Send power requirement letter
 - ☐ Yes ☐ No Send fish farm requirement letter
 - ☐ Yes ☐ No Power residency affidavit
 - ☐ Yes ☐ No Power efficiency form
 - ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
 - ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested JUN 02 1988

RECEIVED

PROCESSING

☒ Yes ☐ No Inform for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 5/23/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached Approve, OK
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 65
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information
Date of priority recommended 2/24/1988
By DJR Date 5/27/88

STATE OFFICE REVIEW

P23, P05, P99 416
By KW ☐ See below for additional information
Date 6/13/88

ADDITIONAL INFORMATION

Note. Proof of B/u is attached!
Process drilling permit - number has been assigned ...

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCE
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

APRIL 27, 1988

The Idaho World
P.O. Box 220
Idaho City, ID 83631

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 23, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

MAILED

OCT 03 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED

OCT 03 1988

65-12831

CONTEL OF THE NORTHWEST
P.O. BOX 91400
BELLEVUE, WA 980091400

Source: GROUNDWATER

Diversion Pt: SENW Sec 26 T 09N R 04E

Use: DOMESTIC (.020 CFS)

Date Filed: 2/24/1988

In: SENW Sec 26 T 09N R 04E FOR ACRES

RECEIVED

OCT 05 1988

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before MAY 23, 1988.

R. KEITH HIGGINSON, Director

Published 5/04/1988 & 5/11/1988

OCT 03 1988

March 7, 1988

Continental Telephone Co.
c/o Steve Story
106 West Main - Box 507
Silverton, OR 97381

Dear Mr. Story:

Department records show that a well was constructed in Idaho for your company in September 1987 by Menasco Drilling. The well is located in Section 26, T9N, R4E, BM, Boise County, Idaho. Department records show that you have applied for a drilling permit, but not submitted the companion water right filing which is more properly described as an "Application for Permit".

On October 5, 1987, the department sent you the required water right filing forms and followed up with a letter dated December 3, 1987. To date the application has not been received.

Unless the use is for a single family domestic residence, you are required to file an application for permit to develop a water right. Enclosed again are the necessary forms. Diversion and use of water is unlawful unless you have submitted the required water right forms.

If you have questions, please feel free to contact this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Encl: 2

c: W. Region
GW Prot. Sec.



State of Idaho

DEPARTMENT OF WATER RESOURCES

DRAGS: [WATERA.WRUGERS.WRSTATE.WRSAXTON] CONT. TELE; 3

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS

Governor
Date

R. KEITH HIGGINSON
Director

Continental telephone Co.
c/o Steve Story
106 West Main - Box 507
Silverton, Oregon 97381

Dear Mr. Story:

Department records show that a well was constructed in Idaho for your company in September 1987 by Menasco Drilling. The well is located in Section 26, T9N, R4E, BM, Boise County, Idaho. Department records show that you have applied for a drilling permit but not submitted the companion water right filing which is more properly described as an "Application for Permit".

On October 5, 1987, the department sent you the required water right filing forms and followed up with a letter dated December 3, 1987. To date the application has not been received.

Unless the use is for a single family domestic residence, you are required to file an application for permit to develop a water right. Enclosed again are the necessary forms. Diversion and use of water is unlawful unless you have submitted the required water right forms.

If you have questions, please feel free to contact this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Encl: 2

c: W. Region
GW Prot. Sec.

MAILED

OCT 03 1988

Co-Verter / Telephone.
503-873-3601

(206-462-4868)

1/25/88

I called M-5 to-y
at Bellevue WA.

Asked if I could
do anything to help get
water Right Application
in.

He said "Company did
not understand what is
water right"

I asked that they
send letter with ?'s or
something.

We will see.?

RECEIVED

OCT 03 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 3, 1987

Continental Telephone Co.
106 West Main
Box 507
Silverton, OR 97381

RE: Well Drilled in SE $\frac{1}{4}$ NW $\frac{1}{4}$
Sec. 26, T9N, R4E
Boise County

Dear Madam or Sir:

Again, I am asking that you respond to the enclosed letter dated October 5, 1987. Once a water right permit application is submitted, the Department will process the drilling permit (for the completed well).

If you have any questions, contact me.

Sincerely,

A handwritten signature in cursive script, reading "John E. Beal", is written over the typed name.

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP6-1.109)

Enclosure

MAILED

OCT 03 1988

1/2

12/2/87

To: File

From: John Beal

Sept 14, 1987

Al Marasco - driller called
to request verbal approval
for a drilling permit.

Owner: Continental Telephone Co.

SE NW Sec 26 T 9 N R 4 E.

Use: Domestic? at small phone
Co office.

I told driller he could drill
well but owner must have on
file a water permit app with
the drilling permit. Driller
thought they already had water-
right?

Oct 2, 1987

Received \$10000, Drilling permit app
and well log.

I could not find water right
so sent letter dated Oct 5, 1987

RECEIVED

OCT 03 1988

2/2

Oct 22, 1987

Mr. Steve Story called from
Court. Telephone -

He said they would sub-
mit water right App soon.

MICROFILMED

OCT 03 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 334-4440

October 5, 1987

Continental Telephone Co.
106 West Main
Box 507
Silverton, OR 97381

RE: Well Drilled in SE $\frac{1}{4}$ NW $\frac{1}{4}$
Sec. 26, T9N, R4E,
Boise County

Dear Madam or Sir:

I have received from your driller Mr. Menasco the Drilling Permit Application, well log and \$100 drilling permit fee for the above referenced well drilled in September.

Before I approve the drilling permit an application to appropriate water must be filed with the Department. Enclosed is the appropriate form and instructions. Please complete the form and submit it with the appropriate fee to my attention.

If you have any questions or if you already have a water right, please let me know.

Sincerely,

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt

Enclosures

CC: Al Menasco w/enclosure

RECEIVED

OCT 05 1988