


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



OCT 03 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald R. Sellers
(Applicant)

STATE OF IDAHO, }

County of Boise }

Marilyn Shalbart, being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

March 16, 1988 and ending with the issue of March 30 1988

Marilyn Shalbart

Subscribed and sworn to before me this 23 day of MAR 1988

Donna E. Roddy

Resides in IDAHO CITY

Commission Expires 12/29/92

LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12825

CASEY, GEORGE E.
6101 PLANO LN., BOISE, ID 83703
Source: ROCK CREEK trib. to PAYETTE RIVER, SOUTH FORK
Diversion Pt: SWSW SESW NESW Sec 20 T 08N R 07E
Use: MINING (0.650 CFS)
Date Filed: 02/25/1988
In: NESW SWSW SESW Sec 20 T. 08N R 07E

65-12827 ✓ 3P

SELLARS, DONALD R. &/or WYLLA LEE
4000 ROSE HILL, BOISE, ID 83705
Source: SPRINGS trib. to SINKS
Diversion Pt: NWNENE Sec 23 T 10N R 04E
Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.040 CFS)
Date Filed: 02/25/1988
In: NENE Sec 23 T 10N R 04E FOR 2 ACRES
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 4, 1988.
30 R. KEITH HIGGINSON, Dir.

Published in the IDAHO WORLD, Idaho City, Idaho March 16 & 23, 1988.

MICROFILMED

OCT 03 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 17 1993

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Donald R. & Wyla Lee Sellers Permit No. 65-12827
Current Address: HC 76 Box 2421 Garden Valley, ID 83622 Phone No. 343-462-3636
2. Accompanied by: Same EXAM. DATE: 6-22-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW


1. Other water rights with same place of use: 65-7989 None 65-11213

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 50'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

APR 19 1994

2' 30"

4895

4894

4893

4892

4891

BM 3986

16

NATIONAL

BM 3304

21

Scree

Pinney

Creek

15

WALLOW

PERMIT	65-12827			INIT	1003
T.	R.	S.	Q/Q		
P/D	10N	4E	23	NOVEMBER	
SCALE					
PHOTO	ID.	4-11	1/6	6/68	

FILMED

9 1994

JEEP

BM 3296

BM 3109

Creek

FOREST

BM 3095

PAYETTE

14

BOUNDARY

8100 Road

BM 3120

Tie Creek

Campground

13

RIVER

Abieles

Culch

18

Packer Sprung

LIGHTNING

CREEK

Lightning

24

19

27

26

Knapes

Footbridge

28



PHOTO ONE-

Two 10'x16" pipes are located in gravel approx. 4' below the surface. The white cap in the background covers a 16" access port.



PHOTO TWO-

Water enters this 260 gal. tank from the spring box through the 1" PVC line. The 1 1/2" line in the foreground allows overflow to be diverted to the irrigation system. A 1" underground line runs to a pressure tank in the house.

MAINTENANCE
APR 19 1994




PHOTO THREE-

Overflow From the 260 gal. tank enters from the left & empties into a 3000 gal. tank located beneath the pump. The pump operates an underground sprinkler system. A bucket meas. was made on the bypass hose on the left. (Arrow)



PHOTO FOUR-

P/u.

APR 19 1994

PHOTO FIVE-

>






p/u.


PHOTO SIX-

RECEIVED
19 1994

MICROFILMED

JUN 06 1958






MICROFILMED

JUN 06 1990

DON SELLARS SUBDIVISION

SITUATED IN THE NE 1/4, NE 1/4 OF SECTION 23
T. 10 N., R. 4 E., B.M., BOISE COUNTY, IDAHO



Place of
Use
(Lot)

NOTES -

1. THE DEVELOPER SHALL COMPLY WITH IDAHO CODE 31-3008 RELATIVE TO TRANSFER OF WATER RIGHTS.
2. BUILDING SETBACKS SHALL BE AT LEAST:
3. BOISE COUNTY ASSUMES NO RESPONSIBILITY FOR MAINTENANCE OF ROADS PLATTED HEREON SUBJECT TO THE FOLLOWING CONDITIONS:
 - a. 4.0 FOOT UTILITY AND DRAINAGE EASEMENT EXISTS INSIDE ALL LOT LINES ALONG ROADS AND ALONG THE SUBDIVISION BOUNDARY.
 - b. 10.0 FOOT RIGHT-OF-WAY EASEMENT EXISTS INSIDE ALL LOT LINES ALONG ROADS AND ALONG THE BOISE COUNTY BOUNDARY.
 - c. ALL AREAS UNDER HEREON ARE FOR TAX PURPOSES ONLY.
 - d. UTILITIES AND DRAINAGE EASEMENTS ALONG ROADS MAY BE USED AS A ROAD RIGHT-OF-WAY EASEMENT.
 - e. ALL ROADS PLATTED HEREON ARE PRIVATE ROADS AND THEREFORE NO COUNTY SERVICES (EXCEPT EMERGENCY IN NATURE) WILL BE PROVIDED.
 - f. ROAD MAINTENANCE SHALL BE THE RESPONSIBILITY OF THE ADJACENT LANDOWNER.
 - g. EXCEPT THAT SECONDARY ACCESS EASEMENTS MAY EXCEED 10% RIGHT-OF-WAY.
4. THE BOARD OF COUNTY COMMISSIONERS HAS REVIEWED THE PLAT AND FINDS IT TO BE IN ACCORDANCE WITH THE IDAHO PLAT ACT, IDAHO CODE 31-3008, AND THE BOISE COUNTY COMMISSIONERS HAVE ACCEPTED AND APPROVED THE PLAT.

CERTIFICATE OF COUNTY ASSESSOR

I, THE UNDERSIGNED COUNTY ASSESSOR, HAVE REVIEWED THE PLAT AND FIND IT TO BE IN ACCORDANCE WITH THE IDAHO PLAT ACT, IDAHO CODE 31-3008, AND THE BOISE COUNTY COMMISSIONERS HAVE ACCEPTED AND APPROVED THE PLAT.

CERTIFICATE OF THE BOARD OF COUNTY COMMISSIONERS

ACCEPTED AND APPROVED FOR THE BOARD OF COUNTY COMMISSIONERS OF BOISE COUNTY, IDAHO.

LEGEND

- FOUND BRASS CAP
- FOUND 5/8\"/>

RECORDED

OCT 03 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12827

Priority: February 25, 1988 Maximum Diversion Rate: 0.01 CFS
Maximum Diversion Volume: 3.2 AF

This is to certify, that DONALD R SELLARS
WYLIA LEE SELLARS

HC 76 BOX 2421

GARDEN VALLEY ID 83622

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 25, 1988; and has submitted Proof of Beneficial Use on February 14, 1992. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.01 CFS	3.2 AF
DOMESTIC	01/01 to 12/31	0.01 CFS	0.6 AF
	Totals	0.01 CFS	3.2 AF

LOCATION OF POINT(S) OF DIVERSION: NWNENE , Sec. 23, Township 10N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	04E	23	NENE	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

APR 19 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12827

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of April, 1994.

Acting for R. Keith Higginson, Director

RECEIVED
APR 19 1994

RECEIVED
FEB 14 1992

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 2-14-92
Receipt No. 0025242
Receipt by WLB

STATE OF IDAHO
Department of Water Resources DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-12827 Telephone No. 462-3636
2. Name(s) of Permit Holder(s): Donald R. and/or Wylia Lee Sellar
3. Mailing Address: HC 76 Box 2421 Garden Valley, ID 83622
4. Source of Water: Spring

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .10 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name permit holder Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 2-14-92 Signature (and title, if on behalf of a company or organization) Donald R. Sellar

RECEIVED

MAR 06 1992

RECEIVED

APR 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 65-12827

Name(s) of Permit Holder: Donald R. & pr Wylia Lee Sellars

Post Office Address: 4000 Rose Hill, Boise, ID 83705

Telephone No. 343-7673

Date Proof is Due: 5-1-90

Describe what work has been completed toward the development of this water right: Spring has
(This must be filled out! If no work has been completed, show "none".)

been excavated; stock tank is installed
& in use. ~~Septic system is installed~~

Costing \$ 1,000.

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Home has not been built yet.

Permit holder(s) request an extension to May 1, 1992.
(yr. minimum)

Donald R. Sellars
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

MICROFILMED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to May 1, 1992.

JUN 06 1990

Signed this 22nd day of May, 19 90.

J. Glen Saxton
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Donald R. &/or Wylia Lee Sellers Phone 343-7673
Post office address 4000 Rose Hill, Boise, ID 83705
- 2 Source of water supply unnamed springs which is a tributary of sink
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 10 N Range 4 E B.M. Boise County; additional
points of diversion if any. _____
4. Water will be used for the following purposes:
- Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .06 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works
- a. Description of ditches, flumes, pumps, headgates, etc springbox, storage tank,
distribution system
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

OCT 05 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock _____
- Municipal; show name of municipality _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10N	4E	23	2																2
			D																

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above none

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks _____

RECEIVED

DEC 03 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



OCT 03 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Donald J. Sullivan
(Applicant)

Proposed Priority 2/25/88

Received by BD Date 2/25/88 Time 11:45 AM Preliminary check by BD

Fee \$ 30.00 Receipted by BD # W0000002 Date 2/25/88

Publication prepared by GG Date 3-9-88 Published in The Idaho World
3/16 & 3/23/88

Publication approved be Date 3/29/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12827, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 25th day of April, 1988.

Director

MICROFILMED

OCT 03 1988

STATE OF IDAHO, }

County of Boise

Maury Shalbat, being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

March 16, 19*88* and ending

with the issue of *March 23*

19*88*

Maury Shalbat

Subscribed and sworn to before

me this *23*. day of *MAR* 19 *88*.

Donna E. Reddy

Resides in *IDAHO CITY*

Commission Expires *12/29/92*.

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-12525

CASEY, GEORGE E.
6101 PLANOIN, BOISE, ID 83703
Source: ROCK CREEK Ld. to PAYETTE RIVER, SOUTH FORK
Division Pt: SWSW 1/4 SW 1/4 Sec 20 T 6N R 6E
Use: MINING (0.450 CFS)
Date Filed: 02/25/1988
In: NISW 1/4 SW 1/4 Sec 20 T 6N R 6E

SELLARS, ...
4000 ROS
Source: SPRINGS Ld. to SEVAS
Division Pt: NWN 1/4 Sec 23 T 10N R 6E
Use: IRRIGATION (0.440 CFS)
DOMESTIC (0.440 CFS)
Date Filed: 02/25/1988
In: NENE Sec 23 T 10N R 6E 100 2 ACRES

The permit(s) will be subject to all prior water rights. Permits must be filed with the Director, Dept. of Water Resources, Western Region, 1735 Alameda Way, Boise, Idaho 83725 on or before

..... HENDERSON, D.

Published in WORLD, Idaho City, Idaho

MAILED

OCT 03 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 11, 1994

DONALD R SELLARS
WYLIA LEE SELLARS
HC 76 BOX 2421
GARDEN VALLEY ID 836220000

RE: WATER RIGHT NO. 65-12827

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'JJ', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

APR 19 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 17 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-12827
Phone No. 343-462-3636
1. Owner: Donald R. & Wyla Lee Sellers
Current Address: HC 76 Box 2421 Garden Valley, ID 83622
2. Accompanied by: Same EXAM. DATE: 6-22-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW


1. Other water rights with same place of use: 65-7989 None 65-11213

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 50'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

APR 19 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two 16" pipes approx 10' long each are perforated and placed in gravel to collect water from a spring. A 16" standpipe four feet deep provides access to the collection system. The water is diverted through a 1" line to a 260 gallon storage tank. From this tank a 1" line leads to a pressure tank inside the house, and a 1 1/2" line leads to a 3000 gallon tank located underneath the lawn. A 1 hp. pump is located on top of the larger tank to provide for sprinkler irrigation. The water is diverted to each tank by gravity.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	NE	23	10N	4E	Boise	USGS Photo Quad

6. Place(s) of Use:

Indicate Method of Determination USGS Photo Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10N	4E	23	D																D, 15.75
			15.75																

Do not use this space

APR 19 2004

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						

2. Measurements:

5 gal in 4 min 10s

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{5 \text{ gal}}{250 \text{ s}} \times \frac{60 \text{ s}}{1 \text{ min}} \times \frac{1}{1.488} = .01 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .75 \text{ ac} \times 3.5 = 2.6$$

$$V_{DR} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .01 \text{ cfs} \times 183 \times 1.9835 = 3.6$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.6$$

2. Volume Calculations for Other Uses:

.6 for domestic, internal

(lawn allowance needs to be removed from domestic component, added to irrigation)

APR 10 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The water is used inside the house and in a small basin around the house. It is also used to water an additional 1/2 acre in front of the house.

A measurement was made by allowing the 260 gal tank to fill until overflowing, and then bypassing the 3000 gal tank for a base meas.

System is capable of providing the beneficial uses stated because of extensive storage capacity.

I. RECOMMENDATIONS


1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-15	.01 cfs	2.6 ~~4.8~~ afa
Domestic	1-1	12-31	.01 cfs	.6 ~~1.2~~ afa
Totals:			.01 cfs	3.2 ~~3.0~~ afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other



J. AUTHENTICATION

Field Examiner's Name Mark Spring
Signature Mark Spring
Certification Date _____
Field Report Preparation Date 7-8-92

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

APR 19 1994

2' 30"

4895

BM 398

4894

4893

4892

4891

16

NATIONAL

BM 3304

21

Snyder

Pinney

JEEP

22

BM 3296

BM 3109

FOREST

BM 3093

PAYETTE

23

14

RIVER

13

the Ore
Camp

Cuck

18

LIGHTNING

24

CREEK

19

Lightning

Packer
Springs

30



PHOTO ONE-

Two 10'x16" pipes are located in gravel approx. 4' below the surface. The white cap in the background covers a 16" access port.




PHOTO TWO-

Water enters this 260 gal. tank from the spring box through the 1" PVC line. The 1 1/2" line in the foreground allows overflow to be diverted to the irrigation system. A 1" underground line runs to a pressure tank in the house.

APR 10 1994



PHOTO THREE-

Overflow From the 260 gal. tank enters from the left & empties into a 3000 gal. tank located beneath the pump. The pump operates an underground sprinkler system. A bucket meas. was made on the bypass hose on the left. (Arrow)



PHOTO FOUR-

P/d.

APR 19 1994

PHOTO FIVE-

>

PHOTO SIX-



p/u.

19 1994

February 21, 1992

DONALD R. SELLARS
WYLIA LEE SELLARS
HC 76 BOX 2421
GARDEN VALLEY ID 836220000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12827

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAR 06 1992

May 23, 1990

Donald R. &/or Wylia Lee Sellars
4000 Rose Hill
Boise, ID 83705

Dear Mr. and Mrs. Sellars:

Re: Permit No. 65-12827

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to May 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If I can be of further assistance, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager


Enclosure

MicroFILMED

JUN 06 1990

MICROFILMED

JUN 4 1974





MICROFILMED

JUN 06 1950.

138252
February 28, 1990

DONALD R. SELLARS
WYLIA LEE SELLARS
4000 ROSE HILL
BOISE, ID 837050000

PROOF DUE NOTICE

RE: PERMIT NO. 65-12827

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,


Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 06 1990

Donald Sellers
4000 Rose Hill
Boise Id. 83720



MICROFILMED

JUN 06 1990



RE

NOV 21 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 29, 1988

SELLARS, DONALD R. & WYLIA LEE
4000 ROSE HILL
BOISE, ID 83705

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-12827

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

FILED
OCT 03 1988

65-12827

SELLARS, DONALD R. &/or WYLIA LEE

4000 ROSE HILL, BOISE, ID 83705

Source: SPRINGS trib. to SINKS

Diversion Pt: NNNENE Sec 23 T 10N R 04E

Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.040 CFS)

Date Filed: 02/25/1988

In: NENE Sec 23 T 10N R 04E FOR 2 ACRES

RECORDED

OCT 05 1988