


SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of
Section 11, 7N, 1E BM

SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of
Section 11, 7N, 1E, BM

SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of
Section 11, 7N, 1E. BM

MICROFILMED

JAN 23 1989



NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of
Section 11, 7N, 1E BM

NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of
Section 11, 7N, 1E BM

NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of
Section 11, 7N, 1E BM



Vickie A Sigman

P.O. Box 84

Sweet, Idaho, 83670

(208) 584-3561

Scale 1" represents 200'
Route of pipes approximate

RECEIVED
NOV 7 1988

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:
65-12824 *104*

SIGMAN, VICKIE A.
P.O. BOX 84, SWEET, ID 83670
Source: SPRINGS trib. to SINKS
Diversion Pt:
SESENW Sec 11 T 07N R 01E
Use: IRRIGATION (0.2 CFS)
STOCKWATER (0.020 CFS)
DOMESTIC (0.020 CFS)
Date Filed: 03/03/1988
In: SWNW SENW NESW NWSW
Sec 11 T 07N R 01E
FOR 11 ACRES

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 on
or before April 4, 1988.

R. KEITH HIGGINSON, Dir.
Legal Notice No. 000167
Published in the Messenger Index
3-16,23-1988

*Should be 10 acres.
Not a fatal error
Date 11/23/88*

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
ss.
COUNTY OF GEM,

Mary Ann Hanson, being first
duly sworn, on his oath deposes and
says that he is the ^{clerk} printer of Messenger-
Index, a legal weekly newspaper pub-
lished at Emmett, in Gem County, Idaho;
that said newspaper is in general circu-
lation in said county and has been pub-
lished uninterruptedly and continuously
for more than 78 weeks prior to the first
publication of the annexed document;
and that the document notice, process,
or advertisement hereunto annexed was
published in the regular edition of

Messenger-Index for TWO (2)
consecutive weekly issues thereof, be-

ginning with the issue of MARCH 16,

1988, and ending with the issue of

MARCH 23, 1988

Mary Ann Hanson
Subscribed and sworn to before me this

10th day of


October, 1988

Deborah Crawford

Notary Public,
Residing at Emmett, Idaho.

MICROFILMED

JAN 23 1989



65-12824

SOUTH

GEM CO
BOISE CO

1661.12 DAY
1166.20 DAY

Sweet

SWEET

CREEK

SQUAW

Roystone
Hot Springs

POB

Cottonwood

Creek

VALLEY

TRANS LINE

BM
2607

2587-T

34

2610-T

2618-T

BM
2576

2558-T

2533-T

10115

2918AT

3118-T

3005AT

3632-T

3758-T

BM
2534

BR
2522

2541-T

2553-T

2595-T

2837AT

2659-T

2598-T

2619-T

2559-T

3610-T

3519-T

2591AT


2681-T

2759AT

2890AT

2803-T

2845-T




65-12824

MICROFILMED
AUG 20 1987

-A-

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
- NA -					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gallon bucket ; 16 sec = EXHIBIT 10 = .04 cfs

MICROFILMED
AUG 26 1997

Sweet

SWEET

3005AT

Springs

3750-T

PH

PH

NO

NO

2837AT

Spring

Spring

NO

12

3610-T

Springs

3949-T

2782-T

PERMIT 65-11624 INIT 24

T. R. S. Q/Q

P/D 7/4 1/2 11 1/2

SCALE

PHOTO ID.

Peterson

RIVER

MONTOUR

2595

3212-T

VALLEY

2571-T

24

2554-T

23

MICROFILMED

AUG 20 1967



VIEW OF SPRING. NOTICE
THE LINE THAT DRAWS
WATER FROM SPRING TO
STORAGE TANK.

PHOTO ONE-

>



LINE CONTINUES
TO COLLECT WATER
AT OTHER POINTS.
FINALLY THE
PIPE BECOMES
BURIED : LEADS
TO THE COLLECTION
BOX.

PHOTO TWO-

FILED

AUG 20 1997

U 1337



View of siphon & buried
collection box.

← collection
box
(storage)

PHOTO THREE-

>



THE WATER
GRAVITY FEEDS
FROM THE TANK
TO IRRIGATE THE
TREES IN THIS
ORCHARD.

PHOTO FOUR-

MICROFILMED

AUG 20 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12824

Priority: March 3, 1988

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

4.5 AF

This is to certify, that VICKIE A SIGMAN
PO BOX 40

SWEET ID 83670-0084 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 3, 1988; and
has submitted Proof of Beneficial Use on December 9, 1991. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION: SESENW , Sec. 11, Township 07N, Range 01E
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	01E	11	SENW	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED


AUG 20 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12824

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12TH
day of AUGUST, 1997.


Acting for KARL J. DREHER, Director

AUG 20 1997

RECEIVED

DEC 09 1991

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 65-12824 Telephone No 584-35612 Name(s) of Permit Holder(s): Vickie A. Sigman3 Post Office Address: P.O. Box 84, Sweet, ID, 836704 Source of Water: Springs

a If ground water, well driller's name: _____ Date drilled: _____

b Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5 Extent of Use:

Domestic one (No. of households)Irrigation one (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6 Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? Yes ☐ No ☒ Installed? Yes ☐ No ☐8 Fee Enclosed: \$ none required (See License Examination Fee Schedule)

9 Person to contact to accompany the Department representative during the field examination:

Mike Randal 584-3561

Name

or Jim Fennell 584-3597

Telephone No

P.O. Box 84, Sweet, ID 83670Box 29, Opa 83657

Address

10 The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6 Dec 91

Date

Signature (and title if on behalf of a company or organization)

DEC 26 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by C. Wong
Date 12/8/89
Receipt # CO13394

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

RECEIVED

DEC 7 1989

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Presently at this address →

Vickie Sigman
TropSoils Project
P.O. Box. 02
Situng I, Pos Blok B
Sumatera Barat 27578
INDONESIA

Permit No. 65-12824

Name(s) of Permit Holder: Vickie A. Sigman

Post Office Address: P.O. Box 84, Sweet, ID, 83670.

Telephone No. none

Date Proof is Due: 1 January 1990

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Domestic Development Complete & Functional.

Have carried out experiments with drip irrigation but development not complete.

No development of stockwater.

Costing \$ 5,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

We have been working overseas (see attached correspondence)
We expect to be back in Idaho in 1990.

Permit holder(s) request an extension to 1 January, 1992.
(1 yr. minimum)

Vickie A. Sigman
(Signature)*

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

FEE: \$15.00

ACTION OF THE DEPARTMENT OF WATER RESOURCES

MICROFILMED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1992.

Signed this 2nd day of January, 19 90.

J. Shurt Saylor
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Vickie A. Sigman Phone 584-3651
Post office address P.O. Box 84, Sweet, ID 83670

2. Source of water supply springs which is a tributary of sinks

3 Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 11 Township 7N Range 1E B.M. Gem County; additional
points of diversion if any _____

4 Water will be used for the following purposes:

Amount 0.02 for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for stockwater purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.20 for irrigation purposes from Mar. 15 to Nov. 15 ^{BD 3/8/88} (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum

6 Proposed diverting works.

a Description of ditches, flumes, pumps, headgates, etc. 2" pipe from spring tap to 1000 gal.
surge & storage tank thence 1½" pipe to house. Overflow from storage tank to
second 1000 gal. tank. Thence to 1½" trunk and flexible 1½" branches to portable
troughs and irrigation outlets.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage.
_____ to _____ inclusive

c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use
1 years (minimum 1 year). (domestic use is complete)

MICROFILMED
JAN 23 1989

8. Description of proposed uses (if irrigation only, go to item 9)

- a. Hydropower; show total feet of head and proposed capacity in KW _____
- b. Stockwatering, list number and kind of livestock. 25 stock units (cattle or sheep)
- c. Municipal; show name of municipality. _____
- d. Domestic, show number of households one
- e. Other, describe fully. _____

9. Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	1E	11							1.3	5.8	2.5	0.4							10
7N	1E	11							S	S	S	S/D							

Total number of acres to be irrigated 10

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant purchasing property on contract which specifies that water rights from spring go with property.

12. Remarks: _____

JAN 21 1989

SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of
Section 11, 7N, 1E BM


SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of
Section 11, 7N, 1E, BM

SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of
Section 11, 7N, 1E. BM

NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of
Section 11, 7N, 1E BM

NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of
Section 11, 7N, 1E BM

NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of
Section 11, 7N, 1E BM



MICROFILMED

JAN 23 1989



Vickie A Sigman
P.O. Box 84
Sweet, IDAHO, 83670
(208) 584-3561

Scale 1" represents 200'
Route of pipes approximate

A microfiche card with a grid pattern. The card is labeled "MICROFILMED" and "JAN 23 1989" in the bottom right corner. The grid consists of small squares, and the text is printed in a bold, sans-serif font. The card is oriented vertically, and the text is located in the lower right quadrant of the grid.

X Richie A. Legman
(Applicant)

Proposed Priority 3/3/88 AR 3/17/88 11:30 AM
Received by KW Date 3/3/88 Time 3:15pm Preliminary check by Jim
Fee \$ 30. Receipted by if # C 000089 Date 3-3-88 JP
Publication prepared by GG Date 3-9-88 Published in Emmett Messenger-Index 10/31/88 for AD
Publication approved OK Date 11-16-88 3/17 & 3/24/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12824, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit
- e. Other:

Witness my hand this 16th day of December, 1988.


J. Glen Saylor

MICROFILMED

JAN 23 1989

RECEIVED
NOV 1988

Department of Water Resources
Western Regional Office



Should be 10 acres.
Not a fatal error
Date 11/23/78

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF GEM,

ss.

Mary Ann Hanson, being first
duly sworn, on his oath deposes and
says that he is the ^{check} printer of Messenger-
Index, a legal weekly newspaper pub-
lished at Emmett, in Gem County, Idaho;
that said newspaper is in general circu-
lation in said county and has been pub-
lished uninterruptedly and continuously
for more than 78 weeks prior to the first
publication of the annexed document;
and that the document notice, process,
or advertisement hereunto annexed was
published in the regular edition of

Messenger-Index for TWO (2)
consecutive weekly issues thereof, be-

ginning with the issue of MARCH 16,

1988, and ending with the issue of
MARCH 23, 1988

Mary Ann Hanson
Subscribed and sworn to before me this

6th day of

October, 1988

Deborah Crawford
Notary Public,
Residing at Emmett, Idaho.

MICROFILMED

JAN 23 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 13, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

VICKIE A SIGMAN
PO BOX 40
SWEET ID 836700084

RE: WATER RIGHT NO. 65-12824

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-12824

VICKIE A SIGMAN
PO BOX 40
SWEET ID 836700084


Kari Lynn Townsend
Secretary

MEMORANDUM

TO: File 65-12824
FROM: Cindy Bird
DATE: August 4, 1997
RE: Re-exam

Monday, July 28th, 1997 I met with Mr. Randal in Sweet, Idaho to re-examine his property to determine the proper point of diversion. Mr. Randal escorted me during the field examination. He also supplied me with an aerial photo of his property.

I used the GPS unit to collect three data points. The first reading was at the PoD (springbox), second one at the storage tanks and the last one was at the well. There was only one point of diversion developed under this right.

Tuesday morning Cindy Hodges down loaded the GPS unit and Scott King later de-scrambled the data. I converted the decimal data to degrees, minutes and seconds and plotted it on the 7.5 minute topographical map. The GPS data indicates the point of diversion is T7N, R1E, S11 SESENW.


The examiner had the correct diagram for the Randal property, but when the information was transferred to the topographic map it appears that the examiner flipped the information to a more apparent draw on the map. The actual draw is not as apparent on the topographical map. When leaving the Randal home the PoD is northeast not southeast as the examiner indicated on his map.

Based on the re-exam the Application for Amendment should reflect the location of the point of diversion as SESENW, Sec. 11, Township 07N, Range 01E.

No amendment necessary.
S.W. Keen
8/8/97

MICROFILMED

AUG 20 1997



-A/2-

C:\GEO-PC\DATA\CBIRD\C072820A.COR

Statistics Version 3.6

	Recs	Mean	Std Dev	Minimum	Maximum
Latitude	261	43.9588934N	0.2999620	43.9588875N	43.9589009N
Longitude	261	116.3062550W	1.0977014	116.3063135W	116.3062054W
Altitude	261	814.3862490	1.4145261	809.6735059	820.1240216

No velocity records in file.

No DOP records in file.

Start GPS Week #916 on 07/28/97 at 20:18:31

End GPS Week #916 on 07/28/97 at 20:22:05

Datum : WGS-84
 Coordinate System : Latitude/Longitude
 Altitude Mode : Height Above Ellipsoid
 Altitude/Distance Units : Meters
 Velocity Units : Meters/Second

POD
Spring box

Converting to 43° 57' 31.995
 116° 18' 22.728

65-12824

C:\GEO-PC\DATA\CBIRD\C072820B.COR

Statistics Version 3.6

	Recs	Mean	Std Dev	Minimum	Maximum
Latitude	301	43.9587826N	0.3535572	43.9587776N	43.9587981N
Longitude	301	116.3067321W	0.4161519	116.3067415W	116.3067233W
Altitude	301	810.8973577	0.7881117	806.3621871	812.7732284

No velocity records in file.

No DOP records in file.

Start GPS Week #916 on 07/28/97 at 20:26:00

End GPS Week #916 on 07/28/97 at 20:29:40

Datum : WGS-84
 Coordinate System : Latitude/Longitude
 Altitude Mode : Height Above Ellipsoid
 Altitude/Distance Units : Meters
 Velocity Units : Meters/Second

Storage tanks

43° 57' 31.999
 116° 18' 24.269

C:\GEO-PC\DATA\CBIRD\C072820C.COR

Statistics Version 3.6

	Recs	Mean	Std Dev	Minimum	Maximum
Latitude	269	43.9585649N	0.4597209	43.9585599N	43.9585770N
Longitude	269	116.3081350W	0.4878569	116.3081429W	116.3081228W
Altitude	269	803.1426806	1.5001671	800.4682113	805.4429884

No velocity records in file.

No DOP records in file.

Start GPS Week #916 on 07/28/97 at 20:33:44

End GPS Week #916 on 07/28/97 at 20:37:19

Datum : WGS-84
 Coordinate System : Latitude/Longitude
 Altitude Mode : Height Above Ellipsoid
 Altitude/Distance Units : Meters
 Velocity Units : Meters/Second

handle

43° 57' 30.8156
 116° 18' 29.3144

RECEIVED

JUL 01 1997

Department of Water Resources

Vickie Sigman & Mike Randal
P. O. Box 40
Sweet, ID 83670-0040

Phone & Fax: (208) 584-3561
Internet E-mail: randal@micron.net

27 June 1997

Mr. Shelly W. Keen
Idaho Department of Water Resources
1301 North Orchard
P. O. Box 83720
Boise, ID 83720-0098

Water Right No: 65-12824

Dear Mr. Keen:

Thank you for your letter of 25 June. I have read the field examiner's report of 2 August 1994. This was at a time when my wife, Vickie Sigman, and I were working in Malawi, in Southeast Africa, and were unable to assist with the examination. I have the following comments:

1. The examiner describes the spring correctly, but marked it in the wrong draw on the aerial photograph. I reckon the correct $\frac{1}{4}$ $\frac{1}{4}$ to be:

SW SE NW S11 T7N R1E.

This is the $\frac{1}{4}$ $\frac{1}{4}$ north of the one we had specified in our application. At the time we didn't have the maps or photographs to accurately determine the spring's position. It is at the bend of the draw barely visible in the aerial photograph, less than 100' north of the $\frac{1}{4}$ section line.

2. The spring's storage tanks are connected via a second pipe to the well's storage tanks, and acts as a backup supply to our well water. In July 1996 we used this backup system when our well pump controller failed.

174 80-11111

AUG 20 1997


3. We try to keep at least one of the spring tanks full all summer, and it acts as an extra 1000 gallons of reserve fire protection water that can be moved to the well tanks. I'm not sure whether your department regards this as "beneficial use" but we sure think it is.

Please let me know how we should proceed. I can probably scan and enhance one of my aerial photographs to show the spring's position or I could be available for a second field examination.

Please change our post office box address from P. O. Box 84 to P. O. Box 40. The Post Office made us change it because the old box was too small for the volume of mail we receive.

Please advise if I can be of any further assistance,

Yours sincerely,



Mike Randal.



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

June 25, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

VICKIE A SIGMAN
PO BOX 40
SWEET ID 83670

ATTN: Mike Randall

RE: Water Right No. 65-12824

Dear Mr. Randall:

As you requested this morning, I have enclosed a photocopy of the field examiner's report for water appropriation permit 65-12824. I apologize for not being able to get the photographs to copy clearly, but I think the rest of the report is sufficient to describe what the examiner found.

The "map" is a photocopy of a USGS 7.5 minute orthophoto quadrangle that the examiner used to mark the point of diversion and place of use locations.

After reviewing the report, if you still do not agree with the examiner's findings, please contact me as soon as possible. If you find the examiner's report to be accurate, please sign the amendment form I sent you and return it with the \$50.00 filing fee.

Also, so that we have something in writing authorizing us to change your post office box in our records, please send in a signed note or indicate the change on the signed amendment form.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosure

ENCLOSURE

AUG 20 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

VICKIE A SIGMAN
PO BOX 84
SWEET ID 836700084

RE: WATER RIGHT NO. 65-12824

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECORDED

AUG 20 1997

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit # 65-12824 Name: Seegman Date: 3/27/97 ^{6/18/97} ✓ Lots

NAME	Chng	Same	Or Address Change?
		✓	
SOURCE		✓	Clarify source _____ Prelim. Order to Void - Source change.
P/D	✓		Amendment Needed? <u>change & add (NWNESW, NENWOSW)</u> P39 Overlap(s) <u>none</u>
P/U		✓	Amendment Needed? <u>delete SENW, N1/2SW</u> P41 Overlap(s) <u>none</u> (Gov't use special ¶s) *P/D & P/U Amend? P37
RATE			Permit/proof fee limits <u>0.20</u> Measured Quantity = <u>0.04*</u> cfs Theoretical Quantity = _____ cfs <u>1 ac x 0.03 = 0.03 cfs</u> (HP) <u>8.8 x 0.70 x</u> <u>_____ + (2.31 x _____) =</u> cfs *5g/10sec.
	✓	✓	Recommended capacity <u>0.04</u> cfs Recommended rate <u>0.03</u> cfs
VOLUME		✓	Season: <u>(D 14.5)</u> <u>3/15-11/15</u> = <u>246</u> days Calculations: <u>1.0 x 4.5 = 4.5</u>
		✓	Flow limit: <u>0.03</u> cfs x <u>246</u> days/yr. x 1.9835 = <u>14.6</u> AF Recommended volume <u>4.5</u> AF
USES		✓	Same Nature of Use? <u>No dom/stock use</u> P46 Amendment Needed? _____
REMARKS		✓	Multiple p/d's in same 1/4? Use W32 <u>① WB7/0.03/4.5</u>
CONDITIONS			Measuring Device (R43) or Lockable Controlling Works (R02) Watermaster Control (R04) - WD # _____ <u>R52</u> Irrigation rate/annual volume overlap GW irrigation replaces surface water (050) GW irrigation supplements surface water (065) Water Quality Other <u>0.20</u>
PRIORITY	App Rcd	<u>3/3/83</u>	Due <u>1/1/92</u> Rcd <u>12/9/91</u> Receipt# _____ Fee OK? Yes/No <u>need \$50 + \$25</u> Order to Reinstate Needed? Yes/No Done? _____ Advanced to: _____ Priority _____ Examined <u>7/7/94</u>

COMMENTS: Needs Bu fees, reduce acres & 1/4 1/4 on PD4; amend PD

USE	CFS	VOLUME
<u>lrr.</u>	<u>0.03</u>	<u>4.5</u>
<u>TOTAL</u>	<u>0.03</u>	<u>4.5</u>

SRBA Overlap
Adjustment Memo
LICENSE LTR: P49
* #1 AMEND LTR: 397/P38
#2 AMEND LTR: P42/P47

*NEEDS BU FEES!!

MEMORANDUM

DATE: May 27, 1997
TO: File No. 65-12824
FROM: Cindy Zimmerman S.
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report to reflect the maximum allowable rate of diversion for 1.0 acre of irrigation:

F. Flow Calculation.

Irrigation = acres x cfs/acre = 1.0 x **0.03** = **0.03** cfs.

H. Recommendations

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation	3/15-11/15	<u>0.03</u> cfs	4.5 AF

Examiner: Dave Gray
Examined: July 7, 1994

AUG 20 1997

¹Adjustments made are **bolded and underlined**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 03 1995

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 65-128241. Owner: VICKIE A. SIGMAN Phone No. 584-3561Current Address: P.O. Box 84 SWEET ID 836702. Accompanied by: Mrs. PINE EXAM DATE: 7-7-94Address: SAME Phone No. SAMERelationship to Permit Holder: HOUSE SITTER3. Source: SPRINGS tributary to SINKS**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 65-12527, 65-12528 neighbors in same 1/42. Other water rights with the same point of diversion: NONE**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	SW	11	7N	1E	GEM	QUADS - FIELD EXAM.
		NE	NW	SW	11	7N	1E	GEM	" "

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7N	1E	11							1	NONE									1

MICROFILMED

AUG 20 1987

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" =

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
- NA -					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No	Serial No.	Size	Calib. Date

2. Measurements: 5 gallon bucket ; 16 sec = EXHIBIT 10 = .04 cfs

E. NARRATIVE/REMARKS/COMMENTS

THIS SYSTEM USES A SERIES OF PIPES THAT LEAD FROM SPRINGS TO A COLLECTION BOX / STORAGE TANK. FROM THE TANK A 1 1/4" LINE LEADS, GRAVITY SUPPLIED, TO THE P/U. AT A VALVE THE PERMIT HOLDER MAY DIRECT THE WATER INTO DRIP LINES IN THE ORCHARD OR LINES THAT LEAD TO THE GARDEN. AT THE TIME OF THE EXAMINATION, THE SYSTEM WAS 10' OPEN TO THE PUMP OR FOR STOCK WATER PURPOSES. THERE WERE APPROX. 1 ACRE OF GARDEN / ORCHARD.

* NOTE: P/U: P/U STATEMENTS ON THE 1/500 SCALE APPLICATION ARE INCORRECT. THE SPRINGS FOLLOW THE CREEK VISIBLE IN THE GUAN MAP

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
AUG 20 1957

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

(EXHIBIT 10)
5 gallon bucket @ 16 sec. = .04 cfs

No evidence of domestic use
OR OF STOCK USE.

IRRIGATION NEED. 1A x .02 =
.02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5 \text{ AFA}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \text{ cfs} \times 246 \times 1.9835 = 10 \text{ AFA}$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.5 \text{ AFA}$

2. Volume Calculations for Other Uses:

NONE

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	.02 cfs	4.5 AFA
Totals:			.02 cfs	4.5 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Date 8-2-94Reviewer Date

SEAL

100-200-1-0000
AUG 2 1994

Sweet

PH

PH

27827


PERMIT 65-11624 INIT 26

T. R. S. Q/Q

P/D 74 16 11 11 11 11

SCALE

PHOTO ID.



VIEW OF SPRING. NOTICE
THE LINE THAT DRAWS
WATER FROM SPRING TO
STORAGE TANK.

PHOTO ONE-

>



LINE CONTINUES
TO COLLECT WATER
AT OTHER POINTS.
FINALLY THE
PIPE BECOMES
BURIED & LEADS
TO THE COLLECTION
BOX.

PHOTO TWO-




View of siphon & buried
collection box.

← collection
box
(storage)

PHOTO THREE-

>



THE WATER
GRAVITY FEEDS
FROM THE TANK
TO IRRIGATE THE
TREES IN THIS
ORCHARD.

PHOTO FOUR-

December 12, 1991

VICKIE A. SIGMAN
P.O. BOX 84
SWEET ID 836700000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12824

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

FILED
DEC 26 1991

RECEIVED
DEC 09 1991

Department of Water Resources

Vickie Sigman
& Mike Randal
P. O. Box 84
Sweet, Idaho, 83670

Phone & Fax:
(208) 584-3561

December 6, 1991

Ms Karen L. Gustafson
Secretary/Records Manager
Water Allocation Bureau
Idaho Department of Water Resources
1301 North Orchard Street
Boise, ID 83706

Permit No. 65-12824

This is a follow-up to our conversation on December 3. I have enclosed a completed "Proof of Beneficial Use" form for the domestic part of the permit application. The stockwater and irrigation parts of the permit application have not been completed because the spring has not produced as much water as anticipated over the last few years:

1988 Domestic water severely rationed October - November
1989 We were in Sumatra - no records kept
1990 Spring dried up in July - resumed flow in January
1991 Spring dried up in June - resumed flow in November

In July 1990 we drilled a well (permit 65-90-W-049) to supply the house and garden. The well is not particularly good, so the spring is useful in reducing the demand for well water during the spring and early summer.


My wife, Vickie Sigman is working in Sudan at the moment, and I am going to join her there next week. We both expect to be back before March, 1992. If the Department wishes a field inspection before we return, please contact Mr. Fennell. He knows the property and can accompany the inspector. From March on, please contact me or Vickie Sigman.

Thank you for your help. If you have any questions please write to:

Dr. Vickie Sigman, Sud/89/021
Food and Agriculture Organization of the United Nations
P. O. Box 1117
Khartoum
SUDAN

Please allow between six weeks and two months for a reply.

Sincerely,



Mike Randal

enc
File: dwr.let

RECEIVED
DEC 26 1991

M. Randal
P.O. Box 84
Beneet, ID 83670

RETURN RECEIPT
REQUESTED

P 089 459 648

MAIL

Luis Muñoz Marín



Harry S. Truman



Mrs. Karen L. Gustafson
Secretary/Records Manager
Water Allocation Bureau
Idaho Department of Water Resources
1301 North Orchard Street
Boise, ID, 83706

DEC 26 1991

138205
October 31, 1991

VICKIE A. SIGMAN
P.O. BOX 84
SWEET ID 836700000

PROOF DUE NOTICE
RE: PERMIT NO. 65-12824

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

RECEIVED
DEC 26 1991

January 4, 1990

Vickie A. Sigman
TropSoils Project
Sitiung I, Pos Blok B
Sumatera Barat 27578
INDONESIA

Dear Ms. Sigman:

Re: Permit No. 65-12824

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proof of beneficial use is extended to January 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions concerning this permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

FEB 27 1990

Vickie Sigman
TropSells Project
P.O. Box. 01
Situng I. Pos Blok B
Sumatera Barat 27578
INDONESIA



Water Rights Permits Section
Idaho Department of Water Resources
Statehouse Mail
Boise, Id, 83720
Amerika Serikat (USA).



RECEIVED
FEB 27 1990

copy

Dr. Vickie A. Sigman
TropSoils Project
P. O. Box 2
Sitiung I, Blok B
West Sumatra, 27578
Indonesia

19 June, 1989

Gary Spackman, Supervisor
Water Rights Permits Section
Idaho Department of Water Resources
Statehouse
Boise, ID, 83720

Dear Mr. Spackman

Permit No. 65-12824

This is a response to the permit application approval notice of December 21, 1988. In view of the following, I seek advice on how to proceed.

When I brought the property in 1986 the house had no running water. In 1987 I bought water into the house for the kitchen sink only. In the summer of 1988 my husband and I installed a bathroom and laundry room in the house. The bathroom contains a shower/bath combination, toilet wash basin, stool and a 58 gallon water heater. The laundry room contains washing machine connections and plumbing for a laundry tray and second stool. All installed items have been used and are in working order.

During the early summer of 1988, we experimented with drip irrigating about 50 young trees and a garden. However, the unusual dryness of the season did not allow the spring to supply enough water for both the house and garden, so the experiment had to be abandoned until a more typical summer.

We have not made any progress on the stock watering yet.

MICROFILMED

FEB 27 1990



COPY

I work as a vocational agricultural education specialist, and my job sometimes takes me away from Idaho for protracted periods. In fact, we have been away from Idaho since December 1988 - first in Botswana and now in Indonesia. It is unlikely we shall be in Idaho again before January 1, 1990, when proof of beneficial use is due to be provided.

1. Do you think the work done so far would furnish sufficient proof of beneficial use to secure the permit?
2. If so, should, (or could), we arrange for an inspection in our absence?
3. If you think the answer to question (1) is "No", then please send me the necessary forms to ask for an extension.

I take it that a metering device is not required on the water supply for this project.

I would welcome any other advice you might give on this matter.

Thank you,

Vickie Sigman
Vickie A. Sigman.

File: vaswr.let

MICROFILMED

FEB 27 1990

138819

October 31, 1989

VICKIE A. SIGMAN
P.O. BOX 84
SWEET, ID 836700000

PROOF DUE NOTICE

RE: PERMIT NO. 65-12824

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 27 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 17, 1989

Dr. Vickie A. Sigman
TropSoils Project
P.O. Box 2
Sitiung I, Blok B
West Sumatra, 27578
Indonesia

RE: Permit to Appropriate Water NO. 65-12824

Dear Ms. Sigman:

I have consulted your permit to appropriate water, and note that proof of beneficial use is due on or before January 1, 1990.

One extension of time can be granted when a person has pursued completion of a project with due diligence. Normally the extension is not difficult to obtain. Your representations of development probably will be sufficient for approval of a request for an extension of time.

I have enclosed an extension form. If you do not submit it promptly, you will also receive notice on or about November 1, 1989, that proof of beneficial use is due on January 1, 1990. An extension form will also be included in that correspondence.

If you wish to apply for an extension of time immediately, please complete the enclosed form, and return to the department with a \$15.00 filing fee.

Sincerely,

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

Enclosures

MICROFILMED

FEB 27 1990

RECEIVED
JUL 03 1989

Department of Water Resources

Dr. Vickie A. Sigman
TropSoils Project
P. O. Box 2
Sitiung I, Blok B
West Sumatra, 27578
Indonesia

19 June, 1989

Gary Spackman, Supervisor
Water Rights Permits Section
Idaho Department of Water Resources
Statehouse
Boise, ID, 83720

Dear Mr. Spackman

Permit No. 65-12824

This is a response to the permit application approval notice of December 21, 1988. In view of the following, I seek advice on how to proceed.

When I brought the property in 1986 the house had no running water. In 1987 I bought water into the house for the kitchen sink only. In the summer of 1988 my husband and I installed a bathroom and laundry room in the house. The bathroom contains a shower/bath combination, toilet wash basin, stool and a 58 gallon water heater. The laundry room contains washing machine connections and plumbing for a laundry tray and second stool. All installed items have been used and are in working order.

During the early summer of 1988, we experimented with drip irrigating about 50 young trees and a garden. However, the unusual dryness of the season did not allow the spring to supply enough water for both the house and garden, so the experiment had to be abandoned until a more typical summer.

We have not made any progress on the stock watering yet.

MICROFILMED

FEB 27 1990


I work as a vocational agricultural education specialist, and my job sometimes takes me away from Idaho for protracted periods. In fact, we have been away from Idaho since December 1988 - first in Botswana and now in Indonesia. It is unlikely we shall be in Idaho again before January 1, 1990, when proof of beneficial use is due to be provided.

1. Do you think the work done so far would furnish sufficient proof of beneficial use to secure the permit?
2. If so, should, (or could), we arrange for an inspection in our absence?
3. If you think the answer to question (1) is "No", then please send me the necessary forms to ask for an extension.

I take it that a metering device is not required on the water supply for this project.

I would welcome any other advice you might give on this matter.


Thank you,


Vickie A. Sigman.

File: vaswr.let

MICROFILMED

FEB 27 1990



Gary Spackman, Supervisor
Water Rights Permits Section
Idaho Department of Water Resources
State house.

Boise ID 83720
Amerika Serikat (USA)

10502

RECEIVED

FEB 27 1990

Sigman, TropSoils, Situng IB, Box 2, Sumatera Barat, 2756-1

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 21, 1988

VICKIE A. SIGMAN
P.O. BOX 84
SWEET, ID 836700000

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 65-12824

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

JAN 23 1989

7N 1E S. 11 SE SENW
P.D. 7N 1E S. 11 SWNW SENW
NESW NWSW

Form No. 202a
/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USGS Quad

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SD DATE 3/8/88 APPLICATION NUMBER 65-12824

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE

Date Requested

RECEIVED

NOV 25 1988

Department of Water Resources

PROCESSING

☒ Yes ☐ No Inform for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application

☐ Yes ☒ No Protests received
Final date for protest _____

☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application

☐ Yes ☒ No Recommendations attached

☐ Yes ☒ No Measuring device required

☐ Yes ☒ No Access port required

☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 65

☐ Yes ☐ No Special conditions of approval or cover letter below. _____

☐ See below for additional information

Date of priority recommended 3/3/1988

By DA Date 11/23/1988

STATE OFFICE REVIEW

P16

☐ See below for additional information

By KW Date 12/14/88

ADDITIONAL INFORMATION

Note: Affidavit of publication not rec'd until 11/7/1988.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

MARCH 9, 1988

Emmett Messenger-Index
Box 577
Emmett, ID 83617

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 4, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECORDED
INDEXED

JAN 23 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests

must be filed with the Director, Dept. of Water Resources, Western Region,
2735 Airport Way, Boise, Idaho 83705 on or before

R. KEITH HIGGINSON, D

RECORDED

JAN 23 1989

Published 03/17 & 03/24/88.

65-12824

SIGMAN, VICKIE R.

P.O. BOX 84, SWEET, ID 83670

Source: SPRINGS trib. to SINKS

Diversion Pt: SESENW Sec 11 T 07N R 01E

Use: IRRIGATION	(0.2 CFS)
STOCKWATER	(0.020 CFS)
DOMESTIC	(0.020 CFS)

Date Filed: 03/03/1988

In: SWNW SENW NESW NWSW Sec 11 T 07N R 01E FOR 11 ACRES'

MICROFILMED

JAN 23 1989

WATER RIGHT
DATA ENTRY LOG

[illegible]