


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*Per phone conv. w/Ed Gheen on 11/12/87.
JS

[Red stamp]

OCT 19 1988

Edward C. Gheen

(Applicant)

acting area manager CRT

PERMIT 65-12810 INIT KKC
T. R. S. Q/Q
P/D 2N 2W 13 SW/SE
SCALE
PHOTO ID. W6 NW EMMETT



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12810

Priority: August 26, 1987

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:¹

2.1 AF

This is to certify, that U.S. DEPT. OF INTERIOR

BUREAU OF LAND MANAGEMENT

IDAHO STATE OFFICE

3380 AMERICANA TERRACE

BOISE, ID 837060000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 26, 1987; and has submitted Proof of Beneficial Use on August 29, 1988. An examination indicates that the works have a diversion capacity of .050 cfs of water from:

SPRING

tributary to **SINKS**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.4 AF
WILDLIFE	01/01 to 12/31	0.02 CFS	0.7 AF
	Totals	0.05 CFS	2.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESWSE , Sec. 13, Township 07N, Range 02W
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07N 02W 13

SWSE

PLACE OF USE: WILDLIFE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

AUG 22 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 65-12810

CONDITIONS/REMARKS:

5. This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.
6. Source also known as La Toey Spring.
7. Stockwater use is for 100 cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21st day of August, 1991.

Acting for


R. Keith Higginson, Director

AUG 22 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

AMENDED

To appropriate the public waters of the State of Idaho

1. Name of applicant Bureau of Land Management Phone 334-9233
 Post office address 3948 Development Way Boise, Id. 83705
 2. Source of water supply SPRING which is a tributary of SINKS
 3. Location of point of diversion is NE¹/₄SW¹/₄SE¹/₄* SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 13 Township 7N
 Range 2W B.M. GEM County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 for livestock purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount .02 for wildlife purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .05 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Spring development with trough.*
3/4 mile pipeline to 5,000 gallon storage tank*

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
 (Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW¹/₄ $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 13 Township 7N
 Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered up to 100 cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECEIVED

OCT 19 1988

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion

Federal Government

b. Who owns the land to be irrigated or place of use

Federal Government

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks

La Jolla Spring Project # 8027

100-443610-60

061 12 1988

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*Per phone conv. w/Ed Gheen on 11/12/87.

JS

[Signature]

OCT 19 1988

Edward C. Gheen

(Applicant)

acting area manager CR

Proposed 8/26/87

11-12-87 (AMENDED) 12-15-87

#45767

9-4-87

8.00 AM

Received by DAB Date 8/26/87 Time 9:30 A.M.

ID-910-BP7-0015

Preliminary check by [Signature] Fee \$ 30.00

#45270 AMENDMENT 30.00 ID-910-BP8-0010
Receipted by JA Date 8/26/87 9-38-87

Publication prepared by JA Date 9/9/87

Published in Emmett Messenger-Index I called paper 1/12/88 asked that they send advertising.

Publication dates 9/17 * 9/24/87 143 & 11/10/87

Publication approved JA Date 9/1/87 2/2/88 - called paper to ch
10/21/87 on ad. Legal Dept. said they will send

Protests filed by: none

3/15/88 - received - from paper.

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Det

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12810, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 93.
- The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 3rd day of August, 1988.

[Signature]
Director

RECEIVED

OCT 19 1988

Department of Water Resources
Western Regional Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that application No. 65-12810 in the name of Bureau of Land Management was filed on 8/26/87 for the diversion of .05 cfs from a spring with a point of diversion within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13, Twp. 7N., Rge. 2W to be used for stockwater and wildlife purposes from 1/1 to 12/31 within portions of the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, Twp. 7N., Rge. 2W.

The applicant now proposes to amend the application by changing the point of diversion to the NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13, Twp. 7N., Rge. 2W., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before December 14, 1987.

R. Keith Higginson
Director

Legal Notice No 102
Published in the Messenger-Index
12-2,9-1987

Marie Rastum, being first duly sworn, on his oath deposes and says that ^{she} he is the ^{skid} printer of Messenger-Index, a legal weekly newspaper published at Emmett, in Gem County, Idaho; that said newspaper is in general circulation in said county and has been published uninterruptedly and continuously for more than 78 weeks prior to the first publication of the annexed document; and that the document notice, process, or advertisement hereunto annexed was published in the regular edition of

Messenger-Index for Two consecutive weekly issues thereof, be-

ginning with the issue of Dec 2,

1987, and ending with the issue of

Dec 9, 1987

Marie Rastum

Subscribed and sworn to before me this

OTI day of

March, 1988

John Jones P. Hite

Notary Public,

Residing at Emmett, Idaho.

RECEIVED
OCT 19 1988

RECEIVED

OCT 14 1987

Department of Water Resources

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, ss.
COUNTY OF GEM,

Su Harms being first
duly sworn, on his oath deposes and
says that he is the printer of Messenger-
Index, a legal weekly newspaper pub-
lished at Emmett, in Gem County, Idaho;
that said newspaper is in general circu-
lation in said county and has been pub-
lished uninterruptedly and continuously
for more than 78 weeks prior to the first
publication of the annexed document;
and that the document notice, process,
or advertisement hereunto annexed was
published in the regular edition of

Messenger-Index for two
consecutive weekly issues thereof, be-
ginning with the issue of Sept 6,

1987, and ending with the issue of

Sept 23 1987
Su Harms

Subscribed and sworn to before me this

9th day of
Oct 1987
Antoine H. Harts

Notary Public,
Residing at Emmett, Idaho.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

65-12810

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE,
3388 AMERICANA TERRACE,
BOISE, ID 83706

Source: SPRING trib to SINKS
Diversion, Pt:

SWNE Sec 13 T 07N R 02 W

Use:
STOCKWATER (0.030 CFS)
WILDLIFE (0.020 CFS)

Date Filed: 08/26/1987

In: SWSE Sec 13 T 07N R 02W

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region,
Statehouse, Boise, Idaho 83720 on
or before OCTOBER 5, 1987.

R. Keith Higginson, Dir.
2-9-16, 23-1987

RECORDED

OCT 12 1988

August 21, 1991

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 837060000

RE: WATER RIGHT NO. 65-12810

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

AUG 22 1991

LICENSE REVIEW CHECKLIST

Permit No. 65-12810

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance n/a

Order to reinstate needed? yes no ✓

Total cfs Limited by fee

Limited by capacity n/a

Total volume Limited by flow n/a

Chart checked for AF rate/ac n/a

Capacity Actual measurement checked n/a

Theoretical checked

If greater than permit, check for other rts n/a

Source Changed? yes no ✓

If so, is memo needed to clarify? n/a

P/D Verify with map ✓ permit ✓

More than one per 1/4? Remember remark n/a

Check p/d overlap n/a

Uses Check irrigation period of use w/ chart n/a

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap n/a

Remarks More than one p/d in 1/4 n/a

Description of non-irrig uses ✓

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap

Water quality

Other 137

Dates/Misc. -

Water Dist

App Rec'd ✓

Proof Rec'd ✓

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed

Comments/Changes to Examiner's Recommendations:

AUG 22 1931

License ✓ 10-day 30-day

Back of field report signed?

Reviewer [Signature] Date 7.10.41 Review time min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with Conditions of Approval
~~no~~ Well Inspection Form (If Needed)
Aerial Photo Required? ☐ yes ☒ no If yes: ☐ copy attached
~~N/A~~ SRBA Attachment A Submitted to Adjudication Section
SRBA Claim Check Received PLM FILE (initial & date)
☒ N/A ☐ Applicable, See Attachment A _____
☒ Copy of U.S.G.S. Quad
~~no~~ Check for Government Lots. If so, make a copy of government plat
Check of P/D index 7-19-90 KKC (initial & date)
Overlap ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____
Check of P/U index 7-19-90 KKC (initial & date)
Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____
Scheduling Letter Sent? Phone apt (initial & date)
☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
~~N/A~~ Photographs of Point of Diversion and Place of Use
~~N/A~~ Copy of SRBA Claim Verification Sheet / ☐ Original Returned to Adjudication Section

C. Review and Processing:

- Exam Completed 7-19-90 KKC (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent 1/11-91 (initial & date)
Exam Reviewed by Manager of Regional Office 1/10/91 (initial & date)
Exam Sent to State Office 1-14-91 (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 15 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No 65-12810

1. Owner: BUREAU OF LAND MANAGEMENT

Phone No _____

Current Address 3380 AMERICANA TERRACE BOISE, ID 83706

2 Accompanied by: GENE DECKER

EXAM. DATE: 7-19-90

Address _____

Phone No. _____

Relationship to Permit Holder. RANGE TECH

3 Source: SPRING tributary to SINKS

B OVERLAP REVIEW

1 Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d as applicable ☐ Alternative diagram attached

AUG 22 1991

Scale: 1" = _____

2 ☒ Copy of U.S.G S Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

THE SYSTEM IS A STANDARD SPRING DEVELOPMENT, MATERIALS PURCHASED RECEIPT INDICATE 1 1/4" PIPE (2 1/2" 114' TANK. (SIGNED BY LOLA A SEPT. BLM MEMO (8-23-88) to Cascade Area MGR FROM RANGE CON. STATES THAT THE PROJECT WAS COMPLETED IN NOV OF 1987. AN INSPECTION IN THE FALL OF 87 SPRING OF 88 SHOWED SYSTEM FUNCTIONING WELL WITH GOOD WATER. THE PERMIT IS FOR 100 RANGE CATTLE.

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5 Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	SE	13	7N	2W	GEM	BLM RECORDS

6. Place(s) of Use:

Indicate Method of Determination BLM RECORDS

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	2W	13															5		

AUG 22 1991

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

SEE ATTACHMENT

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head. (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)

Panel Input HP (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

100 HEAD RANGE CATTLE

0.03 @ 1.4 AFA MAX

WILDLIFE 0.02 @ 0.70 AFA
(50 HD LIVESTOCK RANGES)

AUG 22 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE SYSTEM IS KNOWN AS
LA TOLY SPRING
DEVELOPMENT # 8027

I. RECOMMENDATIONS

1 Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
LIVESTOCK	1-1	12-31	0.03	1.4
WILDLIFE	1-1	12-31	0.02	0.7
Totals:			0.05	2.1

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

KELLY K. CHRISTENSEN
Kelly K. Christensen
7-19-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 22 1991

PERMIT NO. 65-12810

THEORETICAL CALCULATION FOR SPRING DEVELOPMENTS
USING A 1 1/4 IN. SUPPLY LINE

The assumptions made for BLM spring developments come from their paper records and conversations with the range technician managing the area where this spring is located.

The spring developments are considered to be the standard BLM spring development system unless otherwise described.

Data used to calculate the theoretical flow comes from a set of tables labeled "FLOW RATE (GPM) FOR GRAVITY FLOOD SYSTEMS USING PVC PIPE". This table rates by pipe diameter and increments by 1/2 inch steps. The calculations for 1 1/4 in pipe is interpolated from data for the 1 inch and 1 1/2 inch pipe.

The standard system is

a 1 1/4 in. galvanized line.

the spring box is within 10 to 30 ft. of the stock tank

the fall on the pipe is 0.50 ft. for each 5 ft of run

the spring flow is greater than the pipe capacity

from chart 1 1/2 in. -- 32.1 gpm

1 in. -- 11.5 gpm

difference 1/2 in. -- 20.6 gpm

flow rate for 1 inch = 11.5 gpm

dividing by 2 gives 1/4 inch

interpolated difference = 10.3 gpm

and 10.3 gpm

total diversion rate = 21.8 gpm

The theoretical system capacity in CFS is 21.8 gpm/448.8 = 0.049 cfs

Examination Notes:

≈ 0.05 CFS

ITEM DATA SOURCE

1 1/4 SUPPLY PIPE DIA BLM PURCHASE ORDER (21' TOTAL LENGTH PURCHASED)


0.5/PERL576 SUPPLY PIPE FALL ASSUMED

18' SUPPLY PIPE RUN ASSUMING 3' FOR RISER & EXTENSION TO TANK

RECEIVED

2 1991

PERMIT 65-12810 INIT RKC
T. R. S. Q/O
P/D 7N 2W 13 SW/SE
SCALE
PHOTO ID. W6 NW EMMETT





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

65-12810
U.S. Boise District
3380 American Terrace
Boise, ID 83706

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Judy Pense", is written above the typed name.

Judy Pense
Secretary

/jip

AUG 22 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12810

Date: 10/4/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

REVIEWED BY: 98

Form 217

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources
Western Regional Office

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below.

Permit No 65-12810 -

Name(s) of Permit Holder Bureau of Land Management -

Post Office Address 3380 Americana Terrace -
Boise, Id. 83706 Telephone No. 334-9516

Source of Water Spring - (La Joy Spring # 8027)

Extent of Use.

Domestic _____ (number of households)

Stockwater 100 cattle - (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

.05 cfs

Indicate the date water was first diverted and beneficially used under this permit: 11/87 -

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination: 

OCT 12 1988

(Name)

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/29/88
Date

Richard Geier -
Signature of Permit Holder (and Title, if appropriate)
Richard Geier -
Cascade Area Manager

Place
Stamp
Here

**Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720**



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

August 5, 1988

RE: Permit Nos. 17-7127/7128/7129/7130, 43-7289, 45-7620,
47-8077, 51-7308, 55-7370, 65-12810

Bureau of Land Mgmt.
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed are copies of your approved Applications for Permit. We direct your attention to the conditions of approval on the fourth pages.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permits were issued, and you must proceed diligently until the projects are completed. The enclosed blue cards must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permits were approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits into licenses.

Sincerely,

GARY SPACKMAN
Supervisor, Water Allocation Section

GS:sc

Enclosures

RECEIVED

OCT 12 1988

State of Idaho
Department of Water Resources

Amended APPLICATION FOR PERMIT ANALYSIS SHEET Amended

INITIAL REVIEW BY: Jan Thute APPLICATION NUMBER: 65-12810
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____
Date: _____
Comments: _____

- ☒ Fee. 20 AMENDMENT FEE WILL BE SUBMITTED (dam)
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☒ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: December 14 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/15/88
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 201
☒ Publication dates and paper, recorded on application. Samuel Messinger 12/3/87 12/10/87
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 65-N/A source sinks
8/26/87 Date of priority recommended.
Special conditions of approval or cover letter. 26A

Affidavit of publication not rec'd until Mar 15 '88 after repeated telephonic requests and my letter dated 3/2/88 (attached)

Fed. Govt. allow the 3 yrs. requested -
Recommend that 2 years be allowed for completion of this project.

By: DW Date: 3/21/88

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: kw Date: 7/21/88

RECEIVED
MAR 22 1988

Department of Water Resources



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

March 2, 1988

Emmett Messenger-Index
Attn: Rick Crawford, Publisher
P. O. Box 577
Emmett, ID 83617

Re: Affidavits of Publication

Dear Mr. Crawford:

The purpose of this letter is to request your assistance in resolution of a problem regarding timely submittal of affidavits of publication. We request that the Messenger-Index investigate implementation of a procedure to more quickly remit affidavits of publication to this agency.

In Idaho, the only way to obtain a new water right is for a water user to file an Application for Permit, pursuant to Chapter 2, Title 42, Idaho Code. For applications with point of diversion in Gem County, this office submits to your newspaper a request for publication of a legal notice. After the legal notice is published, we can take no further action until we receive proof of the publication in the form of an affidavit. If this affidavit is submitted in a timely manner, we are able to process an application for a new water right in six to eight weeks.

We have been having a continuing problem with receiving affidavits of publications from your newspaper in a timely manner. For example, a notice of Amended Application for Permit was published for application for No. 65-12810 on December 3 and 10, 1987. We telephoned the newspaper on January 12, 1988, and on February 2, 1988, requesting the affidavit of publication, and it has still not been received by this office.

Application No. 65-12818 was published on January 7 and January 14, 1988. For this application we have received a billing but no affidavit of publication. Application for Amendment of permit No. 65-12540 was published on November 5 and November 12, 1987, and no affidavit of publication has yet been received.


OCT 12 1988

This importance of this matter is that people living in Gem County that desire to attain water rights are hindered up by this step of the process. As we enter into this apparent drought year, it is very important that we expedite all steps of the mandatory legal process for developing water rights. We ask your assistance in speeding up this portion of the process.

Emmett Messenger-Index, page 2

If there is anything this office can do to assist your newspaper in this process, please advise. Thank you for your consideration of this matter.

Sincerely,



DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:jp

MICROFILM

OCT 12 1988

OK
ge

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that application No. 65-12810 in the name of Bureau of Land Management was filed on 8/26/87 for the diversion of .05 cfs from a spring with a point of diversion within the SW1/4NE1/4, Sec. 13, Twp. 7N., Rge. 2W to be used for stockwater and wildlife purposes from 1/1 to 12/31 within portions of the SW1/4SE1/4, Sec. 13, Twp. 7N., Rge. 2W.

The applicant now proposes to amend the application by changing the point of diversion to the NE1/4SW1/4SE1/4, Sec. 13, Twp. 7N., Rge. 2W., B.M.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before December 14, 1987.

R. Keith Higginson

Director

Published in the Emmett Messinger Index on 12/3 & 12/10/87.

RECEIVED

OCT 12 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jon Thurt APPLICATION NUMBER: 65-12810

CHECK:

- ☒ Source.
☒ Point of diversion, NO LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated, NO LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: October 5, 1987
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/14/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application. 30/ID-910-8P7-0015
 None ☐ Protests, dates, withdrawal, etc., recorded on application. EMMETT MESSENGER - INDEX
☒ Recommendation & Initial, recorded on application. 9/17 + 9/24/87
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/26/1987 Date of priority recommended.
 Special conditions of approval or cover letter. 26A

Note. Affidavit of Pub not rec'd until 10/14/1987 after we solicited it by phone...

Recommend that 2 years be allowed for development of this project.

By: Dor Date: 10/26/1987

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: _____ Date: _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

SEPTEMBER 9, 1987

Emmett Messenger-Index
Box 577
Emmett, ID 83617

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before OCTOBER 5, 1987.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED

OCT 12 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 5, 1987.

R. Keith Higginson

Published 09/17 & 09/24/87.

RECEIVED

OCT 12 1988

65-12810

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT., IDAHO STATE OFFICE, 3380 AMERICANA TERRACE,
BOISE, ID 83706

Source: SPRING trib. to SINKS

Diversion Pt: SWNE Sec 13 T 07N R 02W

Use: STOCKWATER	(0.030 CFS)
WILDLIFE	(0.020 CFS)

Date Filed: 08/26/1987

In: SWSE Sec 13 T 07N R 02W

RECEIVED

OCT 12 1988



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, IDAHO 83706



IN REPLY REFER TO

7250 (931)

August 25, 1987

RECEIVED
AUG 26 1987

Water Allocation Division
Department of Water Resources
Statehouse
Boise, ID 83720

Department of Water Resources

Gentlemen:

Enclosed for processing is one (1) "Application for Permit" form and fourteen (14) "Proof of Beneficial Use" forms. Billing is to be made through order number ID-910-BP7-0015.

Please return the approved applications to the following address:

Steven A. Ellis
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

Thank you for your cooperation.

Sincerely yours,

Steven A. Ellis
Soil Scientist/Hydrologist

Enclosures

RECEIVED
SEP 01 1987

Department of Water Resources
Western Regional Office

RECEIVED

OCT 12 1988