

T	H	N	R	I	E
---	---	---	---	---	---



Thomas Hoppok
(Applicant)

RECEIVED
APR 13 1987

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho: **SP**
65-12795 ✓

HOPPOCK, TOM
2505 S. GARFIELD AVE., LOS
ANGELES, CA. 90040
Source: UNNAMED STREAM trib.
to SQUAW CREEK
Diversion Pt: NWNENE Sec 34 T
11N R 01E
Use: IRRIGATION STORAGE (3.0
AF)
IRRIGATION FROM STORAGE
(3.0 AF)
Date Filed: 03/04/1987
In: NENE SENE Sec 34 T 11N R
01E FOR 7 ACRES

65-12794
HOPPOCK, TOM
2505 S. GARFIELD AVE., LOS
ANGELES, CA 90040
Source: UNNAMED STREAMS
trib. to SQUAW CREEK
Diversion Pt: SESESW NENWSW
Sec 27 T 11N R 01E
Use: IRRIGATION STORAGE (4.0
AF)
IRRIGATION FROM STORAGE
(4.0 AF)
Date Filed: 03/04/1987
In: NESW SESW NWSE SWSE
Sec 27 T 11N R 01E FOR 48 ACRES
The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, State-
house, Boise, Idaho 83720 on or be-
fore APRIL 20, 1987.

KEN DUNN, Dir.
2:4-1,8-1987

MICROFILMED

JUL 09 1987

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF GEM, ss.

Su Harms, being first
duly sworn, on his oath deposes and
says that he is the printer of Messenger-
Index, a legal weekly newspaper pub-
lished at Emmett, in Gem County, Idaho;
that said newspaper is in general circu-
lation in said county and has been pub-
lished uninterruptedly and continuously
for more than 78 weeks prior to the first
publication of the annexed document;
and that the document notice, process,
or advertisement hereunto annexed was
published in the regular edition of

Messenger-Index for two
consecutive weekly issues thereof, be-

ginning with the issue of April 1,

19 87, and ending with the issue of

April 8, 19 87

Su Harms


Subscribed and sworn to before me this

at day of

April, 19 87

White Cloud, Idaho

Notary Public,
Residing at Emmett, Idaho.




65.12795

T-11N

R-1E

S-34

MICROFILMED
NOV 28 2000



CSFA Aerial Photo for Section 34 Township 11N Range 1E for water right 65-12795

System Diagram and Description:

The water for this permit is diverted from Black Canyon Pond (owner's description) by a portable pump attached to the PTO on a Tractor. The water is pumped out of the pond and run along the south side of the field and hand lines are used to irrigate the field.

10N R

27 34 27 34



NW NE Section 34
7 acres irrigated

N. R1E

4 3

34
3

CSFA aerial PHOTO
Sec. 34, Town. 11N, Range 1E
a TOTAL OF 7 acres
are irrigated. all
lands are in
the NW NE


MICROFILMED

65-12795 NOV 28 2000

T43

TON R1E

65



1987 NAPP
Aerial Photo

Water Rights 65-12794 & 65-12795

MICROFILMED

NOV 28 2000



PHOTOGRAPHER AND DATE OF PHOTOS DAN NELSON 9-7-1999

FILE NO. AND DESCRIPTION picture of Black Canyon Pond

65-12785.



MICROFILMED

NOV 28 2000



PHOTOGRAPHER AND DATE OF PHOTOS Rick Collingwood 6-15-1993

FILE NO. AND DESCRIPTION Picture of Black Canyon Pond.
65-12795



MICROFILMED

APR 28 2000

PHOTOGRAPHER AND DATE OF PHOTOS DAN NELSON 9-7-1999

FILE NO. AND DESCRIPTION 65-12795



~~These is~~
These are
photo's of
the pump
and tractor
used to
divert
water.

Water was
being diverted
from Squaw
Creek to
allow a
measurement
of the
system.



PICTURES SCANNED FROM ORIGINAL
PHOTO'S IN 65-12794.

MICROFILMED

NOV 28 2000



PHOTOGRAPHER AND DATE OF PHOTOS Rick Collingwood 6-15-1993
FILE NO. AND DESCRIPTION 65-12795




- PICTURES
OF THE
TRACTOR
AND
PUMP



MICROFILMED
NOV 28 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	TRACTOR operated pump	40	ND TAG	Berkeley	ND TAG

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

NOV 28 2000

PERMIT 65-12795 INIT RC

T. R. S. Q/Q

P/D IN IE 34 NENE

SCALE

PHOTO ID. V-R OLA/U-58 Oodson
PASS

MICROFILMED

NOV 28 2000

P/O

P/U

35

BM
3122

BM
3200

3335

x3682

3083

x3681

x4943

4

3

2

26

23

22

x4020

x3775

x3497

x3722

3238

3527

x3980

28

WASHINGTON CO
GEM CO

4881

Spring

Spring

Spring

Gut

Curtin

Creek

TRAIL

Pl. of Use Report

JUL 09 1987

NAME	DATE	TIME	LOCATION	REMARKS
W. H. H.	11	11:00 AM	W. H. H.	W. H. H.
W. H. H.	12	12:00 PM	W. H. H.	W. H. H.
W. H. H.	13	1:00 PM	W. H. H.	W. H. H.
W. H. H.	14	2:00 PM	W. H. H.	W. H. H.
W. H. H.	15	3:00 PM	W. H. H.	W. H. H.
W. H. H.	16	4:00 PM	W. H. H.	W. H. H.
W. H. H.	17	5:00 PM	W. H. H.	W. H. H.
W. H. H.	18	6:00 PM	W. H. H.	W. H. H.
W. H. H.	19	7:00 PM	W. H. H.	W. H. H.
W. H. H.	20	8:00 PM	W. H. H.	W. H. H.
W. H. H.	21	9:00 PM	W. H. H.	W. H. H.
W. H. H.	22	10:00 PM	W. H. H.	W. H. H.
W. H. H.	23	11:00 PM	W. H. H.	W. H. H.
W. H. H.	24	12:00 AM	W. H. H.	W. H. H.
W. H. H.	25	1:00 AM	W. H. H.	W. H. H.
W. H. H.	26	2:00 AM	W. H. H.	W. H. H.
W. H. H.	27	3:00 AM	W. H. H.	W. H. H.
W. H. H.	28	4:00 AM	W. H. H.	W. H. H.
W. H. H.	29	5:00 AM	W. H. H.	W. H. H.
W. H. H.	30	6:00 AM	W. H. H.	W. H. H.
W. H. H.	31	7:00 AM	W. H. H.	W. H. H.
W. H. H.	32	8:00 AM	W. H. H.	W. H. H.
W. H. H.	33	9:00 AM	W. H. H.	W. H. H.
W. H. H.	34	10:00 AM	W. H. H.	W. H. H.
W. H. H.	35	11:00 AM	W. H. H.	W. H. H.
W. H. H.	36	12:00 PM	W. H. H.	W. H. H.
W. H. H.	37	1:00 PM	W. H. H.	W. H. H.
W. H. H.	38	2:00 PM	W. H. H.	W. H. H.
W. H. H.	39	3:00 PM	W. H. H.	W. H. H.
W. H. H.	40	4:00 PM	W. H. H.	W. H. H.
W. H. H.	41	5:00 PM	W. H. H.	W. H. H.
W. H. H.	42	6:00 PM	W. H. H.	W. H. H.
W. H. H.	43	7:00 PM	W. H. H.	W. H. H.
W. H. H.	44	8:00 PM	W. H. H.	W. H. H.
W. H. H.	45	9:00 PM	W. H. H.	W. H. H.
W. H. H.	46	10:00 PM	W. H. H.	W. H. H.
W. H. H.	47	11:00 PM	W. H. H.	W. H. H.
W. H. H.	48	12:00 AM	W. H. H.	W. H. H.
W. H. H.	49	1:00 AM	W. H. H.	W. H. H.
W. H. H.	50	2:00 AM	W. H. H.	W. H. H.
W. H. H.	51	3:00 AM	W. H. H.	W. H. H.
W. H. H.	52	4:00 AM	W. H. H.	W. H. H.
W. H. H.	53	5:00 AM	W. H. H.	W. H. H.
W. H. H.	54	6:00 AM	W. H. H.	W. H. H.
W. H. H.	55	7:00 AM	W. H. H.	W. H. H.
W. H. H.	56	8:00 AM	W. H. H.	W. H. H.
W. H. H.	57	9:00 AM	W. H. H.	W. H. H.
W. H. H.	58	10:00 AM	W. H. H.	W. H. H.
W. H. H.	59	11:00 AM	W. H. H.	W. H. H.
W. H. H.	60	12:00 PM	W. H. H.	W. H. H.
W. H. H.	61	1:00 PM	W. H. H.	W. H. H.
W. H. H.	62	2:00 PM	W. H. H.	W. H. H.
W. H. H.	63	3:00 PM	W. H. H.	W. H. H.
W. H. H.	64	4:00 PM	W. H. H.	W. H. H.
W. H. H.	65	5:00 PM	W. H. H.	W. H. H.
W. H. H.	66	6:00 PM	W. H. H.	W. H. H.
W. H. H.	67	7:00 PM	W. H. H.	W. H. H.
W. H. H.	68	8:00 PM	W. H. H.	W. H. H.
W. H. H.	69	9:00 PM	W. H. H.	W. H. H.
W. H. H.	70	10:00 PM	W. H. H.	W. H. H.
W. H. H.	71	11:00 PM	W. H. H.	W. H. H.
W. H. H.	72	12:00 AM	W. H. H.	W. H. H.
W. H. H.	73	1:00 AM	W. H. H.	W. H. H.
W. H. H.	74	2:00 AM	W. H. H.	W. H. H.
W. H. H.	75	3:00 AM	W. H. H.	W. H. H.
W. H. H.	76	4:00 AM	W. H. H.	W. H. H.
W. H. H.	77	5:00 AM	W. H. H.	W. H. H.
W. H. H.	78	6:00 AM	W. H. H.	W. H. H.
W. H. H.	79	7:00 AM	W. H. H.	W. H. H.
W. H. H.	80	8:00 AM	W. H. H.	W. H. H.
W. H. H.	81	9:00 AM	W. H. H.	W. H. H.
W. H. H.	82	10:00 AM	W. H. H.	W. H. H.
W. H. H.	83	11:00 AM	W. H. H.	W. H. H.
W. H. H.	84	12:00 PM	W. H. H.	W. H. H.
W. H. H.	85	1:00 PM	W. H. H.	W. H. H.
W. H. H.	86	2:00 PM	W. H. H.	W. H. H.
W. H. H.	87	3:00 PM	W. H. H.	W. H. H.
W. H. H.	88	4:00 PM	W. H. H.	W. H. H.
W. H. H.	89	5:00 PM	W. H. H.	W. H. H.
W. H. H.	90	6:00 PM	W. H. H.	W. H. H.
W. H. H.	91	7:00 PM	W. H. H.	W. H. H.
W. H. H.	92	8:00 PM	W. H. H.	W. H. H.
W. H. H.	93	9:00 PM	W. H. H.	W. H. H.
W. H. H.	94	10:00 PM	W. H. H.	W. H. H.
W. H. H.	95	11:00 PM	W. H. H.	W. H. H.
W. H. H.	96	12:00 AM	W. H. H.	W. H. H.
W. H. H.	97	1:00 AM	W. H. H.	W. H. H.
W. H. H.	98	2:00 AM	W. H. H.	W. H. H.
W. H. H.	99	3:00 AM	W. H. H.	W. H. H.
W. H. H.	100	4:00 AM	W. H. H.	W. H. H.

[illegible]

211

01/02/2017

DATE 13/02/1987

IDENTIFICATION OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

WATER RIGHT STATE REG. SOURCE OF WATER

•

05-12362
09-08-1990 SOURCE CTRN

NAME FOR
DIPLOMA

26	MSM	0.14	65-1262	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
25	MSM	0.143	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
24	MSM	0.142	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
23	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
22	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
21	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
20	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
19	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
18	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
17	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
16	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
15	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
14	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
13	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
12	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
11	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
10	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
9	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
8	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
7	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
6	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
5	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
4	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
3	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
2	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN
1	MSM	0.1	65-1260	0	09-09-1990	SOBAM CENTER	STAFF STAFF BROOKLYN



FOR
NAME
DATE
SE

[illegible]

0.8

Time	Temp	Pressure	Flow	Rate	Temp	Pressure	Flow	Rate
10:00	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:05	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:10	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:15	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:20	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:25	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:30	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:35	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:40	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:45	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:50	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
10:55	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:00	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:05	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:10	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:15	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:20	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:25	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:30	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:35	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:40	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:45	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:50	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
11:55	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0
12:00	25.0	10.0	1.0	1.0	25.0	10.0	1.0	1.0

[illegible]

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-12795

Priority: March 4, 1987

Maximum Storage Volume:

2.0 AF

This is to certify, that TOM HOPPOCK

2505 S GARFIELD AVE

LOS ANGELES CA 90040

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 4, 1987; and has submitted Proof of Beneficial Use on May 11, 1989. An examination indicates that the works have a storage capacity of 2.000 af of water from:

UNNAMED STREAM

tributary to SQUAW CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	01/01 to 12/31		2.0 AF
IRRIGATION FROM STORAGE	03/15 to 10/31		2.0 AF
Totals			2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 34, Township 11N, Range 01E
GEM County

PLACE OF USE: IRRIGATION FROM STORAGE

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	01E	34	NWNE	7		7

Total number of acres irrigated:

7

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 13th day of

OCTOBER, 2000.

MICROFILMED

SEP 28 2000


Acting for KARL J. DREHER, Director

RECEIVED

OCT 11 2000

Department of Water Resources

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 65-12795

Date of Priority: March 4, 1987

Maximum Storage Volume: 2.0 AF

Comes now
2505 S GARFIELD AVE
LOS ANGELES CA 90040

TOM HOPPOCK

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 65-12795, and requests that the permit be changed as follows:

Source: UNNAMED STREAM tributary to SQUAW CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	01/01 to 12/31		2.0 AF
IRRIGATION FROM STORAGE	03/15 to 10/31		2.0 AF
	Totals		2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 34, Township 11N, Range 01E
GEM County

PLACE OF USE: IRRIGATION FROM STORAGE

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	01E	34	NWNE	7		7

Total number of acres irrigated: 7

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at OLA ID., this 5 day of Oct, 2000.

MICROFILMED

NOV 2 6 2000

Thomas Hopock
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12795

FOR DEPARTMENT USE ONLY

Preliminary check by SVK Fee = \$50.00 Receipted by JM # C050722 Date 10-11-00

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 65-12795 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65A.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 13TH day of OCTOBER, 2000.

Karl J. Dreher
Acting for KARL J. DREHER, Director

MICROFILMED

NOV 28 2000

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	ORDER GRANTING
NOS 65-12794 AND 65-12795	)	REQUEST TO REMOVE
IN THE NAME OF TOM HOPPOCK	)	MEASURING DEVICE REQUIREMENTS
_____	)	

This matter having come before the Department of Water Resources (Department) as a request to remove measuring device requirements, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

- 1 On May 12, 1987, the Department issued Permits 65-12794 and 65-12795 (permits) to Tom Hoppock (permit holder) with conditions of approval requiring measuring devices be permanently installed and maintained in such a manner that the amount of water entering the reservoirs and the amount of water released from the reservoirs could be measured.
- 2 On June 15, 1993 and September 7, 1999, the Department conducted field examinations of the beneficial use developed under these permits and found that measuring devices were not installed on the reservoirs
- 3 On June 14, 2000, the Department corresponded with the permit holder and requested information regarding compliance with the conditions of approval on the permits.
- 4 On September 6, 2000, the Department received a request from the permit holder to remove the measuring device conditions from the permits. The permit holder also submitted a letter from the watermaster of Water District No 65-A, Squaw Creek, which stated measuring devices were not necessary for the reservoirs developed under the permits.

CONCLUSIONS OF LAW

1. Beneficial Use Examination Rule 35.02 d (IDAPA 37.03.02.35 02.d.) provides for the waiver of measuring device requirements by the Department.

MICROFILMED

NOV 28 2000

2. The installation of measuring devices is not necessary for regulation of the reservoirs developed under these permits.

ORDER

IT IS THEREFORE HEREBY ORDERED as follows.

The condition of approval requiring the installation of permanent measuring devices to measure the amount of water entering the reservoirs and the amount of water released from the reservoirs under these permits is **WAIVED**

Dated this 8th day of September, 2000



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED
NOV 28 2000

Form 2
03/89

RECEIVED
MAY 11 1989

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received No Rqd.

Date 5/11/89

Receipt # N/A

Receipt by N/A

Reviewed by KW

Sent to region copy 5/17/89

Retained @ Region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12795

Name(s) of Permit Holder: Tom Hoppock ✓

Post Office Address: HC 78-3783 Ola, ID 83657 ✓

Telephone No. 584-3555

Source of Water: unnamed stream ✓

Extent of Uses:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 7 ✓ (acres) Other/Remark 3AFA Irr Stor

Total rate and/or volume for which proof is submitted _____ cfs 3 ✓ acre-feet

Show the date water was first diverted and beneficially used under this permit: 3/4/87

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ No Fee Rqd.
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Tom Hoppock 213-726-0353 LA. of 584-3555
(Name) (Telephone Number)

Same as above
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-11-89
Date

Thomas Hoppock ✓
Signature of Permit Holder (and title, if appropriate)

JUN 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Tom Hoppock Phone 213/726-0353
Post office address 2505 S. Garfield Ave, Los Angeles, CA 90040
2. Source of water supply Unnamed Stream which is a tributary of Squaw Creek
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt Lot _____
Sec 34 Township 11N Range 1E B.M. Gem County, additional
points of diversion if any: _____
4. Water will be used for the following purposes.
Amount 3² AF for Storage Irrigation purposes from 1/1 to 12/31 (both dates inclusive)
(~~acre-feet~~ acre-feet per annum)
Amount 3² AF for Ice Storage purposes from 4/1 to 11/1 (both dates inclusive)
(~~acre-feet~~ acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) _____ and/or (b) 3² AF
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc Small dam & pipe
 - b. Height of storage dam 9 feet, active reservoir capacity 3² acre-feet; total
reservoir capacity 3² acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive
 - c. Proposed well diameter is _____ inches, proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year)

RECEIVED

JUL 08 1987

8 Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock _____
- Municipal; show name of municipality _____
- Domestic; show number of households. _____
- Other, describe fully _____

9. Description of place of use

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	1E	34	5			2													7

Total number of acres to be irrigated 7

10 Describe any other water rights used for the same purposes as described above. _____

None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOT FILMED

JUL 09 1987

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 7 inches equal 1 mile

8

JUL 09 1901
BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas Heppner
(Applicant)

Received by DL Date 3-5-87 Time 10.00 am Proposed Priority 3/4/87
Date 3/04/87 Time 12:30 PM Preliminary check by JP
Fee \$ 30 Receipted by DL # 41516 Date 3/04/87
Publication prepared by JP Date 3/25/87 Published in Emmett Messenger-Index
Publication approved DL Date 4/2 & 4/9/87
4-27-87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-12795, and said application is hereby APPROVED

1 Approval of said application is subject to the following limitations and conditions

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 89

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65A, Squaw Creek.

Witness my hand this 12th day of May, 1987.

A. Glen Saxton
Chief, Operations Bureau

MicroFILMED

JUL 09 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

October 17, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

TOM HOPPOCK
2505 S GARFIELD AVE
LOS ANGELES CA 90040

RE: WATER RIGHT NO. 65-12795

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


NOV 28 2000

CERTIFICATE OF MAILING

I hereby certify that on the 17th day of **October, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 65-12795

TOM HOPPOCK
2505 S GARFIELD AVE
LOS ANGELES CA 90040


Kari Lynn Townsend
Secretary

MICROFILMED
NOV 28 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01300 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
NOV 28 2000

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 26, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

TOM HOPPOCK
2505 S GARFIELD AVE
LOS ANGELES CA 90040

RE: WATER RIGHT NO. 65-12795

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and place(s) of use and other information as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

MICROFILMED

NOV 28 2000

LICENSE REVIEW CHECKLIST

Permit No 65-12795 Date 6-13-2000 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion change

Does change clarify original intended source? If no, void permit
Change (P39/P49) Add (P45/P44) Feds (P43)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use change

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): none
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion.

Permitted rate 3.0 cfs AF
Fee Limit N/A cfs
Measured 2.0 cfs AF
Theoretical _____ cfs

Recommended Total Diversion Rate 2.0 AF

Water Uses OK

Change (P46)

Irrigation N/A cfs 2.0 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
Total N/A cfs 2.0 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)
supp-Gw (WB7/065/079)
overlap spec combined rts (W35)
>1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)

new irrig season =
3/15 → 10/31

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x 3.0 (FHR) = _____ af

Remarks. R04, R62

Additional Conditions YES Watermaster Control
N/A GW Measurement/Measuring Device
N/A Other
Trust (052/R55 - remove 051)
Non-trust (048/049)


moratorium
gw dist water mnt dist
Government Lots? NO

Advance Priority? yes If yes, explain why below
no

SRBA Claim? NO - not req'd.

Adjust memo _____

Amend Letters P37 P87, S06 Second Amendment Notice _____ S06



RECEIVED

SEP - 6 2000

Department of Water Resources

9-6-2000


Dept of Water Resources

at Kay Walker

Dear Mrs. Walker

Please removed the condition on measuring
Device on my water permits: 65-12794, 65-12795

Thomas Hopcock



MICROFILMED

NOV 28 2000

RECEIVED

SEP - 6 2000

Department of Water Resources

Sept. 5, 2000

Dear Ms. Walker,

Upon inspection of the
two ponds in question; permit #'s 65-12794
and 65-12795 this morning, I do not
require the installation of measuring
device in this case.

Sincerely,

Eric Herr

Watermaster 65A

MICROFILMED

NOV 28 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 14, 2000

TOM HOPPOCK
2505 S GARFIELD AVE
LOS ANGELES CA 90040

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

RE: Permit Nos. 65-12794 & 65-12795

Dear Mr. Hoppock:

We are reviewing the above referenced permits so we can issue licenses for the uses developed. In a review of our files we notice that you have not complied with a condition of approval of the permits. The condition we are referring to is on the permits as follows:

Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

Our field examiner found no measuring devices on your ponds and we must resolve this issue before the licenses can be issued. Pursuant to Section 42-219(6), Idaho Code, "if the conditions of approval on a permit are not complied with, we may issue an order voiding the permits or issue a license for only a portion of the uses developed under the permit".

You have a couple of options that you can take to resolve this problem. You could either submit documentation that you have complied with this condition and our examiner was not informed of the compliance at the time of the exam; install the measuring device, as required on your permit; or request removal of this requirement from your permits. If you request removal of the requirement you should also submit documentation that this request would be acceptable to the watermaster of Water District No. 65A, Squaw Creek.

We will withhold further action on these permits for 30 days from the date of this letter in order to allow you time to respond. If we do not receive a response from you within this time period we will assume you are not interested in pursuing water right licenses and will take action as suggested above.

If you have any questions in regard to this matter, please do not hesitate to contact me.

Sincerely,

Kay Walker
KAY WALKER
Sr. Water Resource Agent

MICROFILMED

MAY 28 2000

*6/20/2000
Needs 90
days to comply -
lives in L.A. &
farms in Idaho.
OK to allow
more time.
KW*

Tom Hoppock 800-736-7058

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB - 2 2000

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-12795

1. Owner: TOM HOPPOCK Phone No. (213) 726-0353

Current Address: 2505 S GARFIELD AVE, LOS ANGELES, CA 90040

2. Accompanied by: OWNER & JIM BEIR EXAM DATE 6/15/1993 & 9/7/1999

Address: (OWNER SAME AS ABOVE) / JIM BEIR - HC 78-3783 OLA, ID 83657 Phone No. (208) 584-3204

Relationship to Permit Holder: OWNER AND RANCH MANAGER

3. Source: UNNAMED STREAM tributary to SQUAW CREEK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
BLACK CANYON POND			NW	NE	34	11N	1E	VALLEY	VISUAL INSPECTION USING CSFA AERIAL PHOTOS, NAPP AERIAL PHOTOS AND USGS QUADRANGLE AND ORTHOPHOTO QUADRANGLE MAPS.

2. Place(s) of Use.

Indicate Method of Determination SAME AS POINT OF DIVERSION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	1E	34		7															7 ACRES

MICROFILMED

NOV 28 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/pipe i.d. as applicable. size/

SEE ATTACHED SHEET.

YES Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

YES Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PORTABLE PUMP	TRACTOR OPERATED PTO PUMP	40	NO TAG	BERKLEY	4 " PORTABLE MAINLINE

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
THYME FLYTE	POLY SONIC	N/A	TFP	N8J62 6	N/A	

Measurements: A flow measurement was taken on this system, but was not needed since this is a storage right and the amount of water used for this right is limited to the capacity of the pond and not the rate of flowing from the pond.

MICROFILMED

NOV 28 2000 65.12795

E. NARRATIVE/REMARKS/COMMENTS

This permit was field examined on 6/15/1993 by Rick Collingwood, a summer field agent, and reexamined on 9/7/1999 by myself, Daniel A. Nelson, and the report was written. The water for this permit is collected in a pond the owner refers to as Black Canyon Pond. The pond is not so named on the USGS Quadrangle map. Black Canyon Pond has been constructed on an unnamed stream that is tributary to Squaw Creek in NWNE T11N R1E S34. The water in the pond is then pumped out of the pond by portable pump connected to the Power Take Off Drive (PTO) of a small tractor. The water then travels west by portable mainline to a small 7-acre field located west of the pond and irrigates the field using hand lines. The pond is 100-ft wide 120 ft long and a maximum depth of 15 ft deep. This is a V-shaped pond so a coefficient of .4 was used to calculate the total volume. The volume of the pond is $[(100) \times (120) / 43560] \times (15) \times (0.4) = 2$ acre feet (rounded to the nearest whole number).

A measurement was made on the pump that showed a diversion rate of 0.75 cfs. However, a diversion rate is not necessary since this is an irrigation storage and irrigation from storage right. The only necessary information for this right is the volume of the pond. Initially there was a concern that there was not enough water to irrigate the 7 acres from this pond. However, this is a dry land farming operation and the pond irrigation is only used to start a new seeding or to compensate for drought conditions. The 7 acres is a dry land pasture for cattle and the types of grasses used are a drought resistant variety. Therefore, this amount of water should be a sufficient supplement to the dry land farming operation.

RECOMMENDATIONS:

I recommend that this permit be licensed for Irrigation Storage and Irrigation From Storage for an annual volume of 2 afa.

Have conditions of permit approval been met? ☐ yes ☒ *no

* No measurement device has been installed on the pump or on the pond. Installation of a permanent measuring device on this pump could prove difficult, because the pump is portable and it would be difficult to maintain an accurate device under the operating conditions of system.

MICROFILMED

NOV 28 2000

65-12795

F. FLOW CALCULATIONSYES Additional Computation Sheets Attached

Measured Method:

The flow rate was measured at 0.75 cfs, but this is irrelevant since this is a storage right and rate of flow is not a necessary component of a storage right.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (7) \times 4.0 = 28 \text{ afa}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

B

2. Volume Calculations for Other Uses:

$$[(100) \times (120) / 43560] \times (15) \times (0.4) = 2 \text{ acre feet (rounded to the nearest whole number)}$$

The volume of the pond is less than the irrigation requirement of the 7-acre field. Therefore, the pond volume will be the limiting factor for the annual volume.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION STORAGE</u>	<u>1/01</u>	<u>12/31</u>		<u>2.0 AFA</u>
<u>IRRIGATION FROM STORAGE</u>	<u>01/01</u>	<u>12/31</u>		<u>2.0 AFA</u>
Totals:				<u>2.0 AFA</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

DANIEL A. NELSON – SENIOR AGENT

Field Examiner's Name Daniel A. Nelson Date 2-1-2000

Reviewer _____ Date _____


SEAL


MICROFILMED

NOV 28 2000

65-12795

65.12795
T- 11N
R- 1E
S- 34





CSFA Aerial Photo for Section 34 Township 1E Range 1E for water right 65-12795


System Diagram and Description:

The water for this permit is diverted from Black Canyon Pond (owner's description) by a portable pump attached to the PTO on a Tractor. The water is pumped out of the pond and run along the south side of the field and hand lines are used to irrigate the field.

27

34

Place MSP



Black Canyon
POND
PID

NW NE SECTION 34
7 acres irrigated

N. R1E

4 3

34

3

CSFA aerial PHOTO
Sec. 34, Town. 11N, Range 1E
A TOTAL OF 7 acres
are irrigated. all
lands are in
the NW NE MICROFILM


65-12795

NOV 28 2000

T43

40N R1E

65



1987 NAD
Aerial Photo

Water Rights 65-12794 & 65-12795

MICROFILMED

NOV 28 2000

POLYSONIC READINGS

PERMIT #: 65-12794 65-12795

POINT OF DIVERSION

THIS MEASUREMENT WAS TAKEN ON THE PUMP. THE PUMP IS USED ON ALL THREE PONDS ON THE RANCH. THIS MEASUREMENT COULD BE ASSOCIATED WITH ANY OF THE THREE PONDS.

PLEASE NOTE: THAT THE PUMP WAS NOT WORKING AT CAPACITY. WE PUT THE PUMP INTAKE INTO THE NEARBY CREEK TO DO THE TEST AND COULD NOT GET THE PUMP'S INTAKE INTO A PLACE THAT WOULD COVER THE INTAKE PIPE AFTER THE PUMP WAS STARTED. THEREFORE, WE VALVED BACK THE PUMP TO GET A REASONABLE READING. I BELIEVE THAT DIVERSION RATE FOR THIS PUMP WOULD NOT SHOW AN SIGNIFICANT INCREASE IN RATE OF FLOW IF THE PUMP WAS FUNCTION AT FULL CAPACITY.

FIRST SET OF INFORMATION:

SET-UP IMPUTE DATA USED DURING PREPARATION FOR FLOW MEASUREMENTS.

SECOND SET OF INFORMATION:

THESE ARE THE READINGS TAKEN FOR THIS PUMP. THE TOTAL FLOW WAS AVERAGED OVER A 10 MINUTE READING.

FLWS IN GALLONS PER MINUTE (GPM)

338 GPM FLOW RATE

FLWS IN CUBIC FEET PER SECOND (CFS)

338 GPM / 448.8 = 0.75 CFS FLOW RATE

PLEASE NOTE: This is a storage right and the diversion rate is not necessary for the licensing of the right. It was taken for reference purposes only.

MODE SELECT
OUTER DIAMETER
4.0702 IN

PIPE MATERIAL
? HL/DI

WALL THICKNESS
0.0610 IN

KIND OF FLUID
? WATER

SENSOR MOUNTING
? "

TYPE OF SENSOR
? SMALL

SPACING
2.27 IN U

ZERO MODE
CLEAR

MODE SELECT
TO CHECK

0147.3 MMSEC
101.17 % TO

09-07 13:4900 *R

007.00 % H12

MICROFILM

NOV 28 2007

13:55+ 3.384E 26PM 00R
+00000 *10 G 00R
-00000 *10 G 00R

13:56+ 3.385E 26PM 00R
+00073 *10 G 00R
-00000 *10 G 00R

13:57+ 3.374E 26PM 00R
+00067 *10 G 00R
-00000 *10 G 00R

13:58+ 3.380E 26PM 00R
+00101 *10 G 00R
-00000 *10 G 00R

13:59+ 3.389E 26PM 00R
+00135 *10 G 00R
-00000 *10 G 00R

14:00+ 3.389E 26PM 00R
+00169 *10 G 00R
-00000 *10 G 00R

14:01+ 3.391E 26PM 00R
+00202 *10 G 00R
-00000 *10 G 00R

14:02+ 3.385E 26PM 00R
+00236 *10 G 00R
-00000 *10 G 00R

14:03+ 3.392E 26PM 00R
+00270 *10 G 00R
-00000 *10 G 00R

14:04+ 3.395E 26PM 00R
+00304 *10 G 00R
-00000 *10 G 00R

14:05+ 3.397E 26PM 00R
+00338 *10 G 00R
-00000 *10 G 00R



PHOTOGRAPHER AND DATE OF PHOTOS DAN NELSON 9-7-1999

FILE NO. AND DESCRIPTION PICTURE OF BLACK CANYON POND

65-12785.



MICROFILMED

NOV 28 2009



PHOTOGRAPHER AND DATE OF PHOTOS Rick Collingwood 6-15-1993
FILE NO. AND DESCRIPTION Picture of Black Canyon Pond.
65-12795



MICROFILMED

" 2 8 2000

PHOTOGRAPHER AND DATE OF PHOTOS DAN NELSON 9-7-1999
FILE NO. AND DESCRIPTION 65-12795



~~These is~~
These are
PHOTO'S OF
The Pump
AND TRACTOR
USED TO
DIVERT
WATER.

Water was
being diverted
FROM SQUAW
CREEK TO
allow a
MEASUREMENT
OF THE
SYSTEM



PICTURES Scanned FROM ORIGINAL
PHOTO'S IN 65-12794.

MICROFILMED


NOV 28 2000



PHOTOGRAPHER AND DATE OF PHOTOS Rick Collingwood 6-15-1993
FILE NO. AND DESCRIPTION 65-12795



- PICTURES
OF THE
TRACTOR
AND
PUMP



MICROFILMED
MAY 28 2000

FIELD NOTES

PERMIT NUMBER 65-12795

**PLEASE NOTE: These documents are for backup
purposes only and are not apart of actual Beneficial
Use Field Report.**

MICROFILMED

NOV 28 2000

FIELD NOTES

PERMIT NUMBER 65-12795

PLEASE NOTE: These documents came from the final beneficial use exam performed by Daniel A. Nelson in 1999. These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

PLEASE SEE 65-12795 FOR REMAINDER OF FIELD EXAM NOTES.

MICROFILMED

NOV 28 2000

SD-0605-2	Township: 11N	Range: 01E	Section: 34	Tract: NENE	Lot:
S	L R	STATE	O S	Max # Records	3
E	O D Water	Name	W T	Priority	Total
L Tract	T V Right No.	Last, First	N G	Date	Source
					Diversion
NWNE	65-12795	HOPPOCK, TOM	C P	03/04/1987	UNNAMED STR 3.000

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

MICROFILMED

NOV 28 2000

SD-0604-2 Township: 11N		Range: 01E		Section: 34		Tract: NENE		Lot:	
S	L	STATE		O	S	Max # Records		6	
E	O	Water		W	T	Priority		Use	
L	Tract T	Right No.	Name		N	AC	G	Date	Code Desc
-----		-----		-----		-----		-----	
NENE		65-12795	HOPPOCK, TOM		C	5	P	03/04/1987	02 IRR S
									03 IRR FS

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

MICROFILMED

NOV 28 2000

SD-0604-2 Township: 11N			Range: 01E		Section: 34		Tract: SENE		Lot:	
S	L		STATE		O	S	Max #	Records		6
E	O	Water	Name		W	T	Priority	Use		
L	Tract	T	Right No.	Last, First	N	AC	G	Date	Code	Desc
---	---	---	---	---	---	---	---	---	---	---
	SENE		65-12795	HOPPOCK, TOM	C	2	P	03/04/1987	02	IRR S
									03	IRR FS

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

MICROFILMED

NOV 28 2000

FIELD NOTES

PERMIT NUMBER 65-12795

PLEASE NOTE: These documents came from the initial beneficial use exam performed by Rick Collingwood in 1993. These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

MICROFILMED

NOV 28 2000

FIELD EXAMINATION SCHEDULING CHECK LIST

PERMIT NO. _____

Employee Initial _____
Fees Paid For _____ CFS Maximum
Estimated Time to _____
Conduct This Exam _____
Permits to be done _____
With this exam _____

Exam Area OLA
 Caller's Name Vern
 Caller's Phone 584-3529 / 584-3517
 Scheduled Date 6/15/93
 Scheduled Time 11:00
 Measurement Device _____
 Required -- -- Yes () No ()
 Type of Device Installed _____

I. DETERMINE ALL USES:

A. Primary use -- -- -- -- --
 1. Irrigation (approximate acres irrigated) --
 2. Domestic -- -- -- Size of Yard () # homes
 3. Subdivision: Is it fully developed or do the
 lots have the water line stubbed in?
 Subdivision Name is a plat available?

B. Source (if ground water determine if a measurement is required) -- -- --

C. Miscellaneous Notes:

II. TYPE OF DIVERSION SYSTEM:

HP PSI
Dynamic Level
Groundwater/Irrigation no
Measurement Required -- 1

Measurement Device Required for Field Examination	--	--	--
1. <u>Visual</u>			
2. <u>Photographic</u>			
3. <u>Photocopy</u>			
4. <u>Sketch</u>			
5. <u>Diagram</u>			
6. <u>Measurement</u>			
7. <u>Analysis</u>			
8. <u>Other</u>			

III. COMMENTS:

Meet him in PLA @ store

REMINDER: Reaffirm with the permit holder that his system needs to be ready for the field exam in a manner consistent with his normal operations



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 20, 1993

TOM HOPPOCK
2505 S. GARFIELD AVE.
LOS ANGELES, CA 90040

FIELD EXAM NOTICE

RE: PERMIT NO. 65-12795

Dear Permit Holder:

An agent from the Department must conduct an examination on the above-referenced permit before your water rights license can be granted. In order to conduct this exam as efficiently as possible, we ask that you contact the water rights examiner listed below before May 28 to schedule a day and time convenient for you.

Please be advised that you will need to operate your system under normal conditions during the examination.

If there is a problem with scheduling or conducting the examination at this time, please call and other arrangements can be made.

Sincerely,

Rick Collingwood
Water Rights Examiner

MICROFILMED
NOV 28 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 605-12795

1. Owner: Tom Hoppock Phone No. (213) 726-0353

Current Address: 2505 S. Garfield Ave., Los Angeles, CA 90040

2. Accompanied by: Vern Lacock EXAM DATE: 6/15/93

Address: HC 78-3783 OLA, ID 83657 Phone No. 584-3529/584-3517

Relationship to Permit Holder: Ranch Foreman

3. Source: Unnamed Stream tributary to Squaw Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	34	11N	1E	Bern	Aerial Map

2. Place(s) of Use:


Indicate Method of Determination SAME AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	1E	34		7															7

MICROFILMED

NOV 28 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	TRACTOR operates Pump	40	NO TAG	BERKELEY	NO TAG

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

NOV 28 2000

E. NARRATIVE/REMARKS/COMMENTS

Pond - SURFACE AREA = $100' \times 120' \approx 0.3 \text{ AC}$
 $43,560 \frac{\text{FT}^2}{\text{AC}}$

CAPACITY = $0.3 \text{ AC} \times 15' \times 0.4 = 1.8 \text{ AF}$
 $\approx 2.0 \text{ AF}$

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED

NOV 28 2000

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$2 \text{ AF} \times 0.504 = 1.0 \text{ CFS}$$

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 7 \times 3.0 = 21.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.0 \times 215 \times 1.9835 = 426.5 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 21.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

N/A

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STORAGE FOR IRRIGATION	1/1	12/31	—	2.0
IRRIGATION FROM STORAGE	4/1	11/1	—	2.0
Totals:				2.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name _____ Date _____

Reviewer _____ Date _____

SEAL

MICROFILMED

NOV 28 2000

PERMIT 65-12795 INIT RC

T. R. S. Q/Q

P/D IN IE 34 NENE

SCALE

PHOTO ID. V-8 OLA/H-58 Dodson
PASS

Spring

x4020

22

x3775

4881

28

NOV 28 2000

Spring

x3752

x3497

4/4

Spring

33

x3556

Barren

x4563

4

x4943

3

x3881

3883

Currin

x3682

5069

Gutten

WR5809NP
No. 65-12795

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/31/91
PAGE: 51

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	TOM HOPPOCK 2505 S. GARFIELD AVE. LOS ANGELES CA 900400000	03/04/1987	IRRIGATION STORAGE IRRIGATION FROM STORAGE	01-01 12-31 04-01 11-01		3.0 AFA 3.0 AFA
TOTAL DIVERSION:						3.0 AFA

Water Source: UNNAMED STREAM

Tributary to: SQUAW CREEK

Stage: PERMIT

Point(s) of Diversion: T11N R01E S34 NW NE NE

Place of use Legal Description for: IRRIGATION STORAGE

NE				NW				SW				SE			
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac
11N	01E	34	:	05			:	02				:			
TOTAL ACRES															7.0 7.0

Place of use location for IRRIGATION FROM STORAGE is the same location as described for: IRRIGATION STORAGE

Conditions of Approval:

- 026 - Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- 18A - Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.
- 005 - Use of water under this right is subject to control by the watermaster of State Water District No. .

Dates:	App. Received:	Priority Date:	03/04/1987
	Proof Due Date: 06/01/1989	Proof Made Date:	05/11/1989
	Exam Made Date:	Exam Sent to S.O.:	
	Licensed Date:		

Misc: Water District Number: 65A Field Exam Fee: N (Not Required)

Audit: 07/08/87 04/30/88 CONVERT 06/05/89 CURTIS

NOV 28 2000
MICROFILMED

7 acres

Pump hooked to Tractor (40 h.p.)

Berkley (No Tag)

Pond - 15' max depth

100' x 120'

~~Hen~~ PASTURE - 1000' x 500'

48 acres

Pond - 15' max depth

120' x 110'

Fuel from SW end of Pond by small stream
4 NW end.

8" Main Line (Sprinkler) from 6" Main Line
in pond.

3" line to sprinkler lines.

34 sections of Sprinkler line (3") $\frac{5}{32}$ " nozzle.
10 sections of Main Line (4") usually, but
has used 40 before.

300' x 400'

300' x 1500'

Only $\frac{1}{2}$ of 6 acres in.

MICROFILMED
NOV 28 2000

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-62795

Date: 5-17-1989

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
N Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
- measuring device required*

Y

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

March 31, 1989

TOM HOPPOCK
2505 S. GARFIELD AVE.
LOS ANGELES, CA 900400000

138109

PROOF DUE NOTICE

RE: PERMIT NO. 65-12795

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 14 1989

PLACE

RECEIVED

FEB 10 1988

MICROFILMED

JUN 14 1989



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 65-12795

Name(s) of Permit Holder(s) TOM HOPPOCK

Post Office Address: 2505 S GARFIELD AVE
LOS ANGELES, CA 90040 Tel. No. 213-726-0353

☒ I hereby certify that construction of diversion works on the above referenced permit began on JUNE 1989 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*

*Note: A financing difficulty is
not an acceptable reason

2/9/88
Date

Thomas Hopock
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MAY 20, 1987

HOPPOCK, TOM
2505 S. GARFIELD AVE.
LOS ANGELES, CA 90040

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-12795

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

IF THE DIVERSION DAM IS 10 FEET OR MORE IN HEIGHT, OR HAS AN IMPOUNDING CAPACITY OF 50 ACRE-FEET OR MORE, CERTAIN DAM SAFETY REQUIREMENTS MUST BE MET. PLEASE CONTACT THE REGIONAL OFFICE NEAREST YOU FOR ADDITIONAL INFORMATION.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

JUL 09 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Thurt APPLICATION NUMBER: 65-12795
CHECK:

- ☒ Source.
☒ Point of diversion. NO GOUT. LOTS
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated. NO GOUT. LOTS
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/20/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/13/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 301 / 41510
☒ Publication dates and paper, recorded on application. Emmett messenger index
☒ Protests, dates, withdrawal, etc., recorded on application. 4/28 4/9/87
☒ Recommendation & initial, recorded on application. None
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65A
☒ 3/04/1987 Date of priority recommended.
Special conditions of approval or cover letter. 26A, 05 (65A, Squaw Creek), 18A

MICROFILMED

JUL 08 1987

OK
Recommend that 2 years be allowed for the development of this project
By: DA Date: 4/29/87

STATE OFFICE REVIEW:

109, 417 18A 26 05 (65A, Squaw Creek) **RECEIVED**
☐ See attached sheet for more information.
By: kw Date: 5-8-87 MAY 07 1987

65-12795

HOPPOCK, TOM

2505 S. GARFIELD AVE., LOS ANGELES, CA 90040

Source: UNNAMED STREAM trib. to SQUAW CREEK

Diversion Pt: NWNENE Sec 34 T 11N R 01E

Use: IRRIGATION STORAGE (3.0 AF)
IRRIGATION FROM STORAGE (3.0 AF)

Date Filed: 03/04/1987

In: NENE SENE Sec 34 T 11N R 01E FOR 7 ACRES

MICROFILMED

JUL 09 1987