


CERTIFICATE OF SURVEY

ERICH KORTE

LOT 176
PAYETTE LAKE COTTAGE SITES
SECTION 28, T.19N., R.3E., B.M.,
VALLEY COUNTY, IDAHO.



I, CHARLES C. FISKE, a Registered Professional Engineer and Land Surveyor in the State of Idaho, do hereby certify that I made a survey of the property described and shown above. I further certify that the above plat correctly shows the true dimensions of the property surveyed and of the improvements located thereon and their position on the said property; and further that none of the improvements on the above described premises encroach upon adjoining properties, and that no improvements, fences, or eaves of adjoining properties encroach upon the above described property except as shown and designated on the plat.

MICROFILMED

Date Sept. 17, 1971 License No. 629

HOFFMANN • FISKE

2500 KOOTENAI
BOISE, IDAHO

McCALL - WARRIN HIGHWAY

N. 25° 23' E

2286

200.0

40

210.0

40

100.

80

80

100

60

40

100

NINE SIX
LOT 4

150

151

164

201

161

203

204

205

353.8

160

162

135°

230.0

100

100

100

100

100

ROAD

ROAD

ROAD

ROAD

N 74° 41' E
250.0

189.8

250.0

135°

185.8

200.0

105

80°

75

60

52.4

25

50.7

217

218

219

230

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 09 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Erich Korte Permit No: 65-12283
Current Address: 1219 N. Wilson St. Boise, ID 83706 Phone No. 342-8167
2. Accompanied by: Erich Korte EXAM. DATE: 6-19-91
Address: Same Phone No. 634-7774
Relationship to Permit Holder: McCall
3. Source: Big Payette Lake tributary to Payette R., New Fork

B. OVERLAP REVIEW

1. Other water rights with same place of use: Numerous other rights, 65-07463 overlaps
☒ Copies Attached
2. Other water rights with same point of diversion: Numerous other rights, no overlaps
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 50'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
FEB 04 1993



PM
PID

NE/SW

FEB 04 1993
MAP
SID
McCALL

← 3E →

19N

18N

PAYETTE NATIONAL FOREST

PONDEROSA STATE PARK



PROPERTY MAP
FEB 04 1993

Sec. 33
4040

134.66

Sec. 32
517.60

147.50

Sec. 29
640

8007

Sec. 20
640

7987

64.33

19

N 89° 47' E

1570

5090

4650

392.90

4400

4000

376.40

46.20

2980

31.82

46.00

389° 47' N

1960

28080

3040

4100

3040

26.20

3320

39.50

31.20

420

N 89° 47' E

1420

3990

30.80

26.40

1580

3990

2500

31220

3300

26.20

2660

4850

N 89° 47' E

6607

N 89° 47' E

42.40

5140

4400

4720

Sec. 35

376.40

46.20

2980

31.82

46.00

389° 47' N

1960

28080

3040

4100

3040

26.20

3320

39.50

31.20

420

N 89° 47' E

1420

3990

30.80

26.40

1580

3990

2500

31220

3300

26.20

2660

4850

N 89° 47' E

6607

N 89° 47' E

42.40

5140

4400

4720

Sec. 35

376.40

46.20

2980

31.82

46.00

389° 47' N

1960

28080

3040

4100

3040

26.20

3320

39.50

31.20

420

N 89° 47' E

1420

3990

30.80

26.40

1580

3990

2500

31220

3300

26.20

2660

4850

N 89° 47' E

6607

N 89° 47' E

42.40

5140

4400

4720

Sec. 35

376.40

46.20

2980

31.82

46.00

389° 47' N

1960

28080

3040

4100

3040

26.20

3320

39.50

31.20

420

N 89° 47' E

1420

3990

30.80

26.40

1580

3990

2500

31220

3300

26.20

2660

4850

N 89° 47' E

6607

N 89° 47' E

42.40

5140

4400

4720

Sec. 35

376.40

46.20

2980

31.82

46.00

389° 47' N

1960

28080

3040

4100

3040

26.20

3320

39.50

31.20

420

N 89° 47' E

1420

3990

30.80

26.40

1580

3990

2500

31220

3300

26.20

2660

4850

N 89° 47' E

6607

N 89° 47' E

42.40

5140

4400

4720

Sec. 35

376.40

46.20

2980

31.82

46.00

389° 47' N

1960

28080

3040

4100

3040

26.20

3320

39.50

31.20

420

N 89° 47' E

1420

3990

30.80

26.40

1580

3990

2500

31220

3300

26.20

2660

4850

N 89° 47' E

6607

N 89° 47' E

42.40

5140

4400

4720

Sec. 35

376.40

46.20

2980

31.82

46.00

389° 47' N

1960

28080

3040

4100

3040

26.20

3320

39.50

31.20

420

N 89° 47' E

1420

3990

30.80

26.40

1580

3990

2500

31220

3300

26.20

2660

48

65-12783



#1.

Pump and
pressure tank
located inside
housing.



#2.

Place of use.
Pump located
on right side
of house.

RECEIVED
FEB 04 1998



#3

Point of
diversion located
in lake.

Pipeline on
left side of
dock.

MISREFILED
FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12783

Priority: August 19, 1986

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that ERICH KORTE

1219 N WILSON ST

BOISE ID 837060000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 19, 1986; and has submitted Proof of Beneficial Use on November 24, 1986. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

BIG PAYETTE LAKE

tributary to PAYETTE RIVER, NORTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NESW), Sec. 28, Township 19N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

19N 03E 28 Lot 3(NESW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. The availability of water for this right is subject to all prior water rights of Lake Reservoir Co.
7. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

RECORDED

FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12783

CONDITIONS/REMARKS:

8. Domestic use is for 1 home.
9. Place of use is located within Lot 176, Payette Lake Cottage Sites.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of DECEMBER, 1992.

Acting for R. Keith Higginson, Director

FEB 04 1993

RECEIVED

Form 202
8/85

AUG 19 1986

STATE OF IDAHO

Ident No 65-12783

DEPARTMENT OF WATER RESOURCES
Department of Water Resources
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Erich Monte ^{mail 634 7774} ^{Boise 342-8167} Phone 342-8167
Post office address 1219 N. Wilson St Boise Id 83706
2. Source of water supply Big Payette Lake which is a tributary of Payette R., North Fork
- 3 Location of point of diversion is 1/4 of NE 1/4 of SW 1/4, Govt. Lot 3
Sec. 28 Township 19N Range 3E B.M. Boatwalk County, additional
points of diversion if any: at Lot 176 Payette Lake Sub d.v. (South 60ft)
see map
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
- 6 Proposed diverting works.
- a. Description of ditches, flumes, pumps, headgates, etc we will have about 1 1/4" P.A.C
go into lake in front of Lot. will extend into lake
about 300' so we will be at least 25' deep. Pump will be at cabin
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive.
- c Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year). we will install system this
Fall when lake level is down about Oct 15-30
work will take about 2 days

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower, show total feet of head and proposed capacity in KW. _____
- Stockwatering, list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. One - Domestic, yard sprinkle and Fire protection
- Other; describe fully _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
19Y	3E	28	see Map								64.								
											3								

yard sprinkling
about 14,000 sqft

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. Wagon Bay Creek
water users Assn - See Notes below - People on this system ★

11. a. Who owns the property at the point of diversion? Erich Korte

b. Who owns the land to be irrigated or place of use? _____


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks: Central Dist Health - State of Idaho has told us that
The creek water is Not safe to drink and we must
not use it for Domestic use - The creek water
is such that it is not practical to try to purify it
we will use creek system only to irrigate back
part of our lot which is about 10,000 ft.
★ most of these 2 people are either going into the lake
for House water or have a well

CERTIFICATE OF SURVEY

ERICH KORTE

LOT 176
PAYETTE LAKE COTTAGE SITES
SECTION 28, T.19 N., R.3 E., 8.M.,
VALLEY COUNTY, IDAHO.




I, CHARLES C. FISKE, a Registered Professional Engineer and Land Surveyor in the State of Idaho, do hereby certify that I made a survey of the property described and shown above. I further certify that the above plat correctly shows the true dimensions of the property surveyed and of the improvements located thereon and their position on the said property; and further that none of the improvements on the above described premises encroach upon adjoining properties, and that no improvements, fences, or eaves of adjoining properties encroach upon the above described property except as shown and designated on the plat.

RECORDED

Date Sept. 17, 1971 License No. 629

HOFFMANN • FISKE

2529 KOOTENAI
BOISE, IDAHO



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See map attached

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ernest Hout

(Applicant)

Received by LS Date 8-19-86 Time 4:00 pm Proposed Priority 8/19/86
Date 8/19/86 Time 2:38 p Preliminary check by [Signature]
Fee \$ 50 Received by [Signature] # 40558 Date 8/20/86
Publication prepared by JP Date 9/10/86 Published in The Star News 9/17 & 9/24
Publication approved SS Date 10/8/86 /86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12783, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
December 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

The availability of water for this permit is subject to all prior water rights of Lake Reservoir Company.

Witness my hand this 12th day of November, 1986.

[Signature]
Chief, Operations Bureau

STATE OF IDAHO

SS.

County of Valley

Judy Brooks, being duly sworn deposes and says, I am the bookkeeper of The Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the Notice of applications a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began,

September 17, 19 86

and ended, September 24, 19 86

Judy Brooks
Subscribed and sworn before me, this the

24th day of September, 19 86

STATE OF IDAHO, COUNTY OF VALLEY, ss..

On this 24th day of September, 19 86
before me, a Notary Public in and for said State,
personally appeared Judy Brooks known to me
or identified to me to be the bookkeeper of
the corporation that executed the instrument
or the person(s) who executed the instrument
on behalf of said corporation, and acknowledged
to me that such corporation executed the same.

Tom Grote

Tom Grote
Notary Public
Residing at McCall, Idaho
Commission Expires Life

RECEIVED

SEP 23 1986

Department of Water Resources
Western Regional Office

FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

65-12779
WESTERN POWER, INC.
2399 S ORCHARD ST., BOISE, ID
83705

Source: PAYETTE RIVER, NORTH
FORK trib to PAYETTE RIVER

Diversion Pt: LOT 04 (SENWSW)
LOT 04 (SENWSW) LOT 05 (SENWSW)
Sec 23 T 11N R 03E

Use: POWER (2200.0 CFS)

Date Filed: 08/11/1986

In: LOT 03 (SENW) Sec 28 T 09N R
03E

65-12780
ARROWHEAD POINT SUBDIVI-
SION ASSOC.

C/O DAVID M. BARTON, BOX 186,
ARROWHEAD PT. LOT 3, DONNEL-
LY, ID 83615

Source: GROUNDWATER
Diversion Pt: NESE NWSE SESE Sec
04 T 15N R 03E

Use: DOMESTIC (0 330 CFS)

Date Filed: 08/20/1986

In: NWSE Sec 04 T 15N R 03E

65-12781
LOOMIS, GLENN &/or DORIS
BOX 458, DONNELLY, ID 83615

Source: GROUNDWATER
Diversion Pt: SWSW Sec 03 T 15N R
03E

Use: DOMESTIC (0.120 CFS)

Date Filed: 08/25/1986

In: NWNW Sec 10 T 15N R 03E SWSW
Sec 03 T 15N R 03E

65-12783 ✓ 30
KORTE, ERICH
1219 N. WILSON ST., BOISE, ID
83706

Source: BIG PAYETTE LAKE
Diversion Pt: LOT 03 (NESW) Sec 28 T
19N R 03E

Use: DOMESTIC (0.040 CFS)

Date Filed: 08/19/1986

In: LOT 03 (NESW) Sec 28 T 19N R
03E

77-7241
TRAILS END WATER DEPT. INC.
SO. FORK RT. BOX 1687, MC CALL,
ID 83638

Source: PONY CREEK trib. to
SALMON RIVER, SOUTH FORK

Diversion Pt: NWSW Sec 02 T 21N R
07E

Use: DOMESTIC (0.250 CFS)

Date Filed: 06/13/1986

In: NWNE SWNE SENW NESW
NWSW NWSE SWSE SESE Sec 02 T 21N
R 07E

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise,
Idaho 83720 on or before OCTOBER 6,
1986.

KEN DUNN, Dir.
published 9/17 & 9/24/86



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 31, 1992

ERICH KORTE
1219 N WILSON ST
BOISE ID 837060000

RE: WATER RIGHT NO. 65-12783

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 04 1993

LICENSE REVIEW CHECKLIST

Permit # 65-12783

Date 12-17-92
CB

	<u>Yes</u>	<u>No</u>	
NAME	<u>—</u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u>—</u>	<u>✓</u>	Advance?
	<u>—</u>	<u>✓</u>	Memo to Advance
	<u>—</u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u>—</u>	<u>✓</u>	No Fee Paid
	<u>NA</u>	<u>—</u>	Incorrect Fee for rate recommended?
	<u>—</u>	<u>—</u>	Disagree with Actual Measurement?
	<u>—</u>	<u>—</u>	.04 cfs (DOM)
	<u>✓</u>	<u>—</u>	Disagree with Theoretical? @ 40 psi = .043
	<u>—</u>	<u>✓</u>	Limited by Capacity? .04 cfs
TOTAL VOLUME			Rate/ac <u>—</u> AFA Irr. Season <u>—</u>
			Standard Irr. Season
			Season Recommended
	<u>—</u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u>—</u>	<u>✓</u>	1.2 afa (DOM)
	<u>—</u>	<u>✓</u>	Limited by Flow?
SOURCE	<u>—</u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u>—</u>	<u>✓</u>	<u>Intended</u> source
	<u>—</u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u>—</u>	<u>✓</u>	Verify with Map
	<u>—</u>	<u>✓</u>	Amendment Needed?
	<u>—</u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u>—</u>	<u>✓</u>	Verify with Map
	<u>—</u>	<u>✓</u>	Amendment Needed?
	<u>—</u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u>—</u>	<u>✓</u>	Change(s) in Nature of Use?
	<u>—</u>	<u>✓</u>	Amendment Needed?
REMARKS	<u>—</u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u>✓</u>	<u>—</u>	Non-Irr. Uses DOM/1 Home
	<u>—</u>	<u>✓</u>	Special Overlap Condition
	<u>✓</u>	<u>—</u>	Other P/U
CONDITIONS	<u>RD4</u>	<u>✓</u>	Measuring Device
	<u>—</u>	<u>✓</u>	W/Master Control
	<u>—</u>	<u>✓</u>	Overlap
	<u>—</u>	<u>✓</u>	Water Quality
			DATES/MISC
			65 Water Dist.
			App Rec'd
			Exam Made

COMMENTS/MEMOS NEEDED:

License ✓ 10-Day — 15-Day — Special Correspondence —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 09 1992

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Erich Korte Permit No. 65-12783
Current Address: 1219 N. Wilson St. Boise, ID 83706 Phone No. 342-8167
2. Accompanied by: Erich Korte EXAM. DATE: 6-19-91
Address: Same Phone No. 634-7774
Relationship to Permit Holder. McCall
3. Source: Big Payette Lake tributary to Payette R., New Fork

B. OVERLAP REVIEW

1. Other water rights with same place of use: Numerous other rights, 65-07463 overlaps
☒ Copies Attached
2. Other water rights with same point of diversion: Numerous other rights, no overlaps
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 50'

2. ☒ Copy of U.S G S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
FEB 04 1993

System Description (continued)

3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 1 hp pump supplied water for the home and lawn. Water from Wagon Bay Creek supplemented the irrigation usage. The water was diverted through an underwater PVC pipe, 1 1/4" dia, from about 400' out into Bay Payette Lake. From the owner's estimates, the water depth at the point of diversion is less than 50 feet. Two outside faucets supplied the lake water and two supplied the creek water. At the time of exam, the lawn was being watered from the creek.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	No tags	1		Red Jacket	5.66 390 N/A 20X

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		NE	SW	28	19N	3E	Valley	USGS Quad

6. Place(s) of Use:

Indicate Method of Determination USGS Quad

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
19N	3E	28									0								
											43								

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

1 hp pump? 50' dynamic head est., 30 psi estimate for domestic

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method.

2. Alternate Method for Checking Purposes

$$\frac{8.8 \times 70\% \times 1 \text{ hp}}{(2.31 \times 20 \text{ psi}) + 50'} = 0.6 \text{ cfs}$$

0.04 per proof

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head (1) + (2) = _____ (3) : Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

12 afa for domestic

RECEIVED
FEB 04 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

From an estimate of the max dynamic head at 50 feet,
the system is capable of over .04 cfs

W.R. # 65-7463 directs 0.2 cfs From Wagon Wheel Bay Co.
and supplies it to the property listed in this permit. It is only used
for irrigation.

Plu also known as lot 176, Payette Lake Cottage Site.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.4	1.2
Totals:			.04	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name Mark Simon

lw 2/11/92

Signature Mark Simon


Certification Date _____

Field Report Preparation Date 6-20-91




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FEB 04 1993






65-12783



#1

Pump and
pressure tank
located inside
house.



#2

Place of use
Pump located
on right side
of house.

FEB 04 1968

#65-12783



#3

Point of
diversion located
in lake

Pipeline on
left side of
dock

MAILED
FEB 04 1993



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 8, 1987

65-12783
KORTE, ERICH
1219 N. WILSON ST.
BOISE, ID 83706

Dear Applicant(s):

We acknowledge receipt of your statement of proof of beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

FEB 04 1988

RECEIVED

NOV 21 1986

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-1278

Name(s) of Permit Holder: Erich Korte ✓

Post Office Address: 1219 N. Wilson St Boise Idaho 83706 ✓

Telephone No. 342-8167

Source of Water: Big Payette Lake

Extent of Use:

Domestic X (number of households) Stockwater _____ (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 10/15/86

Measuring Device: Required? Yes X No
Installed? Yes Yes No

Fee enclosed \$ 1/24
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes Yes No

MICROFILMED

Person to contact to accompany the Department representative during the field examination: MAR 09 1987

Erich Korte

(Name)

(Telephone Number)

1219N Wilson St Boise Id 83706

(Address)


The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11/21/86
Date


Erich Korte ✓
Signature of Permit Holder (and title, if appropriate)

ERECTILE
121 N. V. 1004
BOISE ID 83706

Dept of Interior-Reservoirs
State House
Boise Idaho 83720



MICROFILMED
MAR 09 1988



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
NOVEMBER 14, 1986

KORTE, ERICH
1219 N. WILSON ST.
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-12783

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

NOV 15 1986

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Shurt
CHECK:

APPLICATION NUMBER: 65-12783

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 10/16/86
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/26/86
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 300/40558
☒ Publication dates and paper, recorded on application. the other fees 9/17 & 9/24/86
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application. Approve DET
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 65
8/19/1986 Date of priority recommended.

Special conditions of approval or cover letter.

The availability of water for this permit is subject to all prior water rights of Lake Reservoir Company (added 11/6/86 by DET)

allow 1 yr. for B/U development -

OK Recommend that item be reduced to 1 year for this small system.

By: DET Date: 10/17/86

STATE OFFICE REVIEW:

LH 04 05 (65, Payette River) APPROVED

- ☐ See attached sheet for more information.

By: KW Date: 10/27/86

POINT OF DIVERSION AND STREAM INDEX INFORMATION


TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						



Total number of Acres 2,344.66

When Surveyed 1872



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W State Street, Boise, Idaho

JOHN V EVANS
Governor

A KENNETH DUNN
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 334-2190

September 11, 1986

Erich Korte
1219 N. Wilson St.
Boise, ID 83706

Re: Application for Permit No. 65-12783

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 65-12783. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Star News on 9/17 & 9/24/86. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.


If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt no. 40558 for the amount of \$ 30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,


DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure:

65-12783

KORTE, ERICH

1219 N. WILSON ST., BOISE, ID 83706

Source: BIG PAYETTE LAKE

Diversion Pt: LOT 03 (NESW) Sec 28 T 19N R 03E

Use: DOMESTIC (0.040 CFS)

Date Filed: 08/19/1986

In: LOT 03 (NESW) Sec 28 T 19N R 03E

RECEIVED