



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eric Jean Epperson
(Applicant)



Copied from 65-12523

Original Plat (source: S.F. Pavette)

RIVER'S POINT SUBDIVISION

BOISE COUNTY IDAHO

CURVE DATA	
STATION	CHORD BEARING
1+00.00	S 12° 55' 08" E 370.08'
1+34.57	S 12° 55' 08" E 370.08'
1+69.14	S 12° 55' 08" E 370.08'
2+03.71	S 12° 55' 08" E 370.08'
2+38.28	S 12° 55' 08" E 370.08'
2+72.85	S 12° 55' 08" E 370.08'
3+07.42	S 12° 55' 08" E 370.08'
3+41.99	S 12° 55' 08" E 370.08'
3+76.56	S 12° 55' 08" E 370.08'
4+11.13	S 12° 55' 08" E 370.08'
4+45.70	S 12° 55' 08" E 370.08'
4+80.27	S 12° 55' 08" E 370.08'
5+14.84	S 12° 55' 08" E 370.08'
5+49.41	S 12° 55' 08" E 370.08'
5+83.98	S 12° 55' 08" E 370.08'
6+18.55	S 12° 55' 08" E 370.08'
6+53.12	S 12° 55' 08" E 370.08'
6+87.69	S 12° 55' 08" E 370.08'
7+22.26	S 12° 55' 08" E 370.08'
7+56.83	S 12° 55' 08" E 370.08'
7+91.40	S 12° 55' 08" E 370.08'
8+25.97	S 12° 55' 08" E 370.08'
8+60.54	S 12° 55' 08" E 370.08'
8+95.11	S 12° 55' 08" E 370.08'
9+29.68	S 12° 55' 08" E 370.08'
9+64.25	S 12° 55' 08" E 370.08'
9+98.82	S 12° 55' 08" E 370.08'
10+33.39	S 12° 55' 08" E 370.08'
10+67.96	S 12° 55' 08" E 370.08'
11+02.53	S 12° 55' 08" E 370.08'
11+37.10	S 12° 55' 08" E 370.08'
11+71.67	S 12° 55' 08" E 370.08'
12+06.24	S 12° 55' 08" E 370.08'
12+40.81	S 12° 55' 08" E 370.08'
12+75.38	S 12° 55' 08" E 370.08'
13+09.95	S 12° 55' 08" E 370.08'
13+44.52	S 12° 55' 08" E 370.08'
13+79.09	S 12° 55' 08" E 370.08'
14+13.66	S 12° 55' 08" E 370.08'
14+48.23	S 12° 55' 08" E 370.08'
14+82.80	S 12° 55' 08" E 370.08'
15+17.37	S 12° 55' 08" E 370.08'
15+51.94	S 12° 55' 08" E 370.08'
15+86.51	S 12° 55' 08" E 370.08'
16+21.08	S 12° 55' 08" E 370.08'
16+55.65	S 12° 55' 08" E 370.08'
16+90.22	S 12° 55' 08" E 370.08'
17+24.79	S 12° 55' 08" E 370.08'
17+59.36	S 12° 55' 08" E 370.08'
17+93.93	S 12° 55' 08" E 370.08'
18+28.50	S 12° 55' 08" E 370.08'
18+63.07	S 12° 55' 08" E 370.08'
18+97.64	S 12° 55' 08" E 370.08'
19+32.21	S 12° 55' 08" E 370.08'
19+66.78	S 12° 55' 08" E 370.08'
20+01.35	S 12° 55' 08" E 370.08'
20+35.92	S 12° 55' 08" E 370.08'
20+70.49	S 12° 55' 08" E 370.08'
21+05.06	S 12° 55' 08" E 370.08'
21+39.63	S 12° 55' 08" E 370.08'
21+74.20	S 12° 55' 08" E 370.08'
22+08.77	S 12° 55' 08" E 370.08'
22+43.34	S 12° 55' 08" E 370.08'
22+77.91	S 12° 55' 08" E 370.08'
23+12.48	S 12° 55' 08" E 370.08'
23+47.05	S 12° 55' 08" E 370.08'
23+81.62	S 12° 55' 08" E 370.08'
24+16.19	S 12° 55' 08" E 370.08'
24+50.76	S 12° 55' 08" E 370.08'
24+85.33	S 12° 55' 08" E 370.08'
25+19.90	S 12° 55' 08" E 370.08'
25+54.47	S 12° 55' 08" E 370.08'
25+89.04	S 12° 55' 08" E 370.08'
26+23.61	S 12° 55' 08" E 370.08'
26+58.18	S 12° 55' 08" E 370.08'
27+02.75	S 12° 55' 08" E 370.08'
27+37.32	S 12° 55' 08" E 370.08'
27+71.89	S 12° 55' 08" E 370.08'
28+06.46	S 12° 55' 08" E 370.08'
28+41.03	S 12° 55' 08" E 370.08'
28+75.60	S 12° 55' 08" E 370.08'
29+10.17	S 12° 55' 08" E 370.08'
29+44.74	S 12° 55' 08" E 370.08'
29+79.31	S 12° 55' 08" E 370.08'
30+13.88	S 12° 55' 08" E 370.08'
30+48.45	S 12° 55' 08" E 370.08'
30+83.02	S 12° 55' 08" E 370.08'
31+17.59	S 12° 55' 08" E 370.08'
31+52.16	S 12° 55' 08" E 370.08'
31+86.73	S 12° 55' 08" E 370.08'
32+21.30	S 12° 55' 08" E 370.08'
32+55.87	S 12° 55' 08" E 370.08'
32+90.44	S 12° 55' 08" E 370.08'
33+25.01	S 12° 55' 08" E 370.08'
33+59.58	S 12° 55' 08" E 370.08'
33+94.15	S 12° 55' 08" E 370.08'
34+28.72	S 12° 55' 08" E 370.08'
34+63.29	S 12° 55' 08" E 370.08'
34+97.86	S 12° 55' 08" E 370.08'
35+32.43	S 12° 55' 08" E 370.08'
35+67.00	S 12° 55' 08" E 370.08'
36+01.57	S 12° 55' 08" E 370.08'
36+36.14	S 12° 55' 08" E 370.08'
36+70.71	S 12° 55' 08" E 370.08'
37+05.28	S 12° 55' 08" E 370.08'
37+39.85	S 12° 55' 08" E 370.08'
37+74.42	S 12° 55' 08" E 370.08'
38+08.99	S 12° 55' 08" E 370.08'
38+43.56	S 12° 55' 08" E 370.08'
38+78.13	S 12° 55' 08" E 370.08'
39+12.70	S 12° 55' 08" E 370.08'
39+47.27	S 12° 55' 08" E 370.08'
39+81.84	S 12° 55' 08" E 370.08'
40+16.41	S 12° 55' 08" E 370.08'
40+50.98	S 12° 55' 08" E 370.08'
40+85.55	S 12° 55' 08" E 370.08'
41+20.12	S 12° 55' 08" E 370.08'
41+54.69	S 12° 55' 08" E 370.08'
41+89.26	S 12° 55' 08" E 370.08'
42+23.83	S 12° 55' 08" E 370.08'
42+58.40	S 12° 55' 08" E 370.08'
42+92.97	S 12° 55' 08" E 370.08'
43+27.54	S 12° 55' 08" E 370.08'
43+62.11	S 12° 55' 08" E 370.08'
43+96.68	S 12° 55' 08" E 370.08'
44+31.25	S 12° 55' 08" E 370.08'
44+65.82	S 12° 55' 08" E 370.08'
45+00.39	S 12° 55' 08" E 370.08'
45+34.96	S 12° 55' 08" E 370.08'
45+69.53	S 12° 55' 08" E 370.08'
46+04.10	S 12° 55' 08" E 370.08'
46+38.67	S 12° 55' 08" E 370.08'
46+73.24	S 12° 55' 08" E 370.08'
47+07.81	S 12° 55' 08" E 370.08'
47+42.38	S 12° 55' 08" E 370.08'
47+76.95	S 12° 55' 08" E 370.08'
48+11.52	S 12° 55' 08" E 370.08'
48+46.09	S 12° 55' 08" E 370.08'
48+80.66	S 12° 55' 08" E 370.08'
49+15.23	S 12° 55' 08" E 370.08'
49+49.80	S 12° 55' 08" E 370.08'
49+84.37	S 12° 55' 08" E 370.08'
50+18.94	S 12° 55' 08" E 370.08'
50+53.51	S 12° 55' 08" E 370.08'
50+88.08	S 12° 55' 08" E 370.08'
51+22.65	S 12° 55' 08" E 370.08'
51+57.22	S 12° 55' 08" E 370.08'
51+91.79	S 12° 55' 08" E 370.08'
52+26.36	S 12° 55' 08" E 370.08'
52+60.93	S 12° 55' 08" E 370.08'
52+95.50	S 12° 55' 08" E 370.08'
53+30.07	S 12° 55' 08" E 370.08'
53+64.64	S 12° 55' 08" E 370.08'
53+99.21	S 12° 55' 08" E 370.08'
54+33.78	S 12° 55' 08" E 370.08'
54+68.35	S 12° 55' 08" E 370.08'
55+02.92	S 12° 55' 08" E 370.08'
55+37.49	S 12° 55' 08" E 370.08'
55+72.06	S 12° 55' 08" E 370.08'
56+06.63	S 12° 55' 08" E 370.08'
56+41.20	S 12° 55' 08" E 370.08'
56+75.77	S 12° 55' 08" E 370.08'
57+10.34	S 12° 55' 08" E 370.08'
57+44.91	S 12° 55' 08" E 370.08'
57+79.48	S 12° 55' 08" E 370.08'
58+14.05	S 12° 55' 08" E 370.08'
58+48.62	S 12° 55' 08" E 370.08'
58+83.19	S 12° 55' 08" E 370.08'
59+17.76	S 12° 55' 08" E 370.08'
59+52.33	S 12° 55' 08" E 370.08'
59+86.90	S 12° 55' 08" E 370.08'
60+21.47	S 12° 55' 08" E 370.08'
60+56.04	S 12° 55' 08" E 370.08'
60+90.61	S 12° 55' 08" E 370.08'
61+25.18	S 12° 55' 08" E 370.08'
61+59.75	S 12° 55' 08" E 370.08'
61+94.32	S 12° 55' 08" E 370.08'
62+28.89	S 12° 55' 08" E 370.08'
62+63.46	S 12° 55' 08" E 370.08'
62+98.03	S 12° 55' 08" E 370.08'
63+32.60	S 12° 55' 08" E 370.08'
63+67.17	S 12° 55' 08" E 370.08'
64+01.74	S 12° 55' 08" E 370.08'
64+36.31	S 12° 55' 08" E 370.08'
64+70.88	S 12° 55' 08" E 370.08'
65+05.45	S 12° 55' 08" E 370.08'
65+40.02	S 12° 55' 08" E 370.08'
65+74.59	S 12° 55' 08" E 370.08'
66+09.16	S 12° 55' 08" E 370.08'
66+43.73	S 12° 55' 08" E 370.08'
66+78.30	S 12° 55' 08" E 370.08'
67+12.87	S 12° 55' 08" E 370.08'
67+47.44	S 12° 55' 08" E 370.08'
67+82.01	S 12° 55' 08" E 370.08'
68+16.58	S 12° 55' 08" E 370.08'
68+51.15	S 12° 55' 08" E 370.08'
68+85.72	S 12° 55' 08" E 370.08'
69+20.29	S 12° 55' 08" E 370.08'
69+54.86	S 12° 55' 08" E 370.08'
69+89.43	S 12° 55' 08" E 370.08'
70+24.00	S 12° 55' 08" E 370.08'
70+58.57	S 12° 55' 08" E 370.08'
70+93.14	S 12° 55' 08" E 370.08'
71+27.71	S 12° 55' 08" E 370.08'
71+62.28	S 12° 55' 08" E 370.08'
71+96.85	S 12° 55' 08" E 370.08'
72+31.42	S 12° 55' 08" E 370.08'
72+65.99	S 12° 55' 08" E 370.08'
73+00.56	S 12° 55' 08" E 370.08'
73+35.13	S 12° 55' 08" E 370.08'
73+69.70	S 12° 55' 08" E 370.08'
74+04.27	S 12° 55' 08" E 370.08'
74+38.84	S 12° 55' 08" E 370.08'
74+73.41	S 12° 55' 08" E 370.08'
75+07.98	S 12° 55' 08" E 370.08'
75+42.55	S 12° 55' 08" E 370.08'
75+77.12	S 12° 55' 08" E 370.08'
76+11.69	S 12° 55' 08" E 370.08'
76+46.26	S 12° 55' 08" E 370.08'
76+80.83	S 12° 55' 08" E 370.08'
77+15.40	S 12° 55' 08" E 370.08'
77+49.97	S 12° 55' 08" E 370.08'
77+84.54	S 12° 55' 08" E 370.08'
78+19.11	S 12° 55' 08" E 370.08'
78+53.68	S 12° 55' 08" E 370.08'
78+88.25	S 12° 55' 08" E 370.08'
79+22.82	S 12° 55' 08" E 370.08'
79+57.39	S 12° 55' 08" E 370.08'
80+01.96	S 12° 55' 08" E 370.08'
80+36.53	S 12° 55' 08" E 370.08'
80+71.10	S 12° 55' 08" E 370.08'
81+05.67	S 12° 55' 08" E 370.08'
81+40.24	S 12° 55' 08" E 370.08'
81+74.81	S 12° 55' 08" E 370.08'
82+09.38	S 12° 55' 08" E 370.08'
82+43.95	S 12° 55' 08" E 370.08'
82+78.52	S 12° 55' 08" E 370.08'
83+13.09	S 12° 55' 08" E 370.08'
83+47.66	S 12° 55' 08" E 370.08'
83+82.23	S 12° 55' 08" E 370.08'
84+16.80	S 12° 55' 08" E 370.08'
84+51.37	S 12° 55' 08" E 370.08'
84+85.94	S 12° 55' 08" E 370.08'
85+20.51	S 12° 55' 08" E 370.08'
85+55.08	S 12° 55' 08" E 370.08'
85+89.65	S 12° 55' 08" E 370.08'
86+24.22	S 12° 55' 08" E 370.08'
86+58.79	S 12° 55' 08" E 370.08'
86+93.36	S 12° 55' 08" E 370.08'
87+27.93	S 12° 55' 08" E 370.08'
87+62.50	S 12° 55' 08" E 370.08'
87+97.07	S 12° 55' 08" E 370.08'
88+31.64	S 12° 55' 08" E 370.08'
88+66.21	S 12° 55' 08" E 370.08'
89+00.78	S 12° 55' 08" E 370.08'
89+35.35	S 12° 55' 08" E 370.08'
89+69.92	S 12° 55' 08" E 370.08'
90+04.49	S 12° 55' 08" E 370.08'
90+39.06	S 12° 55' 08" E 370.08'
90+73.63	S 12° 55' 08" E 370.08'
91+08.20	S 12° 55' 08" E 370.08'
91+42.77	S 12° 55' 08" E 370.08'
91+77.34	S 12° 55' 08" E 370.08'
92+11.91	S 12° 55' 08" E 370.08'
92+46.48	S 12° 55' 08" E 370.08'
92+81.05	S 12° 55' 08" E 370.08'
93+15.62	S 12° 55' 08" E 370.08'
93+50.19	S 12° 55' 08" E 370.08'
93+84.76	S 12° 55' 08" E 370.08'
94+19.33	S 12° 55' 08" E 370.08'
94+53.90	S 12° 55' 08" E 370.08'
94+88.47	S 12° 55' 08" E 370.08'
95+23.04	S 12° 55' 08" E 370.08'
95+57.61	S 12° 55' 08" E 370.08'
95+92.18	S 12° 55' 08" E 370.08'
96+26.75	S 12° 55' 08" E 370.08'
96+61.32	S 12° 55' 08" E 370.08'
96+95.89	S 12° 55' 08" E 370.08'
97+30.46	S 12° 55' 08" E 370.08'
97+65.03	S 12° 55' 08" E 370.08'
97+99.60	S 12° 55' 08" E 370.08'
98+34.17	S 12° 55' 08" E 370.08'
98+68.74	S 12° 55' 08" E 370.08'
99+03.31	S 12° 55' 08" E 370.08'
99+37.88	S 12° 55' 08" E 370.08'
99+72.45	S 12° 55' 08" E 370.08'
100+07.02	S 12° 55' 08" E 370.08'
100+41.59	S 12° 55' 08" E 370.08'
100+76.16	S 12° 55' 08" E 370.08'
101+10.73	S 12° 55' 08

65-12774




Point of
Diversion

MICROFILMED

JUL 07 1988



Place of
Use



MICROFILMED
DEC 16 1986

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12774

Priority: July 22, 1986 Amount: .03 CFS 1.8 AFA

This is to certify, that GEORGE D. EMERSON
MARGUERITE L. EMERSON

HC 76 BOX 1101
BANKS, ID 83622

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 22, 1986, and has submitted proof to the Department of Water Resources on July 22, 1986, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .03 cfs of water from;

PAYETTE RIVER, SOUTH FORK tributary to PAYETTE RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 11/01	.03 cfs	1.8 afa

LOCATION OF POINT OF DIVERSION(S): LOT 4(SWNW), Sec. 21, Township 9N, Range 4E
Boise County

PLACE OF USE: Irrigation

TWN RGE SEC

9N 4E 21 LOT 4(SWNW)

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this license is subject to control by the watermaster of State Water District No. 65 .
5. Actual acres irrigated = .5.
6. Place of use also known as Lot 5, Block 3, River's Point Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13th day of April, 19 88.

NOT REFILED

JUL 07 1988

Director

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	65-12774	Hoppins, Wendell W. Cora Jean	0.03
Full Assignment	65-12774	Emerson, George D. Marguerite L.	0.03

REPRODUCED

JUL 09 1987

RECEIVED
APR 20 1987

State of Idaho
Department of Water Resources

RECEIVED
APR 22 1987

Department of Water Resources
Western Regional Office

ASSIGNMENT OF PERMIT

Department of Water Resources

We, Wendell W. Hoppins and Cora Jean Hoppins, hereby assign to George D. Emerson and Marguerite L. Emerson
of Lot 5 Block 3 River's Point Subdivision, Boise County Idaho
Address

CHECK ONE

☒

All my right, title, and interest in and to Permit No. 65-12774
to appropriate the public waters of the State of Idaho.

☐

The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 14th day of April, 19 87.

Wendell W. Hoppins
Permit Holder

Cora Jean Hoppins
Spouse of Permit Holder

State of Idaho)
County of Tosco) ss.

On this 14th day of April, 19 87, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Real

Debra L. Bellingham
Notary Public residing at
228 Newman St., East Tawas, MI. 48730

My commission expires:
12/2/87

FILED

JUL 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

- 1 Name of applicant Wendell W. & Cora Jean Hoppins Phone 462-3475
Post office address HC 76, Box 1101, Garden Valley ID 83622
- 2 Source of water supply Payette River, South Fork which is a tributary of Payette River
- 3 Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 4
Sec. 21 Township 9N Range 4E B.M. Boise County; additional
points of diversion if any: _____
- 4 Water will be used for the following purposes
Amount .03 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc. Pump & sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage:
_____ to _____ inclusive.
c Proposed well diameter is _____ inches, proposed depth of well is _____ feet.
d Is ground water with a temperature of greater than 90°F being sought? _____
- 7 Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW _____
- b. Stockwatering, list number and kind of livestock _____
- c. Municipal, show name of municipality _____
- d. Domestic, show number of households _____
- e. Other, describe fully. _____

9. Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example. *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	4E	21							1/2 6.4										1/2

Total number of acres to be irrigated 1/2


10. Describe any other water rights used for the same purposes as described above. _____

65-12304, 65-12523

- 11 a. Who owns the property at the point of diversion? Property Owners association
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Member of property owners association.

12 Remarks: P/U = Lot 5, Blk 3, River's Point Subdivision

- 13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Barbara Jean Whippins
(Applicant)

Proposed Priority 7/22/86
Received by [Signature] Date 7/22/86 Time 1:30 PM Preliminary check by [Signature]
Fee \$ 30 Receipted by A M B # 404 83 Date 7-22-86
Publication prepared by JP Date 7/30/86 Published in IDAHO WORLD
Publication approved AS Date 10/21/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12774, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 30th day of October, 1986.

[Signature]
Chief, Operations Bureau

RECEIVED
DEC 1 1986

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

65-12772

DONLEY, SANDY W.
GARDEN VALLEY, ID 83622
Source: SPRING trib. to PAYETTE RIV-
ER, SOUTH FORK

Diversion Pt: SESWNW Sec 10 T 08N R
05E

Use: DOMESTIC (0.040 CFS)

Date Filed: 07-28-1986

In: SWNW Sec 10 T 08N R 05E

65-12773

GILLUM, LARRY
2506 W. BOISE AVE. NO. 4, BOISE, ID
83706

Source: GROUNDWATER

Diversion Pt: SESE Sec 34 T 10N R 04E

Use: DOMESTIC (0.040 CFS)

Date Filed: 07-22-1986

In: SESE Sec 34 T 10N R 04E

65-12774

HOPPINS, WENDELL W. &-or CORA
JEAN

HC 76 BOX 1101, GARDEN VALLEY, ID
83622

Source: PAYETTE RIVER, SOUTH
FORK trib. to PAYETTE RIVER

Diversion Pt: LOT 04 (NWSWNW) Sec 21 T
09N R 04E

Use: IRRIGATION (0.030 CFS)

Date Filed: 07-22-1986

In: LOT 04 (SWNW) Sec 21 T 09N R 04E
FOR 1 ACRES

LEGAL NOTICES

65-12775

WALLACE, HUGH E. &-or BONNIE L.
1199 EL PELAR DR., BOISE, ID 83702
Source: SPRING trib. to PAYETTE
RIVER, SOUTH FORK

Diversion Pt: LOT (SWSE) Sec 06 T 08N R
05E

Use: HEATING (0.040 CFS)

DOMESTIC (0.040 CFS)

Date Filed: 07-22-1986

In: SWSE Sec 06 T 08N R 05E

65-12776

CASTLE MOUNTAIN CREEKS OWNERS
ASSN.

HC 76 BOX 4001, GARDEN VALLEY, ID
83622

Source: GROUNDWATER

Diversion Pt: SWSE NESE Sec 32 T 10N R
04E

Use: IRRIGATION (0.2 CFS)

DOMESTIC (0.2 CFS)

Date Filed: 07-21-1986

In: NESE NWSE SWSE SESE Sec 32 T 10N
R 04E NESW NWSW SWSW SESW Sec 33 T
10N R 04E FOR 40 ACRES

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Western Region, Statehouse, Boise, Idaho
83720 on or before AUGUST 25, 1986.

KEN DUNN, Dir.

Published in the IDAHO WORLD, Idaho
City, Idaho August 6 and 13, 1986.

STATE OF IDAHO, }

County of Boise }

Mandy DeLoach being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; the said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
.....consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

August 6, 1986 and end-
ing with the issue of *Aug. 13,*

1986

Mandy DeLoach

Subscribed and sworn to before

me this *20* day of *Aug.* 19 *86*

Ann Morgan

Resides in *Idaho City, Id.*

Commission Expires *10-9-91*

*Received
7/25/86
RD.*

7268

May 19, 1992

GEORGE D. EMERSON
MARGUERITE L. EMERSON
HC 76 BOX 1101
BANKS ID 83622-0000

RE: Water Right No. 65-12774

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

April 13, 1988

GEORGE D. & MARGUERITE L. EMERSON
HC 76 BOX 1101
BANKS, ID 83622

RE: Permit No. 65-12774

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

JUL 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.5 \times 0.5 = 1.75 \approx 1.8 \text{ AFA}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 12.7$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

c) Volume Calculations for Other Uses.

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

MICROFILMED

JUL 07 1988

JUN 18 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

Department of Water Resources

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12774

1 Owner George +/or Marguerite Emerson

Phone No. _____

Current Address HC 76 Box 1101, Banks, ID 83602

2 Accompanied by Ann Langlinais

EXAM. DATE 7/28/86

Address: Box 401, Garden Valley, ID 83622

Phone No 462-3252

Relationship to Permit Holder. sec/treas. subdiv. assn.

3. Source. S. Fork Payette R. tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use see microfiche - no conflict

☐ Copies Attached

2 Other water rights with same point of diversion as above

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe id as applicable. ☒ Alternative diagram attached

see subdivision plat map

RECEIVED

JUL 07 1988

Scale: 1" = _____

2. ☒ Copy of U.S.G.S Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

system consists of a pump with sprinkler system and is used to irrigate applicants lot in Riverspoint Subdivision.

Permit Holder has opted to file for an individual water right and is therefore not covered by the Riverspoint Property Owners Water Right (65-12523).

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Peabody Barnes	1.5	72885-1182		1.5"

*Code to correspond with No. on map and aerial photo

5 **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		SW	NW	21	9N	4E	Boise	Topo map / subdivision plat

6 **Place(s) of Use:**

Indicate Method of Determination as above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9N	4E	21							1										1

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

none possible : allow .03 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head (1) + (2) = _____ (3) ; Flow rate _____ cfs (4)

Water HP. (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW 36 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \text{ acre} \times 3.5 \text{ gfa} = 3.5 \text{ gfa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 214 \times 1.9835 = 12.7 \text{ gfa}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5 \text{ gfa}$

2. Volume Calculations for Other Uses

RECEIVED

JUL 07 1988

I. RECOMMENDATIONS

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	4/1	11/1	.03	3.5
		Totals:	.03	3.5

☐ Change P D as reflected above ☐ Add P D as reflected above ☒ None
☐ Change P U as reflected above ☐ Add P U as reflected above ☐ Other

Field Examiner's Name Brad E. Dingee
Signature Brad E. Dingee
Certification Date _____
Field Report Preparation Date 2/26/87

☐ Other

[Signature]


6/3/87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

100

JUL 07 1988



65-12774



Point of
Diversion

MICROFILMED

JUL 07 1988



Place of
Use

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-12774
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
JUN 18 1987

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

N/A ☒ Copies of any Amendments/Orders with conditions of approval Department of Water Resources

☐ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index Q BD (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index BO (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☐ Photographs of Point of Diversion and Place of Use

☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Brend E. Dinger 6/1/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office Drs 6/3/87 (Initial and date)

Exam Date Entered in Computer 4/8/87 (Initial and date)

Exam sent to State Office 6/8/87 E.H. (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File 6/8/87 E.H. (Initial and date)

Photos to
Follow



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

May 8, 1987

65-12774
HOPPINS, WENDELL W.
HOPPINS, CORA JEAN
HC 76 BOX 1101
GARDEN VALLEY, ID 83622

Dear Applicant(s):

We acknowledge receipt of your statement of proof of beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

JUL 07 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 27, 1987

RE: Permit No. 65-12774

George D. & Marguerite L. Emerson
Garden Valley,
Idaho 83622

Dear Permit Holder(s):

This office acknowledges receipt of the Assignment of the above referenced permit to you. Enclosed for your records is a copy of the permit.

In reviewing the permit, we find that the next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

FILED

JUL 09 1987

Permit No. 65-12774

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? Yes
2. Notary? Yes
3. a. Full Assignment? Yes
b. Partial Assignment? —
4. "No assignment" condition on permit? —
5. Commencement of Works received? B/u Rec'd
 - a. Commencement of works requested? —
 - b. Show Cause Order drafted & sent? —
 - c. Cancellation necessary? —
6. Affidavit of residency required? No
7. Extension granted due to litigation? N/A
(If yes, commencement of works is not required.)

1. Type permit summary sheet.
2. Coding sheet ✓
3. Acknowledgement letter type.
4. Copy to region.

Sharla —
Sharla —
#1a
Sharla —

Date 5-12-87

RECORDED
FILMED

JUL 09 1987

Employee Jim

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

*No fee
required*

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below.

Permit No. 65-12774

Name(s) of Permit Holder: Wendell W. &/or Cora Jean Hoppins

Post Office Address HC 76, Box 1101, Garden Valley ID 83622

Telephone No. 462-3475

Source of Water: Payette River, South Fork ✓

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 1/2 _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: 7/22/1986

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port. Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

RECEIVED
DEC 10 1986

Person to contact to accompany the Department representative during the field examination:

Same as above
(Name)

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

22 July 1986
Date

Cora Jean Hoppins
Signature of Permit Holder (and Title, if appropriate)

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

4/86

For Office Use Only
Fee Received NA
Date 7/22/1986
Receipt #
Receipt by ES
Sent to S.O.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

1. Permit No. 65-12774

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Wendell W. & Cora Jean Hoppins

3. Post Office Address: HC 76, Box 1101

Garden Valley ID 83622 Telephone No. 462-3475

4. Source of Water: Payette River, South Fork

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation 1/2 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted .03 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit: 7/22/1986

8. Person to contact to accompany the department representative during the field examination:

Same as above
(Name)

MAILED

DEC 14 8

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

22 July 1986
Date

Cora Jean Hoppins
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
OCTOBER 31, 1986

HOPPINS, WENDELL W. & CORA JEAN
HC 76 BOX 1101
GARDEN VALLEY, ID 83622

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-12774

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

DEC 1 1986

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jane Shute APPLICATION NUMBER: 65-12774
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____
Date: _____
Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. 65-12304 + 65-12523
are for subdivision - this is an individual filing
☒ Yes ☐ No* In form for advertising.
Final date for protests: August 25 1986
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/25/86
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30140483
☒ Publication dates and paper, recorded on application. IDA world 8/18/86
Neabe ☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application. Approve DWR
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 65
7/22/1986 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

RECORDED

DEC 15 1986

Need to enter that proof has been submitted and Flag1 = N

By: DWR Date: 10/20/86

STATE OFFICE REVIEW:

04 05 (65, Payette River)
☐ See attached sheet for more information.
By: KW Date: 10/27/86

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

Sec. 17
624.48

363
3595
0 47
60.38
S.

Sec. 16
640

MID
NORTH
N. 0° 35'
NORTH 40.00

N. 89° 45' W.
50.00

Sec. 22
640

N. 60° 55' W.
79.92

Sec. 27
552.60

MICROFILMED

DEC 16 1988
60481

43.20

NORTH 65.20

65-12774

HOPPINS, WENDELL W. &/or CORA JEAN

HC 76 BOX 1101, GARDEN VALLEY, ID 83622

Source: PAYETTE RIVER, SOUTH FORK trib. to PAYETTE RIVER

Diversion Pt: LOT 04 (NWSNW) Sec 21 T 09N R 04E

Use: IRRIGATION (0.030 CFS)

Date Filed: 07/22/1986

In: LOT 04 (SNNW) Sec 21 T 09N R 04E FOR 1 ACRES

RECEIVED

DEC 10 1986