


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X W. E. Burger
(Applicant)

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: W. L. Burgess Permit No. 65-12728
Current Address: 601 East Braemore St Phone No. 888-5166 (office)
Boise ID. 83702
2. Accompanied by: Earl Perry EXAM. DATE: 9/22/89
Address: HC 76 Box 3004 Lowman, ID. 83637 Phone No. 259-3415
Relationship to Permit Holder: Neighboring neighbor, often = operator of system
3. Source: Payette River, South Fork tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-02571A & X, -11080 -07655 -10343 -10523
-10631 -10644 ☐ Copies Attached N/A
2. Other water rights with same point of diversion: 65-02571A & X, 65-11080 except 65-02571X
☐ Copies Attached ☐ Copies of Field Exam's Attached N/A

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached Not available from county assessor's office
4/25/91 - orthophotograph not available at Region
SEP 11 1992

65-12728

Section 27


T9N

ALL within
LOT 3

R7E

MICROFILMED

SEP 1 1 1992



P/O on S. FK.
Poyette River
approx. 1500'
downstream from
Hwy 21 Bridge
at Loomis.



PHOTO ONE-

Pump in wooden shed
about 20' from river.

**MICROFILMED**

PHOTO TWO SEP 11 1992



PHOTO THREE- pln looking SW from near river.



PHOTO FOUR- pln looking SE towards S. Fork Lodge in
Luman,

MICROFILMED
SEP 11 1992

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE IN WATER RIGHT OWNERSHIP

FEB 15 2001

Department of Water Resources

Please print or type. Attach pages with additional information. Instructions are included at the end of this form.
 Incomplete forms will be returned.

1. Please list the water right number(s) and/or adjudication claim number(s) (if any) for each water right to be changed. List just the adjudication claim number if there is no corresponding water right record on file with the department. Indicate, by checking in the space provided (under the "split" heading), if the change in ownership is limited to a portion of a water right in which case division of the existing water right or adjudication claim record will be required.

Water Right No(s).	Adjudication Claim No(s).	Split	Water Right No(s).	Adjudication Claim No(s).	Split
65-12728	A55809NP				
A65-02571xWR	5809NP				

2. The following **REQUIRED** information must be submitted with this form:

- A. The appropriate **FILING FEE**. See instructions for fee amounts.
- B. A copy of the most recent **DEED, TITLE POLICY, CONTRACT OF SALE** or other legal document indicating your ownership of the property and water right(s) or claim(s) in question, **WITH ATTACHED LEGAL DESCRIPTION**.
- C. Either of the following (if necessary to clarify division of water rights or other complex property descriptions):
PLAT OF PROPERTY or **SURVEY MAP** clearly showing the location of the point(s) of diversion and place of use of your water right(s) and/or adjudication claim(s) (these are usually attached to your deed or on file with the county).

OR

If your water right(s) and/or adjudication claim(s) is for ten or more acres of irrigation, you must submit a USDA Farm Service Agency **AERIAL PHOTO** with the irrigated acres outlined and point(s) of diversion clearly marked. The **AERIAL PHOTO** should be submitted in place of the **PLAT OF PROPERTY** or **SURVEY MAP**.

3. Name and Address of Former Owner/Claimant(s)

William L Burgess

7893 Vue Estates Meridian I.D.

4. New Owner/Claimant(s)

Robert E. McGriff Sr.

Name Connector (Check one). ☐ and, ☐ or, ☐ and/or

New Mailing Address

1403 N. McDermott

City, State and ZIP Code

Nampa I.D. 83687

New Telephone Number

208 461-8253 208-850-6024

5. Date you acquired the property

Dec-15-1997

MICROFILMED

FEB 15 2002

See file # 65-2571x for support documentation

- 6 If the change in ownership affects the entire water right for each water right or adjudication claim number listed in item 1, THEN SKIP THIS ITEM AND GO TO ITEM 7. If the change in ownership divides the water right(s) among multiple owners, you must describe, in detail, your portion of each water right after the change. Fill in the appropriate spaces in the box(es) below to describe your water right(s) after the change (one water right per box, you may copy this page as necessary) If your quantity of water is greater than a proportionate split, you must attach documentation to show justification for a larger amount. If you are not sure how to identify your portion of the original water right or adjudication claim records, please contact the nearest IDWR office for assistance.

DESCRIPTION OF YOUR PORTION OF WATER RIGHT (If the right(s) will not be split, skip this area and proceed to item 7)		
Water Right and/or Adjudication Claim Number _____		
Water Use	Diversion Rate or Volume (cubic feet per second or acre-feet per annum)	Description (acres, number and type of stock, homes, etc)
Irrigation	_____	_____
Stock	_____	_____
Domestic	_____	_____
Other _____	_____	_____
Total	_____	_____

DESCRIPTION OF YOUR PORTION OF WATER RIGHT (If the right(s) will not be split, skip this area and proceed to item 7)		
Water Right and/or Adjudication Claim Number _____		
Water Use	Diversion Rate or Volume (cubic feet per second or acre-feet per annum)	Description (acres, number and type of stock, homes, etc)
Irrigation	_____	_____
Stock	_____	_____
Domestic	_____	_____
Other _____	_____	_____
Total	_____	_____

7. Signature of New Owner(s) or Claimant(s)
(include title if applicable)

Robert E. McShane

For Snake River Basin Adjudication Claims: Please attach a Notice of Appearance completed by your attorney, if you wish IDWR to correspond with him/her for all matters related to your claims

For Office Use Only .

Received by *Mari*

Date *5.22.01*

Fee *\$25.00*

Received by *Mari*

Date *5.22.01*

Receipt No. *C 053881*

Processed by _____

AJ Date _____

WR _____

Date _____

MICROFILMED

JUN 15 2002

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12728

Priority: February 20, 1985

Maximum Diversion Rate:

0.42 CFS

Maximum Diversion Volume:

63.0 AF

This is to certify, that W L BURGESS
2332 N CLIFFVIEW WAY
BOISE ID 83702

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 20, 1985; and
has submitted Proof of Beneficial Use on May 19, 1989. An examination indicates
that the works have a diversion capacity of .430 cfs of water from:

PAYETTE RIVER, SOUTH FORK

tributary to PAYETTE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.42 CFS	63.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSW), Sec. 27, Township 09N, Range 07E
Lot 3(SWSW), Sec. 27, Township 09N, Range 07E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	07E	27	Lot 3(NWSW) 3	Lot 3(SWSW) 14	Lot 3(SESW) 4	21
Total number of acres irrigated:						21

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

MICROFILMED

SEP 11 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12728

CONDITIONS/REMARKS:

7. Single point of diversion is located on or near line between NWSW and SWSW, S27, T09N, R07E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of AUGUST, 1992.

Acting for R. Keith Higginson, Director

MIFF FILMED

SEP 11 1992

RECEIVED

AUG 19 1992

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12728

APPROVED

Date of Priority: February 20, 1985

Maximum Diversion Rate: 0.42 CFS
Maximum Diversion Volume: 63.0 AF

2332 N. CLIFFVIEW

Comes now W L BURGESS

~~601 EAST BRADMORE ST~~

BOISE ID 83702

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-12728, and requests that the permit be changed as follows:

Source: PAYETTE RIVER, SOUTH FORK tributary to PAYETTE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.42 CFS	63.0 AF

BINGHAM County

<u>PLACE OF USE: IRRIGATION</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
09N	07E	27	Lot 3(NWSW) 3	Lot 3(SWSW) 14	Lot 3(ESW) 4	21
Total number of acres irrigated:						21

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 17 day of August, 1992

MICROFILMED

SEP 11 1992

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12728

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = ~~\$20.00~~ Received by [Signature] # 025271 Date 8-19-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12728 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
7. Single point of diversion is located on or near line between NWSW and SWSW, S27, T09N, R07E.

Witness my hand this 25TH day of AUGUST, 1992

[Signature]
Acting for R. Keith Higginson, Director

RECEIVED

SEP 11 1992

RECEIVED

FEB 26 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources

Office 342-2697

1. Name of applicant W. L. Burgess Phone 208-259-3559 HomeX Post office address GENERAL DELIVERY LOWMAN IDAHO 236372. Source of water supply Payette River, South Fork which is a tributary of Snake River3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 9NRange 7E B.M. Boise County, additional points of diversion if any: _____SWSW, Sec. 27, T. 9N, R. 7E

4. Water will be used for the following purposes:

Amount 0.42 for irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)Amount 0.08 for domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.50 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump to sprinklers
& for flood irrigation.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 9NRange 7E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 21

NONE


b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X W. E. Bungen
(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 2/20/85
Received by JS Date 2-20-85 Time 4:00 p.m.
Preliminary check by 6h5 Fee \$ 45 / 260.16
Receipted by JP Date 2/21/85
Publication prepared by jp Date 2/28/85
Published in The Idaho World
Publication dates 3/6 & 3/13/85
Publication approved JP Date 3/20/85
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12728 , and said application is hereby APPROVED .

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1 , 19 90 .
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 15th day of May, 1985.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

65-12728 ✓ SP

BURGESS, W. L.
GEN. DEL., LOWMAN, ID 83637
Source: PAYETTE RIVER, SOUTH FORK trib.
to PAYETTE RIVER
Date Filed: 02/20/1985
Diversion Pt: SESW SWSW Sec 27 T 09N R
07E
Use: IRRIGATION (0.42 CFS)
DOMESTIC (0.08 CFS)
In: SWSW SESW Sec 27 T 09N R 07E FOR 21
ACRES

The permit(s) will be subject to all prior water
rights. Protests must be filed with the Director,
Dept. of Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on or before
MARCH 25, 1985.

KEN DUNN, Dir.

Published in the Idaho World, Idaho City,
March 6 and 13, 1985.

STATE OF IDAHO, }
County of Boise }

...*Wm. G. Gentry*..., being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho, that said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
...2... consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

...3-6..., 1985, and end-

ing with the issue of ...3-13...

1985...

...*Wm. G. Gentry*...

Subscribed and sworn to before

me this 18th day of Mar. 1985

...*Wm. G. Gentry*...
Idaho City, Id.
4/20/91



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 25, 2002

ROBERT E MC GRIFF JR
1403 N MC DERMOTT
NAMPA ID 83687

RE: Change of Ownership for Water Right 65-12728


Dear Water Right Holder(s):

The department acknowledges receipt of correspondence changing ownership of the above referenced water right to you. The department has modified its records to reflect the change in ownership and has enclosed a computer-generated report for your records.

Please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address of the owner of a water right to the department. Notice of the change must be provided to the department within 120 days of the change. Change reporting forms are available from any office of the department.

Please feel free to contact this office if you have any questions regarding this matter.

Sincerely,


for Jeff Peppersack, Manager
Water Right Permits Section

JP:klt

Enclosure

MICROFILMED

AUG 15 2002

August 26, 1992

W L BURGESS
2332 N CLIFFVIEW WAY
BOISE ID 83702

RE: WATER RIGHT NO. 65-12728

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
SEP 11 1992

MEMORANDUM

DATE: August 13, 1992
TO: File 65-12728
FROM: Cindy Zimmerman
SUBJECT: Change of Address

=====

Correspondence dated 8/5/92 was returned 'Forwarding Order Expired'. Per telephone conversation with Boise County Assessor, the current address is as follows:

Wilbur L Burgess
2332 N Cliffview Way
Boise ID 83702

I am forwarding the returned mail to the above address, and am updating the database.

MICROFILMED
SEP 11 1992

August 5, 1992

W L BURGESS
601 EAST BRAEMORE ST
BOISE ID 83702

RE: WATER RIGHT NO. 65-12728

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

SEP 11 1992

LICENSE REVIEW CHECKLIST

Permit # 65-12728

Date 7-29-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☐	☒	Disagree with Actual Measurement? _____
			<u>21 x .02 = .42 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>.43 cfs</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>B</u>
			<u>4-15 to 10-15</u> Standard Irr. Season
			<u>Same/Reduced from Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>21 x 3.0 = 63 afa (IRR)</u>
	☐	☒	Limited by Flow? <u>.42 x 183 x 1.9835 = 152.5263</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☒	☐	Verify with Map <u>SWSW</u>
	☐	☒	Amendment Needed? <u>From SEW to between NWSW + SWSW</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☒	☐	Verify with Map _____
	☐	☒	Amendment Needed? <u>Add NWSW</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? <u>Drop DOM</u>
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☒	☐	Other <u>Single P/D</u>
CONDITIONS	☐	☒	Measuring Device
	<u>R04</u>	☐	W/Master Control <u>65</u> _____
	<u>R29</u>	☐	Overlap ☒ _____
	☐	☒	Water Quality ☒ _____
			DATES/MISC
			Water Dist. _____
			App Rec'd _____
			Exam Made _____

COMMENTS/MEMOS NEEDED: Reduced Uses, rate
E.E. recommends removal of Lockable device condition

License ☐ 10-Day ☐ 15-Day ☒ Special Correspondence _____

June 8, 1992

W. L. BURGESS
GEN. DEL.
LOWMAN ID 83637

RE: Water Right No. 65-12728

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED
SEP 11 1992

June 12, 1992

W. L. BURGESS
GEN. DEL.
LOWMAN ID 83637

RE: Water Right No. 65-12728

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

MICROFILMED

SEP 11 1992

May 19, 1992

W. L. BURGESS
GEN. DEL.
LOWMAN ID 83637

RE: Water Right No. 65-12728

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

MICROFILMED

SEP 11 1992

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

MICROFILMED

SEP 11 1992

MEMORANDUM

DATE: 10/15/91

SUBJECT: Water Right # 65-12728

REGARDING: Approval Condition # 01D

FROM: George Austiguy *G.A.*

The requirement for a lockable device on the diverting works was an approval condition on the original permit which has not been met. However it was the opinion of the field examiner that based on the location this was not an issue. Therefor it seems appropriate to delete this condition from the license.

MICROFILMED

SEP 11 1992

219-S-A.
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

65-12728
RECEIVED
JUL 22 1991

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat *you Lot 3*

Check of P/D Index SL 9/21/89 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: other diversions (some + other sources) *NO copies*

Check of P/U Index SL 9/21/89 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: other land except 65-02571X (Rock Creek)

Aerial Photo

Required? ☒ yes ☐ no

If yes: ☐ copy attached? *NONE AVAILABLE FROM ASOS FOR RTE.*

Scheduling Letter sent? N/A (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

☒ Prof filed 5-18-89
to SPBA clinic
MICROFILMED

C. Review and Processing:

Exam Completed John Lister 4/26/91 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent lw 5/2/91 (Initial and date)

Exam Reviewed by Manager of Regional Office Per 6/21/91 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 7-16-91 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

SEP 11 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 65-12728
1. Owner: W. L. Burgess Phone No. 888-5166 (office)
Current Address: 601 East Braemore St. Boise ID. 83702
2. Accompanied by: Earl Perry EXAM. DATE: 9/22/89
Address: HC 76 Box 3004 Lowman, ID. 83637 Phone No. 259-3415
Relationship to Permit Holder: Neighbour, often operator of system
3. Source: Payette River, South Fork tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-02571A & X, -11080 -07655 -10343 -10523 -10631 -10644 ☐ Copies Attached N/A
2. Other water rights with same point of diversion: 65-02571A & X, 65-11080 ☐ Copies Attached ☐ Copies of Field Exam's Attached N/A

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater)
☐ Aerial Photo Attached Not available from county assessor's office
4/25/91 - orthophotograph not available at Region

SEP 11 1992

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc)

A 6" intake pipe and 5" mainline involving a 10 hp pump provides irrigation water to a pasture on the south bank of S. Fk. Payette River. The pasture is just NW of South Fork Lodge at Deerman. Normally, 4 lines with 11 heads per line are run. Action F33 with 9/8" M33K Spinklines are used (equivalent of Rainbow 30 or model). Normal psi appears to be about 60 psi. Spinkline gauge measurements.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Century	10	Motor Serial No.	None -	68834, 5" mainline
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump, Serial No., or Discharge Size					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

6. Place(s) of Use:

[illegible]

Do not use this space

SEP 1 1 1992

MICROFILMED

* and survey into by J. W. G. G. G.

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sprinkler gauge						

2 Measurements:

$Z = \text{measured } 24.5'$
 $psi = 60 \quad 62 \quad 60 \quad 64 \quad 56 \quad \bar{x} = 60.4, \text{ use } 60$
 $\text{total of } 52 \text{ heads but normal operation} = 4 \text{ lines with } 11 \text{ heads}$
 $\text{per line} = 44 \text{ heads}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

MODEL 30 BW chart

$$(44)(4.38) = 192.72 \text{ gpm} = .429 \text{ cfs} = .43 \text{ cfs}$$

Reasonable agreement of E1 + E2

2. Alternate Method for Checking Purposes

HP eq. where $HP = 10$ $eff = .7$
 $psi = 60$ $L.F.T. = 24.5$

$$Q = \frac{(8.8)(10)(.7)}{(2.31)(60) + 24.5} = .38 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: $\frac{260}{31} \text{ psi} \times 2.31 = 138.6 \text{ ft (1)}$; Dynamic pumping level: $\frac{24.5}{31} \text{ ft (2)}$

Total Head: (1) + (2) = $\frac{163.1}{31}$ (3); Flow rate: $\frac{.43}{31} \text{ cfs (4)}$

Water HP: (3) x (4) ÷ 8.8 = $\frac{7.97}{8.8}$ (5)

Meter Input KW: $3.6 \times \frac{12}{1000} \text{ KH} \times \text{CTR or } ? \text{ MULT} \times \text{PTR} \times \frac{5}{44} \text{ N/} \text{ T} = ?$ (6)

Meter Input HP: (6) x 1.34 = ? (7)

Panel Input KW: Ave PF x Ave Volts x Ave Amps x 0.01732 =

Panel Input HP: (6) x 1.34 = ? (7) Efficiency: (5)/(7) x 100 = ? %

RECEIVED

G. VOLUME CALCULATIONS

SEP 11 1992

1. Volume Calculations for Irrigation

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (21)(3.0) = 63$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.42)(215)(1.9835) = 179.1$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 63$$

2. Volume Calculations for Other Uses

$$(21 \text{ ac.})(.02 \text{ cfs/ac}) = .42 \text{ cfs}$$

* could use 3.5 or 3.0 per chart. To remain consistent with Payette Denver where cons use = 2.0 afa/ac for tan R75, use the irrig req't of 3.0 afa.

C.L. = 70% of div wth Reg't.

$$2 = .7x$$

$$2/.7 = x = 2.86 \text{ round to nearest fit with chart} = 3.0 \text{ afa}$$

Plu - as with plr, no amendment required. Plu was & is entirely within lot 3 which is clarified as nwsu, swsu, sesu.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PLO - no amendment required for single plr in lot 3. Permit showed plr swsu & ssu and is clarified as within lot 3 but additionally described as swsu/nwsu line. Although permit does not show govt lot, the plr has always been at site in lot 3.

Proy pond = \$100 for up to permit limit of .50 cfs.

No domestic use of Payette water.

No lockable device found on diversion but should not be a problem in the upper part of Payette drainage.

Overlap - numerous plr & plu overlaps but none apply to same diversion or to same land. Rock Cr. right 65-02571X is decreed for up to 27 ac. in swsu lot 3 but is not used on this pasture. It appears that Rock Cr. right is used for ~~lawns~~ ^{residential} for Burgess cabins (2) & for pond. This will be addressed in SRBA. At time of exam, was told that Rock Cr. not used on plu for permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	4-1	11-1	.42	63.0
Totals:			.42	63.0

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None - See Remarks

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Steve Lester

Signature

Steve Lester

on 5/2/91


Certification Date

4/26/91

CONSULTANT SEAL

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.




MICROFILMED

SEP 11 1992

65-12728

Section 27



MICROFILMED

SEP 11 1992

2'30"

P/O on S. FK.
 Poyette River
 approx. 1500'
 downstream from
 Hwy 21 Bridge
 at Lumsden.



PHOTO ONE-

Pump in wooden shed
 about 20' from river.



MICROFILMED

PHOTO TWO SEP 11 1992



PHOTO THREE- Pln looking SW from near river.



PHOTO FOUR- Pln looking towards S. Fk. Lodge 12
Lunnon.

MICROFILMED
SEP 11 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12728

Date: 5-26-1989

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
NA 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: *Needs lockable device*

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

MICROFILMED

JUL 18 1989



MAY 19 1989



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only
Fee Received 100.00
Date 18 MAY 89
Receipt # W002840
Receipt by REF
Reviewed by [Signature]
Sent to region 82
copy kept at
Region 82 5/18/89

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12728

Name(s) of Permit Holder: W.L. BURGESS

Post Office Address: 601 EAST BRAEMERE ST.

BOISE 83702 Telephone No. office 888-5166

Source of Water: SOUTH FORK PAYETTE RIVER

Extent of Use:

Domestic 2(two) (number of households) Stockwater _____ (number and type of stock)

Irrigation 21 (acres) Other/Remark _____
(TWENTY ONE)

Total rate and/or volume for which proof is submitted 0.50 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: MAY 1986

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No Fee enclosed \$ 100.00 (ONE HUNDRED)
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

W.L. BURGESS office - 888-5166
(Name) (Telephone Number)

601 EAST BRAEMERE ST. BOISE, IDAHO 83702
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 18 1989

5-18-1989
Date

W.L. Burgess
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

MICROFILMED
JUL 18 1989

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BURGESS, W. L.
GEN. DEL.
LOWMAN, ID 83637

MAY 21, 1985

RE: PERMIT NO. 65-12728

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE PAYETTE RIVER, SOUTH FORK AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A LOCKABLE DEVICE THAT WILL PROVIDE THE WATERMASTER CONTROL OF YOUR DIVERSION.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 65-12728

PAGE 01
MAY 21, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 66S APPLICATION NUMBER: 65-12728

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3/25/85
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/20/85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/36016
☒ Publication dates and paper, recorded on application. The Id. word
☒ Protests, dates, withdrawal, etc., recorded on application. 3/16 & 3/13/85
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
2/20/85 Date of priority recommended.
Special conditions of approval or cover letter. Right-of-way condition

26 I.P. letter

Payette River letter

not in S.F. area

MICROFILMED

By: OBS Date: 3/25/85

STATE OFFICE REVIEW:

604, 601, 617
Payette R.

OLD 26 04 05 (65 Payette River)

☐ See attached sheet for more information.
By: KW

Date: 5/13/85 MAR 21 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

FEBRUARY 28, 1985

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 25, 1985.

Yours truly,

JUDY PENSE
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before MARCH 25, 1985.

KEN DUNN, Dir.

Published 03/07 & 03/14/85.

MICROFILMED

65-12728

BURGESS, W. L.

GEN. DEL., LOWMAN, ID 83637

Source: PAYETTE RIVER, SOUTH FORK trib. to PAYETTE RIVER

Date Filed: 02/20/1985

Diversion Pt: SESW SWSW Sec 27 T 09N R 07E

Use: IRRIGATION	(0.42 CFS)
DOMESTIC	(0.08 CFS)

In: SWSW SESW Sec 27 T 09N R 07E FOR 21 ACRES

MICROFILMED