

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }

SS.

County of Valley }

Judy Brooks

being duly sworn deposes and says, I am the bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the Notice of Application, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began September 26 19 84 and ended October 3 19 84.

Judy Brooks
Subscribed and sworn to before me this the

3rd day of October 19 84.

Tom Brost

Notary Public in and for the State of
Idaho, residing at McCall
therein.

RECEIVED

OCT 5 1984

Department of Water Resources
Western Regional Office

NOTICE OF
APPLICATION
FOR WATER RIGHT
The following application(s)
have been filed to appropriate
the public waters of the State of
Idaho: ✓ SP
65-12723
ORCUTT, HENRY W.
&/or DORIS I.
GRASSER, FRED &/or
BARBARA ANN
3810 GULLEY AVE.,
BOISE, ID 83709
Source: GROUNDWATER
Date Filed: 09/13/1984
Diversion Pt: SENW Sec 03
T 13N R 03E
Use: DOMESTIC (0.10 CFS)
In: SENW Sec 03 T 13N R
03E
The permit(s) will be subject
to all prior water rights. Pro-
tests must be filed with the
Director, Dept. of Water
Resources, Western Region,
Statehouse, Boise, Idaho 83720
on or before OCTOBER 15,
1984.
KEN DUNN, Dir.
Published 09/26 & 10/03/84.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Henry W. Orcutt Permit No. 65-12723
Current Address: 3810 Gulley Ave Boise Idaho 83709 Phone No. 362-4271
2. Accompanied by: same EXAM. DATE: 9-19-88
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: S.F.D N/A

☐ Copies Attached
2. Other water rights with same point of diversion: S.F.D. N/A

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
FEB 04 1993

Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

AL SURVEY

5' 573

574

CASCADE CORPORATE BOUNDARY

45657

571

572

34

35

45657

65-12723

65-2927 RESERVOIR
CASCADE WL 4828

TWN. 13N
Range 3E
Sec. 03

MICROFILMED
FEB 04 1993

MOUNTAINS

Creek

Creek

Creek

Campbell

Shen Lake

Wilson

Moorles

4795AT

4810

4851T

4849T

4868T

4931

4827T

4897

4271, 14

4958T

4982T

4620T

5185

6085




Underneath
the ground under
the arrow there is
a collector or sump
type of an affair made
up of rock and gravel.
There is a pipeline,
which goes from
arrow down to a
500 gal storage tank
in the driveway
which is 70-80 feet
from arrow



This is the top
of the tank,
with a valve
down inside
the access hole


REPROFILMED
FEB 04 1993

Place of Use



Pressure Tank

Inside of Pump House



~~the~~ the
five hose
bibs on the
outside of
the pump
house.

Hose's convey
water to
Different users.

RECORDED
FEB 04 1993
#65-12723



Overflow pipe which, when
tank is full and no use
occurs, measures the rate of
diversion

MICROFILMED
FEB 04 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12723

Priority: September 13, 1984

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that HENRY W ORCUTT
DORIS I ORCUTT
FRED GRASSER
BARBARA ANN GRASSER

3810 GULLEY AVE
BOISE ID 83709

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 13, 1984; and has submitted Proof of Beneficial Use on February 24, 1988. An examination indicates that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 3, Township 13N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

13N 03E 3 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 5 homes.
6. Place of use is located within Lots 22, 23 and 24, West Mountain Subdivision No. 2.

MICROFILMED


FEB 04 1993


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 65-12723

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of JANUARY, 1993.

Acting for


R. Keith Higginson, Director


FEB 04 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Henry W. and/or Doris I. Orcutt Phone 362-4271
and/or Fred and/or Barbara Ann Grasser
Post office address 3810 Gulley Ave., Boise, Idaho 83709

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 3 Township 13N

Range 3E B.M. Valley County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. French Drain was built to dry wet
land. The drain discharges into a local unnamed stream. A 10 foot deep sump
filled with gravel with a submersible pump provides water supply from groundwater.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 3 Township 13N
Range 3E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 5.

(5) If water is to be used for other purposes describe: Two trailer homes now hooked up to the
system, which has already been built. Anticipated development includes a cabin
and two additional trailer hookups.

MICROFILMED

05

10

No. 2

10. Remarks

~~Place of use also known as Lots 22, 23, 24 West Mountain Subdivision~~

applicant to make this filing

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

~~Applicant~~

b. Who owns the land to be irrigated or place of use

~~Applicant~~

9. a. Who owns the property at the point of diversion


c. Describe any other water rights used for the same purposes as described above. None

Total number of acres to be irrigated

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼			
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%
TOTALS			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Henry W. Orant
(Applicant)

MICROFILMED

Proposed Priority 9/13/84

Received by DRT

Date

Sept 13, 1984

Time

11:30 AM

Fee \$ 30.00 # 35072

Preliminary check by

[Signature]

Received by

Date

Sept 13, 1984

Publication prepared by JP

Date 9/20/84

Published in The Star News

Publication dates

9/26 & 10/3/84

Publication approved

JS

Date 10/5/84

Protests filed by:

Thorne

Copies of protests forwarded by

Hearing held by

Date

Recommended for approval denial by *DBS* *fw*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 65-12723, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore October 1, 1989.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 24th day of October, 1984.

[Signature]
Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT OF PUBLICATION

RECEIVED
OCT 5 1984

Department of Water Resources
Western Regional Office


STATE OF IDAHO

County of Valley } SS.

Judy Brooks being duly sworn deposes
and says, I am the bookkeeper of the Star-News, a weekly
newspaper published at McCall, in the County of Valley, State of Idaho; that
said newspaper is in general circulation in the county of aforesaid and is a
legal newspaper; that the Notice of Application, a copy of which
is attached hereto and made a part hereof, was published in said newspaper
once a week for two consecutive weeks in the regular and entire
issue of every number thereof during the period and time of publication, and
was published in the newspaper proper and not in a supplement; and that
publication of such notice began September 26
19 84 and ended October 3 19 84

Judy Brooks
Subscribed and sworn to before me this the
3rd day of October, 19 84

Tou Gros
Notary Public in and for the State of
Idaho, residing at McCall
therein



MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 19, 1993

HENRY W ORCUTT
DORIS I ORCUTT
FRED GRASSER
BARBARA ANN GRASSER
3810 GULLEY AVE
BOISE ID 83709

RE: WATER RIGHT NO. 65-12723

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
FEB 04 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1992

HENRY W ORCUTT
DORIS I ORCUTT
FRED GRASSER
BARBARA ANN GRASSER
3810 GULLEY AVE
BOISE ID 83709

RE: WATER RIGHT NO. 65-12723

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
FEB 04 1993

LICENSE REVIEW CHECKLIST

Permit # 65-12723

Date 12-23-92
Q8

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	No Fee paid
	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>.02 cfs (DOM)</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u> </u>
	<u>✓</u>	<u> </u>	Limited by Capacity? <u>.02 cfs</u> <u>(measured)</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>5 x .6 = 3.0 afa (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM/5 Homes</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u>✓</u>	<u> </u>	Other <u>P/U</u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u>✓</u> <u> </u> App Rec'd
			<u>✓</u> <u> </u> Exam Made

COMMENTS/MEMOS NEEDED: Reduced rate

License 10-Day ✓ 15-Day Special Correspondence

DATE: 12/23/92
PAGE: 1

DIVERSION VOLUME

3.0 AFA

3.0 AFA

09:07:06

Stage: LICENSE

0-02 CFS

T13N R03E S03

DOMESTIC

FM

NENE NWNE SENE SENE

Ac Lt Ac Lt Ac Lt Ac

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

Polu County: VALLEY

Non-Irrigation Uses: ~~D/5-1000ES~~

Remarks: Domestic use is for 5 homes.

Place of use is located within Lots 22, 23 and 24, West Mountain Subdivision No. 2.

Dates: **App. Received:**

Proof Due Date:

Exam Made Date:

Licensed Date:

Misc:

1000

Audit: 12/23/92 SKAGGS

Field Exam Fee: N (Not Required)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 18 1992

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-12723
1. Owner: Henry W. Orcutt Phone No. 362-4271
Current Address: 3810 Gulley Ave Boise Idaho 83709
2. Accompanied by: same EXAM. DATE 9-19-88
Address: same Phone No. same
Relationship to Permit Holder: owner
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: S.F.D N/A ☐ Copies Attached
2. Other water rights with same point of diversion: S.F.D N/A ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

FEB 04 1993

Scale: 1" = Not to scale.

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
 System consists of a collector zone of submain water. A pipe carries water into a 500 gal storage tank in the driveway. Above in a pump inside the tank which pump water up to a pressure tank. From the pressure tank there are 5 hose bibs on the outside of the pump house. Which constitutes a maximum of 5 hydrant uses. These convey water from hose bibs to the different trailers.

☐ See Remarks on page 4 for continuation

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2	Submersible		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
clock + bucket						

2. Measurements:

water is conveyed into tanks and then pumped into pressure tank. Tank has an overflow pipe, which was measured as shown

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

Permit - .10 cfs

1 Measured Method:

Source yielded $5 \text{ gal} / 32.4 \text{ sec} = 9.3 \text{ gpm} = 0.02 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$Q = 0.02 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation.

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{_____}$ 04 1993

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{_____}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \text{_____}$

2. Volume Calculations for Other Uses:

$V_d = 0.6 \text{ Afa for domestic at } 0.02 \text{ cfs}$
 $5 \text{ domestic uses} \times .6 \text{ AFA} = 3.0 \text{ AFA}$

she also includes a structure, which is the area they have a toilet, shower, and wash basin plus the area for the trailer. So third in the latrine house and 4 trailer spots. therefore should be for 0.02 sq and not to exceed 5 domestic uses

1. Recommended Amounts

RECOMMENDATIONS

domestic

1-1 12-31

0.02 cps

2.6 30

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

Field Examiner's Name


Certification Date

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.







Underneath
the ground under
the arrow there is
a collector or sump
type of an affair made
up of rock and gravel.
There is a pipeline,
which goes from
arrow down to a
500 gal storage tank
in the driveway
which is 70-80 feet
from arrow



This is the top
of the tank,
with a valve
down inside
the access hole


RECEIVED
FEB 04 1993

Place of Use



Pressure Tank

Inside of Pump House



~~the~~ the
five hose
bibs on the
outside of
the pump
house.

Hose's convey
water to
Different users.

RECORDED
FEB 04 1993
#65-12723



overflow pipe which, when
tank is full and no use
occurs, measures the rate of
diversion

MINO-3 MED
FEB 04 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 15, 1988

Henry W. Orcutt, Et Al
3810 Gulley Ave.
Boise, ID 83709

65-12723

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

FEB 04 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12723

Date: 3-9-88

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

N/A Surface water
y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: - *Request a copy of well log*
- *Proof acceptable*

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	+ _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

FEB 24 1988

For Office Use Only
Fee Received N/A
Date 2/19/88
Receipt #
Receipt by
Reviewed by
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12723

Name(s) of Permit Holder: Henry W. Orcutt, et al

Post Office Address: 3810 Gulley Ave. Boise Id 83709

Telephone No. 362-4271

Source of Water: Groundwater

Extent of Use:

Domestic 5 (number of households) Stockwater (number and type of stock)

Irrigation (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.04 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 1984

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

See above

(Name)

(Telephone Number)

See above

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

2/19/88
Date

Henry W. Orcutt
Signature of Permit Holder (and title, if appropriate)

APR 04 1988

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0.00
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

Orig -
To Rita Fleck
(Western has copy)

November 1, 1984

RE: Permit No. 65-12723

Henry W. &/or Doris I. Orcutt &/or
Fred &/or Barbara Ann Grasser
3810 Gulley Ave.
Boise, ID 83709

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jim Johnson APPLICATION NUMBER: 65-12723

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

OK TO SEND TO REGION FOR PROCESSING June 9-13-84

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☒ Idaho Fish and Game Department. _____
☒ Idaho Department of Lands. _____
☒ U.S. Bureau of Land Management. _____
☒ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 10/15/84
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/5/1984
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 301 35072
☒ Publication dates and paper, recorded on application. The Star News
☒ Protests, dates, withdrawal, etc., recorded on application. 9/26 & 10/3/84
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
10/13/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

(26)

By: OBS Date: 10/15/84

MICROFILMED

STATE OFFICE REVIEW:

L17 26

☐ See attached sheet for more information.
By: kw Date: 10-24-84

RECEIVED
OCT 23 1984

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

65-12723

ORCUTT, HENRY W. &/or DORIS I.
GRASSER, FRED &/or BARBARA ANN

3810 GULLEY AVE., BOISE, ID 83709

Source: GROUNDWATER

Date Filed: 09/13/1984

Diversion Pt: SENW Sec 03 T 13N R 03E

Use: DOMESTIC (0.10 CFS)

In: SENW Sec 03 T 13N R 03E

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

SEPTEMBER 20, 1984

The Star News
Box 985
McCall, ID 83638

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 15, 1984.

Yours truly,

JUDY FENSE
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 15, 1984.

KEN DUNN, Dir.

Published 09/26 & 10/03/84.

MICROFILMED