


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See attached.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

T M Donahy
Trustee (Applicant)

MICROFILMED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
ss.
COUNTY OF GEM,

Su Harms, being first
duly sworn, on his oath deposes and
says that he is the printer of Messenger-
Index, a legal weekly newspaper pub-
lished at Emmett, in Gem County, Idaho;
that said newspaper is in general circu-
lation in said county and has been pub-
lished uninterruptedly and continuously
for more than 78 weeks prior to the first
publication of the annexed document;
and that the document notice, process,
or advertisement hereunto annexed was
published in the regular edition of

Messenger-Index for two
consecutive weekly issues thereof, be-

ginning with the issue of Aug 8,
1984, and ending with the issue of

Aug 15, 1984
Su Harms

Subscribed and sworn to before me this
30th day of

Nov., 1984
Chirac J. J. J. J. J.

Notary Public,
Residing at Emmett, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

65-12721 ✓ 34

KENNETH E. DROULARD
EMPLOYEE PENSION PN.
1512 12TH ST. AVE., NAMPA,
ID 83651

Source: PAYETTE RIVER trib. to
SNAKE RIVER

Date Filed: 07/19/1984

Diversion Pt: LOT 07 (NWSE)
LOT 08 (NESE) Sec 11 T 06N R
02W

Use: WILDLIFE STORAGE (6.0
AF)

RECREATION STORAGE
(6.0 AF)

DIVERSION TO
STORAGE (1.00 CFS)

In: LOT 07 (NWSE) LOT 08
(NESE) Sec 11 T 06N R 02W

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, Statehouse,
Boise, Idaho 83720 on or before
AUGUST 27, 1984.

KEN DUNN, Dir.
2:8-8,15-84

MACROFILMED

RECEIVED
DEC 3 1984

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12731

1. Owner: KENNETH E. DOWLAND Employee Pension Plan Phone No. 466-2661

Current Address: 1512 12th AVE S. Nampa, IDAHO 83651

2. Accompanied by: TOM DONDELINGER EXAM. DATE: 7-16-87

Address: SAME Phone No. _____

Relationship to Permit Holder: TRUSTEE

3. Source: Payette R. and Wastewater tributary to PAYETTE RIVER SNARE RIVER
PAYETTE RIVER


B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-1131 IS THE IRRIGATION
RIGHT ON LAND - ADJUDICATION RIGHT ☐ Copies Attached

2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

NOT TO SCALE

E-23

B242
SAWYER

B253
LANHAM

Air Strip

PAYETTE RIVER

C200
FAY/PROCTOR

MICROFILMED
JUN 26 1992

Sand Plant

C430
NEBEKER
430 C

C202
HOWELL
202 C

B
16.3

65-127-1



P.D.



P.D.

MICROFILMED
JUN 26 1982

65- 12721



P. U.

1



P. U.

2

MICROFILMED
JUN 26 1992

65-12721



P.O.

#3



P.O.

#4

UNRECORDED
JUN 26 1992


68-12721



*
GOES
BACK
TO
RIVER
HERE

MICROFILMED
JUN 26 1992

12721-11



S 89° 55' W.

3 80.12 2 9

47.23 46.80 31.90

15.50 556.69

Sec. 12

556.69

160

WEST

80.00

Sec. 13

640

WEST

79.94

80

14.58

31.80

49.50

25.30

49.50

80

S. 89° 57' W.

79.64

Sec. 14

640

ST

92

NORTH

26.60

29.70

45.38

31.80

49.50

25.30

49.50

40

51.70

80

ORTH

15

MICROFILMED
JUN 26 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12721

Priority: July 19, 1984

Maximum Diversion Rate:

0.60 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that KENNETH E DROULARD EMPLOYEE PENSION
1512 12TH AVE S
NANPA ID 83651

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 19, 1984; and
has submitted Proof of Beneficial Use on November 7, 1985. An examination indicates
that the works have a diversion capacity of .600 cfs of water from:

PAYETTE RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
WILDLIFE STORAGE	01/01 to 12/31		6.0 AF
RECREATION STORAGE	01/01 to 12/31		6.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.60 CFS	
	Totals	0.60 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8(NESE), Sec. 11, Township 06N, Range 02W
Lot 7(NWSE), Sec. 11, Township 06N, Range 02W
GEM County

PLACE OF USE: WILDLIFE STORAGE
TWN RGE SEC

06N 02W 11 Lot 8(NESE) Lot 7(NWSE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

NOT RECORDED

JUN 26 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12721

CONDITIONS/REMARKS:

6. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of JUNE, 1992.

Acting for *R. Keith Higginson*, Director

JUN 26 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVING THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 65-12721)
IN THE NAME OF KENNETH E DROULARD EMPLOYEE) ORDER
PENSION PLAN)

WHEREAS, on December 12, 1984, the Department of Water Resources issued Permit No. 65-12721 in the name of Kenneth E. Droulard Employee Pension Plan with the requirement that:

Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

and,


WHEREAS, the Department of Water Resources has determined that measuring devices are not required at this time for a determination of the quantity of water appropriated under the permit;

NOW THEREFORE, the condition of approval on Permit No. 65-12721 requiring that measuring devices be installed is hereby REMOVED.

Dated this 21st day of April, 1992.

MICROFILMED

JUN 26 1992


L. GLEN SAXTON
Chief, Water Allocations Bureau

Form 202
RECEIVED
JUL 19 1984

Ident. No. 65-12721

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

Department of Water Resources
Washington Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Kenneth E. Droulard Employee Pension Plan Phone (208) 466-2661

Post office address 1512 12th Avenue Road, Nampa, Idaho 83651

2. Source of water supply Payette River which is a tributary of Snake River

3. Location of point of diversion is Lots 7 and 8 $\frac{1}{4}$ of Section 11 Township 6 North

Range 2 west B.M. Gem County, additional points of diversion if any: _____

Lot 7 NWSE, Lot 8 NESE

4. Water will be used for the following purposes:

Amount 1.0 cfs for Storage purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum) Storage for 6.5
Amount 6AF for Recreation purposes from 1/1 to 12/31 (both dates inclusive)
(acre-feet per annum) Storage for 6.5
Amount 6AF for Wildlife purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1 cfs cubic feet per second and/or b. 6AF acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Enlarge existing slew to 400 feet by 60 feet
by 8 to 10 foot depth and placing inlet and outlet to maintain constant depth. Slope of sides is 1 to 1.

b. Height of storage dam 10 to 15 feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage none to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is none inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: Lot 7 and 8 $\frac{1}{4}$ of Section 11 Township 6 North
Lot 7 NWSE
Range 2 west B.M. Gem Lot 8 NESE

(2) Amount of power to be generated: N/A horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered N/A


(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe. Pond will be used for gamebird, waterfowl,
and fish habitat as per our seeking advisement from Fish and Game

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See attached.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

TM Donahy

Trustee

(Applicant)

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below: N/A

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion _____ Applicant

b. Who owns the land to be irrigated or place of use _____ Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Existing slew to be enlarged to promote gamebird, waterfowl and fish habitat. Water level to be maintained by placing controlled inlet and outlet which consists of 3 foot diameter cement pipe with gates.

Applicants have consulted with Idaho State Fish and Game and the Department of Fisheries concerning proper dimensions, slope, etc., which would promote habitat and avoid stagnation (as is the current situation during lower water months with the existing slew) of the pond.

MICROFILMED

Proposed Priority 7/19/84

Received by MM Date 7/19/84 Time 11:00

Preliminary check by GLS Fee \$ \$30.00 #34532

Receipted by GLS Date 7/25/84 \$15.00 7/27/84 #34534

Publication prepared by JP Date 8/2/84

Published in Emmett Messenger - Sunday ice called paper to get ad 11/29/84

Publication dates 8/9 & 8/16/84

Publication approved JP Date 12/3/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12721, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 86.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.

Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 12th day of December, 1984.

A. Glen Saylor
Chief, Operations Bureau

MICROFILMED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Su Harms, being first duly sworn, on his oath deposes and says that he is the printer of Messenger-Index, a legal weekly newspaper published at Emmett, in Gem County, Idaho; that said newspaper is in general circulation in said county and has been published uninterruptedly and continuously for more than 78 weeks prior to the first publication of the annexed document; and that the document notice, process, or advertisement hereunto annexed was published in the regular edition of

Messenger-Index for two consecutive weekly issues thereof, be-

ginning with the issue of Aug 8, 1984, and ending with the issue of

Aug 15, 1984
Su Harms

Subscribed and sworn to before me this 30th day of

Nov., 1984
Cherie Louise P. Hara

Notary Public,
Residing at Emmett, Idaho.

NOTICE OF APPLICATION
The following application(s)
has/have been filed for record
for public waters of the State of
Idaho.
NO. 12721 / 84
KENNETH F. CHILLARD
EMPLOYEE PENDING
111 1/2TH ST. AVE. RAMPA,
IDAHO
FROM: BAYETTE RIVER n.b. to
EMMETT RIVER
SECTION 37, 14, T20N
RANGE 21, 14, R. (N.W. 1/4)
SECTION 38, 14, T20N R.
N.W. 1/4
WILDLIFE STORAGE (80
AC)
RECREATION STORAGE
(60 AC)
DIVERSION TO
STORAGE (1500 CFS)
IN LOT 27 OF GRANT LOT 08
(N.W. 1/4, 14, T20N R. 21, 14, R.)
THE APPLICANT HAS REQUESTED
AN ORDER BEING GRANTED
THAT THE ABOVE DESCRIBED
WATER RIGHTS BE PLACED
UNDER THE CONTROL OF THE
STATE OF IDAHO.
AUGUST 27, 1984
EMMETT, IDAHO

ENCLOSURE

RECEIVED
DEC 3 1984

Department of Water Resources
Western Regional Office

Documents concerning ownership change(s)
have been reviewed and database has been changed
to reflect new present owners

No correspondence is required

S. Curtis

Date 12/3/92

MICROFILMED

FEB 24 1994

RECEIVED
APR 23 1992

Department of Water Resource

**Original to be mailed to Idaho Department of Water Resources
Copies to Former Owner and New Owner**

WARRANTY DEED

For Value Received Kenneth E. Droulard Professional Association Employee Pension Trust.

the grantor s, do hereby grant, bargain, sell and convey unto
 Ellis C. Vogel and Katherine S. Vogel
 husband and wife
 505 Fair Lane, Nampa, Idaho 83686

the grantee s, the following described premises, in Gem County Idaho, to wit:

All of Lots 7 and 8, in Section 11, Township 6 North, Range 2 West of the Boise Meridian, Gem County, Idaho.


EXCEPT the East 27 rods of said Lot 8.


ALSO EXCEPT all land located South of the Oregon Shortline Railroad right of way.

EXCEPT all ditch and road rights of ways.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantees, their heirs and assigns forever. And the said Grantor s do hereby covenant to and with the said Grantee s, that they are the owner s in fee simple of said premises; that they are free from all encumbrances except current years taxes, public utility easements and U. S. Patent Reservations. Any change in property due to meander line as shown by the Government Survey of the Payette River. and that they will warrant and defend the same from all lawful claims whatsoever.

Dated: April 17, 1992


 Thomas M. Donndelinger- Trustee


 Kenneth E. Droulard- Trustee

STATE OF IDAHO, COUNTY OF Gem
 On this 17th day of April, 1992,
 before me, a notary public in and for said State, personally
 appeared Thomas M. Donndelinger, Trustee
 and Kenneth E. Droulard- Trustee
 of Kenneth E. Droulard Professional
 Association Employee Pension Trust
 known to me to be the person s whose name s are
 subscribed to the within instrument, and acknowledged to
 me that they executed the same

Residing at Emmett
 Comm Expires 7/11/94

Notary Public
 Idaho



STATE OF IDAHO, COUNTY OF
 I hereby certify that this instrument was filed for record at
 the request of

at this minutes past o'clock m.
 this day of
 19 , in my office, and duly recorded in Book
 of Deeds at page

Ex-Officio Recorder

By

Fees \$
 Mail to

Deputy
 FEB 24 1994

First American Title Company of Idaho

INSTRUMENT NO.

June 24, 1992

KENNETH E DROULARD EMPLOYEE PENSION
1512 12TH AVE S
NAMPA ID 83651

RE: WATER RIGHT NO. 65-12721

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Also enclosed is an Order removing the measuring device requirement.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

JUN 26 1992

May 12, 1992

KENNETH E DROULARD EMPLOYEE PENSION
1512 12TH AVE S
NAMPA ID 83651

RE: WATER RIGHT NO. 65-12721

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

RECEIVED

JUN 26 1992

LICENSE REVIEW CHECKLIST

Permit No. 65-12721

Date 9/17/92

Name Address change? ok

Priority date Advance? NO
Memo to advance
Order to reinstate needed?

Total cfs Fee sufficient for rate recommended? ✓
Limited by capacity?

Total volume Limited by flow?
Rate/ac N/A afa (irrigation)
Calculations from examiner appropriate?

Capacity Actual measurement checked
Theoretical checked

Source Clarification of originally intended source is
the only change allowed - if any other change in
source has occurred, a notice of intent to void
is needed OK

P/D Verify with map ✓ Amendment req'd?
Remark needed for more than one per $\frac{1}{4}$
Is overlap analysis a consideration in final
recommendations? NO

Uses Period of use for each use compatible with
appropriate maps, data entry standards, etc. ✓
Change(s) in nature of use - amendment req'd

P/U Verify with map ✓ Amendment req'd?
Is overlap analysis a consideration in final
recommendations? NO

Remarks More than one p/d in $\frac{1}{4}$
Non-irrig uses
Special overlap condition
Other

Conditions -

Measuring device request for removal
W.Master control ROU
Overlap
Water quality ROB
Other

Dates/Misc. -

Water Dist ✓
App Rec'd ✓
Proof Rec'd ✓
Exam Made ✓

Comments/Memos needed:

License <u>✓</u>	Paragraphs <u> </u>
10-day <u>✓</u>	Paragraphs <u> </u>
30-day <u> </u>	Paragraphs <u> </u>

Special correspondence req'd?

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12721

1. Owner: KENNETH E. DROWLARD Employee Pension Plan Phone No. 466-2661

Current Address: 1512 12th AVE S Nampa, IDAHO 83651

2. Accompanied by: TOM DONDELINGER EXAM. DATE: 7-16-87

Address: SAME Phone No. _____

Relationship to Permit Holder: TRUSTEE

3. Source: Payette R. and Wastewater tributary to PAYETTE RIVER SNAKE RIVER
PAYETTE RIVER


B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-1131 IS THE IRRIGATION
RIGHT ON LAND - ADJUDICATION RIGHT ☐ Copies Attached

2. Other water rights with same point of diversion: _____
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
JUN 26 1992

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Originally the land was really sandy, with a lot of rocks and was on the end of the irrigation ditch, so what they did when they brought it was make a series of ponds for the ditch to run into before it ran into the river.

* I ESTIMATED THE WATER LEVEL IN AS BEING ABOUT 60 ft.

☐ See Remarks on page 4 for continuation

Well or Division Identification No.*					
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Twp.	Rge.	Sec.	NE 1/4	NE 1/4 SW 1/4	SE 1/4	NW 1/4	NW 1/4 SW 1/4	SE 1/4	SW 1/4	SE 1/4	NE 1/4	NE 1/4 SW 1/4	SE 1/4	Totals
6N	2W	11												

Lot 8

Lot 7

Do not use this space

7661 9 2 NOV

QWERTY

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

#1	350 x 160 x $(\frac{1}{2})(6)$	= 112,000 / 43560	= 2.5 ac-ft
#2	150 x 90 x $\frac{1}{3}(6)$	= 27,000 / "	= .62 ac-ft
#3	276 x 140 x $\frac{1}{3}(3)$	= 38,640 / "	= .89 ac-ft
#4	500 x 300 x $\frac{1}{3}(4)$	= 200,000 / "	= 4.6 ac-ft
<u>8.6 ac-ft</u>			

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

→ 8.6 ac-ft ESTIMATED

2. Alternate Method for Checking Purposes:

APPLIED FOR 6 ac-ft

F. PUMP EFFICIENCY DATA (Optional)

N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

N/A

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED
JUN 26 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* AT TIME OF APPOINTMENT THEY INDICATED THAT THEIR USE WOULD BE LESS THAN .7 cfs AND ~~RE~~ AT THE TIME OF THE EXAM I FOUND THAT THERE USE USUALLY WOULD BE LESS THAN .7 cfs ALTHOUGH AT SOME TIMES IT COULD BE MORE THAN THIS SINCE THEY GET WASTE WATER, BUT SINCE THEY ARE RIGHT BEFORE THE RIVER AND THERE IS NO ONE DOWN THE DITCH FROM THEM I RECOMMENDED THAT THE MEASUREMENT DEVICE REQUIREMENT BE LIFTED.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STORAGE FOR RECREATION	1-1	12-31		6 AF
STORAGE FOR WILDLIFE	1-1	12-31		6 AF
DIVERSION TO STORAGE	1-1	12-31	.6 cfs	6 AF
Totals:			.6 cfs	6 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


BD
8/19/87

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBITT
Signature Quentin Nesbitt
Certification Date _____
Field Report Preparation Date 8-19-87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



RECEIVED

JUN 26 1992

I REQUEST THAT THE MEASURING DEVICE
REQUIREMENT FOR PERMIT NO. 65-12721
BE REMOVED BECAUSE THE NORMAL USE
IS LESS THAN .7 cfs AND THE
USE IS AT THE END OF A DITCH
AND IS NOT CONSUMPTIVE.

Tom Donaldson
Trustee KED Donaldson Pension
PLAN

MICROFILMED
JUN 26 1992

B242
SAWYER

B253
LANHAM

Air Strip

GOES BAY

C200
FARM FACTORY

MICROFILMED
JUN 26 1992

Sand Plant

C430


4300

10
15

65-12-1



P.D.



P.D.

MICROFILMED
JUN 26 1962

65- 12721



P.U.

#1




P.U.

#2

MICROFILMED
JUN 26 1992

6-12721



P.O.
#3



P.O.
#4

RECEIVED
JUL 26 1992


68-12721



*
GOES
BACK
TO
RIVER
HERE

MICROFILMED
JUN 26 1992


12721-11



MONTOUR 17 MI
IDAHO 351 20 MI

0.3 MI TO IDAHO 16
MONTOUR 15 MI

800 000
FEET



Sec. 13
640

Sec. 14
640

MICROFILMED
JUN 26 1992

4/86

RECEIVED
JUN 16 1986

STATE OF IDAHO

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$50.00
Date 6/26/86
Receipt # 40406
Receipt by MB
Sent to S.O. 7/1/86

RECEIVED
JUN 16 1986

1. Permit No. 65-12721ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE Department of Water Resources

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: KENNETH F. DROUARD EMPLOYEE PENSION PN3. Post Office Address: 1512 12TH AVE. S. NAMPA, IDAHO 83651Telephone No. 466-26614. Source of Water: IRRIGATION WASTE WATER

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark PONDS6. Total rate &/or volume for which proof is submitted VARIABLE - AVAILABLE
.20 cfs 6 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1985

8. Person to contact to accompany the department representative during the field examination:

K.E. DROUARD, M.D.

(Name)

466-26611008 SAGE CREEK RD. NAMPA, IDAHO 83651

(Address)

466-0914

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date

6/13/86

Signature of Permit Holder (and title, if appropriate)

Kenneth F. Drouard

State of Idaho

Department of Water Resources.

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

OK
Due 8/4/6

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Storehouse
Boise, Idaho 83720

65-12721
KENNETH B. DROULARD EMPLOYEE PENSI
1512 12TH ST. AVE.
Nampa, ID 83651

138666

June 5, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination. **MICROFILMED** change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

JUN 26 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JANUARY 25, 1986

KENNETH E. DROULARD EMPLOYEE PENSION PL.
1512 12TH AVE. RD.
NRMFA ID 83651

RE: Permit No. 65-12721

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECORDED

JUN 26 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
NOV 7 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 65-12721

Name(s) of Permit Holder: Kenneth E. Droulard Employee Pension Plan

Post Office Address: 1512 12th Avenue Road, Nampa, Idaho 83651

Telephone No. 466-2661

Source of Water: Irrigation run off, only.

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks Fish and duck pond

Indicate the date water was first diverted and beneficially used under this permit: approx. September, 1984

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

K. E. Droulard, M.D.

(Name)

1512 12th Avenue Road, Nampa, Idaho 83651

(Address)

466-2661

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

November 6, 1985

Date

K. E. Droulard M.D.
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

1-22-86
H

S T A T E O F I D A H
D E P A R T M E N T O F W A T E R R E S O U R C E S

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
OCTOBER 31, 1985

KENNETH E. DROULARD EMPLOYEE PENSION PN.
1512 12TH ST. AVE.
NAMPA, ID 83651

138462

P R O O F D U E N O T I C E

RE: PERMIT NO. 65-12721

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KENNETH E. DROULARD EMPLOYEE PENSION PN.
1512 12TH ST. AVE.
NAMPA, ID 83651

JANUARY 10, 1985

RE: PERMIT NO. 65-12721

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE PAYETTE RIVER AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

IF THE DIVERSION DAM IS 10 FEET OR MORE IN HEIGHT, OR HAS AN IMPOUNDING CAPACITY OF 50 ACRE-FEET OR MORE, CERTAIN DAM SAFETY REQUIREMENTS MUST BE MET. PLEASE CONTACT THE REGIONAL OFFICE NEAREST YOU FOR DETAILS.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 65-12

PAGE 01
JANUARY 10, 1985

SINCERELY.

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

44-38861-117

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 665

APPLICATION NUMBER: 65-12721

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☐ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: pma

Date: 8-2-84

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: August 27 1984
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/3/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 45/34534/34532
☒ Publication dates and paper, recorded on application. Emmett newspaper Order
☒ Protests, dates, withdrawal, etc., recorded on application. 2/A & 8/16/84
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
☒ 7/19/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

90 18A

By: DBS

Date: 12/3/84

STATE OFFICE REVIEW: 09D 18A

- ☐ See attached sheet for more information.

By: KW

Date: 12-5-84

DEC 04 1984

Department of Water Resources

MACROFIL 17

104,
109

L16 05/65, Payette River

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX


TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

DBS



IDAHO DEPARTMENT OF FISH AND GAME
REGION 3

109 West Forty-fourth Street
Boise • Idaho • 83704

August 14, 1984

Mr. David B. Shaw
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Shaw:

Re: 65-12721/Kenneth E. Droulard
Employee Pension Plan

Idaho Department of Fish and Game personnel have reviewed the above application to enlarge existing slew to 400 feet by 60 feet by 8 to 10 foot depth and placing inlet and outlet to maintain constant depth of the Payette River. We have no objections to issuance of a permit.

Thank you for the opportunity to review and comment on this application.

Sincerely,

Stacy Gebhards
Regional Supervisor
Region 3

RECEIVED

RECEIVED
AUG 15 1984

Department of Water Resources
Boise, Idaho



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

August 2, 1984

Idaho Dept. of Fish & Game - Region 3
Attn: Ms. Stacy Gebbard
Statehouse
Boise, ID 83720

Re: 65-12721/ Kenneth E. Droulard Employee Pension Plan

Dear Mr. Gebbard:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application, your written protest must be received in this office by August 27, 1984.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Regional Supervisor

DBS:jp

Enclosure

RECEIVED
AUG 14 1984
WESTERN REGIONAL SUPERVISOR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

AUGUST 2, 1984

Emmett Messenger-Index
Box 577
Emmett, ID 83617

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 27, 1984.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
AUG 14 1984
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before AUGUST 27, 1984.

KEN DUNN, Dir.

Published 08/09 & 08/16/84.

65-12721

KENNETH E. DROULARD EMPLOYEE PENSION PN.

1512 12TH ST. AVE., NAMPA, ID 83651

Source: PAYETTE RIVER trib. to SNAKE RIVER

Date Filed: 07/19/1984

Diversion Pt: LOT 07 (NWSE) LOT 08 (NESE) Sec 11 T 06N R 02W

Use: WILDLIFE STORAGE	(6.00 AF)
RECREATION STORAGE	(6.0 AF)
DIVERSION TO STORAGE	(1.00 CFS)

In: LOT 07 (NWSE) LOT 08 (NESE) Sec 11 T 06N R 02W

RECEIVED
JUL 20 1984