


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Ann Jorgensen
(Applicant)

DEC 06 1988

Form 19
6/86

RECEIVED

JUN 17 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

SEE 1/24/92 MEMO + REVIEW THIS EXAM
WITH 65-12095

-82
5/28/93

A. GENERAL INFORMATION


1. Owner: Deloy Yorgensen Permit No. 65-12608
Current Address: HC 71, Box 2010, Cascade, Idaho 83611 Phone No. 382-4712
2. Accompanied by: Deloy Yorgensen EXAM. DATE: 7-9-90
Address: same Phone No. _____
Relationship to Permit Holder: owner
3. Source: Pearsol Creek tributary to N. Fork Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12095, 65-7334, 65-7340, 65-9019
☒ Copies Attached
2. Other water rights with same point of diversion: 65-12095, 65-7334, 65-7340, 65-9019
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

NOTED
JAN 20 1994



65-12095

14N
4E
S.31 m LWS 6 1/2

13N
4E
S.5

plu 4 acres
Road

P/O

P/O is on line of :

S.5 L.2 NWNE
L.3 NENW

S.31 SESE

and located 500' west of road.

P/O = 4 acres in SESE S.31

NOTE
Pond located in S.5
L.3 NENW &
S.31 SESE
(Pond = 65-12608)
Pond is south of creek.

JAN 20 1964

Admission of Non-Foreign Range

65-12095

T13N R3E S.5

2.35
2.45

1.65.12608


۲۳۳

Sec. 31


پیشہ

100% - 100%

3rd 6.5 Skanu



PERMIT 25-12608 INIT _____
T. R. S. Q/Q
P/D 4N 4E 31 SESE
SCALE _____
PHOTO ID. T60



4931
4930
4929
4928
4927
4926
4925
4924

1030 000
FEET

65-12608



Picture #1

Place of
diversion from
Pearson Creek
into a 6" plastic
pipe

Pictures of
pump and
pipe line didn't
turn out



Picture #2

Place of use
is pasture
area in the
middle of photo.

JAN 20 1994

65-12608

Picture #3



Pond that receives water from creek and then returns it to the creek in the white 6" plastic pipe at the bottom left corner of the pond. The owner intends to raise fish in this pond but has not completely developed it.

MISSOURI

JAN 20 1994

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Valley

SS.

Judy Brooks being duly sworn deposes and says, I am the bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the Notice of Application, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 27 1983 and ended May 4 1983.

Judy Brooks
Subscribed and sworn to before me this the
4th day of May, 1983.

Tom Holt

Notary Public in and for the State of
Idaho, residing at McCall
therein.

NOTICE OF APPLICATION FOR WATER RIGHT

The following
application(s) have been fil-
ed to appropriate the public
waters of the State of Idaho:
65-12608 ✓SP

YORGENSEN, SLIM &/or
ANN
STAR RT., CASCADE, ID
83611

Source: PEARSOL CREEK
Trib. to PAYETTE RIVER,
NORTH FORK

Date Filed: 04/15/1983

Diversion Pt: SESE Sec 31 T
14N R 04E

Use: IRRIGATION (0.14
CFS)

IRRIGATION
STORAGE (2.9 AF)

IRRIGATION FROM
STORAGE (2.9 AF)

WILDLIFE
STORAGE (2.9 AF)

DIVERSION TO
STORAGE (1.00 CFS)

In: SESE Sec 31 T 14N R 04E
FOR 7 ACRES

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with
the Director, Dept. of Water
Resources, Western Region,
Statehouse, Boise, Idaho
83720 on or before MAY 16,
1983.

KENDUNN, Dir.
Published 4-27 & 5-4


RECEIVED

MAY 9 1983

Department of Water Resources
Western Regional Office

DEC 06 1988

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Ann Jorgensen
(Applicant)

DEC 06 1988

Form 19
6/86

RECEIVED

JUN 17 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

SEE 1/24/92 MEMO + REVIEW THIS EXAM
WITH 65-12095

-82
5/28/93

A. GENERAL INFORMATION


1. Owner: Deloy Yorgensen Permit No. 65-12608
Current Address: HC 71, Box 2010, Cascade, Idaho 83611 Phone No. 382-4712
2. Accompanied by: Deloy Yorgensen EXAM. DATE: 7-9-90
Address: same Phone No. _____
Relationship to Permit Holder: owner
3. Source: Pearsol Creek tributary to N. Fork Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12095, 65-7334, 65-7340, 65-9019
☒ Copies Attached
2. Other water rights with same point of diversion: 65-12095, 65-7334, 65-7340, 65-9019
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
JAN 20 1994



65-12095

14N
4E
S.31 m LWS 6 1/2

13N
4E
S.5

P/O is on line
of :

S.5 L.2 NWNE
L.3 NENW

S.31 SESE

and located 500'
west of road.

P/O = 4 acres in
SESE S.31

NOTE
Pond located in S.5
L.3 NENW &
S.31 SESE
(Pond = 65-12608)
Pond is south of creek.

Admission of Non-Foreign Range

65-12095


T13N R3E S.5

12.35
12.45


1. 65.12608

F. Dec. 32

3rd 51 Skarru



PERMIT 25-12608 INIT _____
T. R. S. Q/Q
P/D 4N 4E 31 SESE
SCALE _____
PHOTO ID. T60



65-12608



Picture #1

Place of
diversion from
Pearson Creek
into a 6" plastic
pipe

Pictures of
pump and
pipe line didn't
turn out



Picture #2

Place of use
is pasture
area in the
middle of photo.

JAN 20 1994

Minnesota

65-12608

Picture #3



Pond that receives water from creek and then returns it to the creek in the white 6" plastic pipe at the bottom left corner of the pond. The owner intends to raise fish in this pond but has not completely developed it.

MISSOURI

JAN 20 1994

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Valley

SS.

Judy Brooks being duly sworn deposes and says, I am the bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the Notice of Application, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 27 1983 and ended May 4 1983.

Judy Brooks
Subscribed and sworn to before me this the
4th day of May, 1983.

Tom [Signature]

Notary Public in and for the State of
Idaho, residing at McCall
therein.

NOTICE OF APPLICATION FOR WATER RIGHT

The following
application(s) have been fil-
ed to appropriate the public
waters of the State of Idaho:
65-12608 ✓SP

YORGENSEN, SLIM &/or
ANN
STAR RT., CASCADE, ID
83611

Source: PEARSOL CREEK
Trib. to PAYETTE RIVER,
NORTH FORK

Date Filed: 04/15/1983

Diversion Pt: SESE Sec 31 T
14N R 04E

Use: IRRIGATION (0.14
CFS)

IRRIGATION
STORAGE (2.9 AF)

IRRIGATION FROM
STORAGE (2.9 AF)

WILDLIFE
STORAGE (2.9 AF)

DIVERSION TO
STORAGE (1.00 CFS)

In: SESE Sec 31 T 14N R 04E
FOR 7 ACRES

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with
the Director, Dept. of Water
Resources, Western Region,
Statehouse, Boise, Idaho
83720 on or before MAY 16,
1983.

KENDUNN, Dir.
Published 4-27 & 5-4

RECEIVED

9 1983

Department of Water Resources
Western Regional Office

DEC 06 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12608

Priority: May 13, 1983

Maximum Diversion Rate:

0.52 CFS

This is to certify, that ANN YORGENSEN
SLIM YORGENSEN

HC 71 BOX 2016

CASCADE ID 83611

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 15, 1983; and has submitted Proof of Beneficial Use on June 29, 1989. An examination indicates that the works have a diversion capacity of .520 cfs of water from:

PEARSOL CREEK

tributary to PAYETTE RIVER, NORTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION STORAGE	01/01 to 12/31		0.3 AF
IRRIGATION FROM STORAGE	04/15 to 10/15		0.3 AF
WILDLIFE STORAGE	01/01 to 12/31		0.3 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.52 CFS	
	Totals	0.52 CFS	

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (NWNE), Sec. 5, Township 13N, Range 04E
Lot 3 (NENW), Sec. 5, Township 13N, Range 04E
SESE, Sec. 31, Township 14N, Range 04E
VALLEY County

PLACE OF USE: IRRIGATION STORAGE

TWN RGE SEC

14N 04E 31 SESE

PLACE OF USE:

IRRIGATION FROM STORAGE, same as IRRIGATION STORAGE use

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. Single point of diversion located on or near line between NWNE (Lot 2) and NENW (Lot 3), S05, T13N, R04E and SESE, S31, T14N, R04E.

JAN 20 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12608

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of JANUARY, 1994.

Acting for


R. Keith Higginson, Director

RECORDED

JAN 20 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-12608 IN THE)

NAME OF SLIM &/OR ANN YORGENSEN)

ORDER OF REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1989; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,


WHEREAS, on June 1, 1989 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on June 29, 1989 ;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-12608 be REINSTATED and the priority advanced to May 13, 1983.

Dated this 15th day of September, 1989.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

SEP 22 1989

03/86

RECEIVED

JUN 29 1989

100.00

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received 100.00

Date 6/29/89

Receipt # 0007914

Receipt by K. Young

Reviewed by

Sent to region

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12608

Name(s) of Permit Holder: Deloy Yorgensen

Post Office Address: H.C. 71 Box 2016 Cascade Idaho 83611

Telephone No. 382 4712

Source of Water: Pearsall Creek

Extent of Use:

Domestic (number of households)

Stockwater X Horses (number and type of stock)

Irrigation 3 acres (acres)

Other/Remark hope to raise

some fish in the pond

Total rate and/or volume for which proof is submitted cts 6" pipe acre-foot

Show the date water was first diverted and beneficially used under this permit: June 2, 1989

Measuring Device: Required? X Yes No

Installed? X Yes No

Fee enclosed \$
(See License Examination Fee Schedule)

Flow Measurement Port: Required? X Yes No

Installed? X Yes No

Person to contact to accompany the Department representative during the field examination:

Deloy Yorgensen
(Name)382 4712
(Telephone Number)H.C. 71 Box 2016 Cascade Ida. 83611
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMEDJune 20 1989
DateDeloy Yorgensen
Signature of Permit Holder (and title, if appropriate)

SEP 22 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by DM
Date 8/02/88
Receipt # C002109

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

AUG - 1 1988

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 65-12608
Name(s) of Permit Holder: Yorgensen Slim & Ann
Post Office Address: 142-71 Box 2016 Cascade
Idaho 83611 Telephone No. 208-1382-4712

Date Proof is Due: March 31 1988

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

excavation under way for a pond 20' wide
35' long approximately 6' deep

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

the excavator is unable to work on
a continuous basis because of under ground
sub water

Permit holder(s) request an extension to March 19 89 Slim Yorgensen
(1 yr. minimum) (signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1989. DEC 06 1988

Signed this 17th day of October, 1988.

A. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Slim and/or Ann Yorgensen Phone 382-4712
Post office address Star Route, Cascade, ID 83611
2. Source of water supply Pearsol Creek which is a tributary of No. Fk. Payette River
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 14N
Range 4E B.M. Valley County, additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .14Cfs for Irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.0Cfs for Div. to Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2.9 AF for Irrigation Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2.9 AF for Wildlife Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
2.9 AF Irrigation from Storage 4/15 10/15
5. Total quantity to be appropriated:
a. 1.0 cubic feet per second and/or b. 2.9 acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Gravity pipe from Pearsol Ck. to excavated pond, with gravity outlet pipe return to stream.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage 1/1 to 12/31 inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 14N
Range 4E B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: Excavated pond to be used for wildlife and waterfowl resting area as well as for irrigation storage.

DEC 06 1988

CONFIDENTIAL

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use

9. a. Who owns the property at the point of diversion

Ditch Co. right from Big Creek


c. Describe any other water rights used for the same purposes as described above. 65-2255 Warner

Total number of acres to be irrigated

TWP	RANGE	SEC.	NEX				NWX				SWX				SEX				TOTALS
			NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	NEX	NWX	SWX	SEX	

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED *Ann M. Jorgensen*
(Applicant)

DEC 06 1988

Proposed Priority 4-15-83

Received by [Signature] Date 4/15/83 Time 11:30 AM
Preliminary check by JG Fee \$ 45 - # 87934
Received by [Signature] Date 4/15/83
Publication prepared by [Signature] Date 4/21/83
Published in The Star News
Publication dates 4/28 & 5/5/83
Publication approved [Signature] Date 5/10/83
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12608, and said application is hereby Approved.
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1988, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.
Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 13th day of June, 19 83.

A. Allen Saylor
Chief, Operations Bureau

DEC 06 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 18, 1994


ANN YORGENSEN
SLIM YORGENSEN
HC 71 BOX 2016
CASCADE ID 83611

RE: WATER RIGHT NO. 65-12608

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JAN 20 1994

DATE: 01/10/94
PAGE: 1

Stage: LICENSE

Audit: 01/07/94 CHAPMAN 01/07/94 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-12608

Date 1-7-94

Brenda Chapman

NAME Yes No Or Address Change?

PRIORITY DATE Advance? DONE Advanced to: MAY 13, '83
 Order to Reinstate Needed? DONE
 Incorrect Fee for rate recommended?

SOURCE Changes? Clarification of Originally
 Intended source
 Notice of Intent to Void - Source change.

P/D Amendment Needed? ADD NWNE LOT2 LOT3 } SEC 5
 Overlap(s) 65-12095 NENW } 13 N

P/U Amendment Needed?
 Overlap(s) 65-12095

TOTAL CFS Measurement Theoretical only
 SEE EXPLANATORY SHEETS (6" pipe)
Allowable Amount: .52

Capacity of System: .52

TOTAL VOLUME

Season of Use: B/3 (4-15 to 10-15)

 Calculations:
 4 acres x .3 = 1.2 af
 Pond area = .3 af
Flow limit: x x 1.9835 =

USES Change(s) in Nature of Use?
 Amendment Needed?

REMARKS Multiple P/Ds in 1/4 1/4?
 Special Overlap

CONDITIONS R01 Measuring/Locking Devices
R04 W/Master Control 65 Water Dist
 Irrigation Overlap 4-15-83 App Rec'd
 Water Quality 7-9-90 Exam Made
W33 Other Single P/D ON SECTION 4 Y4Y4 LINES

COMMENTS: REDUCE RATE ; Place irrigation use on
65-12095 ONLY + stored on this one.

RECOMMENDED	CFS	DIV VOL
<u>DIV TO STOR</u>	<u>.52</u>	<u> </u>
<u>IRR STORAGE</u>	<u> </u>	<u>.3</u>
<u>IRR FROM STOR</u>	<u> </u>	<u>.3</u>
<u>WILD STOR</u>	<u> </u>	<u>.3</u>

LICENSE
~~1ST AMEND LETTER~~ P39
~~2ND AMEND LETTER~~ P47

Form 6/88

RECEIVED

JUN 17 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

SEE 1/24/92 MEMO + REVIEW THIS EXAM
WITH 65-12095

-82
5/29/93

A. GENERAL INFORMATION


Permit No. 65-12608
Phone No. 382-4712
1. Owner: DeLoz Yorgensen
Current Address: 414 N. Box 2016, Cascade, Idaho 83611
2. Accompanied by: DeLoz Yorgensen EXAM. DATE: 7-9-90
Address: same Phone No. _____
Relationship to Permit Holder: owner
3. Source: Pearson Creek tributary to N. Fork Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12095, 65-7334, 65-7340, 65-9019
☒ Copies Attached
2. Other water rights with same point of diversion: 65-12095, 65-7334, 65-7340, 65-9019
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Not to scale

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

JAN 20 1994

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
- Water is diverted from Roseville Creek to a 35' x 55' pond through a 15" 6" plastic pipe, and back to the creek in a 6" plastic overflow pipe. At the point of return the creek water is pumped through a 2" plastic pipe, 105' by a 1 1/2 Hp pump. The pump delivers water through a 2" lined line, 240' to 3-3/4 and one - 2" overflow pipe. The line can also be separated to provide some gravity irrigation water to a ditch. B1 readings 450 + 48 ft 3/4 and 48 ft 1/4. A garden hose is hooked to
- ☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown	Woh Dee	1 1/2	9860589	Woh Dee. 2" Unknown	

4. Points of Diversion:

*Code to correspond with No. on map and aerial photo

Ident. No.	Gov't. Lot	%	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
2					SE SE 31	14N	4E	Valley	Orthophoto quadrangle
3					NE NW 5	13N	4E		

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE%	NW%	SE%	SW%	NE%	NW%	SE%	SW%	NE%	NW%	SE%	SW%	Totals
14N	4E	31													4 wty

JAN 20 1994

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
Stop watch						
pitot tube equage						

2. Measurements:

Measured 2 - $\frac{5}{32}$ heads & one $\frac{9}{16}$ head. Also did 5 gallon bucket measurement without sprinklers operating. Unable to do a flow measurement at pond because both the diversions pipe and overflow pipe are under water.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$3 - \frac{5}{32} @ 50 \text{ psi} = 15,45 \text{ gpm}$$

$$2 - \frac{9}{16} @ 48 \text{ " } = \frac{8.2}{23.65} = .05 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$5 \text{ gallons in } 4 \text{ sec} = 75 \text{ gpm} = .17 \text{ cfs}$$

Theoretical:

$$\frac{1.5 \times 8.8 \times .7}{65' + (2.31 \times 50)} = .05 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 3 = 12$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \times 183 \times 1.9835 = 18.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 12$$

2. Volume Calculations for Other Uses:

$$\text{Pond: } 26' \times 55' = 1430 \text{ sq. ft. } \div 43,560 = .0328 \text{ acres}$$

JAN 20 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

A fence at the by road and one additional to separate it was
 This was no physical means available to measure the flow
 into or out of the pond because the diversion pipe is under
 water.
 05-12095 Diverter water from the same stream at a different location
 and uses the water in place of ponding in the same property but
 not the same procedure suggested by the permit.
 But water is not used for irrigation until it overflows from
 the pond - irrigation from storage is not a valid use.
 ground
 05-1340, used by applicants, is water for domestic & separate 2 acres
 water.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Diversion	4-15	08.05 M.A.	120 AF
Wildlife Storage	1-1		3 AF
Diverter to Storage	1-1	05 MTD	
Totals:		08.05 MTD	123

* See attached comments on flow rate.

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Melvin T. Schulte
 Signature Melvin T. Schulte
 Certification Date 8-16-90
 Field Report Preparation Date 8-16-90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



NOTE: See memo by 1-24-92

MEMORANDUM

TO: FILE
FROM: STEVE LESTER
DATE: JANUARY 24, 1992
SUBJECT: EXAMS FOR PERMITS 65-12095 AND 65-12608

Permit 65-12095 was filed in 1978 and 65-12608 was filed in 1983. I examined 65-12095 on 8-31-89 and found a confusing situation. Only three sprinklers were in place. I was informed that the owner (out of town on business) had the other unspecified number of sprinkler heads with him. The owner's relative was present but wasn't familiar with the system. She told me that the owner was repairing the system. The pond and pump and 2" mainline were present but it wasn't clear how much irrigated pasture was covered by the pond-pump system. A second visit was made on 10-11-89. Eight sprinklers were in place but the system was shut down for the season. Approximately four acres were covered by the sprinkler system. A measurement could not be made, and I decided to return during the 1990 season to measure the flow. I was not aware of the 9-15-89 Order of Reinstatement for 65-12608 during the 10-11-89 visit.

Instead, another examiner (Mel Schulte) conducted an exam for 65-12608 on 7-9-90. Apparently, it was not clear to Mel that the two permits are for the same system. Mel found the same pond, pump, and four acres of irrigation.

His exam was reviewed by Cindy Hodges on 6-21-91. The recommended procedure is to review both exams together for the common system.

Water is diverted from the creek via a 15' long, 6" PVC pipe to a .3 af pond. A 6" pipe exits the pond and can dump water back into the creek to be subsequently withdrawn via a 2" line connected to the pump and sprinklers. Also, the 2" line can be directly connected to the 6" exit pipe to route pond water to the sprinkler system. In this manner the pump can utilize live flow or stored water for irrigation use. See photo #2 in 65-12095 for the direct connection from storage to irrigation.

RATE OF FLOW

Mel's 1990 information leads to several flow estimates.

- 1) 5 gallon bucket @ 5g/4s = .17 cfs $\pm$.02 cfs from chart.
- 2) Sprinkler measurement of .05 cfs (5 heads found in 1990 although 8 found on 10-11-89 visit; 1990 calculation used 5 heads).
- 3) HP equation where $hp=1.5$, $eff=.7$, $psi=50$ (from sprinkler test), $z= @5'$ vertical lift to pump. Do not use 65' length of 2" pipe from creek to pump. Then, $Q = .08$ cfs.
- 4) Additionally, expected flow in 2" pipe at assumed velocity of 5 fps:
 $Q = VA$ where $A = \pi \times \text{radius squared}$ (radius in feet). $Q = .11$ cfs.

MEMORANDUM

JAN 20 1994

The 5 gallon bucket method establishes the upper limit of the irrigation flow. The sprinkler test shows about .05 cfs applied to the land. The HP equation and expected flow calculations shows that @ .08 cfs could be delivered by the pump system.

Conclusion: recommend .08 cfs for 4 acres in permit 65-12095.

For 65-12608, the live flow irrigation is completely covered in the other permit. The diversion to storage and storage components can be covered by 65-12608. Because irrigation can occur from live flow and from the .3 af pond as explained above and due to the amount stored in 24 hrs. @ the recommended irrigation flow in 65-12095 (.08 x 1.9835 = .16 af), irrigation storage and irrigation from storage should be included in 65-12608. The remaining question deals with the rate for diversion to storage via the 6" pipe from the creek to the pond. No measurement of this rate was possible (submerged pipe). Instead, a theoretical estimate can be made.

DIVERSION TO STORAGE *

Given: 6" PVC pipe, 15' long, estimated 1' head from creek to pond.

Find: rate of flow

Method: $Q = VA$ where V is velocity and A is area of pipe.

$A = \pi \times \text{radius squared}$ (radius in feet) and radius = $(6/12)/2 = .25$

$A = \pi \times .25 \times .25 = .196$

For V, since head = velocity squared divided by $2 \times g$, solve for V where head is 1 and g is 32.2; $V = 8$ fps. This seems rather high for the conditions observed in the field. Therefore, assume velocity is @ 5 fps and solve for losses. Then recalculate head and substitute adjusted head value into above equation and solve for V. Use this velocity estimate in $Q = VA$.

Estimate losses for pipe entrance & exit plus loss in pipe length. Use the Hydraulic Handbook for entrance/exit loss equations. Use Rainbird guide to estimate loss in 15' length (see attachment).

$$\text{Entrance/exit loss} = \left[K_1 \times \frac{(V \times V)}{(2 \times g)} \right] + \left[K_2 \times \frac{(V \times V)}{(2 \times g)} \right]$$

$$= (K_1 + K_2) \left[\frac{(V \times V)}{(2 \times g)} \right]$$

above is simplified version of loss equations

where $V = 5$, $g = 32.2$, $K = 1 + .85$ (table)

$$= 1.85 \times \frac{(5 \times 5)}{2 \times 32.2} = .72$$

JUN 20 1994

* methodology per DRT - if have questions, contact him for clarification.

Length loss = .17 from attachment

Total losses = .72 + .17 = .89

Total head available = 1 - .89 = .11

Solve for V where head = .11 = $\frac{V \times V}{2 \times g}$ where g = 32.2

V = sq. root of .11 x 64.4 = 2.66 and A = .196 (from above)

Estimated flow from creek to pond = Q = VA = 2.66 x .196 = .52 cfs.

Recommend for 65-12608: .52 cfs div. to storage 1/1-12/31
.3 af irrigation storage 1/1-12/31
.3 af irrig. from storg. 4/15-10/15
.3 af wildlife storage 1/1-12/31
Total .52 cfs and .3 afa (same acres as 65-12095)

OVERLAP

Both permits are for same diversion and same acres. Acceptable to have full live flow volume plus storage volume from same creek. No other surface water used on property according to water right and adjudication databases. Owners have well 65-07340 for domestic and irrigation of adjacent land. Other wells for other property are located in SESE S.31.

SRBA CLAIMS

No claim is required for 65-12608 due to proof filing date of 6/20/89. However, 65-12095 does require a claim. Proof was submitted in 1983 and the exam fee was paid on 10/31/88 (late). Owners were notified in SRBA per ML3. No claim was found when searching AJQ1, AJ2, AJQ4, and non-data entry records. A letter was sent to owners on 1/24/92 requesting that a late claim be filed within 30 days to avoid need to cancel permit.

Claim 65-12095 Received with \$54 fee on 2/11/92 in response to my 1/24/92 letter to owners.

For pld location, use info in 65-12095 Exam.


OK to complete licensing process now.

MICROFILMED

- JL 5/28/93

JAN 20 1994

CC: 65-12608



65-12095
14N
4E
S.31 NW LOTS 4/2

13N
4E
S.5

P/D is on line of :

S.5 L.2 NNW
L.3 NE NW

S.31 SE SE

and located 500' west of road.

P14 = 4 acres in SE SE S.31

NOTE
Pond located in S.5 L.3 NE NW & S.31 SE SE
(Pond = 65-12608)
Pond is south of creek.

OR 4E MINNEAPOLIS
JAN 20 1964

MISSISSIPPI RIVER RANGE A

65-12095 T13N R36 S.5


1.65.12608

H. 3.11
H. 4.11

Sec. 31

P. Sec. 32

3rd & Skunk



DATE 6-21-91

FROM Cindy Hodges

TO Exam file 65-12608

SUBJECT Comments on recommended flow rate.

Measured & theoretical flow rates ^{→ for irrigation} are both .05. Bucket measure is out of line at .17, so this is regarded as inaccurate and thrown out.


Because no way exists to determine diversion to storage for pond, it was assumed capacity of creek was at least equivalent to pumped rate of .05 cfs, ~~so~~ and this rate so recommended for the flow through structure.

RECEIVED

GH

SIGNATURE

JAN 20 1994



$$\frac{.5 \text{ psi}}{100'} = \frac{x \text{ psi}}{15'}$$

$$x = \frac{(.5)(15)}{100} = .075 \text{ psi}$$

$$(.075 \text{ psi})(2.31 \text{ ft/psi}) = .17'$$

.17' = loss for 15' of 6" pipe

65-12095

DETERMINING FLOW USING A 5 GALLON BUCKET

Seconds for 5 gal	Measurement error of 0.5 sec		
	gpm	cfs	gpm
1.0	300	0.67	100.0
1.5	200	0.45	50.0
2.0	150	0.33	30.0
2.5	120	0.27	20.0
3.0	100	0.22	14.3
3.5	86	0.19	10.7
4.0	75	0.17	8.3
4.5	67	0.15	6.7
5.0	60	0.13	5.5
5.5	55	0.12	4.5
6.0	50	0.11	3.8
6.5	46	0.10	3.3
7.0	43	0.10	2.9
7.5	40	0.09	2.5
8.0	38	0.08	2.2
8.5	35	0.08	2.0
9.0	33	0.07	1.8
9.5	32	0.07	1.6
10	30	0.07	1.4
11	27	0.06	1.2
12	25	0.06	1.0
13	23	0.05	0.9
14	21	0.05	0.7
15	20	0.04	0.6
16	19	0.04	0.6
17	18	0.04	0.5
18	17	0.04	0.5
19	16	0.04	0.4
20	15	0.03	0.4
21	14	0.03	0.3
22	14	0.03	0.3
23	13	0.03	0.3
24	13	0.03	0.3
25	12	0.03	0.2
26	12	0.03	0.2
27	11	0.02	0.2
28	11	0.02	0.2
29	10	0.02	0.2
30	10	0.02	0.2

Formula:

$$\text{gpm} = 5 \times 60/\text{seconds}$$


Never use the bucket when flows would fill the bucket in less than 5 seconds.

As a rule, avoid using the bucket for flows that fill the bucket in less than 10 seconds.

± .02 cfs

RECEIVED
JAN 20 1994

PERMIT 15-12608 INIT
T. R. S. Q/Q
P/D 14N 4E 31 SESE
SCALE -
PHOTO ID. T6U



4931
4930
4929
4928
4927
4926
4925
4924

328000 N

44°30'


1030 000
FEET

65-12608

Picture #1


Place of
diversion from
Pearson Creek
into a 6" plastic
pipe

Pictures of
pump and
pipeline didn't
turn out



Picture #2

Place of use
is pasture
area in the
middle of photo.



Microfilm

JAN 20 1994

65-12608

Picture #3



Pond that receives water from creek and then returns it to the creek in the white 6" plastic pipe at the bottom left corner of the pond. The owner intends to raise fish in this pond but has not completely developed it.

MISSOURI

JAN 20 1994

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

6501
Date 09/18/89
Code 193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	06 20 122	1238	8831		REF #65-12608 PER RITA FLECK 9/14/89 50.00	50.00	
TOTAL						50.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date Head of Agency or Institution State Auditor

September 14, 1989

Deloy "Slim" Yorgensen
HC 71 Box 2016
Cascade, ID 83611

Dear Mr. Yorgensen:

Re: Permit No. 65-12608

On June 29, 1989, the department received the proof of beneficial use form submitted to this office. The question of ownership was resolved when Tim Luke advised me that Slim is a nickname for Deloy Yorgensen.

On June 1, 1989, the permit lapsed. With the submittal of the proof of beneficial use form, the permit has been reinstated with an advance in priority. Enclosed is a copy of the reinstatement order.

A closer look at the proof of beneficial use form makes me question the fee submitted. The diversion rate for three acres of irrigation and stock water use could not be greater than 0.20 cfs and the volume of stored water was proposed for no greater than 2.9 acre-feet. According to the fee schedule the license examination fee should be \$50. You've paid a \$100.

I will prepare the paper work to have a \$50 refund sent to you. This process usually takes a couple of weeks.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: Acct. Sec.

MICROFILMED

SEP 22 1989

Copy

MEMORANDUM

DATE: September 14, 1989

TO: ACCOUNTING SECTION - Pearl

FROM: Rita Fleck

RE: REFUND - PERMIT NO. 65-12608

Please prepare a refund of \$50.00 (receipt No. C007914). Attached is a copy of a letter which explains why the refund is necessary.

Also, please reference the water right identification number on any papers returned to me for the file. Thanks.

Attachments: Letter
Receipt

INDEXED

SEP 22 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12608

Date: 7-7-89

General Considerations:

N Name same as permit
N Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
N Proof received timely _____
Y Reinstated

Source of Water:

Y Surface water
Y Groundwater
N/A 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

_____ Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
_____ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

_____ Priority Calculation:		
Date proof received	<u>Jun 29</u>	<u>180</u>
Date proof due	<u>June 1</u>	<u>- 152</u>
No. of days late		<u>= 28</u>
Priority date	<u>April 15</u>	<u>+ 105</u>
NEW PRIORITY DATE	<u>May 13, 1983</u>	<u>= 133</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

FROM

Tim

DATE


8/7/89

TO

RITA

SUBJECT

Ann Yorgensen called today to inform the Department that "Slim" Yorgensen is actually Deloy Yorgensen, or vice versa if you will. "Deloy" is MR. Yorgensen's proper first name while "Slim" is a nickname. He uses "Slim" in signing most correspondence but did not in the instance of returning proof. I told MRS. Yorgensen it was not necessary to complete an assignment & to ignore the 7/18 letter.



SIGNATURE

July 18, 1989

Deloy Yorgensen
HC 71 Box 2016
Cascade, Idaho 83611

Dear Ms. Yorgensen:

Re: Permit No. 65-12608

The department received the proof of beneficial use (proof) which you submitted in connection with the above referenced permit. Department records show, however, that the permit holder (owner) of record is Slim and Ann Yorgensen.

Please contact the permit holder of record in order that the permit can be "assigned" to you using the enclosed assignment form. The assignment form changes the ownership of the permit from one party to another. The assignment should be completed and returned to the department within 30 days.

If you are unable to contact the permit holder of record, you need to advise the department of your interest in the property and the permit and provide appropriate supporting information before the proof can be accepted. Typical supporting information is a copy of a purchase contract of the property and/or the water right permit.

Please feel free to contact the department if you have questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

SEP 22 1989

June 9, 1989

Ann and/or Slim Yorgensen
Star Route
Cascade, ID 83611

Dear Mr. and Mrs. Yorgensen:

Re: Permit No. 65-12608

LAPSE NOTICE

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time to the proof due notice dated March 31, 1989.

Your permit cannot be reinstated unless you submit the proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal including the examination fee or a completed field examination report or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which brings title to the water in question.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that this letter was
deposited in the United States mail,
properly prepaid, addressed to the
individual(s) named above.

[Signature]

MICROFILMED

SEP 22 1989

SLIM YORGENSEN
ANN YORGENSEN
HC 71 BOX 2016
CASCADE, ID 83611

March 31, 1989

138106

PROOF DUE NOTICE

RE: PERMIT NO. 65-12608

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 22 1989

October 17, 1988

Slim and Ann Yorgensen
HC 71-Box 2016
Cascade, ID 83611

Dear Mr. and Mrs. Yorgensen:

Re: Permit No. 65-12608

Enclosed is a copy of the approved request for extension of time. The time within which to submit the proof of beneficial use form is extended to June 1, 1989.

If you have any questions or concerns regarding the permit, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

DEC 06 1988

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 65-12608

Reviewed by [Signature]

Date 10-16-88

BASIC INFORMATION

- 3 Date stamp received
3 Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
4 Fee received and receipted
3 Name and signature same as permit
4 Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- 3 Has adequate work been completed to demonstrate due diligence?
3 Has the cost incurred been adequate to demonstrate an intent to complete the project?
N/A Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - Recommend approval based on due diligence for one year

Special conditions or remarks:

a/b Reinstatement Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

- ✓ Prepare coding sheet
✓ Change rolodex cardf

YORGENSEN, SLIM & ANN
STAR RT.
CASCADE, ID 83611

June 8, 1988

LAPSE NOTICE

RE: Permit No. 65-12608

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated March 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this Department within sixty days of the date of mailing of this lapse notice.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

NOT REPLIED

DEC 06 1988

CERTIFICATION OF MAILING

I hereby certify that on 6-16-1988
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

John F. Flick

YORGENSEN, SLIM & ANN
STAR RT.
CASCADE, ID 83611

138447
CERTIFIED MAIL
March 31, 1988

PROOF DUE NOTICE

RE: Permit No. 65-12608

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 06 1988

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

YORGENSEN, SLIM & ANN
STAR RT.
CASCADE, ID 83611

JUNE 21, 1983

RE: PERMIT NO. 65-12608

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE PEARSON CREEK AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

RECEIVED

DEC 06 1988

RE: PERMIT 65-12608

PAGE 01
JUNE 21, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

DEC 1983

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

SS.

County of Valley

Judy Brooks being duly sworn deposes and says, I am the bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the Notice of Application, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 27 1983 and ended May 4 1983.

Subscribed and sworn to before me this the

4th day of May 19 83

Tom [Signature]
Notary Public in and for the State of
Idaho, residing at McCall
therein.

Department of Water Resources
Western Regional Office

0 1983

DEC 06 1988

65-12608

YORGENSEN, SLIM &/or ANN

STAR RT., CASCADE, ID 83611

Source: PEARSOL CREEK trib. to PAYETTE RIVER, NORTH FORK

Date Filed: 04/15/1983

Diversion Pt: SESE Sec 31 T 14N R 04E

Use: IRRIGATION	(0.14 CFS)	✓
IRRIGATION STORAGE	(2.9 AF)	✓
IRRIGATION FROM STORAGE	(2.9 AF)	✓
WILDLIFE STORAGE	(2.9 AF)	✓
DIVERSION TO STORAGE	(1.00 CFS)	✓ ok

In: SESE Sec 31 T 14N R 04E FOR 7 ACRES

RECORDED

DEC 06 1988