


PLEASANT VALLEY ACRES SUBDIVISION

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

Property to be irrigated.



MICROFILMED



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Amato Bales being first
duly sworn, on his oath deposes and
says that he is the printer of Messenger-
Index, a legal weekly newspaper pub-
lished at Emmett, in Gem County, Idaho;
that said newspaper is in general circu-
lation in said county and has been pub-
lished uninterruptedly and continuously
for more than 78 weeks prior to the first
publication of the annexed document;
and that the document notice, process,
or advertisement hereunto annexed was
published in the regular edition of

Messenger-Index for 2
consecutive weekly issues thereof, be-

ginning with the issue of April 6,

1983, and ending with the issue of

April 13, 1983

Amato Bales

Subscribed and sworn to before me this

3rd day of

June, 1983

Amato Bales

Notary Public,

Residing at Emmett, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:

65-12600 1/8

SMITH, JACK C.
2100 DANIEL, EMMETT, ID
83617

Source: GROUNDWATER

Date Filed: 03/25/1983

Diversion Pt: SESE Sec 33 T 07N
R 01W

Use: IRRIGATION (0.12 CFS)

In: SESE Sec 33 T 07N R 01W
FOR 4 ACRES

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Western Region, Statehouse,
Boise, Idaho 83720 on or before
APRIL 25, 1983.


Ken Dunn, Dir.
2:4-6, 13-83

RECEIVED

NOV 4 1983

Department of Water Resources
Western Regional Office

MICROFILMED




PERMIT 65-12600 INIT KKC
T. R. S. Q/Q
P/D 7N 1W 33 SE/SE
SCALE
PHOTO ID. W-7 Montana NW

RECEIVED
JUL 29 1992

PLEASANT VALLEY ACRES SUBDIVISION

Since this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.

Property to be irrigated.



This picture is looking south from the P/D toward the P/U. The garden area is just beyond the storage shed. The one with the tin roof.



PICTURE # 2

This picture shows the garden area. A replacement well for the house was drilled on the south boarder of the garden (not visible in this photo but there). This picture is looking southwest.



JUL 29 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12600

Priority: March 25, 1983

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

0.9 AF

This is to certify, that JACK C SMITH
2100 DANIEL ST
EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 25, 1983; and has submitted Proof of Beneficial Use on September 16, 1988. An examination indicates that the works have a diversion capacity of .350 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	0.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 33, Township 07N, Range 01W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	01W	33	SESE	0.2		0.2

Total number of acres irrigated: 0.2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 4.5 afa per acre for the lands above.

MICROFILMED


JUL 29 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12600

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of July, 1992.

Acting for 
R. Keith Higginson, Director

RECEIVED

JUL 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Jack C. Smith Phone 365-5167

Post office address 2100 Daniel Emmett, ID 83617

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 33 Township 7N

Range 1W B.M. Gem County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 12 cfs for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 12 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump or windmill to pump from
32' well

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 32 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated

~~Emmett Irrigation Co. comes to back corner of property - 4 1/2 ac. feet.~~

b. Who owns the land to be irrigated or place of use
self

applicant to make this filing

10. Remarks	The well has been drilled for several years but we haven't been
-------------	---

able to afford a windmill to pump the water. (drilled 1/10/80)

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

MICROFILMED															

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jack Carmichael
(Applicant)

3/25/83

Lee called paper 11/2 to get advertising -

Hearing held by _____
Date _____

Recommended for approval _____
by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

fore November 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 18 day of November, 1983.

David R. Tuttle
Permitted, Operations Bureau

Acting Chief, Operations Bureau

NOT FILMED

July 20, 1992

JACK C SMITH
2100 DANIEL ST
EMMETT ID 83617

RE: WATER RIGHT NO. 65-12600

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
JUL 29 1992

June 19, 1992

JACK C SMITH
2100 DANIEL ST
EMMETT ID 83617

RE: WATER RIGHT NO. 65-12600

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED
JUL 29 1992

LICENSE REVIEW CHECKLIST

Permit # 65-12600

Date 6-11-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
			<u>.2 x .03 = .006 / Allow .03 cfs (IRR)</u>
	☐	☒	Disagree with Theoretical? <u>.348</u>
	☐	☒	Limited by Capacity? <u>.35 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>4-1 to 11-1</u> Per Permit Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>.2 x 4.5 = .9 afa (IRR)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☐	☒	Non-Irr. Uses _____
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>B27</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☐	App Rec'd
		☐	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced rates across</u>		

License 10-Day ☒ 15-Day ☐ Special Correspondence _____

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

WR0749NP
No. L65-12600

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JACK C SMITH 2100 DANIEL ST EMMETT ID 83617	03/25/1983	IRRIGATION	04-01 11-01	0.03 CFS	0.9 AFA
TOTAL DIVERSION:					0.03 CFS	0.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity:	0.35 CFS
Point(s) of Diversion:	107N R01W S33 SE SE
Place of use Legal Description for:	IRRIGATION
NE	SE
NAME NAME SENE : NENE MNSW SWSW : NENE MNSW SWSW : NENE MNSW SWSW : SUM	
T R S : Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac : SUM	
07N 01W 33 :	
TOTAL ACRES	
.2 : 0.2	
0.2 : 0.2	

Pou County: GEM

Other Water Rights with Same Point(s) of Diversion and Source:
65-05164 65-05589 65-06651 65-06965 65-11052 65-12600

Other Water Rights Listing Overlapping Place(s) of use:
65-00054X 65-12600

Conditions of Approval:
R27 - This right when combined with all other rights shall provide no
- more than 4.5 afa per acre for the lands above.

Dates: App. Received: 03/25/1983 Priority Date: 03/25/1983
Proof Due Date: 11/01/1988 Proof Made Date: 09/16/1988
Exam Made Date: 06/25/1990 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 06/11/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with Conditions of Approval
☒ Well Inspection Form Needed *grd water/irrig measure req needs verify*
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of government plat
Check of P/D index 6-20-90 (initial & date)
Overlap ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☒ Other: *then right same QO all for domestic use*
Check of P/U index 6-20-90 (initial & date)
Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: same
☒ SRBA Attachment A Submitted to Adjudication Section
Aerial Photo Required? ☐ yes ☒ no If yes: ☐ copy attached
☒ Scheduling Letter Sent? 6-15-90 KKC (initial & date)
☒ Appointment Made and Telephone Conversation Memo Attached
☒ SRBA Claim Check Received 6-16 KKC (initial & date)
☐ Applicable, See Attachment A ☒ N/A

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Copy of SRBA Claim Verification Sheet / N/A Original Returned to Adjudication Section

C. Review and Processing:

- Exam Completed 8-16-90 Kelly K. Christensen (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent JH 1-7-91 (initial & date)
Exam Reviewed by Manager of Regional Office Dr 2/22/91 (initial & date)
Exam Date Entered in Computer ✓ st (initial & date)
Exam Sent to State Office 2-28-91 st (initial & date)

Copy
subdivision
Plat.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12600
Phone No. _____
1. Owner: JACK C. SMITH
Current Address: 2100 DANIEL ST EMMETT ID 83617
2. Accompanied by: SAME EXAM. DATE: 6-25-90
Address: _____ Phone No. _____
Relationship to Permit Holder: OWNER
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-5589 ☐ Copies Attached
2. Other water rights with same point of diversion: NONE; OTHER EXISTING RIGHTS IN
SAME Q/G BUT DIFF. WELLS ? OWNERS ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached SEE SUB DIVISION PLAT

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
JUL 29 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NO MEASUREMENT MADE
SEE ATTACHMENT.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

0.2AC x .03CFS = .006 = .01 CFS
recommended

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

SEE ATTACHMENT

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ ~~0.2~~

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED
JUL 29 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

65-5589 IS A DOMESTIC RIGHT AND MR. SMITH FEELS THAT THIS RIGHT REFERS TO HIS DOMESTIC WELL (LOCATED ON THE SOUTH BORDER OF THE GARDEN AREA APROX 30' NORTH OF THE HOUSE. (6" CASING WITH A HYDRANT BESIDE THE CASING) (THIS EXISTING WELL WAS DRILLED IN 1986 (PER MR SMITH) TO REPLACE THE EXISTING WELL WHICH WENT DRY. ORIGINAL WELL WAS BETWEEN THE NEW WELL & THE HOUSE.

65-5589 IS PART OF PAYETTE DECREE. DIFFICULT TO TELL FROM DATABASE IF THIS IS THE PROPERTY DESCRIBED.

MUST BE CAREFULLY RECOMMENDED.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	4-1	11-1	N/A OB	0.9

Totals:

N/A OB 0.9
CH 2-27-91

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

KELLY K. CHRISTENSEN


Signature

Kelly K. Christensen

Certification Date

Field Report Preparation Date

8-16-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED

JUL 29 1992

Form 219-S.A.
Supplement
6-90

65-12600
Permit No. . .

ATTACHMENT A
SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER K. Christensen DATE SUBMITTED 6-15-90
ADJUDICATION AGENT _____ RESPONSE DUE DATE 6-25
COUNTY Burr OWNER'S NAME Jack C Smith *on part B 17621*

PERMIT DATA T R S Q/Q T R S Q/Q

P/D 7N 1W 33 SE/SE _____ _____ _____ _____

P/U _____ Same _____ _____ _____ _____ _____

ADJUDICATION DATA

Number Index A65-12600 BAS 6/15 (Initial & Date)

Claim required for permit

____ yes ☒ no If yes: ____ copy attached?

Claim files Although Not Required

____ yes ☒ no If yes: ____ copy attached?

Name Index Jack C Smith B.A.S. 6/15 (Initial & Date)

Claim(s) filed in permit owner's name?

____ yes ☒ no If yes: ____ copy attached? ☒ N/A *


Non-Data Entry Claims Found by County and Name _____ B.A.S. 6/15
(Initial & Date)

____ yes ☒ no If yes: ____ copy attached? ☒ N/A *

* copies included only if pertinent to permit field exam


MICROFILMED
JUL 29 1992

PERMIT 12606 INIT KPC
T. R. S. Q/Q
P/D 42 39 SE/SE
SCALE
PHOTO ID. W-7 Morton NW



PLEASANT VALLEY ACRES SUBDIVISION

While this map is a photographic reproduction of that on file in either the recorder's or surveyor's office, the company assumes no liability for variation, if any, with another or re-survey.



Permit No. 65-12600

IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

$$1. \quad \frac{0.2}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{0.9}{\text{AFA}}$$

$$2. \quad \frac{(1.5) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(10') \text{ Dyn Lev} + (2.3 * (.5) \text{ PSI})} = \frac{2.0803 \text{ CFS}}{\text{Theor. Div. Rate}} \quad \text{25.34 CFS limited by acres}$$

$$3. \quad \frac{0.08}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{39.03}{\text{AFA}} \quad 4.8$$

Static? $\frac{10'}{25.15}$
 Figure dyn as 25'
 Substantiated by area well logs 4/1-7-91

Note: for electrical motors

EFF = 0.70

for diesel motors

EFF = 0.60

Data Requires Verification ☐Measurement Required -- ☐Measurement Not Required ☒

Calculation data sources:

Found acres = 0.2 PACING (FOUND)
 HP = 1.5 FROM PUMPTAG
 Dyn Lev = 10' FROM OWNER (WELL 32' DEEP)
 PSI = 5 FROM OWNER (USES GATED PIPE 2")

MICROFILMED

JUL 29 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 65-12600

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot____.

2. Owner: SAME

Address____, City____, St____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No____

4. Access Port: Yes ☒ No____
Pressure Gauge: Yes____ No ☒
Flowing: Yes____ No ☒

Static Water Level: 10'
Casing Diameter: 6"
Temperature: 58° (PER OWNER)

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED
JUL 29 1992

This picture is looking south from the P/D toward the P/U. The garden area is just beyond the storage shed. The one with the tin roof.



PICTURE # 2

This picture shows the garden area. A replacement well for the house was drilled on the south boarder of the garden (not visible in this photo but there). This picture is looking southwest.



MED

JUL 29 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 19, 1988

65-12600
Jack C. Smith
2100 Daniel St.
Emmett, ID 83617

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jdp

MICROFILMED

DEC 06 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 45-12400

Date: 10/17/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
N 1. well log in file *Not found, due to size of well*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED

SEP 16 1988

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$50.00

Date 9/19/88

Receipt # 0002603

Receipt by JP

Reviewed by JS

Sent to region

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12600

Name(s) of Permit Holder: Jack C. Smith

Post Office Address: 2100 Daniel St, Emmett, ID 83617

Telephone No. 365-5167

Source of Water: Well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 1 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .12 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 5/15/83

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Jack Smith (or Agnes) 365-5167
(Name) (Telephone Number)

2100 Daniel St, Emmett
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

9/14/88
Date

Jack C. Smith DEC 06 1988
Signature of Permit Holder (and title, if appropriate)

To: File 65-12600

From: Groundwater Protection

Date: 10/17/88

Drilling Permit: X Not Applicable
Found and in file
Not Found

Well Drillers Report: X Not found, due to reported age of well
probably not available
Found and is in file
Not found

Follow-up _____ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
_____ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

No action recommended
jm

UNRECORDED

DEC 06 1988

JACK C. SMITH
2100 DANIEL
EMMETT, ID 83617

138344
August 31, 1988

RE: PERMIT NO. 65-12600 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

NOT RECORDED

DEC 06 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 65-12600
Name(s) of Permit Holder(s): Jack C. Smith
Post Office Address: 2100 Daniel
Emmett, ID 83617 Tel. 365-5167

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 1/10/80 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

12/11/83
Date

Jack C. Smith
Signature of Permit Holder

JACK SMITH
2100 DANIEL DR
EMMETT ID 83617

1983



DEC 06 1988



RECEIVED

DEC 14 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SMITH, JACK C.
2100 DANIEL
EMMETT, ID 83617

DECEMBER 06, 1983

RE: PERMIT NO. 65-12600

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
DEC 10 1983

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS APPLICATION NUMBER: 65-12600

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Emmett Irr. Dist.
☒ Yes ☐ No* In form for advertising.
Final date for protests: 4/25/83
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/4/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/27842
☒ Publication dates and paper, recorded on application. 4/14 & 4/14/83
☒ Protests, dates, withdrawal, etc., recorded on application. Emmett Messenger
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 3/25/83 Date of priority recommended.
Special conditions of approval or cover letter. I.P. GW letter

By: OBS Date: 11/7/83

STATE OFFICE REVIEW:

417 36
☐ See attached sheet for more information.
By: fw Date: 11/9/83

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MARCH 31, 1983

Emmett Messenger-Index
Box 577
Emmett, ID 83617

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before APRIL 25, 1983.

Yours truly,

JUDY FENSE
Secretary

Encl.

RECEIVED



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

March 2, 1983

Jack C. Smith
2100 Daniel
Emmett, ID 83617

Dear Mr. Smith:

Please find enclosed your original Application for Permit, a typed one and your \$20.00 check.

The filing fees have gone up and the fee for your application is \$30.00. Since, I was returning your check, I thought I would go ahead and have a typed Application made up for your signature.

All that needs to be done is to sign the new one and re-submit with the \$30.00 filing fee.

RECEIVED
MAR 24 1983

Sincerely,

LEE SISCO
Senior Water Resource Agent

LS:jp

enclosures

Department of Water Resources
Western Regional Office

Dear Mr. Sisco,
Thank you for your help and the typed
application.
Enclosed is my \$30.00.
Jack

RECEIVED

65-12600

SMITH, JACK C.

2100 DANIEL, EMMETT, ID 83617

Source: GROUNDWATER

Date Filed: 03/25/1983

Diversion Pt: SESE Sec 33 T 07N R 01W

Use: IRRIGATION (0.12 CFS)

In: SESE Sec 33 T 07N R 01W FOR 4 ACRES

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before APRIL 25, 1983.

KEN DUNN, Dir.

Published 04/07 & 04/14/83.