


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Mina C. Fazio
(Applicant)

STATE OF IDAHO, }
County of Boise

Candace Jennings, being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; that said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
...2... consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

...2/9....., 19 83. and end-

ing with the issue of ...2/16.

19 83

Candace Jennings
Subscribed and sworn to before

me this 1st day of mar 1983

David Hyman

MICROFILMED

LEGAL NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to
appropriate the public waters of the State of
Idaho:

65-12592

HAZELWORTH, MARY F.

FARIS, MINA C.

3508 KOOTENAI ST., BOISE, ID 83705

Source: SPRING trib. to PAYETTE RIVER,
SOUTH FORK

Date Filed: 01/27/83

Diversion Pt: LOT 12 Sec 06 T 08N R 05E

Use: HEATING (0.04 CFS)

DOMESTIC (0.04 CFS)

In: LOT 12 Sec 06 T 08N R 05E

65-12593

SCHLAGEL, LEROY &/or JOAN

8730 SAN MARINO DR., BOISE, ID 83704

Source: GROUNDWATER

Diversion Pt: NWNW Sec 10 T 09N R 04E

Use: DOMESTIC (0.08 CFS)

In: NWNW Sec 10 T 09N R 04E

28 The permits will be subject to all prior water
rights. Protests must be filed with the Direc-
tor, Dept. of Water Resources, Western Region,
Statehouse, Boise, Idaho 83720 on or before
FEBRUARY 28, 1983.

KEN DUNN, Dir.

Published in the Idaho World in Idaho City,
Idaho on February 9 and 16, 1983.

RECEIVED

MAR 3 1983

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECORDED
FEB 13 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: MINA C FARRIS &/OR MARY F HAZELWORTH Permit No. 65-12592
Current Address: 3508 KOOTENAI ST BOISE, ID. 83705 Phone No. 344-1760
2. Accompanied by: HUGH WALLACE & WEB GOLLER EXAM. DATE: 9-07-88
Address: GARDEN VALLEY ID Phone No. N/A
Relationship to Permit Holder: NEIGHBORS, - SHARE P/D
3. Source: UNNAMED HOT SPRING tributary to S. FORK PAYETTE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: 65-12469, 65-12775 DOMESTIC RIGHTS THAT
OVERLAP WITH 65-12459 (THEY ARE WITH SAME SYSTEM) ☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = Not to Scale.

JUN 05 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

#65-12592



Mapped by U. S. Forest Service
 Edited and published by the Geological Survey
 Control by USGS, USC&GS, and USFS

Topography from aerial photographs by photogrammetric methods. Aerial photographs taken 1946
 Field check by the Geological Survey 1959

Polyconic projection. 1927 North American datum
 10,000-foot grid based on Idaho coordinate system,
 west zone
 1000-meter Universal Transverse Mercator grid ticks,
 zone 11, shown in blue

Dashed land lines indicate approximate locations
 Land lines unsurveyed in part of T.10 N.-R.4 E.


MICROFILMED

JUN 05 1990



UTM GRID and 1959 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET

SCALE: 1:62500




CONTOUR INTERVAL 80 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DEIVER, COLORADO 80225, OR RESTON, VIRGINIA
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Township No 5 North, Range No 5 East of T1N

G I F C E D

#65-12592



MICROFILMED

JUN 05 1990

P/u

#65-12592



CONTROL
MANIFOLD

POOL
OVERFLOW & HOUSE HEATING DISCHARGE LINES



DRAIN LINES
SHOWN:

POOL DRAIN
SYSTEM BYPASS
POOL OVERFLOW

JUN 4 1994

MICROFILMED

#65-12592

P/D



P/D PUMP
BEHIND
BUILDING

DIFFERENT SYSTEM



JUN 05 1990

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12592

Priority: January 27, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that MARY F. HAZELWORTH
MINA C. FARIS

3508 KOOTENAI ST.
BOISE, ID 83705

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 27, 1983; and has submitted Proof of Beneficial Use on March 1, 1988. An examination indicates that the works have a diversion capacity of .050 cfs of water from:

SPRING

tributary to PAYETTE RIVER, SOUTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 12(SWSE), Sec. 6, Township 08N, Range 05E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

08N 05E 6 LOT 12(SWSE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 65
6. Domestic use is for 1 home.

MICROFILMED

JUN 05 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12592 •

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of MAY, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

JUN 05 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant MINA C. FARIS &/or MARY F. HAZELWORTH Phone 344-1760
Post office address 3508 Kootenai St., Boise, ID 83705
2. Source of water supply unnamed hot spring which is a tributary of S. Fork Payette River
3. Location of point of diversion is Lot 12 1/4XXX 1/4 of Section 6 Township 8N
Range 5E B.M. Boise County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.037 for domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.037 for heating purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.037 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year -- maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: Government Lot 12
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section 6 Township 8N
Range 5E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

If water is to be used for other purposes describe: _____

RECEIVED

[illegible]

100% 90% 80% 70% 60% 50% 40% 30% 20% 10% 0%

[illegible]

None

James Gollan

Applicant


Remarks Water will be used for a swimming pool, irrigation of yard, heating of a

home. Applicant has a mortgage and contract granting 1000 gallons per hour from

this spring. The major portion of the water to be diverted will not be

consumptive use.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

X

Mina C. Fazio
(Applicant)

MICROFILMED

A. Munson
Chief, Operations Bureau

Witness my hand this 17th day of March, 1983.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

for March 1, 19 88.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:
of Idaho No. 65-12592, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by L.G.S. Date 1-27-83 Time 2:51 P.M.

Preliminary check by L.S. Fee \$ 30.00

Received by JP Date 1-27-83 #25853

Publication prepared by JP Date 2/3/83

Published in The Idaho World

Publication dates 2/11 & 2/18/83

Publication approved JP Date 3/14/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

STATE OF IDAHO,
County of Boise

Candace Jensen, being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; that said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
...*2*... consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

...*3/9*..., 19 *83*. and end-
ing with the issue of ...*2/16*.

19 *83*

Candace Jensen

Subscribed and sworn to before

me this *1st* day of *Apr* 19*83*

Rich. H. Jones

RECEIVED

MAR 3 1983

Department of Water Resources
Western Regional Office

MICROFILMED

May 25, 1990

MARY F. HAZELWORTH
MINA C. FARIS
3508 KOOTENAI ST.
BOISE, ID 83705

RE: PERMIT NO. 65-12592

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
JUN 03 1990

May 3, 1990

MARY F. HAZELWORTH
MINA C. FARIS
3508 KOOTENAI ST.
BOISE, ID 83705

RE: PERMIT NO. 65-12592

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUN 05 1990

MEMORANDUM

TO: MEMO

FROM: ROXANNE MCCARTHY

RE: HEATING

DATE: 2-MAR-1990

=====

The heating component under this right is considered negligible and will be licensed under the domestic use.

MINI FILMED

June 5 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 13 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-12592

1. Owner: MINA C FORTS &/OR MARY F HAZELWORTH

Phone No. 344-1760

Current Address: 3508 KOOTENAI ST BOISE, ID. 83705

2. Accompanied by: HUGH WALLACE & WEB GOLLER

EXAM. DATE: 9-07-88

Address: GARDEN VALLEY ID

Phone No. N/A

Relationship to Permit Holder: NEIGHBORS, - SHARE P/D

3. Source: UNNAMED HOT SPRING tributary to S. FORK PAYETTE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: 65-12469, 65-12775 DOMESTIC RIGHTS THAT
OVERLAP WITH 65-12459 (THEY ARE WITH)
SAME SYSTEM

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

JUN 05 1990

Scale: 1" = Not to SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 GAL BUCKET & STOP WATCH						

2. Measurements:

FLOW WAS DIVERTED INTO POOL & 2 MEASUREMENTS
WERE MADE. BOTH MEASUREMENTS WERE 5 GAL IN 14 SEC

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 GAL / 14 SEC * 60 SEC = 21.40 GAL/MIN / 448.89 GAL/MIN = .048 CFS

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional) *NOT DONE*

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N / _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

DOMESTIC .037 CFS
1.20 AFA

HEATING .037 CFS

MICROFILMED

JUN 05 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OTHER SYSTEM SHOWN IS AN ASSOCIATION DIVERSION WITH A PERMIT TO SUPPLY WATER TO UP TO 12 HOMES (PERMIT 65-12495). THE OTHER TWO PERMITS, 65-12469 & 65-12775 ARE INDIVIDUALS THAT HAVE FILED BUT ARE UNDER THE ASSOCIATED PERMIT AND THE ASSOCIATION SYSTEM.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	.04 CFS	1.2 AFA
HEATING	1-1	12-31	.04 CFS	
Totals:			.04 CFS	1.2 AFA

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN
JFW 1-30-90 Signature Kelly K. Christensen
Certification Date _____
Field Report Preparation Date 9-16-88



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 05 1990

CONVERSATION MEMORANDUM

DATE 09-06-88FILE 65-12592NAME OF PARTY Mary HazelworthEMPLOYEE SC Writman

RE: Pump A+ spring delivering water to swimming pool. line buried 1 1/2" PVC
use is for swim pool & house goes thru house & then to pool. over flow goes back to river. normal operation. lawn irrigation also
0.8 acre includes house.


House is a mobile home 12X60 across
from Red Barn. driveway with Blue trim
between Miller Place

after bridge 2 1/4 mi turn left. cross cross fence
then tall gate way (turn in first one toward
Brownhouse but turn right before Brownhouse

MICROFILMED

JUN 8 1990

#65-12592



Mapped by U. S. Forest Service
 Edited and published by the Geological Survey
 Control by USGS, USC&GS, and USFS


Topography from aerial photographs by photogrammetric methods. Aerial photographs taken 1946
 Field check by the Geological Survey 1959

Polyconic projection. 1927 North American datum
 10,000-foot grid based on Idaho coordinate system, west zone
 1000-meter Universal Transverse Mercator grid ticks, zone 11, shown in blue

Dashed land lines indicate approximate locations
 Land lines unsurveyed in part of T. 10 N., R. 4 E.

JUN 03 1959

UTM GRID AND 1959 MAGNETIC NORTH
 DECLINATION AT CENTER OF SHEET




CONTOUR INTERVAL 80 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DELIVER, COLORADO 80225, OR RESTON, VIRGINIA
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Township N°S North Range N°5 East of the

#65-12592




MICROFILMED

JUN 05 1990

#65-12592

P/U



CONTROL
MANIFOLD

POOL
OVERFLOW & HOUSE HEATING DISCHARGE LINES



DRAIN LINES
SHOWN:


POOL DRAIN
SYSTEM BYPASS
POOL OVERFLOW

JUN 20 1964

MICROFILMED


#65-12592

P/D



P/D PUMP
BEHIND
BUILDING

DIFFERENT SYSTEM



JUN 05 1990

MICROFILMED



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 2735 Airport Way, Boise, Idaho 83705 • (208) 334-2190

R. KEITH HIGGINSON
Director

April 15, 1988

Mina C. Faris
Mary F. Hazelworth
3508 Kootenai
Boise, ID 83705

65-12592

Dear Applicants(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

MICROFILMED

JUN 05 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12592

Date: 3-8-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
N/A Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
NA Waiver or modification of measuring device requested

Remarks: Proof acceptable

_____	Priority Calculation:		
	Date proof received	_____	_____
	Date proof due	_____	+ _____
	No. of days late		= _____
	Priority date	_____	+ _____
	NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

MAR - 1 1988

NO # encl SP
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12592

Name(s) of Permit Holder: FARIS, MINA C. / HAZELWORTH, MARY F.

Post Office Address: 3508 KOOTENAI

BOISE, ID 83705 Telephone No. 344-1760

Source of Water: HOT SPRINGS

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark HEATING

Total rate and/or volume for which proof is submitted 0.037 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1983

Measuring Device: Required? Yes ☒ No ☐
Installed? Yes ☐ No ☐ Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No ☐
Installed? Yes ☐ No ☐

Person to contact to accompany the Department representative during the field examination:

Mary Hazelworth 344-1760 (home)
(Name) 384-7450 (office)
3508 Kootenai, Boise, Id 83705
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed, and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 04 1988

2/28/88
Date

Mina C Faris Mary F. Hazelworth
Signature of Permit Holder (and title, if appropriate)

138179

CERTIFIED MAIL
December 31, 1987

Faris, Mina C.
HAZELWORTH, MARY F.
3508 KOOTENAI ST.
BOISE, ID 83705

PROOF DUE NOTICE

RE: Permit No. 65-12592

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

APR 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HAZELWORTH, MARY F.
3508 KOOTENAI ST.
BOISE, ID 83705

MARCH 29, 1983

RE: PERMIT NO. 65-12592

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE SPRING AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 65-12592

PAGE 01
MARCH 29, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED
1983

65-12592

HAZELWORTH, MARY F.
FARIS, MINA C.

3508 KOOTENAI ST., BOISE, ID 83705

Source: SPRING trib. to PAYETTE RIVER, SOUTH FORK

Date Filed: 01/27/1983

Diversion Pt: LOT 12 Sec 06 T 08N R 05E

Use: HEATING	(0.04 CFS)
DOMESTIC	(0.04 CFS)

In: LOT 12 Sec 06 T 08N R 05E

MICROFILMED