

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 2W

T
7
A

34

(8) 10

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Willard C. Foreman
(Applicant)

BE T
the S

REPROFILING

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


- Permit No. 65-12537
Phone No. 365-3745
1. Owner: Willard C +/r Edith Foreman
Current Address: 3220W Idaho Blvd Emmett Idaho 83617
2. Accompanied by: owner EXAM. DATE: 9-13-88
Address: SAME Phone No. SAME
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: no overlap ☐ Copies Attached
2. Other water rights with same point of diversion: no overlap ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

DEC 18 1990

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

65-12537
7N-2W



P.O.U.

P.O.D.

MICROFILMED


DEC 18 1990

NOT TO SCALE

65-12537

RECEIVED

DEC 18 1990



65-12537



Point of diversion and place of use
looking north

MICROFILMED

DEC 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12537

Priority: July 13, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.16 CFS
36.0 AF

This is to certify, that WILLARD C. FOREMAN
EDITH FOREMAN

3220 W. IDAHO BLVD.
EMMETT, ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 13, 1982; and has submitted Proof of Beneficial Use on October 7, 1982. An examination indicates that the works have a diversion capacity of .310 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.16 CFS	36.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 34, Township 07N, Range 02W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	02W	34	SWSE	8		8

Total number of acres irrigated: 8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

DEC 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12537

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7th
day of December, 19 90.

Acting for

R. Keith Higginson, Director

MICROFILMED

DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Willard C. &/or Edith Foreman Phone 365-3745

Post office address 3220 W. Idaho Blvd., Emmett, ID 83617

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 34 Township 7N

Range 2W B.M. Gem County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .16 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .16 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A 20x20 grid map. Handwritten labels include:
- 'R 2W' in the upper right quadrant.
- 'T 7N' in the center.
- '34' in the center-right.
- '6150' in the lower right quadrant.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Willard C. Foreman
(Applicant)

Proposed Priority 7/13/1982

Received by DS Date 7/13/82 Time 2:15 PM
Preliminary check by JS Fee \$ 30-
Receipted by DS Date 7/13/82 # 24048
Publication prepared by AS Date 7/22/82
Published in Emmett Messenger Index
Publication dates 7/29 & 8/5/82
Publication approved NO Date 8/17/82
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12537, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 16th day of September, 1982.

J. Glen Saptor
Chief, Operations Bureau

65-12545
JORDAN, LARK R. &/or
NONA M.
1464 JORDAN LN., EMMETT,
ID 83617
Source: FROZEN DOG
WASTEWAY tributary to
PAYETTE RIVER
Date Filed: 07 / 15 / 1982
Amount: 0.30 CFS
Diversion Point: NWSE Sec 04
T 06N R 01W, GEM Co.
Use: IRRIGATION (0.30 CFS)
from 03 / 15 to 11 / 15
Place of Use: NWSE Sec 04 T
06N 01W FOR 15 ACRES
Diversion Means: PUMP,
PIPELINE & DITCHES

65-12544
LITTLE, JAMES G.
LITTLE, DARLENE
RT. 1 BOX 76A, HORSESHOE
BEND, ID 83629
Source: PAYETTE RIVER
tributary to SNAKE RIVER
Date Filed: 07 / 08 / 1982
Amount: 0.06 CFS
Diversion Point: LOT 02
(SWSE) Sec 15 T 07N R 01E,
GEM Co.
Use: IRRIGATION (0.06 CFS)
from 04 / 01 to 10 / 31
Place of Use: LOT 02 (SWSE)
Sec 15 T 07N R 01E FOR 2
ACRES
Diversion Means: PUMP &
SPRINKLERS

65-12543
U.S. DEPT. OF AGRI.
FOREST SERVICE, FEDERAL
BLDG., 324 25TH ST., OGDEN,
UT 84401
Source: SPRING tributary to
SINKS
Date Filed: 07 / 20 / 1982
Amount: 0.02 CFS
Diversion Point: SWSW Sec
32 T 10N R 02E, GEM Co.
Use: STOCKWATER (0.02
CFS) from 06 / 01 to 09 / 30
Place of Use: SWSW Sec 32 T
10N R 02E
Diversion Means: HEADBOX,
PIPE & TROUGH

65-12542
U.S. DEPT. OF AGRI.
FOREST SERVICE, FEDERAL
BLDG., 324 25TH ST., OGDEN,
UT 84401
Source: SPRING tributary to
SINKS
Date Filed: 07 / 20 / 1982
Amount: 0.02 CFS
Diversion Point: NWNW Sec
16 T 10N R 02E, GEM Co.
Use: STOCKWATER (0.02
CFS) from 06 / 01 to 10 / 15
Place of Use: NWNW Sec 16
T 10N R 02E
Diversion Means: HEADBOX,
PIPE & TROUGH

65-12540
U.S. DEPT. OF AGRI.
FOREST SERVICE, FEDERAL
BLDG., 324 25TH ST., OGDEN,
UT 84401
Source: SPRING tributary to
SINKS
Date Filed: 07 / 20 / 1982
Amount: 0.02 CFS
Diversion Point: NWNE Sec 03
T 13N R 02E, GEM Co.
Use: STOCKWATER (0.02
CFS) from 06 / 10 to 10 / 10
Place of Use: NWNE Sec 03 T
13N R 02E
Diversion Means: HEADBOX,
PIPE & TROUGH

65-12537
FOREMAN, WILLARD C.
&/or EDITH
3220 W. IDAHO BLVD.,
EMMETT, ID 83617
Source: GROUNDWATER
Date Filed: 07 / 13 / 1982
Amount: 0.16 CFS
Diversion Point: SWSE Sec 34
T 07N R 02W, GEM Co.
Use: IRRIGATION (0.16 CFS)
from 03 / 15 to 11 / 15
Place of Use: SWSE Sec 34 T
07N R 02W FOR 8 ACRES
Diversion Means: WELL &
SPRINKLERS

65-12535
LOWTHER, DONALD K. &/or
CARVOLINA
4365 FROZEN DOG RD.,
EMMETT, ID 83617
Source: GROUNDWATER
Date Filed: 07 / 15 / 1982
Amount: 0.20 CFS
Diversion Point: LOT 04
(NWNW) SWNW Sec 02 T 06N
R 01W, GEM Co.
Use: IRRIGATION (0.12 CFS)
from 03 / 15 to 11 / 15
DOMESTIC (0.08 CFS)
from 01 / 01 to 12 / 31
Place of Use: LOT 04

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Mario Ranton being first
duly sworn, on his oath deposes and
says that he is the owner of Messenger-
Index, a legal weekly newspaper pub-
lished at Emmett, in Gem County, Idaho;
that said newspaper is in general circu-
lation in said county and has been pub-
lished uninterruptedly and continuously
for more than 78 weeks prior to the first
publication of the annexed document;
and that the document notice, process,
or advertisement hereunto annexed was
published in the regular edition of

Messenger-Index for 2
consecutive weekly issues thereof, be-

ginning with the issue of July 28

1982 and ending with the issue of

Aug. 4, 1982

Mario Ranton
Subscribed and sworn to before me this

13th day of

August, 1982

Antonio Ranton

Notary Public,

Residing at Emmett, Idaho.

RECEIVED

AUG 16 1982

Department of Water Resources
Western Regional Office

It issued the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Depart-
ment of Water Resources, 92 S.
Cole Road, Boise, Idaho 83709
on or before AUGUST 16, 1982.

A. Kenneth Dunn
Director

2;7-28,8-4-82

December 10, 1990

WILLARD C. FOREMAN
EDITH FOREMAN
3220 W. IDAHO BLVD.
EMMETT, ID 83617

RE: WATER RIGHT NO. 65-12537

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED
DEC 18 1990

LICENSE REVIEW CHECKLIST

Permit No. 65-12537

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance N/A

Order to reinstate needed? yes no ☒

Total cfs Limited by fee ok

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac 4.5

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts ☒

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per $\frac{1}{4}$? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in $\frac{1}{4}$

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap R32

Water quality

Other

Dates/Misc. -

Water Dist

App Rec'd

Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed ☒

Filed - ~~needs amended~~ ok

Not filed - send form

Not needed

Comments/Changes to Examiner's Recommendations:

License ☒ 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer L. Curtis Date 11-19-90 Review time 10 min.

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM			
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE				
L6512537																										
6500926	HERETH	D	WASTE WATER	07N	02W	34														20	20					
6505364	WOOD	D	WASTE WATER	07N	02W	34								11							11					
6505386	BOHLKEN	D	GROUNDWATER	07N	02W	34									2						2					
6507301	KISER	L	WASTE WATER	07N	02W	34														2	2					
6507374A	MANGUM	D	WASTE WATER	07N	02W	34														9	9					
6507374X	FOREMAN	D	WASTE WATER	07N	02W	34														3	3					
6507564	FOREMAN	D	WASTE WATER	07N	02W	34														7	7					
6512537	FOREMAN	P	GROUNDWATER	07N	02W	34														8	8					
6512921	BAXTER NURSERIES INC.	P	GROUNDWATER	07N	02W	34	40			40											80					
L6512537	FOREMAN	L	GROUNDWATER	07N	02W	34														8	8					
	1986 MAPPING DATA ---	-	COUNTY 45 QUAD W	6	07N	02W	34	14	34	37	26		39	37	33	40		34	40	40	41	36	26	39	40	556

MICROFILMED

DEC 18 1990

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
65-01478	LARSEN	D	04/01/1930		GROUNDWATER	DOMEST	0.04		07N	02W	34		SWSE
65-05481	MANGUM MANGUM	D	10/12/1971		GROUNDWATER	DOMEST	0.04		07N	02W	34		SWSE
65-07301	KISER	L	08/28/1972		~~WASTE WATER~~	IRR	0.04		07N	02W	34		SWSE
65-07374A	MANGUM MANGUM	D	06/04/1973		~~WASTE WATER~~	IRR	0.15		07N	02W	34		SWSE
65-07374A	MANGUM MANGUM	D	06/04/1973		~~WASTE WATER~~	IRR	0.15		07N	02W	34		SWSE
65-07374X	FOREMAN FOREMAN	D	06/04/1973		~~WASTE WATER~~	IRR	0.05		07N	02W	34		SWSE
65-07564	FOREMAN FOREMAN	D	07/14/1975		~~WASTE WATER~~	IRR	0.14		07N	02W	34		SWSE
65-07564	FOREMAN FOREMAN	D	07/14/1975		~~WASTE WATER~~	IRR	0.14		07N	02W	34		SWSE
65-09607	FOREMAN FOREMAN	D	02/21/1976		GROUNDWATER	DOMEST	0.04		07N	02W	34		SWSE
65-12537	FOREMAN FOREMAN	P	07/13/1982		GROUNDWATER	IRR	0.16		07N	02W	34		SWSE
65-12537	FOREMAN FOREMAN	L	07/13/1982		GROUNDWATER	IRR	0.16	0.31	07N	02W			SWSE

ok

RECEIVED
DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12537

1. Owner: Willard C +/or Edith Foreman Phone No. 365-3745
Current Address: 3220W Idaho Blvd Emmett Idaho 83617

2. Accompanied by: owner EXAM. DATE: 9-13-88
Address: SAME Phone No. SAME

Relationship to Permit Holder: _____


3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: no overlap ☐ Copies Attached
2. Other water rights with same point of diversion: no overlap ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

DEC 18 1990

Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The System consists of a 7 hp submersible pump in a well that is 109' deep. The water level is at about 45'. The meter that measured the "Kw's" of the pump, is the same one that meters the house and outbuildings, therefore an accurate measure of input horsepower was unobtainable. The pump delivers water into the mainline, and then to the laterals & sprinklers.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible	7			
	(no data)				

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE		34	7N	2W	Gem	Aerial / Visual

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	2W	34															8		8 AC
																			8 AC

MICROFILMED

DEC 18 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

30 gal/13.2 sec 30 gal/13.0 $\bar{Q} = 137 \text{ gpm} = 0.31 \text{ cfs}$
30 gal/13.2 sec
allow 0.16

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q_+ = \frac{(7)(550)}{(124)(62.4/8)} = 0.50 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 34 psi x 2.31 = 79 ft (1); Dynamic pumping level: 45 ft (2)

Total Head: (1) + (2) = 124 (3) ; Flow rate: 0.31 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 4.4 (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (8)(4.5) = 36 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.16)(245)(1.9835) = 78 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 36 \text{ afa}$$

2. Volume Calculations for Other Uses:

MICROFILMED

DEC 18 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The aerial photo is not an accurate representation of Mr. Loremans' acreage. He showed me the surveyors' map, which shows there are 7.91 acres. He actually irrigates on the other side of the small drain ditch, which shows on photo.

Even though Q is equal to 0.31 cfs allow only 0.02 cfs/acre or 0.16 cfs.

System also irrigates lawn & flower beds.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	March 15	November 15	0.16 cfs	36 AFA
Totals:			0.16 cfs	36 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

JFW 1-29-90

Signature


Darren Knuteson

Darren Knuteson

Certification Date

Field Report Preparation Date

9-13-1988




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

11-19-90
SC

MICROFILMED

DEC 18 1990

65-12537
7N-2W



P.O.U.

P.O.D.

MICROFILMED

DEC 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-12537

Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

JUN 7 1990

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

☐ Blank Field Report Form

☐ Copy of Permit

☒ Copies of any Amendments/Orders with conditions of approval

☒ Computer Data Proof Report

☐ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index NK 9-12-88 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index NK 9-12-88 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed James K. Kuntze 9-13-88 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JFW 1-29-90 (Initial and date)

Exam Reviewed by Manager of Regional Office Don 2/9/90 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 6-6-90 ST (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

Form 238-I
04/88

WR Permit No. _____

017491332

State of Idaho

Department of Water Resources
WELL INSPECTION FORM

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 7N, Rge. 2W,
Sec. 34, Qtr./Qtr. SWSE or Lot _____
2. Owner Willard Lorenson
Address 3220 W Idaho Blvd, City Emmett, State Idaho
3. Approx. date of well construction 1984
Well Driller _____
4. Casing: Diameter 8" Condition good
5. Casing length above land surface 18"
6. Well depth (ft) _____ Flowing _____ Temp. _____
Access port no
7. Condition of piping and valving good
8. Evidence of well seal yes
9. Shut in pressure or static water level _____
10. Evidence of leakage around the casing no
11. Does well need repair no
12. Comments _____

FILED

DEC 18 1990

(OVER)

1-23-50


2000

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

WICHITA POLICE DEPT 44-38861-1111

Inspected by _____ Date _____

65-12537



Point of diversion and place of use
looking north



4/86

RECEIVED
DEC 22 1987RECEIVED
DEC 17 1987

For Office Use Only
 Fee Received 50.00
 Date 10-28-87
 Receipt # 43985
 Receipt by CF
 Sent to S.O. 12/14/87

Department of Water Resources
 Western Regional Office

STATE OF IDAHO
 Department of Water Resources

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

KEYPUNCHED

1. Permit No. 65-12537

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Willard C. and/or Edith Foreman3. Post Office Address: 3220 W. Idaho Blvd.Emmett, ID 83617 Telephone No. 365-37454. Source of Water: Groundwater

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 8 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 0.16 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1982

8. Person to contact to accompany the department representative during the field examination:

Willard Foreman (Name)3220 W. Idaho Blvd. Emmett, ID (Address) 365-3745 (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

10/28/87
DateWillard C. Foreman
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

October 15, 1987

65-12537
Willard C. & Edith Foreman
3220 W. Idaho Blvd.
Emmett, ID 83617

138023

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

DEC 18 1990

page 2

Examination Fee Notice

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is available from the department upon request. A listing of certified water right examiners is also available.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.


The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The license examination fee schedule, on the back of the enclosed information sheet, shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be returned to this office. If you have questions or concerns please feel free to call at (208) 334-2190, or to visit the office at our new location near the airport, at 2735 Airport Way.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure

MICROFILMED

DEC 18 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-12537

Name(s) of Permit Holder: Willard C + Edith Foreman

Post Office Address: 3220 N. Ida Blvd.

Emmett, Idaho 83617 Tel. No. 365-3745

Source of Water: Well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 8 _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-6-82
Date

Willard C. Foreman
Signature of Permit Holder

Philland C. Goren
3220 N. Id. Blvd.
Emmett, Id. 83617



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

FOREMAN, WILLARD C. & EDITH
3220 W. IDAHO BLVD.
EMMETT, ID 83617

SEPTEMBER 28, 1982

RE: PERMIT NO. 65-12537

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE SUPREME COURT'S REVIEW OF THE CASE OF IDAHO POWER COMPANY VS. STATE OF IDAHO, ET AL., ADA COUNTY CIVIL NO. 62237, CURRENTLY BEING APPEALED TO THE SUPREME COURT OF IDAHO. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE SUPREME COURT IS REVIEWING THIS CASE IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Groves
CHECK:

APPLICATION NUMBER: 65-12537

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No*
☒ Yes ☒ No

Platted by: _____ Map No. _____
Other rights on same place of use. EMMETT IRRIG. DIST. RTS. - SEE
INDEX
In form for advertising.
Final date for protests: 8/16/82
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/15/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/24048
☒ Publication dates and paper, recorded on application. 7/29 & 8/5/82 Emmett
☒ Protests, dates, withdrawal, etc., recorded on application. messenger index
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/13/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. I.P. GW letter

By: DBS

Date: 9/13/82

OFFICE REVIEW:

SLW/L05

- ☒ See attached sheet for more information.

By: [Signature]

Date: 9/15/82

RECEIVED

SEP 14 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

65-12532

FOREMAN, WILLARD C. &/or EDITH

3220 W. IDAHO BLVD., EMMETT, ID 83617

Source: GROUNDWATER

Date Filed: 07/13/1982

Amount: 0.16 CFS

Diversion Point: SWSE Sec 34 T 07N R 02W, GEM Co.

Use: IRRIGATION (0.16 CFS) from 03/15 to 11/15

Place of Use: SWSE Sec 34 T 07N R 02W FOR 8 ACRES

Diversion Means: WELL & SPRINKLERS

MICROFILMED