


20 1977



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12514

1. Owner: Darrell and/or Mary Kulsick Phone No. 286-7339

Current Address: ROUTE 1 STAR, IDAHO 83669

2. Accompanied by: NO ONE EXAM. DATE: 8-14-87

Address: - Phone No. -

Relationship to Permit Holder: -

3. Source: SAPPAIRE CREEK tributary to RAPID CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NINE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'


JUL 07 1988

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



pped, edited, and published by the Geological Survey
 cooperation with the U. S. Forest Service
 trol by USGS, NOS/NOAA, and USFS
 ography by photogrammetric methods from aerial
 tographs taken 1965 and 1972. Field checked 1973





PLACE OF USE

THE GREEN BUS IS BEING USED AS A
TEMPORARY RESIDENCE AT THE SITE. WATER
IS DIVERTED TO THE SITE BY PLASTIC PIPE
FROM SAPPHIRE CREEK

POINT OF DIVERSION

SINCE THE SYSTEM IS PORTABLE THE
PUMP ON SAPPHIRE CREEK WAS NOT IN
PLACE

UNCLASSIFIED

JUL 07 1988

MAD E
LAKE

LOT 24

LOT 23

CABIN
SITE

STORAGE
TANK

300 FT
1" INCH
LINE

150 FT
1" INCH
LINE

3HP
GAS
PUMP

70 FT

SAPPHIRE CREEK

LOT 22

MICROFILMED

JUL 09 1987

NORTH

SOUTH

BLM.
LAND

BLM.
LAND

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12514

Priority: April 23, 1982 Amount: .04 CFS 1.2 AFA

This is to certify, that DARRELL KOLSKY
MARY KOLSKY

RT. 1

STAR, ID 83669

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated April 23, 1982, and has submitted proof to the Department of Water Resources on May 26, 1987, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .05 cfs of water from;

SAPPHIRE CREEK

tributary to RAPID CREEK

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.04 cfs	1.2 afa

LOCATION OF POINT OF DIVERSION(S): SWNW , Sec. 34, Township 17N, Range 4E
Valley County

PLACE OF USE: Domestic

TWN RGE SEC

17N 4E 34 SWNW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this license is subject to control by the watermaster of State Water District No. 65 .

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13th day of June, 1988.

MICROFILMED

Director

JUL 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Darrell &/or Mary Kolsky Phone 286-7339

Post office address Rt. 1 Star, Id. 83669

2. Source of water supply Sapphire Creek which is a tributary of Rapid Creek

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 17N

Range 4E B.M. Valley County, additional points of diversion if any:

SENE Sec 33 T17N R4E

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cfs cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pipeline, Gravity Fed

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 34 Township 17N

Range 4E B.M.

(2) Amount of power to be generated: horsepower under feet of head.


(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe:

MICROFILMED

MICROFILM



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

This image shows a full page of blank graph paper. The grid consists of 20 columns and 20 rows of squares, formed by thin black lines. There are no margins, text, or other markings on the page.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.



x Darrell Kolsky
(Applicant)

Proposed Priority 4/23/1982

Received by 665 Date 4/23/82 Time 11:05

Preliminary check by jc Fee \$ 30.00 22888

Receipted by AS Date 4/23/82

Publication prepared by jp Date 4/29/82

Published in The Star News

Publication dates 5/5 & 5/12/82

Publication approved AS Date 5/24/82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12514, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

Witness my hand this 15 day of June, 1982.

David R. Tuttle
Acting Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Valley

SS.

RECEIVED

MAY 14 1982

Department of Water Resources
Western Regional Office

Beryl Baker being duly sworn deposes and says, I am the bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the Notice of App. for Water, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began May 5 19 82 and ended May 12 19 82.

Beryl Baker
Subscribed and sworn to before me this the
12th day of May 19 82

Notary Public in and for the State of
Idaho, residing at _____
therein.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

HELLHAKE, LARRY J.
809 N. LIBERTY RD.,
BOISE, ID 83704

Source: LOUIE CREEK
tributary to BOULDER
CREEK

Date Filed: 04-23-1982
Amount: 30.00 CFS

Diversion Point: SENE
Sec 33 T 18N R 04E,
VALLEY Co.

Use: POWER (30.00 CFS)
from 01-01 to 12-31

Place of Use: SWNW Sec
31 T 18N R 04E

Diversion Means: PEN-
STOCK & POWER PLANT
65-12513

HELLHAKE, LARRY J.
809 N. LIBERTY RD.,
BOISE, ID 83704

Source: BRUSH CREEK
tributary to PAYETTE
RIVER, NORTH FORK

Date Filed: 04-22-1982
Amount: 12.00 CFS

Diversion Point: SENE
Sec 19 T 20N R 04E,
VALLEY Co.

Use: POWER (12.00 CFS)
from 01-01 to 12-31

Place of Use: SESE Sec 14
T 20N R 03E

Diversion Means: PEN-
STOCK & POWER PLANT
65-12514

KOLSKY, DARRELL &-or
MARY
RT. 1, STAR, ID 83669

Source: SAPPHIRE
CREEK tributary to RAPID
CREEK

Date Filed: 04-23-1982
Amount: 0.04 CFS

Diversion Point: SWNW
Sec 34 T 17N R 04E SENE

Sec 33 T 17N R 04E,
VALLEY Co.

Sec 30 T 20N R 04E,
VALLEY Co.
Use: POWER (12.00 CFS)
from 01-01 to 12-31
Place of Use: NESW Sec
35 T 20N R 03E
Diversion Means: PEN-
STOCK & POWER PLANT
65-12516

STATE OF IDAHO
DEPT. OF TRANS-
PORTATION, 8150
CHINDEN BLVD., P.O.
BOX 8028, BOISE, ID 83707

Source: GROUNDWATER

Date Filed: 04-27-1982

Amount: 0.04 CFS
Diversion Point: NENE

Sec 24 T 14N R 03E,
VALLEY Co.

Use: DOMESTIC (0.04
CFS) from 01-01 to 12-31

Place of Use: NENE Sec
24 T 14N R 03E

Diversion Means: WELL,
PUMP & PIPELINE
77-7176

TRUMBULL, ROD
P.O. BOX 36,
CALDWELL, ID 83605

Source: LOGAN CREEK
tributary to BIG CREEK

Date Filed: 04-22-1982

Amount: 10.00 CFS
Diversion Point: SWNE

Sec 34 T 21N R 09E,
VALLEY Co.

Use: POWER (10.00 CFS)
from 01-01 to 12-31

Place of Use: SENW Sec
35 T 21N R 09E

Diversion Means: DIVER-
SION DAM, PIPE CON-
DUIT & INLINE CONTROL
VALUE

77-7177

NELSON, JOSEPH B.
P.O. BOX 3383, BOISE, ID
83703

Source: TRAPPER
CREEK tributary to JOHN-
SON CREEK

Date Filed: 02-24-1982

Amount: 15.00 CFS
Diversion Point: SWSW

Sec 09 T 17N R 08E,
VALLEY Co.

Use: POWER (15.00 CFS)
from 01-01 to 12-31

Place of Use: NWNE Sec
08 T 17N R 08E

Diversion Means: DIVER-
SION STRUCTURE,
HEADGATE, STEEL CON-
DUIT & GENERATING
SYSTEM

HELLHAKE, LARRY J.
809 N. LIBERTY RD.,
BOISE, ID 83704
Source: LOUIE CREEK
tributary to BOULDER
CREEK

Date Filed: 04-23-1982

Amount: 30.00 CFS

Diversion Point: SENE

Sec 33 T 18N R 04E,
VALLEY Co.

Use: POWER (30.00 CFS)
from 01-01 to 12-31

Place of Use: SWNW Sec
31 T 18N R 04E

Diversion Means: PEN-
STOCK & POWER PLANT

65-12513

HELLHAKE, LARRY J.
809 N. LIBERTY RD.,
BOISE, ID 83704

Source: BRUSH CREEK
tributary to PAYETTE
RIVER, NORTH FORK

Date Filed: 04-22-1982

Amount: 12.00 CFS

Diversion Point: SENE

Sec 19 T 20N R 04E,
VALLEY Co.

Use: POWER (12.00 CFS)
from 01-01 to 12-31

Place of Use: SESE Sec 14
T 20N R 03E

Diversion Means: PEN-
STOCK & POWER PLANT

65-12514

KOLSKY, DARRELL & or
MARY

RT. 1, STAR, ID 83669

Source: SAPPHIRE
CREEK tributary to RAPID
CREEK

Date Filed: 04-23-1982

Amount: 0.04 CFS

Diversion Point: SWNW

Sec 34 T 17N R 04E SENE

Sec 33 T 17N R 04E,
VALLEY Co.

Use: DOMESTIC (0.04
CFS) from 01-01 to 12-31

Place of Use: SWNW Sec
34 T 17N R 04E

Diversion Means: GRAVI-
TY FED PIPELINE

65-12515

HELLHAKE, LARRY J.
809 N. LIBERTY RD.,
BOISE, ID 83704

Source: BOX CREEK
tributary to PAYETTE
RIVER, NORTH FORK

Date Filed: 04-22-1982

Amount: 12.00 CFS

Sec

VALLE

Use: DC

CFS) from 01-01

Place of Use: N

24 T 14N R 03E

Diversion Means: WEL

PUMP & PIPELINE

77-7176

TRUMBULL, ROD

P.O. BOX

CALDWELL, ID 83605

Source: LOGAN CREEK

tributary to BIG CREEK

Date Filed: 04-22-1982

Amount: 10.00 CFS

Diversion Point: SWNE

Sec 34 T 21N R 09E,

VALLEY Co.

Use: POWER (10.00 CFS)

from 01-01 to 12-31

Place of Use: SENW Sec

35 T 21N R 09E

Diversion Means: DIVER-

SION DAM, PIPE CON-

DUIT & INLINE CONTROL

VALUE

77-7177

NELSON, JOSEPH B.

P.O. BOX 3383, BOISE, ID

83703

Source: TRAPPER

CREEK tributary to JOHN-

SON CREEK

Date Filed: 02-24-1982

Amount: 15.00 CFS

Diversion Point: SWSW

Sec 09 T 17N R 08E,

VALLEY Co.

Use: POWER (15.00 CFS)

from 01-01 to 12-31

Place of Use: NWNE Sec

08 T 17N R 08E

Diversion Means: DIVER-

SION STRUCTURE,

HEADGATE, STEEL CON-

DUIT & GENERATING

SYSTEM

If issued, the permit(s)

will be subject to all prior

water rights. Protests

against the granting of any

permit must be filed with the

Director of the Idaho

Department of Water

Resources, 92 S. Cole Road,

Boise, Idaho 83709 on or

before MAY 24, 1982.

A. KENNETH DUNN

Director

Published 5-5 & 5-12-82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 65-12514
Name(s) of Permit Holder(s): DARRELL & MARY KOLSKY
Post Office Address: RT 1, STAR, ID. 83669
Tel. No. 286-7339

☒ I hereby certify that construction of diversion works on the above referenced permit began on Sept. 1983 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

July 14, 1983
Date

Darrell Kolsky
Signature of Permit Holder

Darrell Esby

RT # 1

Star Idaho 83669

PLACE
STAMP
HERE

MICROFILMED

JUL 25 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
JUL 18 1988

June 13, 1988

DARRELL KOLSKY
MARY KOLSKY
RT. 1
STAR, ID 83669

RE: PERMIT NO. 65-12514

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
JUL 07 1988

DARRELL & MARY KOLSKY
RT. 1
STAR, ID 83669

May 3, 1988

RE: Permit No. 65-12514

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MANUFACTURED

JUL 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

65-12514
Permit No.

RECEIVED

MAR - 1 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index Rgg 7-30-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index Rgg 7-30-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 7-23-87 Rgg (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Richard J. Grogan 8-20-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent J. 2/27/88 (Initial and date)

Exam Reviewed by Manager of Regional Office Aug 2/29/88 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office J. 2/29/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12514

1. Owner: Darrell and/or Mary Kolsky Phone No. 286-7339

Current Address: ROUTE 1 STAR, IDAHO 83669

2. Accompanied by: NO ONE EXAM. DATE: 8-14-87

Address: - Phone No. -

Relationship to Permit Holder: -

3. Source: SAPPAIRE CREEK tributary to RAPID CREEK

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NINE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 200'

JUL 07 1988

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A very small dam was erected in Sapphire Creek to be used as a diversion pond. A portable gas powered pump is used to direct water from the stream to the place of use located approximated 300 feet north west uphill. The entire diversion works are dismantled during the winter months to prevent freeze damage.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NO	DATA	AVAILABLE		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	34	17N	4E	VALLEY	TOPOGRAPHIC MAP

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
17N	4E	34							X										
									D										

Do not use this space

JUL 27 1983

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements:

Stream Flow of Sapphire Creek as noted 8-14-87
was approximately .05 cfs.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

N/A

Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

DOMESTIC USE - 1 HOUSE = 1.2 AFA

REPRODUCTION

JUL 07 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No overlap for diversions of Sapphire Creek

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.04	1.2 AFA
Totals:			.04 cfs	1.2 AFA


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Richard J Genperle
Signature Richard J Genperle
Certification Date _____
Field Report Preparation Date 8-18-87




CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

JUL 07 1988



CONTOUR INTERVAL 40



PLACE OF USE

THE GREEN BUS IS BEING USED AS A
TEMPORARY RESIDENCE AT THE SITE. WATER
IS DIVERTED TO THE SITE BY PLASTIC PIPE
FROM SAPPHIRE CREEK

POINT OF DIVERSION

SINCE THE SYSTEM IS PORTABLE THE
PUMP ON SAPPHIRE CREEK WAS NOT IN
PLACE

RECEIVED

JUL 07 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

August 18, 1987

65-12514
KOLSKY, DARRELL
KOLSKY, MARY
RT. 1
STAR, ID 83669

Dear Applicant(s):

We acknowledge receipt of your statement of proof of beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

MICROFILMED

JUL 07 1988

RECEIVED

MAY 26 1987

no fence. 92
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received _____

Date _____

Receipt # 1014

Receipt by 1014

Reviewed by 1014

Sent to region 1014

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12514

Name(s) of Permit Holder: Darrell & Mary Kolsky ✓

Post Office Address: Route # 1 Star, Idaho ✓

Telephone No. 286 7339

Source of Water: Sapphire Creek ✓

Extent of Use:

Domestic One ✓ (number of households) Stockwater 3 Horses (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted Flow three 3/4" pipes _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Sept. 1986

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ None
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Darrell Kolsky 286 7339
(Name) (Telephone Number)

Rt # 1 Star Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/30/87
Date



Darrell Kolsky ✓
Signature of Permit Holder (and title, if appropriate)

JUL 09 1987

Darrell Kolakof
RT #1
Star, Idaho

83669

USA
22



Department of Water Resources
State House
Boise, Idaho 83720

MICROFILMED
JUL 09 1961

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MARCH 31, 1987

138895

KOLSKY, DARRELL & MARY
RT. 1
STAR. ID 83669

PROOF DUE NOTICE

RE: PERMIT NO. 65-12514

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

JUL 09 1987

August 2, 1983

Darrell V. Kolsky
Rt. 1
Star, ID 83669

RE: Permit No. 65-12514

Dear Mr. Kolsky:

We are in receipt of your letter dated July 15, 1983, with which you returned the Commencement of Works postcard and described some changes that you have made to your water delivery system from that described on the above referenced permit.

Please be advised that the postcard can be accepted as satisfactory and that the changes that you have described require no corrections to your permit. You have until Jun 1, 1987 to complete the proposed development.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

100-111111-1
100-111111-2
100-111111-3
100-111111-4
100-111111-5
100-111111-6
100-111111-7
100-111111-8
100-111111-9
100-111111-10
100-111111-11
100-111111-12
100-111111-13
100-111111-14
100-111111-15
100-111111-16
100-111111-17
100-111111-18
100-111111-19
100-111111-20
100-111111-21
100-111111-22
100-111111-23
100-111111-24
100-111111-25
100-111111-26
100-111111-27
100-111111-28
100-111111-29
100-111111-30
100-111111-31
100-111111-32
100-111111-33
100-111111-34
100-111111-35
100-111111-36
100-111111-37
100-111111-38
100-111111-39
100-111111-40
100-111111-41
100-111111-42
100-111111-43
100-111111-44
100-111111-45
100-111111-46
100-111111-47
100-111111-48
100-111111-49
100-111111-50
100-111111-51
100-111111-52
100-111111-53
100-111111-54
100-111111-55
100-111111-56
100-111111-57
100-111111-58
100-111111-59
100-111111-60
100-111111-61
100-111111-62
100-111111-63
100-111111-64
100-111111-65
100-111111-66
100-111111-67
100-111111-68
100-111111-69
100-111111-70
100-111111-71
100-111111-72
100-111111-73
100-111111-74
100-111111-75
100-111111-76
100-111111-77
100-111111-78
100-111111-79
100-111111-80
100-111111-81
100-111111-82
100-111111-83
100-111111-84
100-111111-85
100-111111-86
100-111111-87
100-111111-88
100-111111-89
100-111111-90
100-111111-91
100-111111-92
100-111111-93
100-111111-94
100-111111-95
100-111111-96
100-111111-97
100-111111-98
100-111111-99
100-111111-100

RECEIVED

JUL 18 1983

July 15, 1983

Department of Water Resources
Statehouse
Boise, Idaho 83720

Attention David R. Tuthill, Jr.

Dear Mr. Tuthill:

Pertaining to our earlier conversation and regarding Permit #65-12514, please consider the following findings on our part.

We had intended to use gravity flow for our water system but on further observance found that the cabin site was too high to use this system. In order to have a water system on the site we will have to use a pump. We have purchased 1200 feet of 1" plastic line which we intended to use on the gravity flow system.

Since we have decided that the gravity flow system is not feasible we have decided that the practical way to go is to use a 3 horsepower motor to pump the water into a storage system and then from the storage tank to the cabin site.

Since we requested an application for a gravity flow system and now wish to do something else could you send us another application form if necessary.

Enclosed I have drawn a diagram of the area and am returning the Commencement of Works card.

If there is anything else we need to do please let us know. Thank you.

Sincerely,

Darrell Kolsky
Darrell V. Kolsky

mk; Enclosures 2

MICROFILMED

JUL 09 1987

MAY

MAD E
LAKE

LOT 24

LOT 23

CABIN
SITE

STORAGE
TANK

300 FT

1" INCH
LINE

150 FT
1" INCH
LINE

3HP
GAS
PUMP

70 FT

SAPPAIRE CREEK

LOT 22

MICROFILMED

JUL 09 1987



NORTH

SOUTH



BLM.
LAND

BLM.
LAND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

orig.
at front desk

Permit No. 65-12514
Name(s) of Permit Holder(s): DARRELL & OR MARY KOLSKY
Post Office Address: RT 1, STAR, ID. 83669
Tel. No. 286-7339

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on Sept. 1982 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

July 14, 1983
date

Darrell Kolsky
Signature of Permit Holder

NOT RECORDED

JUL 09 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KOLSKY, DARRELL & MARY
RT. 1
STAR, ID 83669

JUNE 22, 1982

RE: PERMIT NO. 65-12514

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE SAPPHIRE CREEK AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Grover

APPLICATION NUMBER: 65-12514

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 5/24/82 ✓

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/14/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30.00/22888
☒ Publication dates and paper, recorded on application. 5/5 & 5/12/82 Sta. name
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 65
4/23/82 Date of priority recommended.
Special conditions of approval or cover letter. Payette River Letter
Basin 65 W.M. Condition
Right-of-way clause

By: DBS

Date: 5/25/82

STATE OFFICE REVIEW:

SN/L12, L04

26, 04, 05 (65 Payette R.)

- ☐ See attached sheet for more information.

By: Robert

Date: 6/9/82

RECEIVED
JUN 01 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. KENNETH DUNN
Director

(208) 334-2190

May 3, 1982

Vincent S. Strobel
Bureau of Land Management
Room 398 Federal Bldg.
550 W. Fort St.
Boise, Id. 83724

65-12514

RE: 77-7177

Dear Mr. Strobel:

Enclosed is a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have any questions regarding the application, please contact this office.

Sincerely,

DAVID B. SHAW
Western Region Supervisor

DBS:jp

Enclosure

MICROFILMED

65-12514

KOLSKY, DARRELL &/or MARY

RT. 1, STAR, ID 83669

Source: SAPPHIRE CREEK tributary to RAPID CREEK

Date Filed: 04/23/1982

Amount: 0.04 CFS

Diversion Point: SWNW Sec 34 T 17N R 04E SENE Sec 33 T 17N R 04E,
VALLEY Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SWNW Sec 34 T 17N R 04E

Diversion Means: GRAVITY FED PIPELINE

MICROFILMED