




ADDED

d by U. S. Forest Service
and published by the Geological Survey
by USGS, USC&GS, and USFS

SCALE 1:62500

(PIONEERVILLE 1:24 000) INTERIOR-GEOLOGICAL SURVEY WASH. D.C. 1961-NS-1
599000m E 44°00' 115°45'

ROAD CLASSIFICATION

Medium duty Light duty

IDAHO

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 22 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-12403

1. Owner: Sandy Donley Phone No. 462-3791

Current Address: Garden Valley, ID 83622

2. Accompanied by: Same EXAM. DATE: 6-15-92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Black Bear Creek tributary to S. Fork Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-7494


_____ ☒ Copies Attached

2. Other water rights with same point of diversion: None

_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

RECEIVED
JUN 30 1994



$$\frac{T.9N.}{T.8N.}$$

N. 0° 22' E.	2.21	N. 1° 04' E.	0.33	N. 1° 17' E.	NORTH
39.00		38.13		31.63	14.34

[illegible]

RECEIVED
JUN 30 1994

8N5E

RECEIVED
JUN 30 1994






PHOTO ONE-

810. The collection box in Black Bear Creek with an 8" discharge.



PHOTO TWO-

The pipe contracts
From 8"-7"-6"-5"
and eventually to 4" over
approx 30'.

PROCESSED
JUN 20 1994



PHOTO THREE-

A 90° bend in the 4" pipe.



PHOTO FOUR-

Point at which 3" line flows
pond. 3" line from tank also
flows into pond. Pond is dry due
to broken pipe.

MIDPONT 1177
JUN 30 1994



PHOTO FIVE-

plu. The pasture Facing west
Domestic in background. Pond in
trees behind domestic.



PHOTO SIX-

The domestic plu.

MICROFILMED

JUN 30 1994



PHOTO FIVE-
Seven

Cement collection tank for
water from Ray Creek & the
pond.



PHOTO SIX-
eight

Riser connected to the
line passing through the pond.
Location for ~~power generator~~ 3"
handline to receive water.

JUN 30 1994



PHOTO FIVE-

The power generator.

>

PHOTO SIX-

MISSOURI
JUN 30 1994

STATE OF IDAHO,
County of Boise

M. J. Harley being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; that said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for

2 consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

Apr 15, 1981 and end-
ing with the issue of *Apr 22*

1981

Michelle J. Harley

Subscribed and sworn to before

me this *23rd* day of *Apr*, 1981...

Arline C. Kolar

Clerk, Dist. Ct.

By: Kris Hayman

Deputy

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

65-12403

DONLEY, SANDY
GARDEN VALLEY, ID. 83622
Source: BLACK BEAR CREEK tributary to
PAYETTE RIVER, SOUTH FORK
Date Filed: 04/02/1981
Amount: 0.70 CFS
Diversion Point: LOT 04 LOT 05 Sec 06 T 08N
R 06 E, BOISE Co.
Use: Irrigation (0.09 CFS) from 03/15 to 11/15
FISH PROP. (0.70 CFS) from 01/01 to 12/31
POWER (0.70 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SWSE Sec 36 T 09N R 05E FOR
3 ACRES.
Diversion Means: HEADGATE, DITCH &
PIPELINE

65-12404

FORI, GLORIA SMITH
GARDEN VALLEY, ID 83622
Source: SPRINGS tributary to PAYETTE
RIVER, SOUTH FORK
Date Filed: 04/02/1981
Amount: 0.14 CFS
Diversion Point: NESE SWSE SESE Sec 02
T 08N R 05E NENW Sec 11 T 08N R 05E NWNW
SWNW Sec 11 T 08N R 05E, BOISE Co.
Use: COMMERCIAL (0.10 CFS) from 01/01 to
12/31
HEATING (0.04 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NWNW Sec 11 T 08N R 05E
Diversion Means: SPRING BOXES & PIPELINE

65-12406

JENKINS, RICHARD L. &/or LINDA J.
P. O. BOX 65, GARDEN VALLEY, ID 83622
Source: SPRINGS tributary to PAYETTE
RIVER, SOUTH FORK
Date Filed: 04/06/1981
Amount: 0.04 CFS
Diversion Point: LOT 01 (NENW) LOT 02
(SENW) Sec 31 T 09N R 06E, BOISE Co.
Use: DOMESTIC (0.04 CFS) from 04/15 to 10/15
Place of Use: LOT 02 (SENW) Sec 31 T 09N R
06E
Diversion Means: SPRING BOXES, SAND
TRAPS, PIPELINES & TANKS

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting
of any permit must be filed with the Director
of the Idaho Department of Water Resources,
92 S. Cole Road, Boise, Idaho 83709 on or before
MAY 4, 1981.

A. KENNETH DUNN
Director

Published in The Idaho World, Idaho City,
Idaho on April 15 and 22, 1981.

62
RECEIVED
APR 27 1981

Department of Water Resources
Western Regional Office

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12403

Priority: April 2, 1981

Maximum Diversion Rate: 0.45 CFS
Maximum Diversion Volume: 325.8 AF

This is to certify, that SANDY DONLEY
PO BOX 46

GARDEN VALLEY ID 83622 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 2, 1981; and
has submitted Proof of Beneficial Use on August 29, 1990. An examination indicates
that the works have a diversion capacity of .450 cfs of water from:

BLACK BEAR CREEK tributary to PAYETTE RIVER, SOUTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.09 CFS	10.5 AF
POWER	01/01 to 12/31	0.45 CFS	325.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
RECREATION	01/01 to 12/31	0.45 CFS	325.8 AF
	Totals	0.45 CFS	325.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NENW), Sec. 6, Township 08N, Range 06E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N 05E 36	SWSE 3			3

Total number of acres irrigated: 3

PLACE OF USE: POWER

<u>TWN RGE SEC</u>	
08N 05E 1	Lot 8(NWNE)

PLACE OF USE: DOMESTIC

<u>TWN RGE SEC</u>	
08N 05E 1	
09N 05E 36	SWSE

PLACE OF USE: RECREATION

<u>TWN RGE SEC</u>	
08N 05E 1	Lot 8(NWNE)

RECEIVED

JUN 30 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 65-12403

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
7. The water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this license.
8. This right does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.
9. The issuance of this right in no way grants any right-of-way or easement across the land of another.
10. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
11. This right when combined with Right No. 65-07494 shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
12. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30th
day of MAY, 1994.

Acting for


R. Keith Higginson, Director

JUN 30 1994

APPROVED

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12403

RECEIVED
JAN 11 1994
Department of Water Resources

Date of Priority: April 2, 1981

Maximum Diversion Rate: 0.45 CFS
Maximum Diversion Volume: 325.8 AF

Comes now SANDY DONLEY
PO BOX 46
GARDEN VALLEY ID 83622

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-12403, and requests that the permit be changed as follows:

Source: **BLACK BEAR CREEK** tributary to **PAYETTE RIVER, SOUTH FORK**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.09 CFS	10.5 AF
POWER	01/01 to 12/31	0.45 CFS	325.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
RECREATION	01/01 to 12/31	0.45 CFS	325.8 AF
Totals		0.45 CFS	325.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NENW), Sec. 6, Township 08N, Range 06E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	05E	36	SWSE	3		3

Total number of acres irrigated: 3

PLACE OF USE: POWER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
08N	05E	1	Lot 8(NWNE)

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
08N	05E	1	
09N	05E	36	SWSE

PLACE OF USE: RECREATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	
08N	05E	1	Lot 8(NWNE)

RECEIVED

JUN 30 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 65-12403

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 10 day of JANUARY, 1994.

Sandy W. Saylor
(Signature)

JUN 20 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12403

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = \$2000 Received by AW # C029415 Date 1/11/94

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12403 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
6. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
7. The water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this license.
8. This right does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.
9. The issuance of this right in no way grants any right-of-way or easement across the land of another.
10. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

JUL 10 1994


State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12403

CONDITIONS/REMARKS:

11. This right when combined with Right No. 65-07494 shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.
12. Domestic use is for 1 home.

Witness my hand this 30TH day of MAY, 1994.

Acting for  K. Keith Higginson, Director

RECEIVED
AUG 29 1990

RECEIVED
AUG 30 1990

For Office Use Only
Amt. of Fee \$ 100.00
Date 8-29-90
Receipt No. W012661
Received by JHL
88-10-25-90

STATE OF IDAHO

Department of Water Resources

Department of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12403 Telephone No. 462-3791

Name(s) of Permit Holder(s): SANDY DOWLEY

Post Office Address: GARDEN VALLEY, IDA 83622

Source of Water: BLACK BEAR CR.

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic 1 (No. of households)

Irrigation 3 (No. of acres)

Stockwater _____ (No. and type of stock)

Other POWER AND

FISH PROPAGATION

Total rate and/or volume for which proof is submitted .70 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: July 81

One of the following may be a condition of approval of your permit.

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination

SANDY W. DOWLEY 462-3791
Name Telephone No.

GARDEN VALLEY, IDA 83622
Address

The above information is my true statement of the extent to which the above numbered permit has been completed and I relinquish any undeveloped portion of the permit to the state of Idaho

RECORDED

NOV 2 1990

Date

Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received
Date 3-6-1986
Receipt # 37527

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use on a water right permit

Sandy Donley of Box 46, Garden Valley, ID 83622
(Name) (Address)

State of Idaho, deposes and says

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriation of the Public Water of the

State of Idaho No 65-12403

RECEIVED
MAR 6 1986

That under the terms and conditions of said permit, work thereunder was required to be completed on or before

May 1, 19 86

Department of Water Resources

That he has heretofore performed the following work described under said permit

(This must be filled out! If no work has been completed put none)

2200 feet of mainline has been buried to supply water for irrigation, one fish pond

is complete and a residence exists although the hookup hasn't been completed

Costing \$ 2500

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit

Some of the pipeline approximately one mile crosses Forest Service land. That

agency has requested that the line be buried by hand, consequently this has been a

time consuming project and taken more than then first anticipated. No work has been
done as yet toward development of the power use.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations

under said permit to May 1, 19 91
(1 yr minimum,
5 yrs maximum)

Sandy Donley
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied

FEE: \$15.00

MICROFILMED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to May 1, 1991.

Signed this 10th day of March, 19 86

J. New Sayton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant SANDY DONLEY Phone 462-3791

Post office address Garden Valley, ID 83622

2. Source of water supply Black Bear Creek which is a tributary of S. Fork Payette River

3. Location of point of diversion is Gov't Lot 4 $\frac{1}{4}$ of 6 Township 8N

Range 6E B.M. Boise County, additional points of diversion if any:

Sec 6,
Gov't Lot 5 AT. 8N, R. 6E

4. Water will be used for the following purposes:

Amount .09 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) fish

Amount .70 for propagation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .70 for power purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .70 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Headgate with ditch and pipeline
to property

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir
capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 36 Township 9N
Range 5E B.M.

(2) Amount of power to be generated: 65 horsepower under 100 feet of head.

(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Fish propagation for rising
trout.

MICROFILMED

MICROFILMED

3 Total number of acres to be irrigated

10. Remarks

~~U. S. Forest Service~~

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sandy A. Dinkley
(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority	4/2/81	Received by	WCM	Date	2/2/81	Time	
Preliminary check by	JG	Fee \$	45.00	Received by	WCM	Date	4/2/81
Received by	WCM	Date	4/2/81	Publication prepared by	WCM	Date	4/9/81
Published in	WCM	Publication dates	4/16 & 4/23/81	Publication approved	WCM	Date	4/29/81
Protests filed by:	WCM	Copies of protests forwarded by		Hearing held by		Date	
Recommended for	approval	denial	by DRS				

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12403, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1986.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Measuring devices of a type approved by the Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District # 65, Payette River.

This permit is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment or mortgage of this permit. Failure to comply with these provisions is cause for immediate cancellation of this permit.

This project shall be operated in a manner that will not conflict or interfere with the future diversion of water for irrigation or other beneficial consumption.

This permit does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.

Witness my hand this 20th day of May, 1981.

D. Ann Saylor
Chief, Operations Bureau



S. Coast Service
Geol. B. 331 S. 100
PLACERVILLE 1:24,000
55
Scale 1" = 1 mi
50
PIONEERVILLE 1:24,000
ROAD CLASSIFICATION
399000 E
11° 45' N
1104

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AFFIDAVIT OF RESIDENCY OR QUALIFICATION TO DO BUSINESS
IN AND UNDER THE LAWS OF IDAHO

A Individual Applicant or Individual Members of a Partnership:

I Sandy Donley of Garden Valley, County of
(name) (city)
Boise, State of Idaho, being duly sworn, do hereby certify that I am a bona fide resident
of the State of Idaho.

/s/ x Sandy P. Donley

Subscribed and sworn to before me this 11 day of February, 19 81

/s/ Tang M. Mathway

Notary Public

Residence Boise

My Commission expires Life

B. Corporation:

I _____ of _____, County of
(name) (city)
_____, State of Idaho, being first duly sworn, depose and say. That I am the designated
registered agent of the _____;
(name of corporation)

that as such I am in charge of the registered office of the said corporation as required by Section 30-1-12, *Idaho*
Code, at _____
(city)

Idaho, wherein are kept the corporate records required by Section 30-1-52, *Idaho Code*; and that _____
_____ is a corporation qualified to do business in the
(name of corporation)

State of Idaho under the laws of the State of Idaho

/s/ _____

Subscribed and sworn to before me this _____ day of _____, 19 _____

/s/ _____

Notary Public

Residence _____

My Commission Expires _____

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

June 2, 1994

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

SANDY DONLEY
PO BOX 46
GARDEN VALLEY ID 83622


RE: WATER RIGHT NO. 65-12403

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JUN 30 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

DECEMBER 30, 1993

SANDY DONLEY
PO BOX 46
GARDEN VALLEY ID 83622-0046

RE: WATER RIGHT NO. 65-12403

Dear Water Right Holder(s):

Enclosed please find the corrected amendment we discussed, which adds the domestic use.

Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days. If you do not concur with the information, please contact me as soon as possible.

Sincerely,

Brenda L. Chapman

BRENDA L. CHAPMAN
Water Resource Agent

BC:dc

Enclosure

DEC 30 1994

WR0749NP
No. 165-12403

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/28/93
PAGE: 1

OWNER		PRIORITY	WATER USE	USE PERIOD		DIVERSION	DIVERSION
CODE	NAME & ADDRESS	DATE		FROM	TO	RATE	VOLUME
C	SANDY DONLEY PO BOX 46 GARDEN VALLEY ID 83622 (208) 462-3791	04/02/1981	IRRIGATION	04-15	10-15	0.09 CFS	10.5 AFA
			POWER	01-01	12-31	0.45 CFS	325.8 AFA
			DOMESTIC	01-01	12-31	0.04 CFS	1.2 AFA
			RECREATION	01-01	12-31	0.45 CFS	325.8 AFA
TOTAL DIVERSION:						0.45 CFS	325.8 AFA

Water Source: BLACK BEAR CREEK

Tributary to: PAYETTE RIVER, SOUTH FORK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.45 CFS

Point(s) of Diversion: T08N R06E S06 Lot 04(NENW)

BOISE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	
09N	05E	36	:				:					:				3.0
TOTAL ACRES																3.0

Place of use Legal Description for: POWER

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	
08N	05E	1	:	08-P			:					:				

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	
09N	05E	36	:				:					:				0

Place of use Legal Description for: RECREATION

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	
08N	05E	1	:	08-R			:					:				

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion and Source:
65-12403

Other Water Rights Listing Overlapping Place(s) of use:
65-07494 65-12403 65-13243

Conditions of Approval:

- R01 - A measuring device of a type approved by this Department shall
- be maintained as a part of the diverting works.
- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 65.
- R23 - The water right confirmed in this license for hydropower purposes
- shall be junior and subordinate to all rights to the use of
- water, other than hydropower, within the State of Idaho that are
- initiated later in time than the priority of this license and
- shall not give rise to any right or claim against any future
- rights to the use of water, other than hydropower, within the
- State of Idaho initiated later in time than the priority of this
- license.
- 025 - This right does not constitute Idaho Public Utilities Commission
- or Federal Energy Regulatory Commission approval that may be
- required.
- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: This right when combined with Right No. 65-07494 shall provide
no more than .03 cfs per acre nor more than 3.5 afa per acre
for the lands above.
Domestic use is for 1 home.

Dates: App. Received: 04/02/1981 Priority Date: 04/02/1981
Proof Due Date: 05/01/1991 Proof Made Date: 08/29/1990
Exam Made Date: 06/15/1992 Exam Sent to S.O.: 11/18/1993
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee: R (Received)

Audit: 11/23/93 CHAPMAN 11/24/93 CHAPMAN 11/29/93 CHAPMAN 12/27/93 CHAPMAN

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L6512403	T08N R05E S 1	BLACK BEAR CREEK																			
	:	08-X																			
6513243	SPRINGS	:	08-02																2		
6513392	DODGE CREE	:									06-05				06				11		
6513416	PAYETTE RI	:									06-0										
L6512403	T09N R05E S36	BLACK BEAR CREEK																			
	:																	03	3		
6507494	RAE CREEK	:																	03	3	
A6507494	RAE CREEK	:																	03	3	
6511390	UNNAMED ST	:	01-02																	2	
A6511390	UNNAMED ST	:	01-02																	2	
6511391	UNNAMED ST	:																			
A6511391A	UNNAMED ST	:																			
6512403	BLACK BEAR	:																	03	3	
6512983	BIG GALLAG	:	01-01																	1	
6513243	SPRINGS	:																	08-02	2	

MEMORANDUM

Date: December 27, 1993
From: Jim Johnson
To: File 65-12403
Subject: Conversation with Sandy Donley

=====

In response to my letter of December 21, 1993 Mr. Donley called with questions concerning required action on his part.

In the course of discussion I became aware that a mistake had been made when Domestic Use had been removed from the examiner's recommendation. Apparently some confusion arose when Mr. Donley discussed this development with a department employee reviewing the exam. It was clear that water was being used for domestic use as the examiner had recommended.

I advised Mr. Donley that I would include the domestic use on the license and the license would also list water for Irrigation Power and Recreation. Water being diverted through the ponds was better described as Recreation rather than for Fish Propagation since there was no history of fish being grown for income. Mr. Donley understood but wasn't totally comfortable with the change.

An new application for amendment containing the changes should be prepared and sent to Mr. Donley.

RECEIVED

JUN 30 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 21, 1993

SANDY DONLEY
PO BOX 46
GARDEN VALLEY ID 83622

RE: WATER RIGHT NO. 65-12403

Dear Water Right Holder(s):

I previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JUN 30 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

November 29, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

SANDY DONLEY
PO BOX 46
GARDEN VALLEY ID 83622

RE: WATER RIGHT NO. 65-12403

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects not only a change in the place of use description, but also a change in nature of one of the uses. Because the fish propagation use is not commercial in nature, changing it to recreation better describes the use of the water.

Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days. If you do not concur with this information, please contact me as soon as possible.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Chapman".

BRENDA L. CHAPMAN
Water Resource Agent

Enclosure

NOV 30 1994

LICENSE REVIEW CHECKLIST

Permit # 65-12403 Date 11-23-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? <u> </u> Memo to Advance <u> </u>
	☐ ☒	Order to Reinstate Needed?
	☐ ☒	Incorrect Fee for rate recommended?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source
	☐ ☒	Notice of Intent to Void - Source change.
P/D	☐ ☒	Amendment Needed? <u>Delete LOT 5</u>
	☐ ☒	Overlap(s) <u> </u>
P/U	☒ ☐	Amendment Needed? <u>Add NW NE SEC 1 (8N)</u>
	☒ ☐	Overlap(s) <u>65-7494 on same 3 acres</u>
TOTAL CFS	<u>-NA-</u> ☐ ☒	Disagree/Measurement <u>Theoretical + Pipeflow</u>
		<u>3 acres @ .03 = .09</u> CALCULATIONS
		<u>Recreation = .45</u>
		<u>Power = .45</u>
	☐ ☒	System Capacity <u>.45</u>
		Allowable Amount: <u>CAPACITY</u>
TOTAL VOLUME	☐ ☒	Disagree/Measurement <u>Domestic = 1.2</u>
		<u>3 ACRES X 3.5 = 10.5</u>
		<u>REC + POWER = .45 X 365 X 1.9835 = 325.8</u>
	☐ ☒	Flow limit: <u>.09 x 184 x 1.9835 = 32.8</u>
		Season <u>B/3.5 (4-15 to 10-15)</u>
USES	☒ ☐	Change(s) in Nature of Use? <u>Change fish</u>
	☒ ☐	Amendment Needed? <u>to recreation; delete domestic use</u>
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4?
<u>R23</u>	<u>W34</u> ☐ ☒	Special Overlap <u>WITH 65-7494</u>
	☒ ☐	Other <u>004 (214, 025) candidate - no fish propagation</u>
CONDITIONS	<u>R01</u> ☐ ☒	Measuring/Locking Devices
	<u>R04</u> ☐ ☒	W/Master Control <u>65</u> Water Dist
	☐ ☒	Irrigation Overlap <u>4-2-81</u> App Rec'd
	☐ ☒	Water Quality <u>6-15-92</u> Exam Made
COMMENTS:	<u>AMEND P/U; Change fish propagation to recreation; Reduce rate to capacity</u>	

RECOMMENDED CFS DIV VOL

<u>Irrigation</u>	<u>.09</u>	<u>10.5</u>
<u>Power</u>	<u>.45</u>	<u>325.8</u>
<u>Recreation</u>	<u>.45</u>	<u>325.8</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>

LICENSE

AMEND Special letter

2ND AMEND P47

Add
Totals
the same

(.45) (325.8)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 22 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Sandy Donley Permit No. 65-12403
Current Address: Garden Valley, ID 83622 Phone No. 462-3791
2. Accompanied by: None EXAM. DATE: 6-15-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Black Bear Creek tributary to S Fork Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-7494
☒ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Division System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
placings of use (required).
☒ Photo of Division and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

JUN 30 1994

UNRECORDED

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13</																																																																																							

6. **Place(s) of use:**

Indicates Method of Determination

[illegible]

5. Point(s) of Diversion:

*Code to correspond with No. on map and aerial photo

Spill or Discharge No.	Motor Serial No.	Pump Serial No.	Pump Serial No. or Discharge Size
11/18			

See Remarks on page 4 for continuation

Narrative: Description (the operating at time of measurement, indicate pressure, number of sprinklers, etc.)
A grate and collection box collect water from Black Bear Creek and direct it through an 8" pipe. The pipe contractor's design calls for a 4" pipe and then into a 3" pipe. The 4" pipe is approx 240' long and the 3" pipe is 2000' long. The water is diverted to 260' in elevation before the 3" pipe ends in a pond. The water can also be diverted to cement tank approx 250' away from the pond. If the pond is full and the water is not being used, it is diverted into the cement tank and then into Red Creek when in demand.

System Description (continued)

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurement:

See Attached

Average = $400' \times 350' \div 43560 = 3.2 \text{ acres}$ limited to 30 acres by permit

260' E.H. from orthogonad, pipe length from piling

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.45 cfs, system capacity

Domestic = .02 cfs, internal only

Irrig. = $.03 \text{ cfs} \times 3 \text{ acres} = .09 \text{ cfs}$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 3.3 =$ _____ (5)

Motor Input KW: 3.6 $\times$ _____ KW $\times$ _____ CTR or _____ MULT $\times$ _____ PTH $\times$ _____ N/ _____ T = _____ (6)

Motor Input HP: (5) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Avg. PF $\times$ _____ Avg. Volts $\times$ _____ Avg. Amperes $\div 1000 =$ _____ (8)

Panel Input HP: (8) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 30 \times 35 = 10.5 \text{ af}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.4835 = .09 \text{ cfs} \times 103 \times 1.4835 = 32.67 \text{ af}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

Domestic, .6 af

Fish Rep = $.45 \text{ cfs} \times 1.4835 \times 365 \text{ days} = 325.8 \text{ af}$

Recreation

RECEIVED

JUN 30 1994

J. ADVERTISING

2. Requirements

Domestic Use	Period of Use	From	To	Rate of Diversion (cfs)	Annual Volume V (cfs)
Recreation	4/15	12/31	10/15	0.09 cfs	10.5 cfs
Recreation	11/1	12/31	12/31	4.5 cfs	-
Recreation	11/1	12/31	12/31	4.5 cfs	325.8 cfs
Recreation	11/1	12/31	12/31	4.5 cfs	325.8 cfs
Total:					

1. Recommended Amounts

1. BACKGROUND

000000000000

1990

1000

100-44388-1A

10/1/1917



3-20-68

6276 5000 lbs

09/01/2020 5:03 PM

~~H. p. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845~~

11/11/11

1942

11-1-1

STUDY DESIGN AND OBJECTIVES

Pipeflow Computation Spreadsheet (DRT 12/31/1992)

Data Entered By: Cindy Hodges 2/11/93

Project: Flow Computation for Application for Permit No. 65-12403

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute the Rate of Flow

Data Table

Total Head: 260.00 feet

Pressure Req'd: 0.00 psi

Available Head: 260.00 feet

Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
aluminum - joint length 20' = 125, joint length
30' = 130, joint length 40' = 132, joint length
50' = 134, new riveted steel = 100
old riveted steel = 100, old cast iron = 95,
old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Head Loss from Pipe Friction
7.80	30.00	0.02	
4.80	24.00	0.19	
4.80	1.00	0.01	
3.80	2424.00	59.98	
2.85	2000.00	200.63	

260.83

Rate of Flow: 0.424 CFS $\approx$ 0.45 (on field exam)

RECEIVED
JUN 30 1994

Known:

- 1) Water is diverted from a collection box through the following pipe system:

30' of 8" pipe
 24' of 7" and 6" pipes each
 1' of 5" pipe
 2400' of 4" pipe + 24' equivalents
 2000' of 3" pipe

- 2) The following bends are located in the 4" pipe:

1- 90° 10.2'
 2- 45° 4.7' x 2 = 9.4'
 1- 22½° 4.7'

- 3) Total elevation:

260'

From Bernoulli's Equation:

$$\frac{V_1^2}{2g} + \frac{P_1}{w} + z_1 = \frac{V_2^2}{2g} + \frac{P_2}{w} + z_2 + H_f + H_s + H_m$$

V_1 = initial velocity in collection box, $V_1 = 0 \text{ ft/s}$

$P_1 = P_2$ = atmospheric pressure

z_1 = initial elev. = 260'

z_2 = Final elev. = 0'

V_2 = Final velocity = discharge at end of 3" pipe = $\frac{Q}{A_2}$

H_f = head loss in 4" pipe

H_s = head loss in 3" pipe

H_m = head loss in valves and contractions.

MICROFILMED

JUN 30 1994

$$H_3 = H_4 = \frac{4.73 \text{ Q} \cdot 1.852}{1.852 \cdot 4.97} \cdot L$$

where $C = 140$. For PVC p.p.c
w/ dia. $< 6"$

Assume $Q = .40$ cfs for initial calcs.

$$H_{14} = \frac{4.73 (.4)^{1.852} (2400')}{(140)^{1.852} \left(\frac{4}{12}\right)^{4.87}} = 4/6.4/6'$$

$$H_3 = \frac{4.73(.4)^{1.852} (2000')}{(140)^{1.852} \left(\frac{3}{12}\right)^{4.87}} = 157.15'$$

$$H_m = \sum k V^2 / 2g$$

<u>Sudden Contractions</u>			<u>Pipe Bends</u>		
$\frac{d_2}{d_1}$	V_2	K	Angle	K	V (4" pipe)
$\frac{8"}{7"}$	1.13 $\frac{Ft/s}{s}$	.03	90°	.90	4.58 $\frac{Ft/s}{s}$
$\frac{7"}{6"}$	1.47 $\frac{Ft/s}{s}$	.07	45°	.42	}
$\frac{6"}{5"}$	2.01 $\frac{Ft/s}{s}$	.07	45°	.42	
$\frac{5"}{4"}$	2.93 $\frac{Ft/s}{s}$	.10	22½°	.20	
$\frac{4"}{3"}$	4.61 $\frac{Ft/s}{s}$	.13			

$$H_m = .03 \left(\frac{113^2}{64.4} \right) + .07 \left(\frac{147^2}{64.4} \right) + .07 \left(\frac{201^2}{64.4} \right) + .10 \left(\frac{293^2}{64.4} \right) + .13 \left(\frac{461^2}{64.4} \right) +$$

$$(-9 + 42 + 42 + 20) \frac{4.58^3}{64.4} = .70'$$

Microfilm

JUN 30 1994

Page 2

It can be assumed that the Friction loss due to connections and bends (H_m) is negligible when compared to H_3 & H_4 . Also, the Friction loss in the 8", 7", 6", and 5" pipe can be considered negligible because of their relative shortness.

Therefore, the energy equation can be reduced to

$$Z_1 = \frac{V_2^2}{2g} + H_4 + H_3 \quad \dots \text{where } V_2 = \frac{Q}{A_2} = \frac{Q}{\pi \frac{d}{4}^2}$$

Soln.:


$$260' = \left[\pi \left(\frac{3'}{12} \right)^2 \right] \frac{1}{64.4} + \frac{4.73 Q^{1.852} 2400'}{(140)^{1.852} \left(\frac{4}{12} \right)^{4.87}} + \frac{4.73 Q^{1.852} 2000'}{(140)^{1.852} \left(\frac{3}{12} \right)^{4.87}}$$

$$260' = 6.44 Q^2 + 253.53 Q^{1.852} + 857.62 Q^{1.852}$$

Through iteration, $Q = .455 \text{ cfs} = \underline{\underline{.46 \text{ cfs}}}$


RECEIVED

JUN 30 1994





JUN 30 1994



QNSE

RECEIVED
JUN 30 1994




PHOTO ONE-

P/D. The collection box in Black Bear Creek with an 8" discharge.




PHOTO TWO-

The pipe contracts
From 8"-7"-6"-5"
and eventually to 4" over
approx 30'.

RECEIVED
JUL 20 1994



PHOTO THREE-

A 90° bend in the 4" pipe.



PHOTO FOUR-

*Point at which 3" line flows
pond. 3" line from tank also
flows into pond. Pond is dry due
to broken pipe.*

MICROFILMED

JUN 30 1994




PHOTO FIVE-

Plu. The pasture facing west
Domestic in background. Pond in
trees behind domestic.



PHOTO SIX-

The domestic

RECEIVED
JUN 30 1994



PHOTO FIVE-
Seven

Cement collection tank for
water from Ray Creek & the
pond.




PHOTO SIX-
eight

Riser connected to the
line passing through the pond.
Location for ~~handline~~ handline to receive water.

JUN 30 1994



PHOTO FIVE-

The power generator.

PHOTO SIX-

MISSISSAUGA
JUN 8 0 1994

November 1, 1990

SANDY DONLEY
P.O. BOX 46
GARDEN VALLEY, ID 83622

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12403

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MicroFILMED

NOV 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-12403

Date: 10-25-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☐ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

NA

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

SS

CONVERSATION MEMORANDUM

DATE 3/22/89FILE 65-12403NAME OF PARTY Robert HallstromEMPLOYEE Steve Lister**RECORDED**

MAR 24 1989

RE: Ownership of P/L Department of Water Resources

Mr. Hallstrom visited Western office today and stated that part of the development (pond) under this permit occurs within his easement on the access road to his property. He contends that Mr. Denley was not accurate in stating that P/L is owned by applicant during application process in 4/81.

Mr. Hallstrom contends that the pond encroaches upon his 50' easement. At his request, this memo and a copy of his 2/7/89 letter are ~~submitted~~ submitted for inclusion in file 65-12403.

INDEXED

NOV 2 1989

Dear Mr. Tuthill:

Department of Water Resources
Western Regional Office

In regard to my application for extension of time to avoid forfeiture of water right, I am unable to get documentation as to the usage of water during the period of time as required.

As requested by your Dept., this is my notice of withdrawal of my application.

I understand there has been a permit issued on this water source to Sandy Rowley for the purpose of providing water for a fish pond & hydro generator.

If the above mention is correct, I would request that the record show that the fish pond & assuming the same location for a hydro generator is encroaching the boundary of my easement road. This is preventing me from widening my road for access purposes.

MICROFILMED

NOV 27 1990

Respectfully

Robert J. Hallstrom

Box 142

London Valley, ID

83622

Shirley S. Swickley
Shirley S. Swickley

53622


JUL 6 1982



NOV 2 1990

RECEIVED

VALLEY ID
JUL 6



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 65-12463

Name(s) of Permit Holder(s). Shelly Gulley

Post Office Address 14420 Valley View

☒ I hereby certify that construction of diversion works to be referenced permit began on 7/15/87 (date) and that I must continue to develop the water system with intelligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

Tel. No. 272-5131

*Note: A financing difficulty is not an acceptable reason.

7/2/87
Date

Shelly Gulley
Signature of Permit Holder

March 11, 1986

Sandy Donley
Box 46
Garden Valley, ID 83622

Dear Mr. Donley:

Re: Permit No. 65-12403

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to May 1, 1991.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 65-12403Reviewed by [signature]Date 3-10-1986

BASIC INFORMATION

- Y Date stamp received
Y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
Y Fee received and receipted
Y Name and signature same as permit
Y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- Y Has adequate work been completed to demonstrate due diligence?
Y Has the cost incurred been adequate to demonstrate an intent to complete the project?
N Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay.

Date litigation completed _____

Date litigation began _____

Total period of delay _____

Present proof due date _____

NEW PROOF DUE DATE _____

N Is delay by a government agency?

Is supporting documentation needed to complete the file? _____

Requested? _____

ACTION TAKEN

Recommend approval based on due diligence for a 5 yr. extension

Special conditions or remarks:

N Reinstatement

Date extension received _____ = _____

Proof due date _____ = _____

No. of days late _____ = _____

Priority date _____ = _____

ADJUSTED PRIORITY DATE _____ = _____

— Prepare coding sheet - *address*— Change rolodex card

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
FEBRUARY 28, 1986

138896

DONLEY, SANDY
GARDEN VALLEY, ID 83622

PROOF DUE NOTICE

RE: PERMIT NO. 65-12403

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

CONVERSATION MEMORANDUM

DATE 12/6/84

FILE 65-12403

NAME OF PARTY SANDY DONLEY

EMPLOYEE JAN GROVER

RE:

SANDY DONLEY PHONED THIS DATE TO
DOCUMENT HIS FILE AS TO WORK
ACCOMPLISHED TO DATE ON THE WATER
SYSTEM.

HE STATED HE HAS INSTALLED 3200'
OF MAINLINE & HAS DUG ONE POND AND
PUT IN DRAINS FOR THE FISH PROPAGATION
PORTION.

MICROFILMED

May 28, 1981

Sandy Donley
Garden Valley,
IDaho 83622

Dear Ms. Donley,

RE: Permit No. 65-12403

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion. We have enclosed a description of the different types of measuring devices accepted by this office.

Please be advised that there is insufficient natural flow available in the Payette River and tributaries to provide water for a new appropriation throughout the entire season of use. During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your permit. As the natural flow diminishes, however, there may be no water available for your right unless you arrange for an additional source of water as a supplemental supply.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237 currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon, the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

Please be advised that your plans for fish propagation may be subject to regulations of the Idaho Department of Fish and Game. We suggest that you check with them before starting construction.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR. P.E.
Supervisor, Water Allocation Section

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Jones

APPLICATION NUMBER: 05-12403

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Affidavit
Power Calculations

SEND COPIES TO.

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☒ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No In form for advertising. _____
Final date for protests: 5/4/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/29/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
Date of priority recommended: 4/2/81
Special conditions of approval or cover letter. Right-of-way clause
in permit letter.
Payette River Letter.
W.M. Condition (Basin 65)

MICROFILMED

This permit does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required.

By: OBS Date: 5/4/81

STATE OFFICE REVIEW:

return receipt w/ cover letter

SLW/102, 104 (Payette R.), 105, 106 02, 04, 05 (Payette R.), 08A, 17

- ☐ See attached sheet for more information.

By: [Signature] Date: 5/19/81 # special cond

approve this application
for

Power Calculations for 65-12403 proposed

$$\begin{array}{lcl}
 P = \text{kw} & \text{hp} \times .74 & 65 \times .74 = \underline{48.1 \text{ kw}} \\
 Q = \text{cfs} & & .7 \text{ cfs} \\
 H = \text{ft} & & 100 \text{ ft} \\
 e = \text{efficiency} & & ?
 \end{array}$$

$$e = \frac{P(11.8)}{HQ} = \frac{48.1(11.8)}{100 \times .7} = \frac{567.58}{70} = 8.1$$

Based on 100%

$$Q = \frac{P(11.8)}{He} = \frac{48.1(11.8)}{100 \times 1.0} = \frac{567.58}{100} = 5.67 \text{ cfs}$$

Based on the above calculations, the proposed project would have to provide an 810% efficiency or using 100% efficiency would need 5.67 cfs.

RF 5/19/81

MICROFILMED

NEW WATER RIGHT FILINGS

**BASIS FOR
RIGHT**

OTHER USES: S/620 HEAD RANGE.

04-08-1981 IRRIGATION 03-15 11-15

SESE S35	SWSE(40)	SESE(
T02N R02E	S35 T02N	R02E

SESE S35	SWSE(40)	SESE(40)	APPLICATION
T02N R02E	S35 T02N	R02E	

SOURCE: GROUNDWATER
REMARKS: DLE #1-14381.

TRIBUTARY:

RIVERSIDE VILLAGE ASSC.
C/O NILE G. LETTA

04-03-1981 IRRIGATION 04-01 11-01

P.O. BOX 8866
BOISE

LD 63707

SWSE S24	SESE(03)
TO4N ROIE	S23 TO4N ROIE

```
SESE(03)
S23 104N R01E
SWSW(02) SESW(01)
SWSE(01)
```

SOURCE: VILLAGE LAKE

REMARKS: P/D LOCATED ON GREENBELT LAND.
TRIBUTARY: BOISE RIVER

IRRIG. TO BE DONE DURING NON-PUBLIC USE PERIOD (2 INCHES/ACRE).

AESTHETICS 01-01 12-31

~~400 CFS~~

S24 T04N R01

DONLEY, SANDY
GARDEN VALLEY

LD 83622

04-02-1981 IRRIGATION 03-15 11-15

.09 CFS

LT04	S06	SWSE(03)
T08N	R06E	S36 T09N R05E
LT05	S06	
T08N	R06E	

APPLICATION

SOURCE: BLACK BEAR CREEK
Tributary: PAYETTE RIVER, SOUTH FORK
OTHER USES: H/RISING FLOW; P/65 HP, 100 FT. HEAD.

FISH PROP. 01-01 12-31

• 70 CFS

DATE AND OTHER USE

POWER 01-01 12-31

70 CFS

SAME AS OTHER USE

DOMESTIC 01-01 12-31

.04 CFS

SAME AS OTHER USE

* --*AFPA
 * .70*CFPS

Wm Connel

CONVERSATION MEMORANDUM

DATE 4/29/81

FILE 65-12403

NAME OF PARTY Gene Cole

EMPLOYEE Glebe

RE: Forest Service Res and comments

regarding this application

MICROFILMED

STATE OF IDAHO,
County of Boise }

M. J. Harley being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for

2 consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

Apr 15, 1981 and ending with the issue of *Apr 22*

1981

Michelle J. Harley

Subscribed and sworn to before

me this *23rd* day of *Apr*, 1981..

Arline C. Kolar

Clerk, Dist. Ct.

By: Kris Hayman
Deputy

MICROFILMED

RECEIVED

1981

Water Resources
Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

APRIL 9, 1981

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen.

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 4, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MAY 4, 1981.

A. KENNETH DUNN

Director

Published 3/16 & 3/23/81.

MICROFILMED

65-12403

DONLEY, SANDY

GARDEN VALLEY, ID 83622

Source: BLACK BEAR CREEK tributary to PAYETTE RIVER, SOUTH FORK

Date Filed: 04/02/1981

Amount: 0.70 CFS

Diversion Point: LOT 04 LOT 05 Sec 06 T 08N R 06E, BOISE Co.

Use: IRRIGATION	(0.09 CFS)	from 03/15 to 11/15
FISH PROP.	(0.70 CFS)	from 01/01 to 12/31
POWER	(0.70 CFS)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: SWSE Sec 36 T 09N R 05E FOR 3 ACRES

Diversion Means: HEADGATE, DITCH & PIPELINE.

MICROFILMED