


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mel Connel
(Applicant)

3/23

o.k. now

STATE OF IDAHO,
County of Boise

Michael De Harley being
duly sworn, deposes and says:
tha. he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for

2 consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

Mar 4, 1981 and ending with the issue of *Mar 11*

81
Michael De Harley

Subscribed and sworn to before me this 12 day of March, 1981
Adm. Clerk

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

AS-12389

CORYELL, MEL
2411 MOUNTAIN VIEW DR., BOISE, ID 83706

Source: PAYETTE RIVER tributary to SHALE RIVER

Date Filed: 02/19/1981
Amount: 1.37 CFS

Location: Point: LOT 67 (SESW); LOT 68 (NWSW); LOT 64 (WNW); Sec 02 T 57N R 12E LOT 07 (SWSW) Sec 35 T 58N R 07E, BOISE Co.

Use: IRRIGATION (1.37 CFS) from 04/01 to 11/01
STOCKWATER (0.07 CFS) from 01/01 to 12/31

Place of Use: LOT 03 (SESW); LOT 04 (WNW); LOT 05 (SESW); LOT 06 (NWSW) Sec 02 T 57N R 12E LOT 07 (SWSW) SEW Sec 35 T 58N R 07E FOR 60 ACRES

Diversion Means: PUMP, PIPELINE & SPRINKLER SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Blvd., Boise, Idaho 83726 on or before MARCH 23, 1981.

C. STEPHEN ALLRED
Director
Published in The Idaho World, March 4, 1981 and March 11, 1981.

37

RECEIVED

MAR 16 1981

Department of Water Resources
Western Regional Office

Performance Curves


230 GPM

Model 230S

FLOW RANGE: 160 -320 GPM

OUTLET SIZE: 3" NPT

NOMINAL DIA. 6"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

4" MOTOR STANDARD, 7.5 HP/3450 RPM

6" MOTOR STANDARD, 10-60 HP/3450 RPM.

8" MOTOR STANDARD, 75 HP/3525 RPM.

* Alternate motor sizes available.

Performance conforms to ISO 2548 Annex B
@ 8 ft. min. submergence.

MICROFILMED

JUN 02 2003



NATURAL RESOURCES CONSERVATION SERVICE

SPRINKLER SYSTEM DESIGN VERSION 2.0

NAME: Randy Heffner
SCD: Squaw Crk
PREPARED BY: MJ

DATE: 01/11/01
COUNTY: Boise
JOB CLASS: II

I. INVENTORY

TOTAL ACRES: 107
WATER SOURCE: Payette River
SEASONAL VARIATION: ??

CLIMATIC AREA: II
AMT. AVAILABLE: 1000 gpm *
ENERGY SOURCE: Electric

II. SOILS DATA

SOILS CLASS MAJORITY:

NAME:
SandyLoam

TOTAL AVAIL. WHC IN./FT.

1	2	3	4	5
1.20	1.20	1.20	1.20	1.20

INHIBITING LAYER: 60'
MAX. INTAKE RATE: 1.5

WATER TABLE: 60'
SLOPE: 15%

III. DETERMINATION OF WEIGHTED CONSUMPTIVE USE:

CROP:	ACRES:	JUNE CU	JUNE CU*AC	JULY CU	JULY CU*AC	AUGUST CU	AUGUST CU*AC
Alfalfa	107.0	5.62	601.34	7.87	842.09	6.34	678.38
??	0.0	0.00	0.00	0.00	0.00	0.00	0.00
??	0.0	0.00	0.00	0.00	0.00	0.00	0.00
??	0.0	0.00	0.00	0.00	0.00	0.00	0.00

CONSUMPTIVE USE: 5.62 7.87 6.34

IV. WATER MANAGMENT INFORMATION:

CROP:	ROOT ZONE DEPTH (FT.)	TOTAL WHC (IN.)	STRESS POINT (%)	MAX. NET REPLACEMENT (IN.)
Alfalfa	6.0	6.00	50%	3.00
??	0.0	0.00	0%	0.00
??	0.0	0.00	0%	0.00
??	0.0	0.00	0%	0.00

NOTES:

V. DESIGN DATA:

MPH WINDS:	5	MPH		
WIND FACTOR:	0.6			
NOZZLE SPACING:	40	FEET		
MAINLINE SPACING:	50	FEET		
SPRINKLER HEAD MODEL (OR EQUIVALENT):	RB			
NOZZLE TYPE:	STAND	1	FCN	0
NOZZLE SIZE:	0			
NOZZLE PRESSURE:	50.00	PSI		
NOZZLE GPM:	3.50	GPM		
NOZZLE WETTED DIAMETER:	84	FEET		
MINIMUM WETTED DIAMETER:	83.33	FEET		
NOZZLE DIA. EXCEEDS MINIMUM REQUIRED:	YES			
APPLICATION RATE:	0.17	IN./HOUR		
APPLICATION TIME:	23.50	HOURS		
APPLICATION EFFICIENCY:	75%	PERCENT		
NET APPLICATION:	2.97	INCHES		
MAXIMUM IRRIGATION CYCLE:	10.2	DAYS		
NUMBER OF LATERAL SETS:	49	SETS		
WEIGHTED PDCU:	0.29	INCHES		
MINIMUM NUMBER OF LATERALS REQUIRED:	4.7	LATERALS		
DESIGNED LATERALS:	7			
TOTAL NUMBER OF NOZZLES:	154	NOZZLES		
SYSTEM CAPACITY:	539	GPM		

VI. LATERAL FRICTION:

EVALUATED STATION	0+00
-------------------	------

LATERAL PIPE SIZE:	3	INCHES
HAZEN WILLIAMS C FACTOR:	130	
ELEVATION LOSS OR GAIN: *1	5	FEET
ALLOWABLE PRESSURE LOSS:	7.8	PSI
NUMBER OF NOZZLES IN THIS LATERAL:	32	NOZZLES
SPRINKLER LOCATION: *2	end	
ACTUAL FRICTION LOSS (WORST CONDITION):	7.7	PSI

FLOW CONTROL REQUIRED? NO

FOOT NOTES:

- *1 + WHEN LATERAL IS UPHILL - WHEN LATERAL IS DOWNHILL
*2 MID WHEN SPRINKLER IS LOCATED IN MIDDLE OF LATERAL
END WHEN SPRINKLER IS LOCATED AT END OF LATERAL

NOZZLE TYPE	STANDARD		FLOW CONTROL	
NOZZLE PRESSURE:	50.00	PSI	0.00	PSI
LATERAL FRICTION:	5.76	PSI	0.00	PSI
ELEVATION DIFFERENCE:	1.08	PSI	0.00	PSI
NOZZLE RISER HEIGHT:	0.00	PSI	0.00	PSI
TOTAL:	56.84	PSI	0.00	PSI

MICROFILMED

JUN 02 2003

U.S. DEPARTMENT OF AGRICULTURE NATURAL RESOURCES CONSERVATION SERVICE

STATE	IDAHO	PROJECT	Randy Heffner				
BY	mj	DATE	1/11/01	CHECKED BY	DATE	JOB NO.	
SUBJECT PIPELINE HYDRAULICS					SHEET		

Minimum Required Psi			56.84	Required HGL Elev.			131.3036				
Station	Length (ft)	Elevation (ft)	Flowrate (gpm)	Diameter (in)	Velocity (fps)	Friction Factor	Head Loss (ft/ft)	Total Loss (ft)	HGL (ft)	Avail. Hd (ft.)	Pressure (psi)
0.00		2700.00							3012.00	312.00	135.06
	990.00		1059.00	9.90	4.41	150	0.005521	5.47			
990.00		2875.00							3006.53	131.53	56.94
	975.00		539.00	8.10	3.36	150	0.004213	4.11			
1965.00		2800.00							3002.43	202.43	87.63
	2853.00		539.00	8.10	3.36	150	0.004201	11.98			
4818.00		2720.00							2990.44	270.44	117.07
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00
	0.00		0.00	0.00	0.00	150		0	0.00		
0.00		0.00							0.00	0.00	0.00</

U.S. DEPARTMENT OF AGRICULTURE NATURAL RESOURCES CONSERVATION SERVICE

STATE	IDAHO	PROJECT	Randy Heffner
BY	??	DATE	1/11/01
CHECKED BY		DATE	
SUBJECT	HORSE POWER REQUIREMENTS		
	SHEET	JOB NO.	

DETERMINATION OF TOTAL DYNAMIC HEAD

PRESSURE REQUIRED AT MAIN	312.0	FT.	135.1	PSI
LIFT (WATER SURFACE TO PUMP)	-2.0	FT.	-0.9	PSI
COLUMN LOSS	2.0	FT.	0.9	PSI
MISCELANEOUS LOSS	2.0	FT.	0.9	PSI

TOTAL DYNAMIC HEAD REQUIRED	* 314.0	FT.	135.9	PSI
-----------------------------	---------	-----	-------	-----

HORSE POWER REQUIRED

USE FORMULA $\frac{(TDH)}{(3960)} \frac{(GPM)}{(PUMP\ EFF.)}$

PUMP EFFICIENCY	76%	
GPM	1059	GPM
TDH	314.0	FT.

TOTAL HORSEPOWER REQUIRED	110.5	HORSEPOWER REQUIRED
---------------------------	-------	---------------------

SPLIT PUMP SETUP

PUMP #1	250	GPM	26.1	HORSEPOWER
PUMP #2	250	GPM	26.1	HORSEPOWER
PUMP #3	250	GPM	26.1	HORSEPOWER

ENERGY COST FOR PUMPING PLANT

COST OF ELECTRICITY	0.0500	\$/KWH
SEASONAL OPERATION (HRS)	1800	HRS.
MOTOR EFFICIENCY	75%	

TOTAL PUMP HORSEPOWER	61.8	KWH	\$5,563.65	YEARLY COST
-----------------------	------	-----	------------	-------------

SPLIT PUMP SETUP

PUMP #1	14.6	KWH	\$1,313.42	YEARLY COST
PUMP #2	14.6	KWH	\$1,313.42	YEARLY COST
PUMP #3	14.6	KWH	\$1,313.42	YEARLY COST

U.S. DEPARTMENT OF AGRICULTURE NATURAL RESOURCES CONSERVATION SERVICE

STATE	IDAHO	PROJECT	Randy Heffner
BY	??	DATE	1/11/01
CHECKED BY		DATE	
JOB NO.			
SUBJECT	HORSE POWER REQUIREMENTS		
SHEET			

DETERMINATION OF TOTAL DYNAMIC HEAD

PRESSURE REQUIRED AT MAIN	312.0	FT.	135.1	PSI
LIFT (WATER SURFACE TO PUMP)	-2.0	FT.	-0.9	PSI
COLUMN LOSS	2.0	FT.	0.9	PSI
MISCELANEOUS LOSS	2.0	FT.	0.9	PSI
TOTAL DYNAMIC HEAD REQUIRED	314.0	FT.	135.9	PSI

HORSE POWER REQUIRED

USE FORMULA $\frac{(TDH)}{(3960)} \frac{(GPM)}{(PUMP\ EFF.)}$

PUMP EFFICIENCY	76%	
GPM	1059	GPM
TDH	314.0	FT.

TOTAL HORSEPOWER REQUIRED 110.5 HORSEPOWER REQUIRED

SPLIT PUMP SETUP


PUMP #1	250	GPM	26.1	HORSEPOWER
PUMP #2	250	GPM	26.1	HORSEPOWER
PUMP #3	250	GPM	26.1	HORSEPOWER

ENERGY COST FOR PUMPING PLANT

COST OF ELECTRICITY	0.0500	\$/KWH
SEASONAL OPERATION (HRS)	1800	HRS.
MOTOR EFFICIENCY	75%	

TOTAL PUMP HORSEPOWER	61.8	KWH	\$5,563.65 YEARLY COST
SPLIT PUMP SETUP			
PUMP #1	14.6	KWH	\$1,313.42 YEARLY COST
PUMP #2	14.6	KWH	\$1,313.42 YEARLY COST
PUMP #3	14.6	KWH	\$1,313.42 YEARLY COST

65-12389



0.4 0 0.4 0.8 Miles

-  P/D
-  P/U
-  Section
-  1/41/4



MICROFILMED
JUN 02 2003

C8

LOW
ELE

102 R LO

T8N R2E

T187

T7N R2E

35	36
2	1

T106

Primary
Pump
Station

20.
35.2

3
5.2

20.
16.4

6
15.6

5.
23.8

14.
3

15.
13.3

16.
7.9

4.
2.9

17.
13.0

190

15.8

2.
30.8

5
12.0

3	2
10	11

10

2	1
11	12

11

7
35.1

6
16.1

8
7.7

10.
9.0

9.
6.3

11.
26.2

12.
16.1

D-9B




Four 25HP
Submerged
Pumps

(Two currently
hooked up)



Power Box

MICROFILMED
JUN 02 2003



7.5 HP
River Pump



75 HP
Re-lift Pump

MICROFILMED
JUN 02 2003



1
P/u
1



MICROFILM
JUN 02 2003

I certify that file No. 65-12389 has been
reviewed and is ready to be MICROFILMED
and DESTROYED.

K. (Whelan)
Signature

8-28-86
Date

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 13, 1986

CORYELL, MEL
2441 MOUNTAIN VIEW DR.
BOISE, ID 83706

1193 Camelot
Boise, ID 83704

LAPSE NOTICE

RE: PERMIT NO. 65-12389

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED JANUARY 31, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LG51RF

CERTIFICATION OF MAILING

I hereby certify that on 4-29-1986
a copy of an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

INTER-DEPARTMENT MEMO—1

DATE 3-6-86

FROM *Rita Fleck*

TO *File 65-12389*

SUBJECT *Returned Bli Notice*

The notice was returned marked "refused"; also, there is an address of 1193 Camelot, Boise, Id 83704 written on the envelop. I'm returning the letter to this address regular mail. Note this is also the address listed in the telephone directory for Boise.

[Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

129193

24

24

24

3

RETURNED TO SENDER

REASON CHECKED

Unclaimed ☒ Refused ☒

Address unknown ☒

Insufficient address ☒

No such person ☒

Do not forward on this envelope

CAMELOT
83704

RECEIVED

FEB 28 1986

Department of Water Resources

CERTIFIED MAIL

NO. 138786

REFUSED

BOISE
JAN 31 '86
IDAHO

U.S. POSTAGE
007

CLARK COUNTY
54581

CHECK

DATE

1ST NOTICE

2ND NOTICE

RETURN

MAIL BOX

NO. 138786

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: GLS

APPLICATION NUMBER: U5-12389
Coryell

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:


- ☒ Yes ☐ No Platted by: _____ Map No. 65-9417
☒ Yes ☐ No Other rights on same place of use.
☒ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: 3/23/81
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3/16/81
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
3/19/81 Date of priority recommended.
☒ Special conditions of approval or cover letter. I.P. letter
Payette River letter
Basin 65 W.M. conditions

By: DBS Date: 3/25/81
STATE OFFICE REVIEW: letter sent 4/19/81

☐ See attached sheet for more information.
By: [Signature] Date: 3/30/81



Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
JANUARY 31, 1986

138786

CORYELL, MEL
2441 MOUNTAIN VIEW DR.
BOISE, ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 65-12389

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 8, 1981

Mel Coryell
2441 Mtn. View Dr.
Boise, Idaho 83706

Dear Mr. Coryell,

RE: Permit No. 65-12389

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion. We have enclosed a description of the different types of measuring devices accepted by this office.

Please be advised that there is insufficient natural flow available in the Payette River and tributaries to provide water for a new appropriation throughout the entire season of use. During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your permit. As the natural flow diminishes, however, there may be no water available for your right unless you arrange for an additional source of water as a supplemental supply.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon, the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

FEBRUARY 26, 1981

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before MARCH 23, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before MARCH 23, 1981.

C. STEPHEN ALLKED
Director

Published 3/6 & 3/13/81.

65-12389

CORVELL, MEL

2441 MOUNTAIN VIEW DR., BOISE, ID 83706

Source: PAYETTE RIVER tributary to SNAKE RIVER

Date Filed: 02/19/1981

Amount: 1.27 CFS

Diversion Point: LOT 07 (SESW) LOT 06 (NESH) LOT 04 (NNNW) Sec 02 T 07N R 02E
LOT 07 (SWSW) Sec 35 T 08N R 02E, BOISE Co.

Use: IRRIGATION (1.20 CFS) from 04/01 to 11/01
STOCKWATER (0.07 CFS) from 01/01 to 12/31

Place of Use: LOT 03 (NENW) LOT 04 (NNNW) LOT 05 (SESW) LOT 06 (NESH)
Sec 02 T 07N R 02E LOT 07 (SWSW) SESW Sec 35 T 08N R 02E
FOR 60 ACRES

Diversion Means: PUMP, PIPELINE & SPRINKLER SYSTEM.

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-12389

Priority: July 02, 1993

Maximum Diversion Rate: 1.20 CFS
Maximum Diversion Volume: 266.7 AF

It is hereby certified that RANDY HEFFNER
14 HILL CREEK RD
HORSESHOE BEND ID 83629 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated February 19, 1981; and has
submitted Proof of Beneficial Use on July 02, 1993. An examination indicates that the works have a
diversion capacity of 3.85 cfs of water from:

SOURCE

PAYETTE RIVER

Tributary: SNAKE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/15 to 10/31	1.18 CFS	266.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF

LOCATION OF POINTS OF DIVERSION:

PAYETTE RIVER L7 (SE $\frac{1}{4}$ SW $\frac{1}{4}$) Sec. 2, Twp 07N, Rge 02E, B.M., BOISE County

PAYETTE RIVER L4 (NW $\frac{1}{4}$ NW $\frac{1}{4}$) Sec. 2, Twp 07N, Rge 02E, B.M., BOISE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 02E 2					29.0	15.0		11.0									55.0
					L3	L4											
08N 02E 35											2.0	2.0					4.0
											L7						

Total Acres: 59

PLACE OF USE: STOCKWATER - Same as Irrigation

CONDITIONS OF APPROVAL

1. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 65.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.

MICROFILMED
JUN 02 2003

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-12389

3. Right 65-09417B is also diverted through the points of diversion described above.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 25th day of April, 2003.


for **KARL J. DREHER**
Director

MICROFILMED
JUN 02 2003

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original App.	65-12389	Mel Coryell	1.27
Assignment	65-12389	Randy Heffner	1.27

MISSOURI

SEP 28 1993

IN THE MATTER OF PERMIT NO. 65-12389)
IN THE NAME OF RANDY R HEFFNER)

SEP 28 1993

CONCLUSIONS OF LAW

1. The permit holder has submitted proof of beneficial use along with supporting evidence which establishes that water was in fact beneficially used as identified on the permit.

2. The permit holder has shown sufficient cause why the proof of beneficial use was not submitted in a timely manner.

3. The permit can be reinstated with the date of priority advanced to the date proof of beneficial use was received by the Department.

ORDER

IT IS HEREBY ORDERED that Permit No. 65-12389 is REINSTATED.

IT IS FURTHER ORDERED that the date of priority of this permit is advanced to July 2, 1993.

Dated this 17th day of September, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau



SEP 28 1993

RECEIVED

JUL 02 1993

OFFICE USE ONLY

Amt. of Fee \$ 125.00

Date 7-2-93

Receipt No. C028042

Receipt by JW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-12389 Telephone No. Home (415) 968-3485
work (408) 764 6465
2. Name(s) of Permit Holder(s): RANDY R HEFFNER
3. Mailing Address: 749 RUSTIC LN, MTN. VIEW CA 94040
4. Source of Water: PAYETTE R.

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 250 Range (No. and type of stock)

Irrigation 60A (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.27 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Randy R Heffner work (408) 764 - 6465 Home (415) 968 - 3485

Name Telephone No.

749 Rustic Lane, Mountain View, CA 94040

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/2/93

Date

Randy R Heffner Owner

Signature (and title, if on behalf of a company or organization)

SEP 28 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUL 02 1993
Department of Water Resources

ASSIGNMENT OF PERMIT

To change the ownership of a permit

I, Mel Coryell, hereby assign to Randy Heffner
of 744 Rustic Lane, Mountain View, CA 94040
(Full Address)

All my right, title, and interest in and to Permit No. 65-12366
to appropriate the public waters of the State of Idaho. and 65-12389

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State of Idaho.


Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
point of diversion location, and the amount of water in cubic feet per second.

Made this JULY 2 day of _____, 19 93.

[Signature]
Permit Holder(s)

State of Idaho)
County of Ada) ss

On this 2nd day of July, 199 3, personally appeared before me
the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.



[Signature]
Notary Public

[Signature]
Signature

My commission expires: 4-1-98

SEP 28 1993

ANNALS

To appropriate the public waters of the State of Idaho

Post office address 2441 Hwy. 194 Drive, Boise, ID 83704

(Cont. Lot 7)

Range 22 D.M. 2100 County, additional points of direction N. 2000

~~Gov. Lot 5 (HAWK); Gov. Lot 4 (HAWK) Sec 2, T 7N, R 2E; Gov. Lot 7 (HAWK) Sec. 2E, T 7N, R 2E~~

4. Water will be used for the following purposes:

Number _____
 Date _____
 From _____
 To _____
 Subject _____
 Purpose from 1/1 to 12/31 (both dates inclusive)

Amount for purposes from to (both dates inclusive)

Approved for _____ Purpose from _____ to _____ (with date ending)

2. Threats to the Internal Validity

a.	<u>2-27</u>	cable test per manual under h.	core-test per manual
----	-------------	--------------------------------	----------------------

2. Presenting following work:

2. Description of duties, status, progress, findings, etc. _____

Design, Pipelines and sprinkler system.

b. Right of storage and	use, notice, receipt, capacity	and use, notice, receipt
-------------------------	--------------------------------	--------------------------

quantity _____ over test, materials used in storage time: _____

Period of year when water will be diverted to storage _____ to _____ months

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the work and application of the water to the proposed benefits

term is 5 years (minimum 1 year - maximum 5 years).

~~CONFIDENTIAL~~

2. Describe location of use of water: Sec. Township N of E of Section Township

██████████ 22

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED DATE 05-10-2011 BY 60322 UCBAW

202 The number of each kind of document to be retained 202, 203, 204, 205

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TRP	RANGE	SEC	13N			14N			15N			16N			TOTALS
			13N	14N	15N	13N	14N	15N	13N	14N	15N	13N	14N	15N	
24	24	1				14	22	4	14	5	12				44
						10	10		9	2					
25	25	35										14	7	6	10

Total number of acres to be irrigated 60

c. Describe any other water rights used for the same purposes as described above. 65-2417

Beneficial Use Right on partial acreages in some of 40's listed.

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks This Application is to cover land brought into cultivation or to be brought into cultivation since development of 65-2417.

Stock Water Place of Use is same as for Irrigation.

CS

Y-100-10

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 1 inch = 1 mile.

BE IT CERTIFIED that the undersigned hereby makes application for permits to appropriate public lands within the State of Idaho as shown on this map.

[Signature]

Proposed Permit No. 2/19/81

Received by RR Date 2/19/81 Time 11:00 AM
Preliminary check by RR Fee \$ 65.00
Received by RR Date 2/19/81 4/17/81
Publication prepared by RR Date 2/26/81
Published in Idaho World
Publication date 2/26 & 3/12/81
Publication approved RR Date 2/26/81
Permits filed by: RR

Copies of permits forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RR RR

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12388, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1985.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.

Use of water under this permit is subject to control by the watermaster of State Water District # 65, Payette River.

Witness my hand this 1st day of April, 1981.

J. Glen Saylor
Director, Department of Water Resources

3/23

O.K. *neu*

STATE OF MARYLAND,
County of Prince George's

Michael J. Farley
do hereby certify, certify and attest that, he is the Manager and principal stock of THE WORLD WIDE, a weekly newspaper published at Prince George's, in the County of Prince George's and State of Maryland; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Prince George's; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for

2 consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement thereto; that said paper has been established and regularly published every week for many years; that every copy of this advertisement was sent to the first publication of this notice; that notice was published in the issue beginning with

March 21 and ending with the issue of *March 11*

Michael J. Farley

Subscribed and sworn to before me this *12th* day of *March* 1961
John H. Hester



RECEIVED
MAR 16 1961
Department of Motor Vehicles
Western Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 28, 2003

RANDY HEFFNER
14 HILL CREEK RD
HORSESHOE BEND ID 83629

RE: License No. 65-12389 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED
JUN 02 2003


CERTIFICATE OF SERVICE

I hereby certify that on April 28, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

65-12389

**RANDY HEFFNER
14 HILL CREEK RD
HORSESHOE BEND ID 83629**



**Kari Lynn Townsend
Secretary**

MICROFILMED

JUN 02 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 02 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 11, 2003

RECEIVED

APR 21 2003

Department of Water Resources

RANDY HEFFNER
14 HILL CREEK RD
HORSESHOE BEND ID 83629

RE: Water Right Permit No. 65-12389

Dear Permit Holder:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

Place of Use – Adding 1 acre to SWNW, S02

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

*I do not wish to have
this one acre added*

*Ry Rkbr
4/21/03*

MICROFILMED

JUN 12 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 11, 2003

RANDY HEFFNER
14 HILL CREEK RD
HORSESHOE BEND ID 83629

RE: Water Right Permit No. 65-12389

Dear Permit Holder:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

✓ **Place of Use** – Adding 1 acre to SWNW, S02

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED
JUN 02 2003

Comment Report to File

65-12389

1. kwalker 4/9/2003 Place of Use

Comment: The place of use in arc view is not the same as on aerial photo submitted by examiner. That photo shows all of the right holders property. Not just the lands under this permit. I created the shape for this permit so there is no overlap of place of use with 65-9417B. There is another 20 acres that have not been included in either shape since the right holder has another water right permit pending on that 20 acres (65-22630). I cut the northern acres from my shape to come up with the 60 permitted acres under this permit.

MICROFILMED

JUN 02 2003

LICENSE REVIEW CHECKLIST

Permit No. 65-12389 Date: 4-9-03 Reviewer: Kay Walker

Change/OK

Name/Address

fix per exam

Source

OK

Does change clarify original intended source? If no, void permit

Point of Diversion

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps Right(s):

65-9417B @ pd - No plu OK

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion.

Permitted rate 1.27 cfs

Fee Limit 2.0 cfs

Measured 3.35 cfs

Theoretical 3.35 cfs

Recommended Total Diversion Rate

Water Uses

OK Change (P46)

Season of Use per new Standards

3-15 10-31

Irrigation 1.20 cfs 270.0 af
Stockwater 0.02 cfs 0.7 af
Domestic cfs af
 cfs af
 cfs af
Total 1.22 cfs 270.7 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

1.2 cfs x 1.9835 x 231 days = 549.8 af (vs)

59 x 4.5 = 265.5 266.0
60 acres x 4.5 (FHR) = 270.0 af
3.5 (con)

Remarks

Additional Conditions

YES Watermaster Control

YES GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority?

yes
no

If yes, explain why below

SRBA Claim?

NO - not req'd

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

P44 S06

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 65-9417B V2

WATER RIGHT NUMBER: 65-9417B V2

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	RANDY HEFFNER 14 HILL CREEK RD HORSESHOE BEND, ID 83629 (208) 793-2898
Current Owner	AMY HEFFNER 14 HILL CREEK RD HORSESHOE BEND, ID 83629 (208) 793-2898

Priority Date. 04/01/1958

Basis Decreed

Status Active

<u>Source</u>	<u>Tributary</u>
PAYETTE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	03/15 to 11/01	0.880 CFS	198.00 AF
	<u>Total Diversion</u>	0.880 CFS	198.00 AF

Location of Point(s) of Diversion

PAYETTE RIVER	L4 (NW1/4NW1/4)	Sec. 2, Twp 07N, Rge 02E, B M
BOISE County		
PAYETTE RIVER	L7 (SE1/4SW1/4)	Sec. 2, Twp 07N, Rge 02E, B M.
BOISE County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	02E	2					2.0				23.0	19.0							44.0
							L3				L5	L6							

Total Acres. 44

Conditions of Approval

- 1 C18 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.
- 2 R65 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
- 3 WB4 The total instantaneous diversion of water from all points of diversion under Right 65-9417B shall not exceed 0.88 cfs, nor total combined annual volume of 198.0 af.

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommendation Report 65-9417B V2

Remarks

- 1 Explanatory Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No 65.
- 2 General The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval or by 8/23/03.
- 3 Explanatory Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
- 4 Explanatory Prior to diversion of water under this approval, the right holder shall provide a means of measurement and lockable controlling works for all authorized points of diversion. The means of measurement and controlling works must be suitable for control of the diversions and acceptable to the watermaster

Comments:

1. Iharris 8/29/2002 Amended Right
Comment This right was amended per Transfer 69092 approved 8/23/02.

Dates and Other Information:

Decreed Date: 12/23/2002
Enlargement Use Priority Date:
Enlargement Statute Priority Date
Defendant:
Plaintiff
Civil Case Number: 39576
Judicial District: FIFTH
Notice of Error Flag
State or Federal:
Owner Name Connector
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed
DLE Act Number
Carey Act Number:
Mitigation Plan: False

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 14 2001
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 65-12389

1. Owner: Randy Heffner Phone No. 793-2898

Current Address: 14 Hill Creek Rd, Horseshoe Bend ID 83629

2. Accompanied by: Randy EXAM DATE: 8/1/01

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Payette River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-9417B, 65-12366

2. Other water rights with the same point of diversion: 65-9417B

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		NW	NW	2	7N	2E	Boise	USGS Quad, Aerial Photo
	7		SE	SW	2	"	"	"	

2. Place(s) of Use:

Indicate Method of Determination same as above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	SW	SE	CE	NE	SW	SE	CE	NE	SW	SE	CE	NE	SW	SE	CE	
7N	2E	2		1	1		23	10		5									40
				lt 2			lt 3	lt 4		lt 5									
8N	2E	35										10	10						20
												lt 7							

MICROFILMED
JUN 02 2003

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Y Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Primary Pump Station (NWNW)		Four @ 25hp	Submersibles	Grundfos	230S250-8
Back-up Pump Station (SESW)		7.5hp (river)		Parma Water-lifter	BP11
	GE	75hp (re-lift)	5K34JL152	Cornell Centrifugal	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pump Curve						

2. **Measurements:** See attached curve

MICROFILMED
JUN 2 2003

NARRATIVE/REMARKS/COMMENTS

The primary pumping station for the property consists of four 25 hp submersible pumps capable of 250 gpm each, as indicated by the attached pump curve. This station's capacity is 1000 gpm or 2.23 cfs. The back-up pumping station consists of a 7.5 hp river pump and a 75 hp re-lift pump. Based on a sprinkler system design supplied by the USDA, using 314 TDH, a theoretical indicayes this station capable of 1.62 cfs or ~725 gpm. Water right 65-9417B uses the same system for 44 separate acres at 1"/acre or .88 cfs. A physical field exam was never conducted on right 65-9417, which had been a statutory claim prior to the Payette River Decree. Based on

this exam findings, total system capacity is 3.35 cfs with the two pump stations combined. The 60' acres listed on this permit were found irrigated via 10" mainline, 1 pivot, wheel lines, and handline sprinklers (see attached USDA sprinkler system design). This permit, when combined with 65-9427B, is limited to 104 acres and 2.08 cfs. Applicant is filing another application for permit for 40 additional acres he plans to irrigate with the same system and source. The system also supplies stockwater to 50 range cattle. Water right 65-12366 provides water to the same stock from springs. No other rights are used.

Have conditions of permit approval been met? ☒ yes ☐ no (Pumps can be disconnected and/or pulled from the river)

MICROFILMED
JUN 02 2003

F. FLOW CALCULATIONS

___Y___ Additional Computation Sheets Attached

Measured Method:

Primary Pump Station

Back-up Pump Station

 $2.23 \text{ cfs} + 1.62 \text{ cfs} = 3.35 \text{ cfs}$

NWNW S2 T7N R2E

SESW S2 T7N R2E

Total System Capacity

1000 gpm = 2.23 cfs

 $8.8 \times .7 \times 82.5 = 1.62 \text{ cfs}$

314 TDH

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 60 \times 4.5 = 270$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.2 \times 231 \times 1.9835 = 549.8$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 270$$

2. Volume Calculations for Other Uses:

$$50 \text{ Range Cattle} \times .00022 = .011 \text{ cfs (allow .02 cfs)}$$

$$50 \text{ Range Cattle} \times .0134 = .7 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	10/31	1.2	270
Stockwater	1/1	12/31	.02	.7
Totals:			1.22	270.7

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**

Lori Graves -Senior Agent

Field Examiner's Name Lori Graves Date 8/2/01

Reviewer _____ Date _____

SEAL

MICROFILMED
JUN 02 2003

Performance Curves


230 GPM

Model 230S

FLOW RANGE: 160 -320 GPM

OUTLET SIZE: 3" NPT

NOMINAL DIA. 6"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

4" MOTOR STANDARD, 7.5 HP/3450 RPM

6" MOTOR STANDARD, 10-60 HP/3450 RPM

8" MOTOR STANDARD, 75 HP/3525 RPM

* Alternate motor sizes available

Performance conforms to ISO 2548 Annex B
@ 8 ft min submergence

MICROFILM

11/11/2003



NAME: [REDACTED]
SCD: [REDACTED]
PREPARED BY: [REDACTED]

DATE: [REDACTED]
COUNTY: [REDACTED]
JOB CLASS: [REDACTED]

I. INVENTORY

TOTAL ACRES [REDACTED]
WATER SOURCE [REDACTED]
SEASONAL VARIATION [REDACTED]
CLIMATIC AREA [REDACTED]
AMT AVAILABLE [REDACTED] ★
ENERGY SOURCE [REDACTED]

II. SOILS DATA

SOILS CLASS MAJORITY: [REDACTED]
NAME: [REDACTED]
TOTAL AVAIL WHC IN /FT
1 2 3 4 5
[REDACTED]
INHIBITING LAYER [REDACTED]
MAX INTAKE RATE [REDACTED]
WATER TABLE [REDACTED]
SLOPE [REDACTED]

III. DETERMINATION OF WEIGHTED CONSUMPTIVE USE:

CROP	ACRES.	JUNE CU	JUNE CU*AC	JULY CU	JULY CU*AC	AUGUST CU	AUGUST CU*AC
[REDACTED]	[REDACTED]	[REDACTED]	601.34	[REDACTED]	842.09	[REDACTED]	678.38
			0.00		0.00		0.00
			0.00		0.00		0.00
			0.00		0.00		0.00

CONSUMPTIVE USE 5.62 7.87 6.34

IV. WATER MANAGMENT INFORMATION:

CROP	ROOT ZONE DEPTH (FT)	TOTAL WHC (IN)	STRESS POINT (%)	MAX. NET REPLACEMENT (IN)
Alfalfa	6.0	6.00	50%	3.00
??	0.0	0.00	0%	0.00
??	0.0	0.00	0%	0.00
??	0.0	0.00	0%	0.00

NOTES:

V. DESIGN DATA:

MPH WINDS.	5	MPH		
WIND FACTOR	0.8			
NOZZLE SPACING.	40	FEET		
MAINLINE SPACING	50	FEET		
SPRINKLER HEAD MODEL (OR EQUIVALENT)	RB			
NOZZLE TYPE	STAND	1	FCN	0
NOZZLE SIZE:	0			
NOZZLE PRESSURE	50.00	PSI		
NOZZLE GPM	3.50	GPM		
NOZZLE WETTED DIAMETER	84	FEET		
MINIMUM WETTED DIAMETER	83.33	FEET		
NOZZLE DIA EXCEEDS MINIMUM REQUIRED	YES			
APPLICATION RATE	0.17	IN / HOUR		
APPLICATION TIME	23.50	HOURS		
APPLICATION EFFICIENCY	70%	PERCENT		
NET APPLICATION	2.97	INCHES		
MAXIMUM IRRIGATION CYCLE	10.2	DAYS		
NUMBER OF LATERAL SETS.	48	SETS		
WEIGHTED PDCU	0.29	INCHES		
MINIMUM NUMBER OF LATERALS REQUIRED	4.7	LATERALS		
DESIGNED LATERALS	7			
TOTAL NUMBER OF NOZZLES	154	NOZZLES		
SYSTEM CAPACITY	539	GPM		

VI. LATERAL FRICTION:

EVALUATED STATION 0+00

LATERAL PIPE SIZE	8	INCHES
HAZEN WILLIAMS C FACTOR	100	
ELEVATION LOSS OR GAIN *1	5.1	FEET
ALLOWABLE PRESSURE LOSS	7.8	PSI
NUMBER OF NOZZLES IN THIS LATERAL	32	NOZZLES
SPRINKLER LOCATION *2	0.0	
ACTUAL FRICTION LOSS (WORST CONDITION)	7.7	PSI

FLOW CONTROL REQUIRED? NO

FOOT NOTES.

*1 + WHEN LATERAL IS UPHILL - WHEN LATERAL IS DOWNHILL

*2 MID WHEN SPRINKLER IS LOCATED IN MIDDLE OF LATERAL
END WHEN SPRINKLER IS LOCATED AT END OF LATERAL

NOZZLE TYPE	STANDARD		FLOW CONTROL	
NOZZLE PRESSURE:	50.00	PSI	0.00	PSI
LATERAL FRICTION	5.76	PSI	0.00	PSI
ELEVATION DIFFERENCE	1.08	PSI	0.00	PSI
NOZZLE RISER HEIGHT	0.00	PSI	0.00	PSI
TOTAL	56.84	PSI	0.00	PSI

MICROFILM

[illegible]

MICROFILMED
1994

U.S. DEPARTMENT OF AGRICULTURE NATURAL RESOURCES CONSERVATION SERVICE

STATE	IDAHO	PROJECT	[REDACTED] [REDACTED] [REDACTED]		
BY	[REDACTED]	DATE	1/11/01	CHECKED BY	[REDACTED]
SUBJECT	POWER REQUIREMENTS		SHEET	[REDACTED]	

DETERMINATION OF TOTAL DYNAMIC HEAD

PRESSURE REQUIRED AT MAIN	[REDACTED]	FT.	135.1	PSI
LIFT (WATER SURFACE TO PUMP)	[REDACTED]	FT.	-0.9	PSI
COLUMN LOSS	[REDACTED]	FT.	0.9	PSI
MISCELANEOUS LOSS	[REDACTED]	FT.	0.9	PSI

TOTAL DYNAMIC HEAD REQUIRED	* 314.0	FT.	135.9	PSI
-----------------------------	---------	-----	-------	-----

HORSE POWER REQUIRED

USE FORMULA
$$\frac{(TDH) (GPM)}{(3960) (PUMP\ EFF.)}$$

PUMP EFFICIENCY	[REDACTED]	
GPM	[REDACTED]	GPM
TDH	[REDACTED]	FT.

TOTAL HORSEPOWER REQUIRED	110.5	HORSEPOWER REQUIRED
---------------------------	-------	---------------------

SPLIT PUMP SETUP

PUMP #1	[REDACTED]	GPM	26.1	HORSEPOWER
PUMP #2	[REDACTED]	GPM	26.1	HORSEPOWER
PUMP #3	[REDACTED]	GPM	26.1	HORSEPOWER

ENERGY COST FOR PUMPING PLANT

COST OF ELECTRICITY	[REDACTED]	\$/KWH
SEASONAL OPERATION (HRS)	[REDACTED]	HRS.
MOTOR EFFICIENCY	[REDACTED]	

TOTAL PUMP HORSEPOWER	61.8	KWH	\$5,563.65	YEARLY COST
-----------------------	------	-----	------------	-------------

SPLIT PUMP SETUP

PUMP #1	14.6	KWH	\$1,313.42	YEARLY COST
PUMP #2	14.6	KWH	\$1,313.42	YEARLY COST
PUMP #3	14.6	KWH	\$1,313.42	YEARLY COST

U.S. DEPARTMENT OF AGRICULTURE
NATURAL RESOURCES CONSERVATION SERVICE

STATE	IDAHO	PROJECT	_____	_____
BY	_____	DATE	1/11/01	CHECKED BY
SUBJECT	_____	DATE	_____	JOB NO.
POWER REQUIREMENTS			SHEET	_____

DETERMINATION OF TOTAL DYNAMIC HEAD

PRESSURE REQUIRED AT MAIN	_____	FT.	135.1	PSI
LIFT (WATER SURFACE TO PUMP)	_____	FT.	-0.9	PSI
COLUMN LOSS	_____	FT.	0.9	PSI
MISCELANEOUS LOSS	_____	FT.	0.9	PSI

TOTAL DYNAMIC HEAD REQUIRED	314.0	FT.	135.9	PSI
-----------------------------	-------	-----	-------	-----

HORSE POWER REQUIRED

USE FORMULA $\frac{(TDH) (GPM)}{(3960) (PUMP EFF.)}$

PUMP EFFICIENCY	_____	GPM
GPM	_____	FT.
TDH	_____	

TOTAL HORSEPOWER REQUIRED	110.5	HORSEPOWER REQUIRED
---------------------------	-------	---------------------

SPLIT PUMP SETUP

PUMP #1	_____	GPM	26.1	HORSEPOWER
PUMP #2	_____	GPM	26.1	HORSEPOWER
PUMP #3	_____	GPM	26.1	HORSEPOWER

ENERGY COST FOR PUMPING PLANT

COST OF ELECTRICITY	_____	\$/KWH
SEASONAL OPERATION (HRS)	_____	HRS.
MOTOR EFFICIENCY	_____	

TOTAL PUMP HORSEPOWER	61.8	KWH	\$5,563.65	YEARLY COST
-----------------------	------	-----	------------	-------------

SPLIT PUMP SETUP

PUMP #1	14.6	KWH	\$1,313.42	YEARLY COST
PUMP #2	14.6	KWH	\$1,313.42	YEARLY COST
PUMP #3	14.6	KWH	\$1,313.42	YEARLY COST

U.S. DEPARTMENT OF AGRICULTURE NATURAL RESOURCES CONSERVATION SERVICE

STATE	IDAHO	PROJECT	Randy Heffner
BY	??	DATE	1/11/01
CHECKED BY		DATE	
SUBJECT	APPURTENANCE DESIGN	SHEET	

THRUST BLOCKS								MIN.	
STATION	BLOCK TYPE	#1 PIPE SIZE (IN.)	#2 PIPE SIZE (IN.)	HEAD (FT.)	ANGLE (DEG.)	PASSIVE SOIL (LBS.)	AREA REQD. (FT.2)	BLOCK AREA (FT.2)	SIDE DIM. (IN.)
0	Bend	10	0	135	45	900	3.9	3.4	23.7
990	Reducer	10	8	57	90	900	1.6	3.4	22.0
1965	Bend	8	0	88	45	900	1.6	2.8	20.0
4818	End	8	0	117	0	900	0.0	2.8	20.0
0		0	0	0	0	0	0.0	0.0	0.0
0		0	0	0	0	0	0.0	0.0	0.0
0		0	0	0	0	0	0.0	0.0	0.0
0		0	0	0	0	0	0.0	0.0	0.0
0		0	0	0	0	0	0.0	0.0	0.0
0		0	0	0	0	0	0.0	0.0	0.0
0		0	0	0	0	0	0.0	0.0	0.0
0		0	0	0	0	0	0.0	0.0	0.0

PRESSURE RELIEF AND AIR-VAC SIZING

STATION	DESIGNED FLOW RELIEVED	PIPE SIZE (IN.)	PRESS. (IN.)	REQD. OPENING (IN.)	MIN A/V SIZE (IN.)	PRV SIZE (IN.)	AVAIL. PRV SIZE (IN.)	ACTUAL FLOW RELIEVED (GPM)	SYSTEM RELIEVED FLOW (GPM)	RECCOM. PRESS. SETTING (PSI)
990	1059	10	57	1.5	2	5.4	6	1313.8	1313.8	77.0
4818	539	8	117	1.2	2	3.8	4	583.9	1897.7	137.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0
0	0	0	0	0	0	0.0	0	0.0	0.0	0.0

NOTES:

1. AIR-VAC AND PRESSURE RELIEF VALVE SIZES ARE BASED ON TABLES FROM WATERMAN INDUSTRIES.
2. PRESSURE RELIEF VALVE SIZES ARE BASED UPON A 15 FPS VELOCITY IN THE RISER PIPE.
3. THE CRACKING PRESSURE SHOWN AS RECOMMENDED, IS 20 PSI OVER THE DESIGN PRESSURE.


65-12389



0.4 0 0.4 0.8 Miles

A horizontal scale bar with four segments. The first segment is labeled '0.4', the second '0', the third '0.4', and the fourth '0.8 Miles'.

● P/D
□ P/U
□ Section
1/41/4



MICROFILMED

1994

Decree 65-9417B
covers 44 acres
within P/U

Permit 65-12389
covers an additional
60 acres within
P/U.


New application filed
for 20 more acres
within P/U + 20
acres in NWN 52.
(received 8/3/01)





Four 25HP
Submerged
Pumps

(Two currently
hooked up)



Power Box

MICROFILMED
JUN 02 2003




7.5 HP
River Pump




75 HP
Re-lift Pump

MICROFILMED
JUN 02 2003



1
P/u
1



MICROFILMED
JUN 02 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Staff Analysis Sheet
Beneficial Use Field Report

RECEIVED

SEP - 4 2001

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copy of Proof of Beneficial Use
- ☒ Copies of any Amendments/Orders with Conditions of Approval
- ☒ Well Inspection Form (If Needed)
- ☒ Aerial Photo Required? ☐ yes ☐ no If yes: ☐ copy attached
- ☒ SRBA Claim Required (required if proof filed by 11-19-1987)
☐ Yes ☒ No If yes: ☐ claim filed? (check AJ5, AJQ1, AJQ4)
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of government plat
- ☒ Check of P/D index _____ (initial & date)
Overlap ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?*
- Type of Overlap: ☐ Same source ☐ Other source
- ☒ Check of P/U index _____ (initial & date)
Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?*
- Type of Overlap: ☐ Same land, same source
☐ Same land, other source
☐ Other land &/or other uses

*copies attached only if needed for analysis

- ☒ Irrigation from groundwater (all basins):
Surface water currently or previously used ☐ Yes ☐ No
If yes: identify water source, water right, and explain current or previous use.
- ☒ Scheduling Letter Sent? _____ (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use

C. Review and Processing:

Exam Completed by 8/2/01 (signature of examiner & date)
Exam Sent to State Office 8/30/01 AT (initial & date)

September 24, 1993

RANDY HEFFNER
749 RUSTIC LN
MOUNTAIN VIEW CA 94040

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12389

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

SEP 28 1993

Mike Fry
Route 1 Box 67B
Horseshoe Bend, Idaho 83629
August 20, 1993

State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720-9000

RECEIVED

SEP 15 1993

Department of Water Resources

Ladies and/or Gentlemen:

I have known Randy Heffner since the early 1980s. In the early 1980s he substantially increased the capacity of his sprinkler system while he was farming his Gardena ranch. The ranch has been farmed and grazed every year since then. In fact, my brother Bob Fry leased the property in 1985.

To my knowledge as a local resident there has not been a period of 5 years without the property being farmed, irrigated and grazed since Randy has owned it.

Sincerely,



Mike Fry

RECORDED

SEP 28 1993

RECEIVED

SEP 07 1993

Dennis Drake
Box 81
Horseshoe Bend, Idaho 83629
August 25, 1993


State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720-2237

Ladies and/or Gentlemen:

I have known Randy Heffner since the mid 1980s. I know his ranch and that it has been farmed, irrigated and grazed every year over the past 10 years. In fact, I have leased the property during the past 4 years. In that time I have raised irrigated Alfalfa on the farm ground and pastured my beef cattle on the dry land grazing area.

As a local resident there has not been a period of 5 years without the property being farmed, irrigated and grazed since the early 1980s.

Sincerely,



Dennis Drake

MAILED

SEP 28 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 31, 1993

Randy Heffner
749 Rustic Lane
Mountain View, CA 94040

Re: Possible reinstatement of lapsed Permit Nos. 65-12366 and 65-12389

Dear Randy:

The Department is in receipt of the information submitted in connection with the above referenced permits. The information you submitted fulfills part "b" of the requirements by supplying the Department with reasonable cause why the proof was filed late. Unfortunately, the Department is unable to accept your explanation as evidence that the beneficial use of the water commenced prior to November 1, 1985.

In order to reinstate the permit, the Department still requires two pieces of physical evidence. Examples of evidence include affidavits from neighbors (not the permit holder) who can attest to the fact that the water was in use for livestock and irrigation purposes prior to November 1, 1985, dated ortho-quad photos from the Soil Conservation Service that would show the land was irrigated during that time, or receipts for the equipment you purchased to increase and add mainline.

The Department wants to bring to your attention that permit no. 65-12389 authorizes the irrigation of 60 acres. You indicate in your correspondence that you began irrigating over 100 acres. However, neither of your permits allows irrigation of this much land.

Your interpretation of Section 42.218a, Idaho Code would have been correct had you filed the proof of beneficial use within 60 days of the notice of lapsing. The notice of lapsing was sent on November 13, 1985. Therefore, in order for paragraph 1 to apply to you, you would have had to file proof of beneficial use no later than January 13, 1986. Since you filed proof of beneficial use nearly eight (8) years late, paragraph 2 of this section applies to your situation. It states in part:

That upon receipt of proof of beneficial use after sixty (60) days after such notice of lapsing, . . . the

SEP 28 1993

director may reinstate the permit with the priority date advanced to the day that proof of beneficial use was received.

I have enclosed another copy of Section 42-218a, Idaho Code for your convenience.

The Department will once again hold your file for sixty (60) days to allow you time to submit the two pieces of evidence to prove beneficial use.

In the mean time, if you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,



Karen L. Gustafson
Secretary/Records Manager

Enclosure

SEP 28 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 31, 1993

Randy Heffner
749 Rustic Lane
Mountain View, CA

Re: Permit No. 65-12366 and 65-12389

Dear Permit Holder:

The Department acknowledges receipt of the correspondence and assignment of permit form transferring ownership of the above referenced water right to you. The Department has modified our computer records to reflect this change in ownership.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: IDWR - Regional Office

SEP 28 1993

Randy Heffner
749 Rustic Lane
Mountain View, CA 94040
August 22, 1993

Karen L. Gustafson
Secretary/Records Manager
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720-9000

Dear Karen:


Enclosed with this letter you will find reasonable cause why the proof of beneficial use was filed late.

I do have a question. It is as follows: As I understand the "42.218a Lapse of application for failure to request extension of submit proof of application to beneficial use - Notice of lapsing." copy you enclosed with your letter, it would seem to me the date of my water rights would be roughly 5 years earlier than July 2, 1993.

Also I dropped off a notarized copy of "Assignment of Permit" moving the water right permit numbers 65-12366 and 65-1289 from Mel Coryell to Randy Heffner. Do you have it recorded with my file?

If you have any questions please do not hesitate to contact me at the above address or at home at (415) 968-3485. If it is more convenient, you may contact me during work hours at (408) 764-6465.

Sincerely,



Randy Heffner

SEP 28 1993

RECEIVED

AUG 30 1993

Department of Water Resources

Randy Heffner
749 Rustic Lane
Mountain View, CA 94040
August 22, 1993

State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho 83720-9000

Ladies and/or Gentlemen:


I purchased my ranch in Gardena in November, 1982. At that time I was told that water rights existed and had received copies of them from Mel Coryell. Unfortunately Mel have just filed on these water rights and had not shown proof of completion of works. I was left with the impression that the water rights were issued.

During the spring and summer of 1983 and 1984 I added a new feeder pump, a larger main pump (increased main pump size from 60 HP to 75 HP) increased the size to the primary mainline and added mainline to reach to the north end fields of my property. This enabled me to begin watering over 100 acres. At the same time I put in a stock water pond on the upper "dry grazing" portion and a "tub" in the lower eastern field for with a spring running in it for the lower grazing portion of my property. All this was completed by the end of 1984.

In February of 1985 I was working for Hewlett Packard and was transferred the work in Greeley Colorado. (However, the water rights were still being used as I leased the property that next year to Bob Fry, a local farmer. The property has been leased to be farmed and grazed every year since.) I never received notice that proof was due on my water rights. If I had I would have shown proof of beneficial use at that time.

When I found out that proof of beneficial use was required I came up personally into your office to find out what was happening and the show proof of beneficial use.

Sincerely,



Randy Heffner

SEP 28 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 6, 1993

Randy R Heffner
749 Rustick Lane
Mountain View, CA 94040

RE: Permit Nos. 65-12366 and 65-12389

Dear Permit Holder:

The Department received your proof of beneficial use statement for the above referenced permits on July 2, 1993. The permits lapsed on November 1, 1985, so the 60-day late period during which the permit can be readily reinstated has passed.

Because you failed to file the proof of beneficial use in a timely manner, and pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can be reinstated only if you submit the following:

- a) Two pieces of evidence to show that beneficial use of the water did commence and to show the extent of the use of water during the authorized permit period from the time the permit was issued until the proof due date, and
- b) Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use statement along with any information which may have been submitted with it, will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

You should also be aware, that since the proof was filed late, your priority date has been penalized. Provided you supply the requested information, your priority date of October 7, 1980 will be advanced to July 2, 1993.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

~~RECEIVED~~

SEP-28

I hereby state that this document is
correct and is ready to be
reproduced.

John (signature)

John (signature)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 13, 1966

CORVELL, MEL
2441 MOUNTAIN VIEW DR.
BOISE, ID 83706

1193 Camlet
Boise, ID 83704

LAPSE NOTICE

RE: PERMIT NO. 65-12389

DEAR PERMIT HOLDER:

YOU ARE URGENTLY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-210A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS Lapsed. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED JANUARY 31, 1966.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FOR OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF RECEIPT OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE BEING ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS BEEN COMPLETED DUE TO LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BEING TITLE TO THE WATER IN QUESTION.

L. CLAY EASTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

DEAR

CERTIFICATION OF MAILING

I hereby certify that on April 13, 1966
a true and correct original of this document was
deposited in the United States mail
properly addressed to the
recipient named above.

[Signature]



CAMELOT
8370Y

RECEIVED
FEB 26 1962

FEB 26 1964

REFUSED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4400
CERTIFIED MAIL
JANUARY 31, 1986

138786

CORTELL, MEL
2401 MOUNTAIN VIEW DR.
BOISE, ID 83706

PROOF DUE NOTICE

RE: PERMIT NO. 65-12389

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

OTHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

BETA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 480 W. State Street, Boise, Idaho

JOHN V. PUGH
Governor

C. WESLEY ALLEN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4400

April 8, 1981

Mr. Coryell
2049 Wm. View Dr.
Boise, Idaho 83706

Dear Mr. Coryell,

RE: Permit No. 66-12388

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion. We have enclosed a description of the different types of measuring devices accepted by this office.

Please be advised that there is insufficient natural flow available in the Snake River and tributaries to provide water for a new appropriation throughout the entire season of use. During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your permit. As the natural flow diminishes, however, there may be no water available for your right unless you arrange for an additional source of water as a supplemental supply.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon, the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

CLARK R. TUTTILL, JR., P.E.
Superior, Water Allocation Section

Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 666

APPLICATION NUMBER: 125-12389
Conryell

CHECK:

- ☒ Name.
☒ Point of diversion.
☒ Capacity.
☒ Quantity of water and period of use.
☒ Interruption of diverting works.
☒ Flow required for beneficial use of water.
☒ Date of use or area irrigated.

Field check by: _____
Date: _____
Comments: _____

Signature.

- ☒ Yes ☒ No
☒ Yes ☒ No
☒ Yes ☒ No

- Field check required.
Critical groundwater area.
Request dam safety information. Sent by: _____ Date: _____
In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No
☒ Yes ☐ No
☒ Yes ☐ No
☐ Yes ☒ No

Plotted by: _____ Map No. 65-9417
Other rights on same place of use. _____
In form for advertising. _____
Final date for protests: 3/23/81
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

Affidavit of publication received. Date: 3/11/81
Application published correctly. If not, record action taken: _____
Fee amount, receipt date & number, recorded on application. _____
Publication date and paper, recorded on application. _____
Systems, dates, withdrawal, etc., recorded on application. _____
Recommendation & Initial, recorded on application. _____
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
☒ Yes ☐ No Date of priority recommended. _____
Final decision of approval or carry letter. I.P. letter
Payable River letter
Basin of W. M. Condition

By: asa Date: 3/23/81
STATE OFFICE REVIEW: Letter sent 4/1/81
3/23/81

☐ Referenced back for more information.
By: slater Date: 3/23/81

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

22 South Cole Road
Boise, Idaho 83709
(208) 334-2100

FEBRUARY 26, 1981

The Idaho World
Box 200
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a reply to this office for review before the first publication date. If we cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 23, 1981.

Yours truly,

MELBA L. MARRINGTON
Secretary

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 302 E. Cole Road, Boise, Idaho 83709 on or before MARCH 23, 1981.

C. STEPHEN ALLARD

Director

Published 2/6 & 2/12/81.

05-12300

CORVALL, ILL.

3412 MIDWAY VILL DR., BOISE, ID 83706

Source: PAYETTE RIVER tributary to SNOW RIVER

Date Filed: 08/19/1961

Amount: 1.27 CFS

Diversion Point: LOT 07 (SEEN) LOT 06 (NEEN) LOT 04 (NEEN) Sec 02 T 07N R 02E
LOT 07 (SEEN) Sec 35 T 08N R 02E, BOISE Co.

Use: IRRIGATION (1.20 CFS) from 04/01 to 11/01
SUCKERBOX (0.07 CFS) from 01/01 to 03/01

Place of Use: LOT 02 (NEEN) LOT 04 (NEEN) LOT 05 (NEEN) LOT 06 (NEEN)
Sec 02 T 07N R 02E LOT 07 (SEEN) Sec 35 T 08N R 02E
FOR 60 ACRES

Diversion Means: PUMP, PIPELINE & SPRINKLER SYSTEM.