


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. J. Schuur
(Applicant)

Hand-drawn map on grid paper showing a road layout. A vertical line is labeled "T 9 N" on the left and "27" to its right. A horizontal line is labeled "RBE" above it. A road branches off to the right, labeled "Highway #21". Another road branches off downwards, labeled "South Fork Payette R.". A small area is labeled "P.O.".

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NESE Sec 27 T9N R8E

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None

☐ Other

Checked by _____

Approved by _____

Date 4/8/81

Date 4/9/81

Date 4/14/81

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 65-12335 Priority June 27, 1980 Amount .02 cfs

THIS IS TO CERTIFY, that WILLIAM H. &/or EILEEN M. SCHRIER
of Boise, Idaho, has complied with the terms and conditions of Permit
No. 65-12335 issued pursuant to Application for Permit dated June 27, 1980,
and has submitted proof to the Department of Water Resources on September 9, 1980,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of .07 cfs of water from Payette River, South Fork
tributary to Payette River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 15</u> to <u>October 15</u> at <u>.02 cfs</u> and <u>3.0 acre feet</u>		
	from <u></u> to <u></u> at <u></u> cfs and <u></u>		
	from <u></u> to <u></u> at <u></u> cfs and <u></u>		

(both dates inclusive)

Subject, however, to the condition that no more than .02 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27, Twp. 9N,
Rge. 8E, B.M. in the County of Boise

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9N	8E	27																	1

Total number of acres irrigated 1

Use of water under this license is subject to control by the watermaster of State
Water District # 65, Payette River.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17th day of
April, 19 81.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William H. &/or Eileen M. Schrier Phone 375-4546

Post office address 9223 Overland Road, Boise, Idaho 83705

2. Source of water supply Payette River, South Fork which is a tributary of Payette River

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 9N

Range 8E B.M. Boise County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .02 for Irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Suction hose with pump.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Lot 4, Blk. 4, Joe Lewis Sub.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. F. Schmit
(Applicant)

Proposed Priority

6/27/80

Received by GKN Date 6/27/80 Time 2:30 PM

Preliminary check by _____ Fee \$ 20 ⁷⁴⁰/₁₀₀ # 15607

Receipted by GKN Date 6/27/80

Publication prepared by HJH Date 7-3-80

Published in Idaho World

Publication dates 7/10 & 17/80

Publication approved HJH Date 8/4/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by MSB RA Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12335, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Use of water under this permit is subject to control by the watermaster of State Water District # 65, Payette River.

Witness my hand this 11 day of August, 19 80.

David R Tuttle

Supervisor, Water Allocations Section

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

6S-12335

SCHRIER, WILLIAM H. / OR EILEEN M.
9423 OVERLAND RD., BOISE, ID. 83705
Source: PAYETTE RIVER, SOUTH FORK
tributary to PAYETTE RIVER
Date Filed: 06/27/1980
Amount: 0.02 CFS
Diversion Point: NESE Sec 27 T 09N R 08 E,
BOISE CO.
Use: IRRIGATION (0.02 CFS) from 04/15 to
10/15
Place of Use: NESE Sec 27 T 09N R 08E for 1
acres.
Diversion Means: SUCTION HOSE WITH
PUMP

6S-12336

Knoblock, Rich
GARDEN VALLEY, ID 83627
Source: BARON CREEK tributary to PAYETTE
RIVER, SOUTH FORK
Date Filed: 06/30/1980
Amount: 1.00 CFS
Diversion Point: SENW SWNW NWNW Sec 11
T 09N R 11 E, BOISE CO.
Use: MINING (1.00 CFS) from 01/01 to 12/31
Place of Use: NWSW SWSW Sec 02 T 09N R 11E
NESE SESE SWSE Sec 03 T 09N R 11 E NENE
SENE NESE Sec 10 T 09N R 11 E NESW NWSW
SWSW SESW NWSE NENW NWNW SWNW
SENE Sec 11 T 09N R 11 E
Diversion Means: DITCH FROM STREAM TO
WASHING PLANT.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before July 28, 1980.

C. STEPHEN ALLRED
Director

Published in the Idaho World, Idaho City, Idaho
83631 July 9 and 16, 1980.

STATE OF IDAHO,
County of Boise

Michelle MacHarley being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for ~~two~~ consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

July 9, 1980 and ending
with the issue of *July 16*

1980
Michelle MacHarley

Subscribed and sworn to before

me this *24th* day of *July* 1980

W. D. Little
Notary Public for Idaho
Residing at Idaho City
My Commission Expires 11/82

Form 238-7
345-C96

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT
Use Typewriter or Ballpoint Pen

Office Use Only		
Inspected by _____		
Twp _____	Rge _____	Sec _____
_____ 1/4	_____ 1/4	_____ 1/4
Lat: _____	: _____	Long _____
Date: 05/22/96 Time 8 42 AM		

1. DRILLING PERMIT NO. 63 -96 -C -0273 -801

Other IDWR No. 63-12335

2. OWNER:

Name Kreizenbeck Constructors Inc 83701

Address 300 W. Myrtle

City Boise State ID Zip 83702

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location

N

W E

Twp. 4 North ☒ or South ☐
Rge. 2 East ☒ or West ☐
Sec. 34 1/4 SE 1/4 NW 1/4
10 acres 40 acres 160 acres

Gov't lot County Ada

Lat: : : Long: : :

Address of Well Site 2601 N. Bogus Basin Road

City Boise

(Give at least name of road + Distance to Road or Landmark)

Lt _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other exploratory

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
bentonite	0	18'	8	overbore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? ☐ Y ☒ N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8"	+2	38'6"	250	steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

10' 10" ft below ground Artesian Pressure _____ lb

Depth flow encountered _____ ft Describe access port or control _____

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian			
Yield gal/min	Drawdown	Pumping Level	Time
350	no test		

Water Temp	Bottom hole temp
------------	------------------

Water Quality test or comments: _____

Depth first Water Encountered _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name S.O.S. Welldrilling & Pump Firm No. 212

Firm Official Frank Schmitt Date 5-23-96

Supervisor or Operator W. Bennett Date 5-22-96
(Sign once if Firm Official & Operator)

May 19, 1992

WILLIAM H. SCHRIER
EILEEN M. SCHRIER
9223 OVERLAND RD.
BOISE ID 83709

RE: Water Right No. 65-12335

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 05-12335
Name(s) of Permit Holder(s): W. H. Schrier
Post Office Address: 3132 Chinden Blvd
Tel. No. 312-4161

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6/1/80 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason

7/8/82
Date

W. H. Schrier
Signature of Permit Holder

W. H. Schreiner

3132 Chinden Blvd

Boise Idaho 83704



MILWAUKEE

JUL 19 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

SUPPORT NATIONAL
HISTORIC PRESERVATION
WEEK

Wise shoppers
stretch dollars

Consumer
Education

USA 20c

RECEIVED

JUL 13 1982

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~X STEPHEN A. LEE X~~

Director

Mailing address

Statehouse

Boise, Idaho 83720

(208) 334-4440

April 22, 1981

William & Eileen Shrier
9223 Overland Road
Boise, Idaho 83709

Dear Mr. & Mrs. Shrier,

RE: License No. 65-12335

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Schrier, WM H. & Ellen M.
PD: NESE, sec. 27
T9N, R 8E

irrigation

65-12335

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	12/9/80	h/k	no appt made.
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 4/7/81 Accompanied by Mr. Schrier Total Q measured .07
If source is surface water, estimate total flow of source _____
Methods of measurement Flow tower Meets Permit requirements? _____

Measurement calculations:

$$1.5 \text{ HP} \times 8.5 \times .80 = 10.56$$

$$50' \text{ lift} + .43 / 40 \text{ PSI } (93.02) = 143.02 / 10.56 = .07655$$

$$V = 3 \text{ AFA} = 1 \text{ AC} \times 3.0 \text{ in. req}$$

CAPACITY
Recommend .02055
Allowable as per permit

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	1.5							

System Description 1.5 HP motor & pump - 3" plastic pipeline to place of use. Gravity irrigation

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
irrigation	.02 ✓	3 ✓	4/15	10/15
	.02			
Total	.02	3 ✓	4/15	10/15

Limited AS per permit

Remarks jet 4 alk 4 Joe Lewis Sub.

MICROFILMED

Hand-drawn map on a grid showing a river and a highway. The river is labeled "South Fork Payette R." and has a point marked "P.O." with a small "K" below it. A highway is labeled "Highway #21". The number "27" is written near the river. The letters "T 9 N" are written vertically on the left, and "RBE" is written at the top left.

(Include distance from pump to measuring device, if applicable.)

MILITARY MED

Point(s) of diversion: NESE Sec 27 T9N R8E

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature Juan K. Rojas
Checked by [Signature] DBS
Approved by [Signature]

Date 4/8/81
Date 4/9/81
Date 4/14/81

DEPARTMENT OF WATER RESOURCES

Sale

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-12335.

Name(s) of Permit Holder:

W. H. Schrier

Post Office Address:

9223 Overland RdBoise Id. 83709Tel. No. 375-4546

Source of Water:

S.F.Payette

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

MICROFILMED

Measuring Device:

Required?

☐ Yes☒ No

Installed?

☐ Yes☐ No

Access Port:

Required?

☐ Yes☒ No

Installed?

☐ Yes☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Sept 80

Signature of Permit Holder

W. H. Schrier



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

December 9, 1980

W. H. Schrier
9223 Overland Road
Boise, Idaho 83709

RE: Permit No. 65-12335

Dear Mr. Schrier:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.
If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

RECEIVED
JAN 14 1981

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCHRIEK, WILLIAM H. & EILEEN M.
9223 OVERLAND RD.
BOISE, ID 83705

AUGUST 28, 1980

RE: PERMIT NO. 65-12335

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE PAYETTE RIVER, SOUTH FORK AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

MICROFILMED

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

State of Idaho
Department of Water Resources

65-10441
11136
3306

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 65-12335

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. 65-10441, 11136, 3306
are for other lots in the same area
☒ Yes ☐ No* In form for advertising.
Final date for protests: 7-28-80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8-1-80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
6/27/80 Date of priority recommended.
Special conditions of approval or cover letter. I.P. letter
Payette River letter
Basin 65 w.m. condition

By: DBS Date: 8/4/80

STATE OFFICE REVIEW:

SLW/L04#105 05(65)

☐ See attached sheet for more information.
By: Kobayashi Date: 8/8/80

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JULY 3, 1980

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 28, 1980.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MAILED 10 1980

NOTICE APPLICATION FOR WATER RIGHTS

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 28, 1980.

C. STEPHEN ALLRED

Director

Published 7/10 & 7/17.

SCHRIER, WILLIAM H. &/or GREEN M.

9223 OVERLAND RD., BOISE, ID 83705

Source: PAYETTE RIVER, SOUTH FORK tributary to PAYETTE RIVER

Date Filed: 06/27/1980

Amount: 0.02 CFS

Diversion Point: NESE Sec 27 T 09N R 08E, BOISE Co.

Use: IRRIGATION (0.02 CFS) from 04/15 to 10/15

Place of Use: NESE Sec 27 T 09N R 08E FOR 1 ACRES

Diversion Means: SUCTION HOSE WITH PUMP.

12/15/80