

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Anita Bolen

being first

duly sworn, on his oath deposes and says that he is the printer of Messenger-Index, a legal weekly newspaper published at Emmett, in Gem County, Idaho; that said newspaper is in general circulation in said county and has been published uninterruptedly and continuously for more than 78 weeks prior to the first publication of the annexed document; and that the document notice, process, or advertisement hereunto annexed was published in the regular edition of

Messenger-Index for 2 consecutive weekly issues thereof, be-

ginning with the issue of May 8,

1980, and ending with the issue of

May 15, 1980

Anita Bolen

Subscribed and sworn to before me this

25th day of

June, 1980

Anita Laura K. Horton

Notary Public,

Residing at Emmett, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12320

Snow, Lynn and/or Mary Lou, 2710 Little Rock, Emmett, Idaho 83617. Source: wastewater tributary to Payette River. Date Filed: April 25, 1980. Amount: 0.06 cfs. Diversion Point: SWSW Sec 27 T 07N R 03W, Gem County. Use: Irrigation (0.06 cfs) from March 15 to Nov. 15. Place of Use: SWSE Sec 27 T 07N R 03W for 3 acres. Diversion Means: Pump and Pipeline.

If issued, the permit(s) will be subject to prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before May 26, 1980.

C. Stephen Allred,
Director
2-5-8, 15

31

O.K.
H.L.H.

MICROFILMED

RECEIVED

JUN 1 1980

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 65-12320
Phone No. 365-6920
1. Owner: Lynn & Mary Lou Snow
Current Address: 2710 Little Rock, Emmett, ID 83617
2. Accompanied by: Lynn Snow EXAM. DATE: 7/23/92
Address: (same) Phone No. (same)
Relationship to Permit Holder: APPLICANT
3. Source: Waste Water tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-2421, 65-0053X
☒ Copies Attached
2. Other water rights with same point of diversion: 65-2421, 65-0053X
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED
APR 26 1993



PERMIT 65-12320 INIT RC
T. R. S. Q/Q
P/D 7N/ 3W 27 SWSW
SCALE _____
PHOTO ID. W-5 Letta

P10 +
Plu

MICROFILMED


APR 26 1993

2" PVC From ~~waste~~ Pump in waste water ditch. Water collects From irrigation upstream and backwash From stewart irrigation ditch

Motor — model # C56 ---- 1163
 $2\frac{1}{2}$ hp
 A.D. Smith manufactured Pump

Appx 6' of Lift From ditch to acreage

Area was deepened by backhoe.



Lot with house $200' \times 110' = 22,000 \text{ FT}^2$
 $50 \times 100' = 5000 \text{ FT}^2$

Trailer 1 Large $28' \times 63' = 1764$ (Carport & Extension)
 Trailer 2 Smaller $14' \times 63' = 882$ 20×30

~~Flood~~
 Only irrigates Lawn, Trees & Flowers around
 Trailer Homes, ~~not~~

Total Irr. $\approx 25,000 \text{ FT}^2 = 0.6 \text{ ac}$

APR 26 1993



PHOTO FIVE-

View Southeast of southwest corner of property.

>



PHOTO SIX-

View eastward of front of larger trailer.

APR 26 1993

REC'D



SEVEN
PHOTO ONE-

View northeast of north end of property.



RECEIVED
APR 26 1993

EIGHT
PHOTO TWO-

Rear of property behind larger TRAILER. Portion of nonirrigated field shown in background.



NINE
PHOTO THREE-

View westerly of southern portion of property.
Larger Trailer is shown at right.



26 1993 TEN
PHOTO FOUR-

View northwest of northern portion of
non irrigated field. Stewart irrigation ditch
is shown to the right.



PHOTO FIVE-

View westely of southern portion of nonirrigated field.

>

PHOTO SIX-

APR 26 1993



PHOTO ONE-

Pump mounted in dugout waste water drain.



PHOTO TWO-

Entrance of waste ditch to the north end of property to Stewart irrigation ditch.

APR 26 1993



PHOTO THREE-

View east of 2" PVC from pump to lawn
in front of smaller trailer.



PHOTO FOUR-

Flood irrigation through 2" PVC.

6 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12320

Priority: April 25, 1980

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

2.7 AF

This is to certify, that LYNN SNOW
MARY LOU SNOW

2710 LITTLE ROCK

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 25, 1980; and has submitted Proof of Beneficial Use on May 16, 1985. An examination indicates that the works have a diversion capacity of .300 cfs of water from:

WASTE WATER

tributary to PAYETTE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 27, Township 07N, Range 03W
GEM County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N 03W 27	SWSW 0.6			0.6

Total number of acres irrigated:

0.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.

APR 26 1983

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12320

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of FEBRUARY, 1993.

Acting  R. Keith Higginson, Director

APR 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Lynn &/or Mary Lou Snow Phone 365 6 920

Post office address 2710 Little Rock, Emmett, Idaho 83617

2. Source of water supply Waste Water which is a tributary of Payette River

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 7N

Range 3W B.M. Gem County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump with pipeline and sprinklers.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 2.5

c. Describe any other water rights used for the same purposes as described above. None


Lapsed Permit 65-7894

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Lynn Snow
(Applicant)

Proposed Priority 4/25/80

Received by _____ Date _____ Time _____

Preliminary check by 6h5 Fee \$ 20.00

Receipted by HLH Date 4/28/80 # 16264 (O)

Publication prepared by HLH Date 5/1/80

Published in Emmett Messenger

Publication dates 5/8/ - 5/15/80

Publication approved HLH Date 7-1-80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by QBS RH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12320, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Use of water under this permit is subject to control by the watermaster of State Water District #65, Payette River.

Witness my hand this 21st day of July 19 80.

A. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

COUNTY OF GEM,

Arvita Bobal being first

duly sworn, on his oath deposes and says that he is the printer of Messenger-Index, a legal weekly newspaper published at Emmett, in Gem County, Idaho; that said newspaper is in general circulation in said county and has been published uninterruptedly and continuously for more than 78 weeks prior to the first publication of the annexed document; and that the document notice, process, or advertisement hereunto annexed was published in the regular edition of

Messenger-Index for 2 consecutive weekly issues thereof, be-

ginning with the issue of May 8

1980, and ending with the issue of

May 15, 1980

Arvita Bobal

Subscribed and sworn to before me this

25th day of

June, 1980

Arvita Lawrence Horton

Notary Public,

Residing at Emmett, Idaho.

It is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12320

Shaw, Lynn and/or Mary Lou, 2210 Lake Road, Emmett, Idaho 83601. Source: wastewater tributary to Payette River. Date Filed: April 25, 1980. Amount: 0.08 cfs. Diversion Point: SWSE Sec 27 T 07N R 03W, Gem County. Use: Irrigation 10.0 cfs from March 15 to Nov. 15. Place of Use: SWSE Sec 27 T 07N R 03W for 3 acres. Diversion Means: Pump and Pipeline.

If issued, the permit(s) will be subject to water rights. Protests against the granting of this permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. 10th Road, Boise, Idaho 83709 on or before May 15, 1980.

C. Stephen Allred,
Director
2-4-80

O.K.
H.H.

RECEIVED

III 1 1980

Department of Water Resources
Western Regional Office

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 24, 1993

LYNN SNOW
MARY LOU SNOW
2710 LITTLE ROCK
EMMETT ID 83617

RE: WATER RIGHT NO. 65-12320

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

APR 26 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 02/10/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LYNN SNOW	04/25/1980	IRRIGATION	03-15 11-15	0.03 CFS	2.7 AFA
C	MARY LOU SNOW					
	2710 LITTLE ROCK			TOTAL DIVERSION:	0.03 CFS	2.7 AFA
	EMMETT ID 83617					
	(208) 365-6920					

Water Source: WASTE WATER

Tributary to: PAYETTE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.30 CFS

Point(s) of Diversion: T07N R03W S27 SW SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
07N	03W	27	:																	:	0.6
																				TOTAL ACRES	0.6

Pou County: GEM

Other Water Rights with Same Point(s) of Diversion and Source:
65-12320

Other Water Rights Listing Overlapping Place(s) of use:
65-00053X 65-12320

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the
- watermaster of State Water District No. 65.

Dates: App. Received: 04/25/1980 Priority Date: 04/25/1980
Proof Due Date: 07/01/1985 Proof Made Date: 05/16/1985
Exam Made Date: 07/23/1992 Exam Sent to S.O.: 01/22/1993
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee: N (Not Required)

Audit: 02/10/93 SKAGGS

28 03-11-93

(7)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner. Lynn & Mary Lou Snow Permit No. 65-12320
Current Address 2710 Little Rock, Emmett, ID 83617 Phone No. 365-6920
2. Accompanied by Lynn Snow EXAM. DATE. 7/23/92
Address. (Same) Phone No. (Same)
Relationship to Permit Holder. APPLICANT
3. Source. Waste Water tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-2421, 65-0053X
☒ Copies Attached
2. Other water rights with same point of diversion 65-2421, 65-0053X
☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i. d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U S G S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
APR 26 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Waste water is pumped from drain adjacent to Little Rock Road by a $2\frac{1}{2}$ h.p. pump. Water is used To Flood irrigate yard area. No irrigation is set up for field in rear of property. Water in drain collects in a pool dug out by a backhoe. Water in the drain is from irrigating runoff from field south of property and backwash from STEWART Irrigation ditch. Several sections of 2" PVC are used to reach all areas around trailers.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	A.D. Smith	$2\frac{1}{2}$	(NOT READABLE)	A.D. Smith	2"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	SW	27	7N	3W	Gem	Aerial Map

6. **Place(s) of Use:**

Indicate Method of Determination Same as P/W

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7N	3W	27										0.6							0.6

APR 26 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2 Measurements:

Pressure through 2" PVC was too great for 5 gallon bucket, so no measurement was taken.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method. NONE < 1 Acre IRR / Allow .03 cfs (IRR)

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 20 psi x 2.31 = 46.2 ft (1); Dynamic pumping level 6' ft (2)

Total Head: (1) + (2) = 52.2 (3) $Q = \frac{(8.8)(2.5)(.7)}{52.2} = 0.3$ cfs ; Flow rate: 0.3 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = 1.34 (5)

Meter Input KW: 3.6 x 1.34 KH x 1 CTR or 1 MULT x 1 PTR x 1 N/ 1 T = 4.824 (6)

Meter Input HP (6) x 1.34 = 6.46 (7)

Panel Input KW: 4.824 Ave PF x 1 Ave Volts x 1 Ave Amps x 0.01732 = 8.4 (6)

Panel Input HP (6) x 1.34 = 6.46 (7) Efficiency: (5)/(7) x 100 = 20.6 %

G. VOLUME CALCULATIONS (245 days in irrigation season)

1 Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (0.6)(4.5) = 2.7 \text{ AFA}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.03)(245)(1.9835) = 14.6 \text{ AFA}$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.7 \text{ AFA (IRR)}$

2. Volume Calculations for Other Uses:

APR 26 1993

H REMARKS AND OVERLAP REVIEW ANALYSIS

OVERLAPS - (P/O & P/U) - Same area but different source and uses.

No Exam Fee Paid - Limited to .04 cfs maximum.

System as indicated on permit with sprinklers has not been implemented. Irrigation is by Flood through 2" PVC and only around homes, not the approximate 2.5 acres of field at rear of property. Since only 0.6 acres is being irrigated, recommend Licensing for 0.03 cfs instead of 0.06 cfs as requested on permit.

Original Exam Fee Notice Returned/ Unclear when resent to correct address/ Fee Sheet

Rev'd 10-27-86 - Recommend no advancement in priority.

Conditions - R04/65

I. RECOMMENDATIONS**1 Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.03 cfs	2.7 afa
Totals			0.03 cfs	2.7 afa

2 Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J AUTHENTICATION

Field Examiner's Name

Rick Collingwood


Signature

Rick Collingwood

Certification Date

Field Report Preparation Date

8/3/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 26 1993



PERMIT 65-12320 INIT RC
T. R. S. Q/Q
P/D 7N 3W 27 SWSW
SCALE
PHOTO ID. W-5 Letta

PHOTO +
1/4

BM 2266

HILLVIEW

TANNA

R.

2285

ume


SHOP

2" PVC From ~~waste~~ Pumps in waste water ditch. Water collects from irrigation upstream and backwash from storm irrigation ditch

Motor — model # C56 — 1163
 2 1/2 hp
 A.T. Smith manufactured pump

Appx 6' of LIFT from ditch to acreage

Area was deepened by backhoe.



Lot with house $200' \times 110' = 22,000 \text{ FT}^2$
 $50 \times 100' = 5000 \text{ FT}^2$

Trailer 1 Large $28' \times 63' = 1764' \text{ (report 4 Extension)}$
 Trailer 2 Smaller $14' \times 63' = 882'$

Only irrigates Lawn, Trees & Flowers around Trailer Homes, ~~not~~.

Total Irr. $\approx 25,000 \text{ FT}^2$ ~~Area~~



PHOTO FIVE-

View from the SE of southeast corner of property.

>



PHOTO SIX-

View east of front of large trailer



SEVEN
PHOTO ONE-

View northwest of north end of property

>



EIGHT
PHOTO TWO-

Rear of property behind larger trailer portion of non-irrigated field shown in background.



NNE
PHOTO THREE-

View westerly of southern portion of property
Larger Trailer is shown at right

>



NE
PHOTO FOUR-

View northwest of northern portion of
non irrigated field STEWART irrigation ditch
is shown to the right



PHOTO FIVE-

View westerly of southern portion of irrigated
field

>

PHOTO SIX-



PHOTO ONE-

Pump mounted in dugout waste water drain.



PHOTO TWO-

Entrance of waste ditch to the north end of property for stream irrigation ditch



PHOTO THREE--

View east of 2" PVC from pump to lawn
in front of smaller trailer.



PHOTO FOUR--

Flwd irrigation through 2" PVC.

May 19, 1992

LYNN SNOW
MARY LOU SNOW
2710 LITTLE ROCK
EMMETT ID 83617

RE: Water Right No. 65-12320

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

APR 26 1993

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

JUN 15 1992

4/86

OCT 27 1986

No. 1 enclosed
Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received NO FEE

Date _____

Receipt # _____

Receipt by _____

Sent to S.O. 11-7-86

RECEIVED

NOV 7 1986

1. Permit No. 65-12320

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Lynn & Mary Lou Snow3. Post Office Address: P.O. Box 3473, Boise 83703-3473
(Mailing add.) Telephone No. 365-24924. Source of Water: Waste Water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation .04 (acres) Other/Remark use for lawnirr. only6. Total rate &/or volume for which proof is submitted .04 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

4-25-80

8. Person to contact to accompany the department representative during the field examination:

Mary Lou Snow

(Name)

am home on Wednesday
contact me for date.P.O. Box 3473, Boise

(Address)

344-4961

(Telephone Number)

APR 26 1986

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

10-20-86

Date

Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

65-12320
SNOW, LYNN
SNOW, MARY LOU
2710 LITTLE ROCK
EMMETT, ID 83617

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 9, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

Enclosure

APR 26 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse,
 Boise, Idaho 83720

RECEIVED

JUL 21 1988

Department of Water Resources

[Handwritten signature and scribbles]

10 10 PM
10 JUL 1988

Sw 1/4 Sw 1/4

Sec. 27

T7N R3W

Gen

70 Acres 74.73

Boyer Ed S33703

JUN 18 1988

CERTIFIED MAIL
138625

3695-1596

138625

APR 9 1988

45
ALWAYS
100% 100% 100%



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

65-12320
SNOW, LYNN
SNOW, MARY LOU
2710 LITTLE ROCK
EMMETT, ID 83617

138625

June 5, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

65-12320
SNOW, LYNN
SNOW, MARY LOU
2710 LITTLE ROCK
EMMETT, ID 83617

P.O. Box 3473
Boise, ID 83703

138625

returned
7/21/86

June 5, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

AFR 26 1993

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

APR 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

OCTOBER 10, 1985

LYNN SNOW
2710 LITTLE ROCK RD.
EMMETT ID 83617

RE Permit No. 65-12320

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

6 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAY 16 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 65-12320

Name(s) of Permit Holder: Lynn and Mary Lou Snow

Post Office Address: 2710 Little Rock Rd, Emmett, Ida. 83617

Telephone No. 365-2492

Source of Water: Shasta Water

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 2.99 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: July 8, 1980

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Lynn Snow
(Name)

2710 Little Rock Rd, Emmett, Ida. 365-2492
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 14, 1985
Date

Lynn Snow
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Lynn Snow
2710 Little Rock Rd.
Emmett, Idaho 83617



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

6377

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138947

SNOW, LYNN & MARY LOU
2710 LITTLE ROCK
EMMETT, ID 83617

PROOF DUE NOTICE

APRIL 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-12320 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SNOW, LYNN & MARY LOU
2710 LITTLE ROCK
EMMETT, ID 83617

AUGUST 12, 1980

RE: PERMIT NO. 65-12320

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT THERE IS INSUFFICIENT NATURAL FLOW AVAILABLE IN THE WASTEWATER AND TRIBUTARIES TO PROVIDE WATER FOR A NEW APPROPRIATION THROUGHOUT THE ENTIRE SEASON OF USE. DURING THE SPRING RUN-OFF EACH YEAR, THERE MAY BE A PERIOD OF TIME IN WHICH THE PRIOR RIGHTS TO THE USE OF THE NATURAL FLOW AND STORAGE ARE FILLED LEAVING WATER AVAILABLE FOR YOUR PERMIT. AS THE NATURAL FLOW DIMINISHES, HOWEVER, THERE MAY BE NO WATER AVAILABLE FOR YOUR RIGHT UNLESS YOU ARRANGE FOR AN ADDITIONAL SOURCE OF WATER AS A SUPPLEMENTAL SUPPLY.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CLS APPLICATION NUMBER: 65-12320

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. 65-7894 Lapsed
☒ Yes ☐ No* In form for advertising.
Final date for protests: 5-26-80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-1-80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
4/25/80 Date of priority recommended.
Special conditions of approval or cover letter. I.P. letter
Basin 65 w.m. condition.
Payette River letter.

MICROFILMED

By: DBS Date: 7/10/80

STATE OFFICE REVIEW:

Send receipt w/cover letter
LOH & LOS w/no card (65 Payette River) OS (65 Payette)
☐ See attached sheet for more information.
By: RH June Date: 7/16/80



65-0053X

34

May 1, 1980

Emmett Messenger-Index
Box 577
Emmett, ID 83617

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before May 26, 1980.

Yours truly,

Helen L. Harrington
Secretary

Encl.

MICROFILMED

65-12320

SNOW, LYNN &/or MARY LOU

2710 LITTLE ROCK, EMMETT, ID 83617

Source: WASTEWATER tributary to PAYETTE RIVER

Date Filed: 04/25/1980

Amount: 0.06 CFS

Diversion Point: SWSW Sec 27 T 07N R 03W, GEM Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

Place of Use: SWSE Sec 27 T 07N R 03W FOR 3 ACRES

Diversion Means: PUMP & PIPELINE

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before May 26, 1980.

C. STEPHEN ALLRED

Director

Published 5/8 and 5/15/80.

MICROFILMED