


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Albert Eld
(Applicant)

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

SS.

County of Valley

Mary S. Kiely, being duly sworn deposes and says, I am the Bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the App. 65-12311; 12312, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for Two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 3, 1980 and ended April 10, 1980.

Subscribed and sworn to before me this the 10 day of April, 1980

Melody Juarez
Notary Public in and for the State of
Idaho, residing at McCall
therein.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12311
WELLINGTON, BEN
P.O. BOX 713, CASCADE,
ID 83611

Source: GROUNDWATER
Date Filed: 03-19-1980
Amount: 2.00 CFS

Diversion Point: NESE
Sec 26 T 14N R 03E, VALLEY
Co.

Use: Heating (2.00 CFS)
from 01-01 to 12-31

Place of Use: NESE
NWSE SWSE SESE Sec 26 T
14N R 03E

Diversion Means: WELL
PUMP & PIPELINES

65-12312
ELD, LARRY ALBERT
3016 COVINA CIRCLE,
BOISE, ID 83704

Source: BOULDER
CREEK tributary to
CASCADE RESERVOIR

Date Filed: 03-21-1980
Amount: 1.00 CFS

Diversion Point: NENWI
Sec 22 T 16N R 03E, Valley
Co.

Use: IRRIGATION (1.00
CFS) from 04-15 to 10-15
Place of Use: NESW
SESW Sec 15 T 16N R 03E
FOR 50 ACRES

If issued the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before April 21, 1980.

C. STEPHEN ALLRED
Director

Published 4-3 & 4-10-80

MICROFILMED

RECEIVED

APR 15 1980

Department of Water Resources
Western Regional Office



PERMIT 65-12312 INIT

T. R. S. Q/Q

P/D 16W 3E 22 NENW

SCALE

PHOTO ID.



NOT RECORDED

APR 19 1994

LONG

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Larry Eld
Current Address: 3435 N. Cole Road, Boise, Idaho
2. Accompanied by: Tony Huffman EXAM. DATE: 7-10-90
Address: Donnelly Phone No. 325-8839
Relationship to Permit Holder: hired hand
3. Source: Boulder Creek tributary to Cascade Reservoir

Permit No. 65-12312


Phone No. 375-0251

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-2567, 65-6760, 65-9868
☒ Copies Attached
2. Other water rights with same point of diversion: None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 500'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
APR 19 1994

65-12312 2 low Calculations

Summary:


16 - $\frac{5}{32}$ heads at average 45psi

2 - $\frac{13}{64}$ heads at average 42psi

16 x 4.91 gpm = 78.56

2 x 7.96 gpm = 15.92

Total = 94.48 gpm = .21 cfs



INCOMPLETE

APR 19 1994

PERMIT 65-12312 INIT

T. R. S. Q/Q

P/D 16N 3E 22 NENW

SCALE

PHOTO ID.

P/U

P/D

APR 19 1994

T 27

65-12312



RECEIVED
APR 19 1994

65-12312



RECEIVED
APR 19 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12312

Priority: March 21, 1980

Maximum Diversion Rate: 0.21 CFS

Maximum Diversion Volume: 76.2 AF

This is to certify, that LARRY ALBERT ELD

3435 N COLE RD

BOISE ID 83704

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 21, 1980; and has submitted Proof of Beneficial Use on March 9, 1990. An examination indicates that the works have a diversion capacity of .210 cfs of water from:

BOULDER CREEK

tributary to CASCADE RESERVOIR

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.21 CFS	76.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 22, Township 16N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16N	03E	15	NESW 22.7	NWSW 2.5	SWSW 3.6	46.7
			SESW 17.9			

Total number of acres irrigated: 46.7

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. A lockable measuring device of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
7. Use of water under this water right will be regulated by the watermaster of State Water District No. 65D.

APR 19 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12312

CONDITIONS/REMARKS:

8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12TH day of MARCH, 1994.

Acting for R. Keith Higginson, Director

APR 19 1994

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

MAR 07 1994

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 65-12312

Date of Priority: March 21, 1980

Maximum Diversion Rate:

0.21 CFS

Maximum Diversion Volume:

76.2 AF

Comes now

LARRY ALBERT ELD

3435 N COLE RD

BOISE ID 83704

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-12312, and requests that the permit be changed as follows:

Source: BOULDER CREEK

tributary to CASCADE RESERVOIR

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

IRRIGATION

04/15 to 10/15

0.21 CFS

76.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 22, Township 16N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

16N 03E 15

NESW 22.7

NWSW 2.5

SWSW 3.6

46.7

SESW 17.9

Total number of acres irrigated:


46.7

RECEIVED

APR 19 1994

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 3 day of March, 1994.


(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12312

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee = 20⁰⁰ Receipted by dw # 0029745 Date 3/7/94 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12312 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. A lockable measuring device of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
7. Use of water under this water right will be regulated by the watermaster of State Water District No. 65D.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Witness my hand this 12TH day of MARCH, 1994.

Acting for R. Keith Higginson, Director

APR 19 1994

For Office Use Only
Fee Received 15.00
Date 5-23-85
Receipt # 36519

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
To provide additional time in which to submit
proof of beneficial use on a water right permit

RECEIVED
APR 4 1985

Department of Water Resources

Larry A. Eld of 5435 N. Cole Road
(Name) (Address)

State of Idaho, deposes and says

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the State of Idaho No 65-12312

That under the terms and conditions of said permit, work thereunder was required to be completed on or before May 1, 1985

That he has heretofore performed the following work described under said permit Underground 10"
(This must be filled out! If no work has been completed put none)
pipe installed from point of diversion to the pump lift station.
One 7.5 HP electric pump & panel and irrigation sprinkler
system installed and functioning since 1983. Irrigating
20 acres Costing \$ 8,000.00 *Completed*

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:
I want to install a second 7.5 HP electric pump to
irrigate the additional ground, but have been unable to
get the land prepared, (cleared of trees & brush) to instal
the sprinkler system.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to May 1, 1990
(1 yr minimum, 5 yrs maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME

Larry A. Eld
(Signature*)
*IF OTHER THAN HOLDER Power of Attorney must be supplied

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the proof of beneficial use is extended to May 1, 1990.

Signed this 13 day of June, 19 85

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant LARRY ALBERT ELD Phone 375-2423

Post office address 3016 Covina Circle, Boise, ID 83704

2. Source of water supply Boulder Creek which is a tributary of Cascade Reservoir

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 22 Township 16N

Range 3E B.M. Valley County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.0cfs for irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pumping plant and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 50

c. Describe any other water rights used for the same purposes as described above. 65-2567 is
insufficient to provide enough water reliably. This permit supplemental only.


9. a. Who owns the property at the point of diversion Bureau of Reclamation

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Applicant has contacted the Bureau of Reclamation
for an easement.

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Albert Eld
(Applicant)

Proposed Priority 3/21/80

Received by JKN Date 3/21/80 Time 11:30 PM

Preliminary check by CLB Fee \$ 35.00/100 #16205

Received by K.K Date 3/21/80

Publication prepared by K/K Date 3/27/80

Published in Star News

Publication dates 4/3 & 4/10/80

Publication approved HLH Date April 22, 1980

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by DSS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12312, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another. (2) Use of water under this permit is subject to control by the watermaster of State Water District # 65-D, Boulder Creek. (3) A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.

Witness my hand this 1st day of May, 19 80.

L. Glen Saxton

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Valley } SS

● Mary S. Kiely, being duly sworn deposes and says, I am the Bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho, that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the App. 65-12311; 12312, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for Two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 3, 19 80 and ended April 10, 19 80

● Mary S. Kiely
Subscribed and sworn to before me this the ✓
10 day of April, 1980

Melody Juarez
Notary Public in and for the State of
Idaho, residing at McCall
therein

ice is hereby given that following application(s) have been submitted for approval to appropriate the waters of the State of Idaho:
65-12311
ELLINGTON, BEN
D. BOX 713, CASCADE
3611
Source: GROUNDWATER
Date Filed: 03-19-1980
Amount: 2.00 CFS
Diversion Point: N
26 T 14N R 03E, VAL
Use: Heating (2.00
in 01-01 to 12-31
Place of Use: N
SE SWSE SESE Sec
R 03E
Diversion Means: W
PUMP & PIPELINES
65-12312
ELD, LARRY ALB
16 COVINA CIR
SE, ID 83704
Source: BOULDER
CREEK tributary
CASCADE RESERVOIR
Date Filed: 03-21-1980
Amount: 1.80 CFS
Diversion Point: N
22 T 16N R 03E, V
Use: IRRIGATION
S) from 04-15 to 10-1
Place of Use: N
SW Sec 15 T 16N R
R 50 ACRES
If issued the permit(s) will be subject to all prior water rights. Protests against the issuing of any permit must be filed with the Director of the Idaho Department of Water Resources, 900 S. Cole Road, Boise, Idaho 83709 on or before April 21, 1980.
C. STEPHEN ALLRED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 14, 1994

LARRY ALBERT ELD
3435 N COLE RD
BOISE ID 83704

RE: WATER RIGHT NO. 65-12312

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

APR 19 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 1, 1994

LARRY ALBERT ELD
3435 N COLE RD
BOISE ID 83704

RE: WATER RIGHT NO. 65-12312

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with this information, please contact me as soon as possible.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

APR 19 1994

LICENSE REVIEW CHECKLIST

Permit # 65-12312

Date 08-26-92
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance?
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	$46.780 \times 1.02 = 47.7156$ / .21 cfs (IRR)
	<u>NA</u>	<u> </u>	Disagree with Theoretical? pump/system = .1659 @ 10' lift
	<u>✓</u>	<u> </u>	Limited by Capacity? .21 cfs (measured)
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>B</u>
			<u>4-15 to 10-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u>✓</u>	<u> </u>	$46.780 \times 3.0 = 140.34$ / 76.2
	<u> </u>	<u> </u>	Limited by Flow? .21 x 183 x 1.9835 = 76.2 cfs (IRR)
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed?
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
<u>P/U</u>			Verify with Map
	<u>✓</u>	<u> </u>	Amendment Needed? Add NWSW + SWSW (see Map)
	<u>✓</u>	<u> </u>	Is Overlap Analysis a Consideration? For Detail)
			Supplements 65-2567
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use?
	<u> </u>	<u>✓</u>	Amendment Needed?
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u>✓</u>	Non-Irr. Uses
	<u> </u>	<u>✓</u>	Special Overlap Condition
	<u> </u>	<u>✓</u>	Other
CONDITIONS	<u>B42</u>	<u> </u>	Measuring Device
	<u>R04</u>	<u> </u>	W/Master Control
	<u>R29</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>65D</u>	Water Dist.
		<u> </u>	App Rec'd
		<u> </u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced rate, acres Amend P/U
Legal description doesn't match clearly marked P/U
on maps. / No reference to MD condition on EE.

License 10-Day 15-Day ✓ Special Correspondence

1st AMEND LTR - P41
2ND AMEND LTR - P42

Brenda -

Jim & I have
reviewed this
one & agreed w/
Pam's recommenda-
tions - we're ready
for a 15-day
letter.

Sharyn Plas

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LARRY ALBERT ELD 3435 N COLE RD BOISE ID 83704 (208) 375-0251	03/21/1980	IRRIGATION	04-15 10-15	0.21 CFS	76.2 AFA
TOTAL DIVERSION:					0.21 CFS	76.2 AFA

Water Source: BOULDER CREEK

Tributary to: CASCADE RESERVOIR

Stage: LICENSE

Point(s) of Diversion Capacity: 0.21 CFS

Point(s) of Diversion: T16N R03E S22 NE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
16N	03E	15	:									22	02	03	17					46.7
TOTAL ACRES																				46.7

Pou County: VALLEY

Other Water Rights with Same Point(s) of Diversion and Source:
65-12312

Other Water Rights Listing Overlapping Place(s) of Use:
65-02567 65-12312

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- R42 - A lockable measuring device of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65D.
- R29 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Dates: App. Received: 03/21/1980 Priority Date: 03/21/1980
Proof Due Date: 05/01/1990 Proof Made Date: 03/09/1990
Exam Made Date: 07/10/1990 Exam Sent to S.O.: 04/25/1991
Licensed Date:

Misc: Water District Number: 65D Field Exam Fee: R (Received)

Audit: 08/27/92 SKAGGS


PERMIT 65-12312 INIT

T. R. S. Q/Q

P/D 16W 3E 22 NE1/4

SCALE

PHOTO ID.



APR 19 1952

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 05 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Larry Eld
Current Address: 3435 N. Cole Road, Boise, Idaho
2. Accompanied by: Tony Huffman
Address: Donnelly
Relationship to Permit Holder: Wired Hand
3. Source: Boulder Creek tributary to Cascade Reservoir

Permit No. 65-12312

Phone No. 375-0251

EXAM. DATE 7-10-90


Phone No. 325-8839

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-2567, 65-6760, 65-9868
☒ Copies Attached
2. Other water rights with same point of diversion None
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

- 1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i d as applicable. ☐ Alternative diagram attached



Scale: 1" = 500'

APPROVED
APR 19 1994

- 2 ☒ Copy of U.S.G.S Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

250' The system consists of a diversion from Boulder Creek through a 10" diameter buried line to a collection sump that is a 36" diameter corrugated pipe. Water is pumped from the sump by a 7½ Hp pump with a 2" intake and 2" discharge line to a 4" buried line 295' to the place of use. A pressure gauge on the discharge line at the pump registered 26psi. At the place of use water is delivered in a 4" main line to 40' x 3" aluminum lines to 18 sprinkler heads to irrigate approx. 21 acres of small pine, fir and spruce trees.

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	7.5	WCL1509T	Bailey	2" 8148789

*Code to correspond with No. on map and aerial photo

5 Point(s) of Diversion:

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	N2	N4	22	16N	3E	Valley	Old map & field notes

6. Place(s) of Use:

Indicate Method of Determination *by aerial photo*

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
16N	3E	15									25			25					50

Do not use this space

APR 19 1994

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot tube equige						

2. Measurements:

Performed sprinkler head measurements on 8 out of 18 sprinklers due to the fact the system was operating three separate lines.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

See attachment

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_R = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 50 \times 3 = 150 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .21 \times 183 \times 1.9835 = 76.22 \text{ afa}$

$V = \text{Smaller of } V_R \text{ and } V_{DR} = 76.22 \text{ afa}$

2. Volume Calculations for Other Uses:

Flow rate = .21 cfs

APR 19 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

(See attached drawing for sprinkler head measurements.)
The main line continues approximately 1000' where it diverts at a "T" joint along the North boundary of the owners property to provide supplementary water for a wheel line system when necessary.
* This permit supplements 05-2567. This right and other right should not exceed .02 cfs per acre.
Recommend license at flow produced by system at .21 cfs and limit based on volume system will provide for permit acreage of 50 acres.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-15	10-15	.21	76.2
Totals:			.21	76.2

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Melvin T Schulte
Signature Melvin T Schulte
Certification Date 4-19-91
Field Report Preparation Date 8-8-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

65-12312 Flow Calculations

Summary:


16 - $\frac{5}{32}$ heads at average 45psi

2 - $\frac{13}{64}$ heads at average 42psi

$$16 \times 4.91 \text{ gpm} = 78.56$$

$$2 \times 7.96 \text{ gpm} = 15.92$$

$$\text{Total} = 94.48 \text{ gpm} = .21 \text{ cfs}$$



APR 19 1994


PERMIT 65-12312 INIT

T. R. S. Q/Q

P/D 16N 3E 22 NENW

SCALE

PHOTO ID.





22.5

APR 5

79.9

65-12312



65-12312



April 18, 1990

LARRY ALBERT ELD
3435 N. COLE RD.
BOISE, ID 83704

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-12312

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 65-11-16

Date: 4-16-96

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
Y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: *at given time, this is the only available*

Priority Calculation:

Y Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

For Office Use Only
Amt. of Fee \$ 100.00
Date 3/9/90
Receipt No. 6015415
Received by Jenny

RECEIVED

MAR 9 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12312 Telephone No. 375-0251
375-2423

Name(s) of Permit Holder(s): Larry Albert Eld +/ct Arlene Eld ✓

Post Office Address: 3435 N. Cole Road Boise, Idaho 83704

Source of Water: Boulder creek

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation 50 ✓ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 1,000 ✓ cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 6/81 ✓

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No
7.5 HP electric motor pump rated 120 gal/min at 60' press
OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination.

Larry Eld 375-0251
Name Telephone No.

3435 N. Cole Road Boise, Idaho
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

RECORDED

APR 19 1990

3/16/90 Larry A. Eld
Date Signature (and title if on behalf of a company or organization)

138248
February 28, 1990

LARRY ALBERT ELD
3435 N. COLE RD.
BOISE, ID 83704

PROOF DUE NOTICE

RE: PERMIT NO. 65-12312

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

FILED

APR 1 9 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

RECEIVED

Permit No. 65-12312

Name(s) of Permit Holder(s): Harry A. Eld

Post Office Address: 3016 Covina Circle Department of Water Resources
Boise, Idaho 83704 Tel. No. 344-1730 Regional Office

☒ I hereby certify that construction of diversion works on the above referenced permit began on October 1981 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason

7-21-82
Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

MICROFILMED

JUL 22 1982

APR 1 1990



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

June 14, 1985

Larry A. Eld
3435 N. Cole Road
Boise, ID 83704

Dear Mr. Eld:

Re: Permit No. 65-12312

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to May 1, 1990.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure: Ext. of Time

MICROFILMED

MICROFILMED

Handwritten text, likely a return address or recipient information, including a zip code 82722.



USE ZIP



Dr. & Mrs. Larry Eid
3946 Pepperwood
Boise, ID 83704

STAFF REVIEW OF REQUESTS FOR EXTENSION OF TIME

Permit Number 65-12312

- ☒ Date received stamp
☒ Fee received and receipted
☒ Name on request same as on permit
☒ Address same as on permit
☒ Proof due date within six months of due date
☒ Signature same as permit
☒ Source of water the same
☒ Permit holder named in Swan Falls lawsuit
☒ Proceed diligently
☒ Is delay caused by litigation:

Date lit. completed _____

Date lit. began _____

Period of delay _____

New proof due date _____

ACTION: *Recommend approval based on due diligence*

☒ Does the permit need reinstated:

Extension received _____

Proof due date _____

Days late _____

Priority date _____

Adjusted priority date _____

☒ Is there commencement of works?

____ Cover letter

____ Coding sheet

____ Rolodex card updated and refiled

Reviewed by *[Signature]* Date: 6-13-1985

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

May 24, 1985

Larry A. Eld
3435 N. Cole Rd.
Boise, ID 83704

PERMIT NO. 65-12312

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 36519.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138772

ELD, LARRY ALBERT
3016 COVINA CIRCLE
BOISE, ID 83704

PROOF DUE NOTICE

FEBRUARY 28, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-12312 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ELD, LARRY ALBERT
3016 COVINA CIRCLE
BOISE, ID 83704

MAY 14, 1980

RE: PERMIT NO. 65-12312

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL AND MAINTAIN A MEASURING DEVICE AT YOUR POINT OF DIVERSION. WE HAVE ENCLOSED A DESCRIPTION OF THE DIFFERENT TYPES OF MEASURING DEVICES ACCEPTED BY THIS OFFICE.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Bayne

APPLICATION NUMBER: 65-12312
ELO

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. 65-2567 SEE 3. C. ON APPLICATION
65-2567 SOURCE IS UNCHANGED STREAM, TRIBUTARY TO PAYETTE RIVER.
☒ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: April 15, 1980
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 65
3/21/80 Date of priority recommended.
Special conditions of approval or cover letter. I. P. letter
Right-of-way clause
Payette River letter
Basin 65 w.m. condition.

By: DBS Date: 4/24/80

STATE OFFICE REVIEW:

04 05 (6SD, Payette River) 01

I.P. L w/ M.D. cond

- ☐ See attached sheet for more information.

By: Jen Date: 4/30/80

MICROFILMED

65-12312

ELD, LARRY ALBERT

3016 COVINA CIRCLE, BOISE, ID 83704

Source: BOULDER CREEK tributary to CASCADE RESERVOIR

Date Filed: 03/21/1980

Amount: 1.00 CFS

Diversion Point: NENW Sec 22 T 16N R 03E, VALLEY Co.

Use: IRRIGATION (1.00 CFS) from 04/15 to 10/15

Place of Use: NESW SESW Sec 15 T 16N R 03E FOR 50 ACRES

WATER RIGHTS