


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Alden
(Applicant)

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Valley } SS.

Mary S. Kiely, being duly sworn deposes and says, I am the Bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the App. No. 65-12273 & 74, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for Two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Sept. 6, 19 79 and ended Sept. 13, 19 79.

Mary Kiely
Subscribed and sworn to before me this the

13 day of Sept., 19 79.

Melody Juarez
Notary Public in and for the State of
Idaho, residing at McCall
therein.

MICROFILMED

RECEIVED
SEP 19 1979

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12273

ALDAPE, JOHN
BOX 363, DONNELLY, ID
83615

Source: GROUNDWATER

Date Filed: 08-29-1979

Amount: 0.20 CFS

Diversion Point: SWNE
Sec 01 T 15N R 03E, VALLEY
Co.

Use: DOMESTIC (0.04
CFS) from 01-01 to 12-31;
IRRIGATION (0.20 CFS)
from 04-15 to 10-15

Place of Use: SWNE Sec 01
T 15N R 03E FOR 10 ACRES
Diversion Means: WELL

65-12274

ALDAPE, JOHN R.
4760 CHINOOK AVE.,
BOISE, ID 83709

Source: GROUNDWATER

Date Filed: 08-29-1979

Amount: 0.30 CFS

Diversion Point: SENW
Sec 01 T 15N R 03E, VALLEY
Co.

Use: DOMESTIC (0.04
CFS) from 01-01 to 12-31;
IRRIGATION (0.26 CFS)
from 04-15 to 10-15


Place of Use: SENW Sec 01
T 15N R 03E FOR 13 ACRES
Diversion Means: WELL

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before SEPTEMBER 24, 1979.

C. STEPHEN ALLRED
Director

Published 9-8 & 9-13-79.

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: QSW 1/4 NE 1/4, S. 1, T. 15N, R. 3E.

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15N	3E	1			X														

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

JUL 19 1988

Examiner's Signature

Checked by

Approved by

Jan Grover
6/25

Date

Date

Date

4/12/85

3/11/86

3/11/86

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12273

Priority: August 29, 1979 Amount: 0.04 CFS 0.6 AFA

This is to certify, that JOHN ALDAPE
P.O. BOX 363

DONNELLY, ID 83615 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated August 29, 1979, and has submitted proof to the Department of Water Resources on July 11, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AFA

LOCATION OF POINT OF DIVERSION(S): SWNE , Sec. 1, Township 15N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC


TWN RGE SEC

15N 03E 1 SWNE

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of July, 19 88.


Director

MAILED

JUL 19 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John Aldape Phone 325-8865

Post office address Box 363, Donnelly, ID 83615

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 15N

Range 3E B.M. Valley County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 CFS for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .20 CFS for Irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Depth well 150', 6" casing.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years). Estimated cost \$4,000.00

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 15N
Range 3E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15N	3E	1			10														10

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Alden
(Applicant)

Proposed Priority 8/29/79

Received by JKN Date 8/29/79 Time 11:30 AM

Preliminary check by 6LS Fee \$ 20⁰⁰ # 14532

Receipted by JKN Date 8/29/79

Publication prepared by kk Date 8/30/79

Published in Star News

Publication dates 9/6 & 9/13/79

Publication approved DBS Date 8/29/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date: _____

Recommended for approval denial by DBS Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12273 , and said application is hereby approved .

- 1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1 , 19 84 .
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: _____

Witness my hand this 28th day of September , 19 79 .

J. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No 65-12273
Name(s) of Permit Holder(s) JOHN ALDAPE
Post Office Address: Box 363
DONNELLY, ID 83615 Tel No 208-8865

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on 8/06/79 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason

Aug. 2-82
Date

John Aldape
Signature of Permit Holder

RECEIVED

OCT 03 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
STAMP
HERE

AUG 4 1982

Department of Water Resources

July 18, 1988

JOHN ALDAPE
P.O. BOX 363
DONNELLY, ID 83615

RE: PERMIT NO. 65-12273

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAILED

JUL 19 1988

June 2, 1988

JOHN ALDAPE
P.O. BOX 363
DONNELLY, ID 83615

RE: PERMIT NO. 65-12273

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 19 1988

RECEIVED

MAR 18 1986

State of Idaho
DEPARTMENT OF WATER F
WATER RIGHT BENEFICIAL USE

Department of Water Resources

65-12278

INC. JOHN ALDAPE
P.O. SEC 01 TWP 15N RNG 02E
IRRIGATION 4

CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

☐ Appointment letter mailed:

☒ Telephone call made
(List Telephone No. used)

☒ Appointment scheduled for:
(Date, time, location)

7/9/84 JG
325-8865
7/10/84 JG
By Cascade Lake towards Donnelly.
11-11'30

RETURNED

EXAMINATION

Date 7/10/84 Accompanied by JOHN ALDAPE Total Q measured EST. - 0.04
Source G.W. Tributary to Supp. annubar measurement sheet used?

If source is surface water, estimate total flow of source

Methods of measurement ESTIMATED Meets permit requirements? OK

Measurement calculations:

DOMESTIC - 1 HOME - no lawn - 0.04 cfs + 0.6 afa

WELL/DIV NO *	HP	MOTOR MAKE	MOTOR SERIAL NO	PUMP MAKE	PUMP SERIAL NO	MEASURING DEVICE TYPE	CONDITION OF MEAS DEVICE	REMARKS
		GAS POWERED MOTOR USED NO HP AVAILABLE						

System Description 6" WELL 150' DEEP, CASING DOWN 80 1/2'. TESTED AT 506 PM FOR 1 HR. USED GAS POWERED PUMP FOR TEST. 4" PVC PIPE TO HOMESITE. WELL CAPPED, BUT WAS PUMPED 1 HR. AN ELEC. PUMP WILL BE INSTALLED WHEN POWER IS HOOKED UP. USED FOR DRINKING WATER IN HOME UP ABOVE DURING THE YEAR.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = AFA/Acre


USE	Q (cfs)	V (afa)	FROM	TO
DOMESTIC USE ONLY - 1 HOME	0.04	0.6 AF	1-1	12-31
NO IRRIGATION FROM WELL				
Total	0.04 cfs	1.2 af		

Remarks

FILED

JUL 19 1988

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 NE 1/4, S. 1, T. 15 N, R. 3 E.

Place(s) of Use

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
15N	3E	1			X														

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

JUL 19 1988

Examiner's Signature

Checked by

Approved by

Jan Grover
6/23

Date

Date

Date

4/12/85

3/11/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 30, 1983

JOHN ALDAPE
P.O. BOX 363
DONNELLY ID 83615

RE: Permit No. 65-12272

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No 65-12273

Name(s) of Permit Holder:

John Aldabe

Post Office Address:

P.O. 363, Donnelly, Id. 83615

Tel. No. 325-8993

Source of Water:

Groundwater

Extent of

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

10

(acres)

☐ Other

pc

Measuring Device

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

June 1-83
Date

John Aldabe
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 384-2215

September 28, 1979

John Aldape
Box 363
Donnelly, Idaho 83615

Dear Mr. Aldape,

RE: Permit No. 65-12273

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

RECEIVED
OCT 1 1979
MIDWESTERN

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CLS

APPLICATION NUMBER: 65-12273

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None platted
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/24/79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.


FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 8/29/79 Date of priority recommended.
Special conditions of approval or cover letter. I.P. G.W. letter

By: DBS Date: 9/24/79

STATE OFFICE REVIEW:

- Idaho Power letter w/o conditions
☐ See attached sheet for more information.
By: Jim Date: 9/27/79



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 384-2190

AUGUST 30, 1979

The Star News
Box 985
McCall, ID 83638

Gentlemen

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 24, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

65-12223

ALDAPE, JOHN

BOX 363, DONNELLY, ID 83615

Source: GROUNDWATER

Date Filed: 08/29/1979

Amount: 0.20 CFS

Diversion Point: SWNE Sec 01 T 15N R 03E, VALLEY Co.

Use: DOMESTIC	(0.04 CFS)	from 01/01 to 12/31
IRRIGATION	(0.20 CFS)	from 04/15 to 10/15

Place of Use: SWNE Sec 01 T 15N R 03E FOR 10 ACRES

Diversion Means: WELL