


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }

SS.

County of Valley }

Mary S. Kiely, being duly sworn deposes and says, I am the Bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the App. No. 65-12261, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for Two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began Aug. 2, 1979 and ended Aug. 9, 1979.

9

Subscribed and sworn to before me this 9 day of August, 1979.

Melody Juarez

Notary Public in and for the State of Idaho, residing at McCall therein.

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12261

EMBRY, O.J. &-or MAY
6815 NORTHVIEW,
BOISE, ID 83704

Date Filed: 07-23-1979

Amount: 0.02 CFS

Diversion Point: SENW
Sec 19 T 16N R 03E, VALLEY
Co.

Use: DOMESTIC (0.01
CFS) from 01-01 to 12-31
Place of Use: SENW Sec
T 16N R 03E

Diversion Means
HEADBOX & PIPELIN

If issued, the permit(s) will be subject to all prior water rights. Protest against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 20, 1979.

C. STEPHEN ALLRED
Director

Published 8-2 & 8-9-79.


OK
KK
8/17/79

RECEIVED

AUG 16 1979

Department of Water Resources
Western Regional Office

10. Other water rights on these lands none
11. Other water right diverted from same p.d. 65-12173
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



Subdivision map attached

13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks lot 43 Smiling Julie Subdivision
trailer on lot during summer months.

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

16. Examiner's/Consultant's Signature Jah K Meyer Date 9/20/84
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination 9/20/84

Date

CONSULTANT SEAL
MICROFILMED
MAR 09 1987

R3A

13 12 11 10 9

14 3 2 8 7 6

X P.D.
A Deane &
Virginia Lee
Smith
65-7787

FALLADIN ROAD

4 5 48 47 46 45 44

CIRCLE MAVERICK

CHIEYENNE ROAD

34 33 32 31 30 29 28

2699

7304

65-12261
43
place of use

KENNETH MOSEL

26

MICROFILMED
MAR 09 1981

T
16
11

KENNETH E
MOSEL

Sec 19
SE NW

MICROFILMED

MAR 09 1987

Smiling Julie Sub-division

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12261

Priority: July 23, 1979

Amount: .02 CFS

1.2 AF

This is to certify, that O. J. EMBRY
MAY EMBRY

6815 NORTHVIEW
BOISE, ID 83704

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 23, 1979, and has submitted proof to the Department of Water Resources on June 4, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .02 cfs of water from;

UNOWNED STREAM

tributary to CASCADE LAKE

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.02 cfs	1.2 af

LOCATION OF POINT OF DIVERSION(S): SENW , Sec. 19, Township 16N, Range 3E
Valley County

PLACE OF USE: Domestic

TWN RGE SEC

16N 3E 19 SENW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use also known as Lot 43, Smiling Julie Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of FEBRUARY, 1987.

MICROFILMED

Acting for the

Director

MAR 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant O.J. &/or May Embry Phone 375-4884
Post office address 6815 Northview, Boise, Id 83704

2. Source of water supply Unnamed Stream which is a tributary of Cascade Lake

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 19 Township 16N
Range 3E B.M. Valley County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Headbox w/ approx. 200' of
1" diameter plastic pipe to the place of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 19 Township 16N
Range 3E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2 families.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

UW

1370-1119


Applicant

enabling the

~~marks property is further described at lot #43 of Smiling Julie Subdivision.~~

Valley Co.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 7/23/79

Received by CEB Date 23 July Time 3:00 PM
Preliminary check by CEB Fee \$ 20.00 # 14415
Received by JK Date 7/23/79
Publication prepared by kk Date 7/26/79
Published in Star News
Publication dates 8/2 & 8/9/79
Publication approved JK Date 8/17/79
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12261, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another. (2) Use of water under this permit is

subject to control by the watermaster of State Water District # 65 Payette River.

Witness my hand this 10 day of September, 19 79.

A. Alan Saylor
Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

55

County of Valley

Mary S. Kiely _____, being duly sworn deposes and says, I am the Bookkeeper of the Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper, that the App. No. 65-12261, a copy of which is attached hereto and made a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement, and that publication of such notice began Aug. 2, 1979 and ended Aug. 9, 1979.

9 _____ day of August, 1979
Subscribed and sworn to before me this 16 th day of August, 1979

DECLASSIFIED

Melody Juarez
Notary Public in and for the State of
Idaho, residing at McCull
therein

**Department of Water Resources
Western Regional Office**

RECEIVED

AUG 16 1975

OK
KK
8/17/79



Harry Dick

Subscribed and sworn to before me this 56 day of August 1979

Melody Juarez
Notary Public in and for the State of
Idaho, residing at McCull
therein

**Department of Water Resources
Western Regional Office**

RECEIVED

AUG 16 1975

OK
KK
8/17/79



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No 65-12261
Name(s) of Permit Holder(s): O. J. Embury
Post Office Address: 6815 No. View
Boise, Ida. 83704 Tel. No. 375-4884

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1981 ^(date) May 18, 1988 and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason

May 18, 1988
Date

O. J. Embury
Signature of Permit Holder

RECEIVED

MAY 18 1983

Idaho Department of Water Resources



MICROFILMED

JUL 19 1988

PLACE
STAMP
HERE

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 23, 1987

RE: Permit No. 65-12261

O. J. & May Embry
6815 Northview
Boise, ID 83704

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 09 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 28, 1987

RE: Permit No. 65-12261

O. J. & May Embry
6815 Northview
Boise, ID 83704

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
MAR 18 1986

45-12261
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

No measurement taken - Elastic ^{pipe} chart with
a 'H' of .012 slope 10' per 100' 1" PVC = 9.6 GPM
20' in 200'
1.2 AFA Recommend .02 cfs as per permit.

Gravity flow from ~~from~~ structure in stream
to place of use.

b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

c) Volume Calculations for Other Uses:

Standard AFA 1.2 for domestic

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: _____
65-12173

c) Analysis:

MicroFILMED

MAR 09 1987

trop 01

Permit Holder: O. J. & for my ~~embry~~ Embry
Address: 6815 Northview, Irvine, Ca 92618
Source: ~~unpublished~~ Cascadia Lake tributary to

~~8 months (1)~~ 1/1 ✓ 12/31 ✓ 0.020FS 1.2AF

7. Point(s) of Diversion:

8. Place(s) of Use

9. Recommended Conditions/Remarks:

~~P/u at a of 43, emitting gas bubbles.~~

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
MAR 09 1987

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Date _____

Date _____

Date _____

MICROFILMED

Department of Water Resources
Permit No. 65-12261
Phone No. 375-4884

1. Owner: O. J. & or May Embry Phone No. 375-4884
Current Address: 6815 Northview Boies, 9th 83704
2. Accompanied by: — EXAM. DATE: 9/20/84
Address: — Phone No. —
Relationship to Permit Holder: —
3. Source: unnamed stream tributary to cascade lake

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

approximately 200' of 1" PVC pipeline from a bedded (6' x 5' x 4') redwood box in unroad creek to place of use. at place of use a trailer is put on lot during the summer months using a frost free faucet.

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements ☐ Additional data/computation sheets attached

Figures from a plastic pipe flow chart with a' of
 .02 show 10' per 100' 10' / 100 1" PVC = 9.6 GPM Total Fall
 Recommended .02 PSS as per Permit 20'-200

- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

[illegible]

MICROFILMED

MAR 09 1987

Date

9/26/84

IDWR Director's Authorization to Conduct
Beneficial Use Examination

Consultant's License Number

16. Examiners/Consultant's Signature *John K. Hoyle* Date *9/20/84*

☐ Change P.U. as reflected above

☐ Change P.D. as reflected above

15. Recommended Amendments

☐ Add P.U. as reflected above

☐ Add P.D. as reflected above

☐ Other

☒ None


14. Remarks

for 43 & making guide & subdivision

☐ 13. Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

subdivision map attached



12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

11. Other water right diverted from same p.d.

65-12173

10. Other water rights on these lands

R3E



MICROFILMED
MAR 09 1981

Smiling Julie Sub-division

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 27, 1984

O. J. EMBRY
6815 NORTHVIEW ST.
BOISE ID 83704

RE: Permit No. 65-12261

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

INDEXED
FILMED

MAR 09 1987

PLACE
13 CENT
STAMP
HERE

RECEIVED


JUN 4 1984

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-12261

Name(s) of Permit Holder: O.J. * MAY EMBRY

Post Office Address: 6815 NORTHVIEW STREET

Boise, Idaho. 83704 Tel. No. 375-4884

Source of Water:

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other 1 Riser on property drop on back

Measurement Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Point: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-4-84

Date

O.J. Embury
Signature of Permit Holder



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 384-2215

September 10, 1979

O. J. & May Embry
6815 Northview
Boise, Idaho 83704

Dear Mr. & Mrs. Embry,

RE: Permit No. 65-12261

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Please be advised that there is insufficient natural flow available in the Payette River and tributaries to provide water for a new appropriation throughout the entire season of use.

During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your later-in-time permit. As the natural flow diminishes, however, there would be no water available for your right unless you had arranged for an additional source of water as a supplemental supply.

This information is provided so that you will not be mislead into thinking that this permit will provide sufficient water through the entire season of use. If you have any questions regarding this matter, please feel free to contact this office.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AWB

APPLICATION NUMBER: 65-10261
EMBRY

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*

Field check by: JOHN DOWES
Date: 8/22/79
Comments: SOURCE UNNAMED STREAM
TRIA CASCADE RES. 3/4" HOSE 100'
LONG, APPROX. 02 cfs. P.D. OK

Field check required. No

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No
- Platted by: _____ Map No. _____
Other rights on same place of use. N/A
In form for advertising.
Final date for protests: 8/20/79
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/16/79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No
- Measuring device required.
Access port required.
Will water be delivered by watermaster? If yes, what district? 65
Date of priority recommended. 7/23/79
Special conditions of approval or cover letter. I. P. letter
Payette River letter
Basin 65 W.M. Condition

By: OBS Date: 8/30/79

STATE OFFICE REVIEW:

08 05/65 - Payette River
Payette River letter
Short letter w/o conditions

- ☐ See attached sheet for more information.

By: Jim Date: 9/7/79

RECEIVED

SEP 05 1979

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83789
(208) 384-2190

JULY 26, 1979

The Star News
Box 985
McCall, ID 83638

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 20, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

RECEIVED
JUL 27 1979
DEPT. OF WATER RESOURCES
BOISE, IDAHO

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before AUGUST 20, 1979.

C. STEPHEN ALLRED

Director

Published 8/2 & 8/9/79.

MICROFILMED
1980

65-12261

EMBRY, O.J. &/or MAY

6815 NORTHVIEW, BOISE, ID 83704

Source: UNNAMED STREAM tributary to CASCADE LAKE

Date Filed: 07/23/1979

Amount: 0.02 CFS

Diversion Point: SENW Sec 19 T 16N R 03E, VALLEY Co.

Use: DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: SENW Sec 19 T 16N R 03E

Diversion Means: HEADBOX & PIPELINE

MICROFILMED