

27 26
34 35

WELL #15

WATER TO BE USED WITHIN THE CITY OF PAYETTE

R. 5W

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Copy of Notice
(First Copy)

Application Water right
65-12214

TITLE OF PUBLICATION

Daily of Payette

SPONSOR OR PLAINTIFF

Dept of Water Resources
L. Ann P. Curtis, being

PLAINTIFF OR LEGAL AGENT

duly sworn, deposes and says:

That he is the principle clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with
April 19, 19 79 and ending with the issue
of April 26, 19 79.

Subscribed and sworn to before me this 26 day
of April, 19 79.

Mary Jane Lee
Notary Public, Residing at Payette, Idaho.

My Commission Expires April 28, 19 80.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application have
been submitted for permit to appropriate the public waters of
the State of Idaho.

65-12214

CITY OF PAYETTE
700 CENTER AVENUE, PAYETTE, ID 83661
Date Filed: 04-05-1979
Amount: 2.23 CFS
Source: GROUND WATER
Diversion Point: NENE Sec. 34 T 09N R 05W, PAYETTE
Co.
Use: DOMESTIC (2.23 CFS) from 01-01 to 12-31
Place of Use: NENE Sec. 34 T 09N R 05W
Diversion Means: DEEP WELL TURBINE PUMP &
MOTOR

If issued, the permit will be subject to all prior water
rights. Protests against the granting of any permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before
May 7, 1979.

C. Stephen Allred
Director

Published 4-19 & 4-26-79
No. 1107

4-19 2tc

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

Number of Lines 24 dau li

Number of Insertions two

24 Lines @ 42 1/2 . . . \$ 10.20

24 Lines @ 30 1/2 . . . \$ 7.22

TOTAL COST
WILL BE \$ 17.52

RECEIVED
APR 27 1979

Department of Water Resources
Western Regional Office

MICROFILMED

Nº 1107




Diagram of System

State of Idaho
Department of Water Resources



WATER RIGHT LICENSE

License No. 65-12214 Priority 4/5/1979 Amount 2.12 CFS N/A AF

THIS IS TO CERTIFY, that CITY OF PAYETTE

of Payette, Idaho, has complied with the terms and conditions of Permit No. 65-12214 issued pursuant to Application for Permit dated 4/5/1979, and has submitted proof to the Department of Water Resources on 8/14/1979, that he has applied water to a beneficial use; and examination by the Department indicates that the works have a capacity for the diversion of 2.12 CFS of water from a groundwater source tributary to, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
2.12 CFS	N/A	Municipal	1/1 to 12/31

Location of point of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, Twp. 9N, Rge. 5W, B.M., Payette County

Location of place of use:

TWP.	RGE.	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____


NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 3 day of March, 1981.

MICROFILMED

100 2 5 2100


Director

Identification No. _____

Application No. 65-12214

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

**APPROVED
RECEIVED**

MAR 29 1979

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

~~Department of Water Resources~~

- 1 Name of applicant City of Payette
post office address 700 Center Avenue Payette, ID 83661
2. Source of water supply Ground Water which is a tributary of NA
3. a Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 34 Township 9 N
Range 5 W B.M. Payette County; additional points of diversion if any: _____
- b If water is not consumed, it will be discharged into NA at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.23 for ~~Domestic~~ ^{MUNICIPAL} purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.23 CFS cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works.
a. Description of ditches, flumes, pumps, headgates, etc. Deep well turbine pump & motor

b. Height of storage dam NA feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 10 inches; proposed depth of well is 205 feet.
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b. Estimated construction cost is \$ 75,000.00.
- 8 Description of proposed uses
a. If water is not for irrigation Within Payette City Limits
(1) Give the place of use of water ~~NE~~ $\frac{1}{4}$ of ~~NE~~ $\frac{1}{4}$ of Section ~~34~~ Township 9 N
Range 5 W B.M.
(2) Amount of power to be generated NA hp under NA feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served City of Payette, or number of families to
supplied with domestic water 2,000.
(5) If water is to be used for other purposes describe: NA

MICROFILMED

DATE OF EXAM 10/15/79

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
MUNICIPAL Q= 2.12 cfs V= N/A " 1/1 " 12/30

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection:
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange:
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 950 gpm = 2.12 cfs Method of measurement FLOWMETER

Total Q recommended 2.12 cfs Meter No. 111757 Type SPARKING Condition GOOD

Total V recommended N/A

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:
 $Q = 950 \text{ gpm} (.00223) = 2.12 \text{ cfs}$ ✓
 $V = N/A$

SYSTEM DESCRIPTION:
100hp NEWMAN CENTRIFUGAL PUMP, FRAME #404 TP/DD 3722 PB, 10" LINE TO MAIN LINE, 10" WELL, 228' DEEP, APPROX 40' LIFT, 40 psi to 80 psi OPERATION RANGE.

REMARKS:
FIVE CITY WELLS CURRENTLY IN OPERATION. THIS WELL IS CALLED #15.

Examiner's Signature Charles W. Boyer Jr Date 12/05/79

Checked by DBS Date 12/20/79

Approved by Reyn Date 3/4/81

RECORDED
FILMED
JUN 26 2000



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Environment 801 Reserve Street Boise, Idaho 83702

May 15, 1979

RECEIVED

1979

Department of Water Resources

MEMORANDUM

TO: David B. Shaw
FROM: Frank Keller
RE: Application for Permit No. 65-12214

We have no objections to the issuance of this permit.

Frank Keller

FK/ds

RECEIVED

MAY 16 1979

Department of Water Resources
Western Regional Office

MICROFILMED

JUN 26 2000

EQUAL OPPORTUNITY EMPLOYER



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

August 29, 1979

City of Payette
700 Center Avenue
Payette, ID 83661

RE: Permit No. 65-12214

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☒ A field examination of your system has been scheduled for

Monday, October 15th at 11:00 am.

If this time and date is not convenient for you, please contact this office as soon as possible.

☐ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

WU-15

DEPARTMENT OF WATER RESOURCES

O Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-12

Name(s) of Permit Holder: CITY OF PAYETTE

Post Office Address: 700 CENTER AVE

PAYETTE ID

Tel. No. 642-2371

Source of Water: GROUND WATER

Extent of Use:

- ☐ Domestic 2000 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


7/13, 1979
Date

Michael E. Holladay
Signature of Permit Holder

MICROFILMED

826 CENTER

PAVETTE ID



RECEIVED

AUG



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 24, 1979

Re: Permit No. 65-12214

City of Payette
700 Center Avenue
Payette, Idaho 83661

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R. Tuthill, Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

Enclosures

MICROFILMED
DRT:



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 7, 1981

City of Payette
700 Center Ave.
Payette, Idaho 83661

Dear Sirs,

RE: License No. ⁶⁵⁻⁶²²¹⁴ ~~65-62214~~

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, reading "Jim Johnson", is written over the typed name.

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED
JUN 26 2000



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 11, 1981

City of Payette
700 Center Ave.
Payette, Idaho 83661

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 65-12214 , and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.12 cfs Source: groundwater

The maximum quantity diverted shall not exceed N/A acre feet per year.

Point(s) of diversion: NE 1/4, Sec. 34, Twp. 9N, Rge. 5W, B.M.

Beneficial use: Municipal use within the city limits of Payette

Priority date established: April 5, 1979

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED
JUN 26 2000

INTER-DEPARTMENT MEMO — 1

FROM Jim J.

DATE 5/14/79

TO File

SUBJECT Date of priority - changes made on the application

This day I discussed this application with Charlie B. at Western who reviewed it when it came in. The reason the priority date was advanced is because the fee received was \$10 short. Charlie called them and said he would hold it until we received the additional fee which came on 4/5/79.

The type of use was changed to proper definition of use described on the application.

SIGNATURE

MICROFILMED

STAFF REVIEW - STATE OFFICE

1. _____ Name vs. Signature ✓

2. W Source

3. ✓ Point of Diversion

4. 2.23 Amnt. & Period of Use

5. ✓ Descrip. of Diverting Wrks.

6. 5 Time req. for Proof of B/U

7. City of Payette Place of Use for other than irrig.

8. N/A Place of Use for irrigation (add acres)

9. other Property Owner at Pt. of Div. & Pl. of Use

10. ✓ Map

11. 55 Fee & Rec't. No.

Copies Sent To:

yes Idaho Health Department

no Idaho Fish & Game Dept.

1 Bureau of Land Management

NO U.S.F.S.

7 Dept. of Lands

7 Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area _____ yes X no

Other rights on same land N/A

Withdrawals of all protests received N/A yes _____ no

Conditions:

ID Power Co. Letter - Snake R. No

ID Power Co. Letter - G.W. & Tribs. Yes

Snake River Condition NO

Payette River Letter I

Priority Date 4/15/79

Water Quality #16 NO

Water Quality #10 7

Intrastate 7 Interstate _____

Meas. Dev. or Sc. Meas. Yes

Totalizing meter No

Supplemental 7

Right-of-Way Cond. Yes

Watermaster Cond. NO

Wtr. Dist No. 7

Meas. Dev. Cond. for apps within a Water Dist. 7

hois-type changes on items 4 & 8a(1)

correct - computer entry for type & place of use.
send receipt w/ approved app.

Jim

Reviewer

5/14/79

Date

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 65-12214

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) CWB 4/6/79

In form to receipt

(2) CWB 4/6/79

Send Copies to:

☒ Idaho State Health Department Send 4/19
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) CWB 4/6/79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use _____

(10) _____

Comments: _____

(11) KK OK

Affidavit of Publication received(date) 5/2/79

(12) _____

Final date for protests 5/2/79
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ De

4/5/79 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District W By [Signature] Date 5/7/79

RECEIVED

MAY 11 1979

Department of Water Resources

MICROFILMED

CITY OF PAYETTE

700 CENTER AVENUE, PAYETTE, ID 83661

Source: Groundwater
Date Filed: 04/05/1979

Amount: 2.23 CFS

Diversion Point: NENE Sec 34 T 89N R 03W, PAYETTE Co.


Use: DOMESTIC (2.23 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 34 T 89N R 03W

Diversion Means: DEEP WELL TURBINE PUMP & MOTOR


MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 4/5/79

10:00 A.M.

4/5/79

3/30/79

3/29/79

Time 9:00 A.M.

Preliminary check by Curry Fee \$ 46.00 ~~55.00~~

Received by KW Date 4/6/79 # 13031

Publication prepared by KK Date 4/12/79

Published in Independent Enterprise

Publication dates 4/19 & 4/26/79

Publication approved 4/5/79 Date 5/7/79

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by DBS JS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12214, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 80.

c. Other: (1) An access port or other device as specified by the Department

shall be installed by the permit holder to provide for the installation

of measuring equipment and the determination of the rate of diversion by

the Department. (2) The issuance of this permit in no way grants any right-

of-way or easement across the land of another.

Witness my hand this 15 day of May, 19 79

Chief, Operations Bureau

A. Allen Gayton

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

ss.

Copy of Notice
(First Copy)

Application Water right
TITLE OF PUBLICATION

65 12214

Daily Payette
SPONSOR OR PLAINTIFF

Dept of Water Resources
J. Ann P. Curtis
PLAINTIFF OR LEGAL AGENT

, being

duly sworn, deposes and says:

That *he* is the *Principal Clerk* of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
the consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with
April 19, 19 *79* and ending with the issue
of *April 26*, 19 *79*.

Subscribed and sworn to before me this *26* day
of *April*, 19 *79*.

Mary Jane Lee
Notary Public, Residing at Payette, Idaho.

My Commission Expires *April 28*, 19 *80*.

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

Number of Lines *24 dau li*

Number of Insertions *two*

24 Lines @ *42 1/2* \$ *10.20*

24 Lines @ *30 1/2* \$ *7.22*

TOTAL COST
WILL BE \$ *17.52*

RECEIVED

APR 27 1979

Department of Water Resources
Western Regional Office

Nº 1107

MICROFILMED

OK
KF
5/1/79

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1. Name of permit holder CITY OF PAVETTE
Post office address 700 CENTER AVE, PAVETTE Phone 642-3377
Person to contact _____ Phone _____
2. Source of water supply: Groundwater ☐ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion _____ cubic feet per second and annual volume _____ AF/Annum.

- 5. Location of Point(s) of Diversion:**

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____
County _____

Other Points of Diversions: _____

Description of diverting works: _____

Measuring device required: yes ☐ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

Diagram of System

