

A hand-drawn map on a grid background. The map is oriented with 'R2E' at the top and 'T8N' on the left. A road, labeled '26' at the top and '2' at the bottom, runs vertically. To the right of the road, there is a small area labeled '20A 16' and '26 9'. Below the road, a river is labeled 'Payett River' and a road is labeled 'Hiway #55'.

(Applicant)

STATE OF IDAHO, }

County of Boise

Bruce Reichert being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for ²... consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

...³⁻²³..., 197⁹... and ending

with the issue of ³⁻³⁰..

197⁹..

Bruce Reichert

Subscribed and sworn to before

me this ³⁰ day of *Mar.* 197⁹.

Robert J. Truffield

CLERK OF THE DISTRICT COURT

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12204

CALLENDER, SOLLIER.

P.O. BOX 88 CASCADE, ID. 83611

Source: PAYETTE RIVER tributary to SNAKE RIVER

Date Filed: 03/09/1979

Amount: 1.39 CFS

Diversion Point: SENW Sec 35 T 08N R 02E, BOISE CO.

Use: IRRIGATION (1.39 CFS) from 04/01 to 11/01

STOCKWATER (0.23 CFS) from 01/01 to 12/31

Place of Use: SWSE SESE Sec 26

T 08N R 02E NENE NWNE SWNE

NENW SENW NESW NWSE Sec

35 T 08N R 02E for 112 acres

Diversion Means: MOTOR, PUMP, PIPE & SPRINKLERS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before April 9, 1979.

C. STEPHEN ALLRED,

Director

Published in the IDAHO WORLD, Idaho City, Idaho, 83631 on March 23 and 30, 1979.

OK-KK
4/9/79

RECEIVED

APR

Id. Department of

Western Water

Resources

Office

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1.39
.23
Limestone
see

382-4233

65-12204
Permit No.

CONTACT WITH PERMIT HOLDER

Meas. Dev.

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	9/8/80	KC	no appointment made
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 16 July 1981 Accompanied by MI Callender Total Q measured 2.28 cfs ✓
If source is surface water, estimate total flow of source 3000 cfs
Methods of measurement ANN 46A Meets Permit requirements? yes

Measurement calculations:

#1 8" pipe 6.5' H₂O = 1.39 cfs ✓
#2 6" pipe 8.0' H₂O = .89 cfs ✓
2.28

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	75	GE	85632005	Cornell	36A02	ANN 46A	Good	m+Tel #65806
2	25	MARATHON	KAZETTOR 7323CEW	Cornell	36332	"	Good	

System Description sump in river, two pumps, pivot, wheel line, and hand lines.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 4.5 ✓ see below AFA/Acre 214 days

USE	Q (cfs)	V (afa)	FROM	TO
IRRIGATION ✓	1.39 ✓	504 ✓	9/1 ✓	11/1 ✓
Stockwater ✓	.23 ✓	14 ✓	1/1 ✓	12/31 ✓
Total	1.39 ✓	518 ✓		

Remarks #2 8" H₂O 7.0" Full pressure # 191123
#1 8" pipe 6.5" H₂O #191143

Payette River Adj. report identifies consumptive use of 2.5 afa.

26
35

Payette River
X.R.D.
S&W



MICROFILMED



The above Map of Township 108 North of Ra. Boise Meridian. is the notes of the survey thereof on file in this Office which have

Surveyor General's Office

Filed for Record in the Office of the Surveyor General, Boise, Idaho, June 10, 1903

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 65-12204 Priority March 9, 1979 Amount 1.39 cfs

THIS IS TO CERTIFY, that Sollie R. Callender
of Cascade, Idaho, has complied with the terms and conditions of Permit
No. 65-12204 issued pursuant to Application for Permit dated March 9, 1979,
and has submitted proof to the Department of Water Resources on August 25, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.28 cfs of water from Payette River,
tributary to Snake River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows.

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u> at <u>1.39</u> cfs and *		
Stockwater	from <u>January 1</u> to <u>December 1</u> at <u>0.23</u> cfs and <u>14.0</u> acre feet		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 1.39 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
* _____ acre feet per year, said waters to be diverted within the Gov. Lot 4 (SE 1/4 NW 1/4)
Section 35, Twp 8N, Rge 2E in the County of Boise

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				Totals
			NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	
8N	2E	26													44
		35	16	25											68

Total number of acres irrigated 112

Use of water under this license is subject to control by the watermaster of
State Water District No. 65, Payette River.

* This right when combined with License 65-2712 shall not exceed a consumptive
use of 2.5 acre feet per acre per annum.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17TH day of

APRIL

, 19 84

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant SOLLIE R. CALLENDER Phone 382-4233

Post office address P. O. Box 88, Cascade, ID 83611

2. Source of water supply Payette River which is a tributary of Snake River

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 8N

Range 2E B.M. Boise County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.39 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .23 for livestock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.39 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Electric Motor/ Turbine Pump/
Aluminum Pipe & Sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 8N

Range 2E B.M. Per telephone conversation 4-12-79 J.S.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 1000 head beef cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED


[illegible]

112

12


the arrangement enabling the

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 Inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 3-9-79

Received by JKM Date 3/9/79 Time 11:30 AM
Preliminary check by JKM Fee \$ 0.50 # 12597
Received by JKM Date 3/9/79
Publication prepared by JKM Date 3/15/79
Published in The Idaho World
Publication dates 3/23 & 3/30/79
Publication approved JKM Date 4/9/79
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS 5.5.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12204, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before: May 1, 19 81.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: (1) Use of water under this permit is subject to control by the water-

master of State Water District No. 65, Payette River. (2) A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

Witness my hand this 16 day of April, 19 79.

Chief, Operations Bureau

J. Allen Saylor

STATE OF IDAHO,
County of Boise

Bruce Reichert being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

...3-23..., 1979... and ending

with the issue of 3-30..

1979..

Bruce Reichert

Subscribed and sworn to before

me this 30 day of Mar. 1979.

Robert J. Tuffield
CLERK OF THE DISTRICT COURT

OK-KK
4/9/79

RECEIVED

Department of
Western

Records
Office

MICROFILMED

June 12, 1992

SOLLIE R. CALLENDER
P.O. BOX 88
CASCADE ID 83611

RE: Water Right No. 65-12204

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

June 8, 1992

SOLLIE R. CALLENDER
P.O. BOX 88
CASCADE ID 83611

RE: Water Right No. 65-12204

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

May 19, 1992

SOLLIE R. CALLENDER
P.O. BOX 88
CASCADE ID 83611

RE: Water Right No. 65-12204

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

April 17, 1984

RE: Permit No. 65-12204

Sollie R. Callender
Box 88
Cascade, ID 83611

Dear Mr. Callender:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

CONTACT WITH PERMIT HOLDER

REMARKS

no appointment made

(List Telephone No. used)

(Date, time, location)

Meets Permit requirements? yes

Measurement calculations:

#2 8" pipe 6.5' H₂O = 1.39 cfs ✓
#2 6" pipe 8.0' H₂O = .89 cfs ✓
2.28

IRRIGATION ✓
STOCKWATER ✓

1.39 ✓
-23 ✓

509 ✓
14 ✓

9/1 ✓ 11/1 ✓
11/1 ✓ 12/3 ✓

Total


1.39 ✓

578 ✓

Remarks #2 8" H₂O 7.0" Full pressure 7/19/23
#1 8" PIPE 6.8" H₂O #19/1/23

Payette River Adj. report identifies consumptive use of 2.5 aqa.

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Gov. Lot 4

Point(s) of diversion: SE NW S35 ON 2E ✓

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
ON	2E	26															12	32	44 ✓
		35	16	25	24		24			41									68 ✓

112

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

[Signature]

Checked by

645

Approved by

Kay Walker

Date

10 JULY 1981

Date


Aug 27 1982

Date

2-29-84


26
35

Payette River
X.R.A.
S.M.W.



✓

MOORE



The above Map of Township 1 North of the House, showing the location of the survey thereof on file in the office of the Surveyor General.

Surveyed and certified true

18th day of June 1881

Overlap Review for 65-12204
per permit & Lic. 65-2712 (notes that it
is same system)

as per micro-fische 2/29/84:

p/u - Sec. 26 - 65-2712, Payette R.

65-10703, Payette R. ^{NO} overlap - (see copy)

Sec. 35 - same as above

65-2712 - same source, same p/d, same
p/u - 0.85 cfs for 97 acres - see
Copy - allows for 0.008 cfs per
acre - Volume = 340.0 AFA

65-12204 - 112 acres $\times$ 0.02 = 2.24

97 acres $\times$ 0.008 = 0.85

1.39 needed for 1"

per acre -

will not exceed capacity w/ both
rights. ok

$V = 112 \times 4.5 = 504.0 \text{ AF}$ $\checkmark$ $504 + 14 (\text{stock use}) = 518$

$V = 1.39 \times 19835 \times 214 = 590.0 \text{ AF}$

AF A

Recommend $\star R17$ (65-2712, 504.0 AF/ANNUUM)

MICROFILMED

WATER LICENSE

Water License No. 30463 Priority May 23, 1962 Amount 0.85 c.f.s.
(late proof)

THIS IS TO CERTIFY, that W. W. DeMasters - Assignee - LYSLE GREENMAN
of Northridge, California, made application for a permit to appropriate the public waters of
the State of Idaho, dated April 19, 1962, that Permit 30463 was issued pursuant
to said application; that the proposed works were completed on or about July 1966,
with a storage or carrying capacity of 0.85 c.f.s., said works consisting of
pump, motor and pipe; and that on June 30, 1967,
proof was made to the satisfaction of the State Reclamation Engineer, of the beneficial use of 340
acre feet per season, with a maximum rate of diversion of 0.85 cubic feet per second of the waters
of Payette River, tributary of Snake River,
for the purpose of Irrigation from April 1 to October 31;
and for _____ from _____ to _____; and for
_____ from _____ to _____; and that the use
of said waters has been made in accordance with the laws of Idaho, and is hereby confirmed by the State Recla-
mation Engineer and entered in the records of the Idaho Department of Reclamation. the point of diversion is
located in SE 1/4 NW 1/4, Sec. 35, T. 8 N, R. 2 E, B.M., and
other additional points _____, in the County of
Boise; and that the amount of water to which such right is
entitled and which is hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially
used for said purposes and shall not exceed 340 acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8 N	2 E	26															7	14	21
		35	9	26	23		7			8	2					1			76

Total number of acres irrigated 97

This right to the use of the water hereby confirmed is restricted to the lands or place of use herein described,
as provided by the laws of Idaho

Witness the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

27 day of March, 1969.

R. Keith Higgins
State Reclamation Engineer

30463 65 2712

MICROFILMED

MAR 02, 1979

PROPOSED FINDING OF WATER RIGHTS - PAYETTE RIVER DRAINAGE

PAGE 274

INDICATES TOTAL

SOURCE: PAYETTE RIVER

RIGHT NUMBER	NAME AND ADDRESS	PRIORITY DATE	USE	USE PERIOD FROM TO	MAX AMOUNT MAX RATE	DIVERSION POINT	PLACE OF USE AND ACREAGE	BASIS FOR RIGHT
65-0485	STATE OF IDAHO DEPARTMENT OF FISH & GAME, BOX 25, BOISE, IDAHO 83707	7/ 1/1956	DIVERSION TO STORAGE	1/ 1 12/31	--- AFA 1.09 CFS	NENW S23 T 7N R 2E	NENW S23 T 7N R 2E	BENEFICIAL USE
			FISH PROP STORAGE	1/ 1 12/31	60.00 AFA		SAME AS OTHER USE	
			WILDLIFE STORAGE	1/ 1 12/31	--- CFS 60.00 AFA --- CFS *60.00*AFA *1.09*CFS		SAME AS OTHER USE	
65-2622	BOISE CASCADE CORPORATION HORSESHOE BEND, IDAHO 83629 REMARKS: 65.00 AF BEILER-FEED WATER. 610.00 AF FOR LOG DECK SPRINKLING FROM 5/15 TO 10/15.	3/11/1957	INDUSTRIAL STORAGE	1/ 1 12/31	3.00 AFA --- CFS	SWSW S26 T 7N R 2E SESE S27 T 7N R 2E	NESE SESE S27 T 7N R 2E	LICENSE
			DIVERSION TO STORAGE	1/ 1 12/31	--- AFA 4.00 CFS		SAME AS OTHER USE	
			INDUSTRIAL FROM STOR	1/ 1 12/31	675.00 AFA --- CFS *675.00*AFA *4.00*CFS		SAME AS OTHER USE	
65-0256	PERRIGO, TILDEN L. 1818 GRUGAN ROAD, EPMETT, IDAHO 83617	4/ 1/1957	IRRIGATION	3/15 11/15	--- AFA .10 CFS	SWNE S 1 T 6N R 3W	SWNE S 1 T 6N R 3W	BENEFICIAL USE
65-2633	MAC GREGOR LAND & LIVESTOCK COMPANY BOX 4128, BOISE, IDAHO 83705	3/31/1958	IRRIGATION	4/ 1 11/ 1	--- AFA .81 CFS	LOT 4 S15 T 7N R 1E	NWSE(4) SWSE(33) SESE(1) S19 T 7N R 1E NWNE(15) S3C 1 7N R 1E *53*	LICENSE
65-9417	CALLENDERS, INC. P.O. BOX 221, CASCADE, IDAHO 83611 REMARKS: THIS RIGHT WHEN COMBINED WITH RIGHT 65-3803 SHALL PROVIDE NO MORE THAN .02 CFS/ACRE.	4/ 1/1958	IRRIGATION	4/ 1 11/ 1	--- AFA 1.86 CFS	LOT 7 S 2 T 7N R 2E	SWSE(10) SESE(16) LOT 3(2) LOT 5(23) LOT 6(19) LOT 7(15) S 2 1 7N R 2E *53*	BENEFICIAL USE
65-10703	ALLING, GEORGE L. & ALLING, RUTH J. HORSESHOE BEND, IDAHO 83629	8/ 1/1958	IRRIGATION	4/ 1 11/ 1	--- AFA .02 CFS	LT110 S26 T 8N R 2E	LT110(1) S26 T 9N R 2E	BENEFICIAL USE
65-8934	DRAKE, CALVIN C. ROUTE 1, HORSESHOE BEND, IDAHO 83629	6/ 1/1959	IRRIGATION	4/ 1 11/ 1	--- AFA .20 CFS	LOT 2 S23 T 7N R 2E	LOT 2(10) S23 T 7N R 2E *10*	BENEFICIAL USE

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-12204

Name(s) of Permit Holder. Sollie R. Callender

Post Office Address: PO Box 88, Cascade Idaho
83611 Tel. No. 793-794

Source of Water: Payette River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater 1000 (number and type of stock)
☐ Irrigation 112 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/25/80
 Date

S. R. Callender
 Signature of Permit Holder

MICROFILMED

RECEIVED

AUG 25 1980



RECEIVED

AUG 26 1980

Department of Water Resources

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources

Western Regional Office

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

September 23, 1980

Sollie R. Callender
P.O. Box 88
Cascade, ID 83611

RE: Permit No. 65-12204

Dear Permit Holder

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.
If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

REPROFILM



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 16, 1979

Re: Permit No. 65-12204

Sollie R. Callender
P.O. Box 88
Cascade, Idaho 83611

Dear Mr. Callender:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power. While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

65-1220 A

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature

2. P.R. Source

3. ☒ Point of Diversion

4. 1.39 Amnt. & Period of Use

5. ☒ Descrip. of Diverting Wrks.

6. 2 Time req. for Proof of B/U
7. ~~7~~ ^{Added per telecon to applicant.} Place of Use for other than irrig.

8. 112 Place of Use for irrigation (add acres)

9. A Property Owner at Pt. of Div. & Pl. of Use

10. ☒ Map

11. 65 Fee & Rec't. No.

Copies Sent To:

- NO Idaho Health Department

7 Idaho Fish & Game Dept.

7 Bureau of Land Management
- NO U.S.F.S.

7 Dept. of Lands

7 Other

overlap review

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land 65-2712 - Payette Adj. Claim 65-9418
recommended to be disallowed in report to court.

Withdrawals of all protests received ☐ yes ☐ no

Conditions:

- ID Power Co. Letter - Snake R. NO
- ID Power Co. Letter - G.W. & Tribs. Yes
- Snake River Condition NO
- Payette River Letter Yes
- Priority Date 3/9/79
- Water Quality #16 NO
- Water Quality #10 NO
- Intrastate ☒ Interstate ☐

- Meas. Dev. or Sc. Meas. NO
- Totalizing meter NO
- Supplemental NO
- Right-of-Way Cond. NO
- Watermaster Cond. Yes
- Wtr. Dist No. 65
- Meas. Dev. Cond. for apps within a Water Dist. Yes

Lois Type Corrections to item 8

Jim Reviewer

11/13/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 65-12204

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) R.W.H. 3-9-79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) R.W.H. 3-9-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. 65

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use 65-2712

(10) _____

Comments: This filing brings total to
1 1/2 acre

(11) KK OK

Affidavit of Publication received (date) 4/9/79

(12) _____

Final date for protests 4/9/79
Protests received: yes _____ no X

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

3/9/79 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District W

By [Signature] Date 4/9/79

RECEIVED

APR 10 1979

Department of Water Resources

*I.P. letter
Basin 65 w.m. condition
Payette River letter*

MINORITIES

INTER-DEPARTMENT MEMO — 1

FROM R. Hamilton

TO Phyllis

SUBJECT Application for Permit No. 65-12204

DATE 3-9-79

In assisting Mr. Solle R. Callender in making application for permit, we inadvertently overcharged him \$20.00 for the application. The fee should have been \$45.00 and Mr. Callender was charged \$65.00. Please refund the \$20.00 to him. His address is P.O. Box 88, Cascade, Idaho 83611.

MICROFILMED

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

MARCH 15, 1979

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before APRIL 9, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before APRIL 9, 1979.

C. STEPHEN ALLRED

Director

Published 3/23 & 3/30/79.

MICROFILMED

65-12204

CALLENDER, SOLLIE R.

P.O. BOX 88, CASCADE, ID 83611

Source: PAYETTE RIVER tributary to SNAKE RIVER

Date Filed: 03/09/1979

Amount: 1.39 CFS

Diversion Point: SENW Sec 35 T 08N R 02E, BOISE Co.

Use: IRRIGATION	(1.39 CFS)	from 04/01 to 11/01
STOCKWATER	(0.23 CFS)	from 01/01 to 12/31

Place of Use: SWSE SESE Sec 26 T 08N R 02E NENE NWNE SWNE NENW SENW NESW NWSE
Sec 35 T 08N R 02E FOR 112 ACRES

Diversion Means: MOTOR, PUMP, PIPE & SPRINKLERS

MICROFILMED