


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Walter L. Shunkaile
(Applicant)

STATE OF IDAHO,
County of Boise

Bruce Reichert, being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for**2**... consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

...**3-16**.., 197**9**.. and ending with the issue of **3-23**

197**9**..
...**Bruce Reichert**

Subscribed and sworn to before
me this **30** day of **Mar.** 197**9**

Robert J. Triffle
CLERK OF THE DISTRICT COURT

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

65-12201

TRENHAILE, WALTER I. &/or MARY C.

Garden Valley, ID 83622

Source: SPRINGS (3) tributary to

PAYETTE RIVER, SOUTH FORK

Date Filed: 02/05/1979

Amount: 0.20 CFS

Diversion Point: LOT 08 (NESE)

Sec 10 T 08N R 05E, BOISE CO.

Use: HEATING (0.20 CFS) from 01/01 to 12/31

DOMESTIC (0.20CFS) from 01/01 to 12/31

IRRIGATION (0.06 CFS) from 04/15 to 10/15

Place of Use: LOT 06 (NESW) LOT 05 (NWSW) LOT 07 (NWSE) Sec 10 T 08N R 05E for 3 acres

Diversion Means: PUMP & PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before April 2, 1979.

C. STEPHEN ALLRED,
Director

Published in the IDAHO WORLD, Idaho City, Idaho, 83631, on March 16 and March 23, 1979.

OK-KK
4/9/79

RECEIVED

APR 2 1979

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO,
County of Boise

Bruce Reichert being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; that said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
....2.... consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

...Feb. 16, 1979.. and end-

ing with the issue of Feb. 23

1979..

Bruce Reichert

Subscribed and sworn to before

me this 5th day of Mar. 1979.

Robert J. Tappell
Clerk of Dist. Court

NOTICE OF APPLICATION FOR
WATER RIGHT

Notice is hereby given that the
following application(s) have been
submitted for permit to appropriate
the public waters of the State of
Idaho:

65-12201

TRENHAILE, WALTER I. &/or
MARY C.

Garden Valley, ID 83622

Source: SPRINGS (3) tributary to
PAYETTE RIVER, SOUTH FORK

Date Filed: 02/05/1979

Amount: 0.20 CFS

Diversion Point: LOT 08 (NESE)

Sec 10 T 08N R 05E, BOISE CO.

Use: HEATING (0.20 CFS) from
01/01 to 12/31

DOMESTIC (0.20CFS) from 01/01
to 12/31

IRRIGATION (0.06 CFS) from 04/15
to 10/15

Place of Use: LOT 06 (NESW) LOT
05 (NWSW) LOT 07 (NWSE) Sec 10
T 08N R 05E for 3 acres

Diversion Means: PUMP & PIPELINE

Published in the IDAHO WORLD
Idaho City, Idaho, 83631, on Feb-
ruary 16 and 23, 1979.

OK - RK
3/9/79

RECEIVED

MAR 17 1979

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 65-12201
Phone No. 462-3842
1. Owner: JOHN C. Wasson
Current Address: HC 76 Box 2860 garden Valley, Id. 83622
2. Accompanied by: John C. Wasson EXAM. DATE: 7/23/87
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: Spring tributary to South Fork Payette River
(only 1 spring v. 3 on permit)

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12408
☐ Copies Attached not needed
2. Other water rights with same point of diversion: 65-12408, 65-5657
☐ Copies Attached ☐ Copies of Field Exam's Attached
NOT needed

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).


65-12201-10

8N
5E
S.10
NW NESE
9.6 8



50' (DAHO) CITY 18 MI. (PIONEERVILLE 1:24 000) INTERIOR-GEOLOGICAL SURVEY WASH. D.C. 1961-NE-Y
44° 00' 115° 45' 599000m E. 4873000m N.

Survey 12/29/43 - see S. 10
OK Survey 7/17/84



65-12201



① P/D

Hot Spring about 1 1/2 miles N- of
Grimes Pass, near South Fork of
Payette River.



② P/U

Bathhouse near
P/D. South Fork
seen in background.
Pictorial is owner
John Wasson.

MICROFILMED

JUL 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 65-12201

Priority: February 13, 1979

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:¹

0.1 AF

This is to certify, that JOHN C. WASSON
HC 76 BOX 2860

GARDEN VALLEY, ID 83622 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 5, 1979; and
has submitted Proof of Beneficial Use on April 9, 1984. An examination indicates
that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to **PAYETTE RIVER, SOUTH FORK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
RECREATION	01/01 to 12/31	0.01 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 8(NWNESE), Sec. 10, Township 08N, Range 05E
BOISE County

PLACE OF USE: RECREATION

TWN RGE SEC

08N 05E 10 LOT 8(NESE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.


MICROFILMED

JUL 20 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 65-12201

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20th
day of July, 1990.

Acting for 
R. Keith Higginson, Director

MICROFILMED

JUL 26 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12201

Date of Priority: February 13, 1979

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.01 CFS
0.1 AF

APPROVED

Comes now JOHN C. WASSON
HC 76 BOX 2860
GARDEN VALLEY, ID 83622

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 65-12201, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to PAYETTE RIVER, SOUTH FORK

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

RECREATION

01/01 to 12/31

0.01 CFS

0.1 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 8(NWNESE), Sec. 10, Township 08N, Range 05E
BOISE County

PLACE OF USE: RECREATION

TWN RGE SEC

08N 05E 10 LOT 8(NESE)

RECEIVED
JUL 10 1990

Department of Water Resources

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 9 day of JULY, 1990.

MICROFILMED

JUL 26 1990

J. Wasson
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-12201

FOR DEPARTMENT USE ONLY

W 012535

Preliminary check by ✓ 50 Fee = \$20.00

Received by DW Date 7/9/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-12201 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 20th day of July, 1990.

R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

JUL 26 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-12201 IN THE
NAME OF JOHN C. WASSON

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1984; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on April 9, 1984;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-12201 be REINSTATED and the priority advanced to February 13, 1979.

Dated this 12th day of April, 1984.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT #	NAME	AMOUNT C.F.S.
App. for Permit	65-12201	Walter I. &/or Mary C. Trenhaile	.20
Assignment	65-12201	John C. Wasson	.20

RECEIVED

ok
jmi

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

RECEIVED

NOV 14 1980

Department of Water Resources

Walter I. Trenhaile and
I, Mary Trenhaile, hereby assign to John C. Wasson
of Star Route Garden Valley, Idaho 83622
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 65-12201
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 1st day of November, 19 80.

Walter I. Trenhaile
Permit Holder Walter I. Trenhaile

Mary Trenhaile
Spouse of Permit Holder Mary Trenhaile

State of Idaho)
County of Ada) ss.

On this 1st day of November, 19 80, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Mark L. Luman
Notary Public residing at Boise

My commission expires:
11/7/83

ASSIGNED TO:
John C. Wasson
Star Route
Garden Valley, Idaho 83622
Nov. 14, 1980

Ident. No. 65-12201

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Walter I. &/or Mary C. Trenhaile Phone 462-3842
Post office address Garden Valley, ID 83622
2. Source of water supply springs (3) which is a tributary of S. Fork Payette River
Lot 8
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 10 Township 8N
Range 5E B.M. Boise County, additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .20 for heating purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .20 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .06 for irrigation purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .20 cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump from spring and 2" pipeline to
place of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).
8. Description of proposed uses: Lot 7 (NWSE)
Lot 6 (NESW)
a. If water is not for irrigation: Lot 5 (NWSW)
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 10 Township 8N
Range 5E B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Heating of residence and cabin, heating
of hot house and swimming pool.

MICROFILMED

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

_____marks

b. Who owns the land to be irrigated or place of use

Applicant

~~5 & 6 5 acres from Sweet Creek, 65-10603 domestic from groundwater on lot 6.~~

~~of 5 acres Lots 5 & 6 from S. Fork Payette River, 65-10604 Irrigation of Lots~~

c. Describe any other water rights used for the same purposes as described above. 65-10605 irrigation

22

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Proposed Priority 2-5-79

Received by SK Date 2/5/79 Time 3:30 P.M.
Preliminary check by CUB Fee \$ 20.00
Received by SK Date 2/5/79 # 12568
Publication prepared by SK Date 2/8
Published in The Idaho World
Publication dates 2/10 + 2/23
Publication approved SK Date 4/9/79
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by OS S.S. _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-12201, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: (1) Use of water under this permit is subject to control by the water-

master of State Water District No. 65, Payette River. (2) That should the use

of the water on this permit reduce the quality of water available to prior

water rights and make it unusable to satisfy the prior appropriations, then

the diversion under this permit must cease.

Witness my hand this 30 day of April, 19 79.

Chief, Operations Bureau

A. Mun Saylor

STATE OF IDAHO,
County of Boise

Bruce Reichert

being
duly sworn, deposes and says:
that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

...3-16, 1979, and ending

with the issue of 3-23

1979.

Bruce Reichert


Subscribed and sworn to before

me this 30 day of Mar. 1979

Robert J. Traffield

CLERK OF THE DISTRICT COURT

10



OK-KK
4/9/79

RECEIVED

APR 2 1979

Department of Water Resources
Western Regional Office

MICROFILMED

STATE OF IDAHO,
County of Boise }

Bruce Reichert being
duly sworn, deposes and says:
that he is the manager and prin-
cipal clerk of THE IDAHO
WORLD, a weekly newspaper
published at Idaho City, in the
County of Boise and State of Ida-
ho; that said paper has been and
is in general circulation in the
county aforesaid, and in the vi-
cinity of Idaho City; that the
advertisement, a copy of which is
hereto attached, was published in
said newspaper once a week for
....2.... consecutive weeks in
the entire and regular issue of
every number of said paper dur-
ing the period and time of publi-
cation and was published in the
newspaper and not a supplement;
that said paper has been estab-
lished and regularly and continu-
ously published for more than
seventy-eight weeks past previ-
ous to the first publication of
this notice. Such notice was pub-
lished in the issue beginning with

...Feb. 16, 1979... and end-
ing with the issue of Feb. 23


1979.

Bruce Reichert

Subscribed and sworn to before

me this 5th day of Jan 1979.

Robert J. Jaffard
Clerk of District Court



~~OK RKE~~
3/10/79

RECEIVED

Department of the Secretary of State
Western Records
MICROFILMED

July 20, 1990

JOHN C. WASSON
HC 76 BOX 2860
GARDEN VALLEY, ID 83622

RE: PERMIT NO. 65-12201

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 26 1990

July 5, 1990

JOHN C. WASSON
HC 76 BOX 2860
GARDEN VALLEY, ID 83622

RE: PERMIT NO. 65-12201

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 26 1990

MEMORANDUM

TO: FILE 65-12201

FROM: ROXANNE MCCARTHY

RE: VOLUME

DATE: 7-FEB-1990

=====

The Hydraulics Handbook, published by Colt Industries, lists 35 gallons as the capacity of a normal bathtub. Assume one daily filling, 365 days a year and the volume under this right is:

35 gal/day x 365 days/yr = 12,775 gal/yr
= 0.04 afa

MICROFILMED

JUL 26 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
6512201 6505657	08N	05E	10	NE SE	8	SPRINGS STILL CREEK	TRENHAILE, WAL IDHOL, PATRICK

MICROFILMED

JUL 26 1990

m 219-S.A.

6/86

UTS.

S. 9 - 43 survey

S. 10 - 84 survey

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

65-12201
Permit No.

RECEIVED

MAR - 1 1988

A. Prior to Conducting the Exam, the File Contains:

☒ Blank Field Report Form

☒ Copy of Permit

☐ Copies of any Amendments/Orders with conditions of approval

☐ Computer Data Proof Report

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SL 7/7/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: 65-12408, 65-5657

Check of P/U index SL 7/7/87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: 65-12408

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? 7/7/87 SL (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

☒ Fully completed and signed Field Report Form

☒ Photographs of Point of Diversion and Place of Use

☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Steve Latta 7/23/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 1/22/88 (Initial and date)

Exam Reviewed by Manager of Regional Office Amx 2/19/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office Jan 2/24/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-12201

1. Owner: JOHN C. Wasson

Phone No. 462-3842

Current Address: HC 76 Box 2860 garden Valley, Id 83622

2 Accompanied by: John C. Wasson

EXAM. DATE: 7/23/87

Address: same

Phone No. same

Relationship to Permit Holder: Same

3. Source: Spring tributary to South Fork Payette River
(only 1 spring v. 3 on permit)

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12408


☐ Copies Attached *not needed*

2. Other water rights with same point of diversion. 65-12408, 65-5657

☐ Copies Attached ☐ Copies of Field Exam's Attached
 \ NOT needed /

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ **Photo of Diversion and System Attached**
(required for all but single household domestic groundwater, and stockwater.)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 1 1/2" pipe, 3/4" pipe, and a 2" wide piece of sheet metal bent into a V channel hot water from rock outcropping into a small cistern (beer keg). The cistern has a 1" hose that leads to 2 valves 10' away. Each valve (faucet) feeds a tub for recreational use of hot spring water. Water is discharged into natural flow of hot spring water that is tributary to S. Fork Payette River.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2 1/4			

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

Ut bi 3 2 100

GENERAL

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket & stopwatch						

2. Measurements:

① AT pipes & sheet metal: 2 1/2 gallons in 60 seconds

② AT FAUCET: 5 gallons in 109.4 seconds

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: ① $\frac{2.5 \text{ gpm}}{448.8 \text{ gpm/cfs}} = .00557 \text{ cfs} = .01 \text{ cfs}$
- ② $\frac{60 \text{ s}}{109.4 \text{ s}} \times 5 \text{ gallons} = 2.74 \text{ gpm} \rightarrow \frac{2.74 \text{ gpm}}{448.8 \text{ gpm/cfs}} = .00611 \text{ cfs} = .01 \text{ cfs}$
2. Alternate Method for Checking Purposes: NONE

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A


$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses.

NONCONSUMPTIVE USE



H. REMARKS AND OVERLAP REVIEW ANALYSIS

Allow .04 cfs for recreation use. Diversion is obviously capable of handling more water than measurements demonstrated. I cannot determine a reasonable way to limit the WR to any less than .04 cfs. Amend P.U. to RESE (Gout cot 8). Delete from this WR the following: Heating, domestic, irrigation, P.U. description. (Gout lots 5, 6, 7). Change quantity from .20 to .04 cfs. Change nature of use to recreation. Overlap:

65-12408 is another hot spring E. of 65-12201. This is another WR held by John Wesson
65-5657 is an irrigation WR using surface water from 4 creeks.
No overlap conflict.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (ata)	Nonconsumptive
Recreation	1/1 12/31	.04		

Totals:

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ None
- ☒ Other (see remarks)

J. AUTHENTICATION

Field Examiner's Name Steven Lester Signature [Signature] Certification Date 7/23/87 Field Report Preparation Date 7/23/87


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MICROFILMED

JUL 25 1990




2N
SE
S. 10
NW NE SE
g.c. 8

MICROFILMED

JUL 26 1980

50° IDAHO CITY 18 MI (PIONEERVILLE 1.24 000) INTERIOR-GEOLOGICAL SURVEY WASH D C 1961-NIS-1
599000m E. 115°45' 44°00'

7/17/84



65-12201

PERMIT NO. 12201

① P/D

Hot Spring about 1 1/2 miles N. of
Grimes Pass, near South Fork of
Payette River.

② P/U

Bathhouse near
P/D. South Fork
seen in background.
Pictorial is owner
John Wasson.

MICROFILMED

JUL 26 1990

4/86

RECEIVED

OCT 15 1986

KEYPUNCHED

For Office Use Only
Fee Received NO FEE
Date 10/15/86
Receipt #
Receipt by
Sent to S.O.

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

JUN 12 1986

1. Permit No. 65-12201

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: JOHN C. WASSON

3. Post Office Address: HC 76 BOX 2860 GARDEN VALLEY
IDAHO 83622 Telephone No. 462-3842

4. Source of Water: SPRINGS

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)

Irrigation (acres) Other/Remark HEATING / RECREATION

6. Total rate &/or volume for which proof is submitted .04 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

ABOUT JUNE 1981

8. Person to contact to accompany the department representative during the field examination:

SAME AS ABOVE

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

11 JUNE 86

Date

Signature of Permit Holder (and title, if appropriate)

JUL 26 1990

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

RECEIVED
JUL 3 1992
DEPARTMENT OF WATER RESOURCES
WESTERN REGIONAL OFFICE
1990

Permit No. 65-12201

Name(s) of Permit Holder(s): John C. Watson

Post Office Address: Star Pt

Garden Valley, ID 83622 Tel. No. 882-3802

☒ I hereby certify that construction of diversion works for the above referenced permit began on 5/1982 (date).

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason

7/6/82
Date

K. Watson
Signature of Permit Holder

RECEIVED

JUL 7 1982

Department of Water Resources



MICROFILMED

JUL 26 1990

PLACE
STAMP
HERE

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

65-12201
WASSON, JOHN C.
STAR ROUTE
GARDEN VALLEY, ID 83622

Mailing address:
Statehouse
Boise, Idaho 83720

138593

June 5, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination. You may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

JUL 12 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MAY 5, 1984

JOHN C. WASSON
STAR RT.
GARDEN VALLEY ID 83622

RE: Permit No. 65-12201

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure

MICROFILMED

JUL 26 1990

^ALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 65-12201

DATE: 4-12-1984

Date proof received

99

Apr 9

Proof due

- 91

Apr. 1

Number of day proof late

8

Priority date

+ 36

Feb 5, 1979

New priority date

44

Feb 13, 1979

Remarks:

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below on Permit No. 65-12201.

Name(s) of Permit Holder JOHN C. WASSON

Post Office Address: STAR RT

GARDEN VALLEY, IDAHO 83622 Tel. No. 462-3842

Source of Water

SPRING

Extension Use:

☒ Domestic

2

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Point

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

2 APR 1984

Date

John C. Wasson

Signature of Permit Holder

WASSON
GARDEN VALLEY
IDAHO 83622




RECEIVED
APR 9 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720



MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138411

WASSON, JOHN C.
STAR ROUTE
GARDEN VALLEY, ID 83622

PROOF DUE NOTICE

JANUARY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-12201 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 10, 1980

Mr. John C. Wasson
Star Route
Garden Valley, Idaho 83622
Permit # 65-12201

Dear Mr. Wasson:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

NOTED
DEC 11 1980

May 3, 1979

Re: Permit No. 65-12201

Walter I. &/or Mary C. Trenhaile
Garden Valley,
Idaho 83622

Dear Mr. and Mrs. Trenhaile:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Please be advised that there is insufficient natural flow available in the Payatte River and tributaries to provide water for a new appropriation throughout the entire season of use.

During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your later-in-time permit. As the natural flow diminishes, however, there would be no water available for your right unless you had arranged for an additional source of water as a supplemental supply.

This information is provided so that you will not be misled into thinking that this permit will provide sufficient water through the entire season of use. If you have any questions regarding this matter, please feel free to contact this office.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the

MICROFILM

Walter I. &/or Mary C. Trenhaile
May 3, 1979
Page 2

Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

INTER-DEPARTMENT MEMO — 1

DATE April 27, 1979

FROM Jim

TO File

SUBJECT Pre-permit Exam

* Although the previous memos to the files had not indicated so, a pre-permit exam had been made on this application.

There does not appear to be anything out of the ordinary except for the overlapping of one (1) acre in Lot 5. The springs identified on this application are not the same springs of controversy on Warm Springs Creek.

* Per conversation with Dave Shaw.

Jim

SIGNATURE
MICROFILMED

Jim,

Would a ~~pre~~
pre-permit exam
be appropriate
on this one or
is the region
confident that
they are
familiar
w/ the
situation.

JKF
4-27-79

4/19/79

THE 1 ACRE IN LOT
HAS BEEN DROPPED FROM THE
APPLICATION.

MR. TRENHAILL WOULD
APPRECIATE A "RUSH JOB"
ON APPROVAL AS HE WOULD
LIKE TO START WORK THIS
SEASON.

Chas

MICROFILMED

65.12201

STAFF REVIEW - STATE OFFICE

- 1. ☒ Name vs. Signature
- 2. src Source
- 3. ☒ Point of Diversion
- 4. 0.2 Amnt. & Period of Use
- 5. ☒ Descrip. of Diverting Wrks.
- 6. 5 Time req. for Proof of B/U
- 7. ☒ Place of Use for other than irrig.
- 8. 2 Place of Use for irrigation (add acres)
- 9. A Property Owner at Pt. ☒ of Div. & Pl. ☒ of Use
- 10. ☒ Map
- 11. 20 Fee & Rec't. No.

Copies Sent To:

<u>no</u> Idaho Health Department	<u>no</u> U.S.F.S.
<u>/</u> Idaho Fish & Game Dept.	<u>/</u> Dept. of Lands
<u>/</u> Bureau of Land Management	<u>/</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ☒ no

Other rights on same land 65-10605, 65-10604, 65-10603, see file for past action on overlap - no other rights are plotted.

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. <u>NO</u>	Meas. Dev. or Sc. Meas. <u>No</u>
ID Power Co. Letter - G.W. & Tribs. <u>Yes</u>	Totalizing meter <u>/</u>
Snake River Condition <u>No</u>	Supplemental <u>/</u>
Payette River Letter <u>Yes</u>	Right-of-Way Cond. <u>/</u>
Priority Date <u>2/5/79</u>	Watermaster Cond. <u>Yes</u>
	Wtr. Dist No. <u>65</u>
Water Quality #16 <u>Yes</u>	Meas. Dev. Cond. for apps within a Water Dist. <u>NO</u>
Water Quality #10 <u>NO</u>	
intrastate <u>interstate</u>	

Jim **MICROFILMED**
4/25/79
Date

INTER-DEPARTMENT MEMO — 1

DATE 4/18/79

FROM David Shaw

TO Charles Bryan

SUBJECT 65-12201

Since the 1 acre covered here is also covered by 65-10604 & 65-10605 ~~in this~~ (both surface water) I think the 1 acre in Lot 5 should be dropped from this app. It is an overfiling which we normally allow only in an area that is very water short. That is probably not the case here since 65-10605 is from the S.F. Payette River.

Applicant should be contacted & asked to ~~remove~~ **MICROFILMED** ~~1 acre~~ or give reasons for keeping it on app.

SIGNATURE

Thanks Dave

INTER-DEPARTMENT MEMO — 1

FROM CHARLES BRYAN

DATE 4/13/79

TO DAVE SHAW

SUBJECT 65-12201 PRE-PERMIT EXAM

THE 1 ACRE FILED UPON WITH THIS PERMIT APPLICATION IS A DUPLICATION OF THE 1 ACRE FILED ON CLAIMS 65-10604 AND 65-10605. THIS APPLICATION (65-12201) SHOULD HAVE CONDITION PLACED UPON IT: THIS RIGHT WHEN COMBINED WITH RIGHTS 65-10604 + 65-10605 SHALL PROVIDE NO MORE THAN .02 CFS/ACRE.

~~RECEIVED~~

SIGNATURE

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 65-1220L

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) CWB 1/6/79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) CWB 1/6/79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. 65

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use 65-10603, 10604, 10605

(10) _____

Comments: Irrigation does not overlap

(11) KK OK

Affidavit of Publication received (date) 3/9

(12) _____

Final date for protests 4/12 4/9 correction 3/15

Protests received: yes _____ no X

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

2/5/79 Proposed Priority

_____ Reason for Reduction _____

No Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By dlm Date 4/19/79

I.P. letter
Payette River letter
Basin 65 in condition
RECEIVED
APR 24 1979
Department of Water Resources

MICROFILMED

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed is a copy of the original notice for the above referenced application and the affidavit of publication received by your office. Note that there is a discrepancy in the two notices.

We are requesting that you publish the enclosed correction notice at your expense.

Upon receipt of an affidavit of publication for the correction notice, we will forward the bill for the first publication to our accounting section.

Your cooperation in this matter is greatly appreciated.

Sincerely,

Karla Knecht
Secretary

Enc: Copy of original notice
Copy of affidavit
Legal notice (correction)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

FEBRUARY 8, 1979

The Idaho World
Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 5, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

RECEIVED

65-12201

TRENHAILE, WALTER I. &/or MARY C.

GARDEN VALLEY, ID 83622

Source: SPRINGS (3) tributary to PAYETTE RIVER, SOUTH FORK

Date Filed: 02/05/1979

Amount: 0.20 CFS

Diversion Point: LOT 08 (NESE) Sec 10 T 08N R 05E, BOISE Co.

Use: HEATING	(0.20 CFS)	from 01/01 to 12/31
DOMESTIC	(0.20 CFS)	from 01/01 to 12/31
IRRIGATION	(0.06 CFS)	from 04/15 to 10/15

Place of Use: LOT 06 (NESW) LOT 05 (NWSW) LOT 07 (NWSE) Sec 10 T 08N R 05E
FOR 3 ACRES

Diversion Means: PUMP & PIPELINE

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before MARCH 5, 1979.

C. STEPHEN ALLRED

Director

Published 2/16 & 1/23.

MICHIGAN