

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Rge 4E

31

Pearson Creek A.A.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert Murphy
(Applicant)

RECEIVED

JUN 17 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

WITH 65-12608

RECEIVED

JUN 17 1993

-SL 5/28/93

65-12095

file

A. GENERAL INFORMATION

1. Owner: Slim & Joe Ann Yorgensen Phone No. 382-4712
Current Address: HC 71 Box 2016 CASCADE, ID. 83611
2. Accompanied by: MARSHA WOLLEN EXAM. DATE: 8/31/89
Address: Same Phone No. _____
Relationship to Permit Holder: Daughter-in-law
3. Source: Pearson Creek tributary to Poyette River, North Fork


B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-12608, 65-07340, 65-09019, 65-07334 ☐ Copies Attached
2. Other water rights with same point of diversion: AS in plw above ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

NOTE SAME SYSTEM AS 65-12608. Use this file for diagram, photos, maps, memo dated 1/24/92 to supplement info in 65-12608.



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

APPROVED
FEB 24 1994



Site is
about 1 3/4
miles SE of
Cascade.

PHOTO ONE-

P/D from Bearool Ck. via 6" pipe to
pond. (Pond - see photo #3 is 65-12608)
Same pld as 65-12608.



PHOTO TWO-

Looking South across Bearool Ck. at 6" outflow
line from pond. 2" line in foreground runs from 6"
line to pump (see photo #3). 2" pipe was hooked
to 6" pipe on 8/31 + 10/11 1989 visits.

RECORDED

FEB 24 1994



PHOTO THREE-

Looking NW at pump (same pump as in 65-12608). 2" intake and 2" outflow lines. Part of p/w shown.



PHOTO FOUR-

Looking West at pump & p/w. Same lines described in 65-12608.

MICROFILMED

FEB 24 1994

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO]
]ss.
County of Valley]

Michael Parfit, being first duly sworn, deposes and says: That he is the publisher of The Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March 30, 1978, and ended April 6, 1978.

[Signature]
Subscribed and sworn to before me a Notary Public in and for the County of Valley, and the State of Idaho, this 6 day of April, 1978.

[Signature] Notary Public.

My commission expires Aug. 1, 1981.

NOTICE OF CORRECTION
Notice is hereby given that notice of Application for Permit No. 65-12095 in the name of ROBERT W. &/or Wilma C. Murphy of Box 435, Cascade, Idaho was published in error on March 2 and March 9 1978.

The place of use was advertised as being within the SE¹/₄ SE¹/₄ Sec. 31 T13N-R4E B.M. WHEREAS, the actual place of use is within the SE¹/₄ SE¹/₄ Sec. 31 T14N-R4E B.M.

Any protest against approval of this application must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before April 17, 1978.

C. STEPHEN ALLRED
Director

Published in the Star News, McCall, Idaho on March 30 and April 6, 1978.

RECEIVED
APR 12 1978

Department of Water Resources
Western Regional Office

MICROFILMED

OK
12-78
[Signature]

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO]
]ss.
County of Valley]

Michael Parfit, being first duly sworn, deposes and says: That he is the publisher of The Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for Two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March 2, 1978, and ended March 9, 1978.

Subscribed and sworn to before me a Notary Public in and for the County of Valley, and the State of Idaho, this 9 day of March, 1978.

C. Stephen Allred Notary Public.

My commission expires Aug 1, 1981.

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that ROBERT W. &/or WILMA C. MURPHY Box 435 Cascade, Idaho has on February 15, 1978 submitted Application No. 65-12095 for a permit to appropriate 0.08 cubic feet per second of water from Pearsol Creek trib. N. Fk. Payette River by means of pump and ditch with in the SE¹/₄SE¹/₄ Sec 31 T14N-R4E B.M., Valley County to be used from Apr 15 to Oct 15 for irrigation of 4 acres within the SE¹/₄SE¹/₄ Sec 31 T13N-R4E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92

South Cole Road, Boise, Idaho 83705 on or before March 20, 1978.

C. STEPHEN ALLRED
Director

Published in the Star News, McCall, ID on March 2, 1978 and March 9, 1978.

OK
3-21-78
MD

RECEIVED
MAR 21 1978

Department of Water Resources
Western
MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12095

Priority: May 14, 1980

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume: 12.0 AF

This is to certify, that SLIM YORGENSEN
ANN YORGENSEN

HC 71 BOX 2106
CASCADE ID 83611

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 15, 1978; and has submitted Proof of Beneficial Use on April 15, 1983. An examination indicates that the works have a diversion capacity of .110 cfs of water from:

PEARSOL CREEK tributary to PAYETTE RIVER, NORTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.08 CFS	12.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWNE), Sec. 5, Township 13N, Range 04E
Lot 3(NENW), Sec. 5, Township 13N, Range 04E
SESE, Sec. 31, Township 14N, Range 04E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	04E	31	SESE	4		4

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

FEB 24 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12095

CONDITIONS/REMARKS:

7. Single point of diversion located on or near line between NWNE (Lot 2) and NENW (Lot 3), S05, T13N, R04E and SESE, S31, T14N, R04E.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of JANUARY, 1994.

Acting for


R. Keith Higginson, Director

FEB 24 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 65-12095 IN THE NAME OF	)	ORDER OF REINSTATEMENT
	)	
SLIM AND/OR ANN YORGENSEN	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 65-12095 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 65-12095 to appropriate the public waters of the State of Idaho with a proposed priority of FEBRUARY 15, 1978.

2. On JUNE 05, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on AUGUST 04, 1986.

3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

MAR 31 1989

4. The license examination fee was received on
OCTOBER 31, 1988, 818 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 65-12095 should be advanced 818 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 65-12095 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 65-12095 is advanced to MAY 14, 1980.

Dated this 7th day of March, 1989.

J. Glen Saylor
Chief, Water Allocation Bureau

MAR 31 1989

4/86

REC'D

OCT 31 1988

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received \$50.00Date 10-31-88Receipt # 0003121Receipt by CA

Sent to S.O. _____

1. Permit No. 65-12095

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Slim and/or Ann Yorgensen3. Post Office Address: HC 71 Box 2016 Cascade ID
83611 Telephone No. (208) 382-47124. Source of Water: Pearsol Creek

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 4 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted .08 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1978

8. Person to contact to accompany the department representative during the field examination:

Slim Yorgensen

(Name)

HC 71 Box 2016 Cascade ID

(Address)

382-4712

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

MICROFILMED

MAR 31 1989

Date Oct. 31 - 88

Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Orginial Permit	65-12095	Robert W. &/or Wilma C. Murphy	.08 cfs
Full Assignment	65-12095	Slim &/or Ann Yorgensen	.08 cfs

MINNESOTA

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

OK to process
RC 4-19-83

We, xxx Robert W. and/or Wilma C. Murphy, hereby assign to Slim and/or Ann Yorgensen
of Star Route, Cascade, ID 83611

Address

CHECK ONE

☒ All ~~my~~ ^{our} right, title, and interest in and to Permit No. 065-12095
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19 _____

RECEIVED

Department of Water Resources
Western Regional Office

Robert W. Murphy
Permit Holder

Wilma C. Murphy
Spouse of Permit Holder

State of Idaho)
County of VALLEY) ss.

On this 8TH day of APRIL, 19 83, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Donna R. Peterson
Notary Public residing at Cascade, Idaho

My commission expires:
Life

RECEIVED

1983

Identification No. _____

Application No. 65-12095

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- 1 Name of applicant Robert W. &/or Wilma C. Murphy Phone: 382-4712
post office address Box 435, CAscade, ID 83611
- 2 Source of water supply Pearsol Cr. which is a tributary of N. FORK PAYETTE
- 3 a Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 14N
Range 4E B M Valley County, additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes:
Amount 0.08 for Irrigation purpose from Apr. 15 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated
a 0.08 cubic feet per second and/or
b _____ acre feet per annum
- 6 Proposed diverting works-
a Description of ditches, flumes, pumps, headgates, etc. pump, ditch

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c Proposed well diameter is _____ inches, proposed depth of well is _____ feet
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b Estimated construction cost is \$ 300
- 8 Description of proposed uses
a If water is **not** for irrigation
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B M _____
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

MICROFILMED

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below

[illegible]

Total number of acres to be irrigated 4

c. Describe any other water rights used for the same purposes as described above None

9 a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number

Rge 4E



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Robert Murphy
(Applicant)

Proposed Priority 2/15/78

Received by jc Date 2/15/78 Time 11:30
Preliminary check by jc Fee \$ 10.00
Receipted by jc Date 2/15/78 # 10 336
Publication prepared by My Date 2-23-78
Published in Star News
Publication dates March 24-9, 1978
Publication approved jc Date 4-12-78
Priority reduced to _____ Reason _____

Protests filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ORS jc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-12095, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions

- a SUBJECT TO ALL PRIOR WATER RIGHTS.
- b Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1983.
- c Other. Use of water under this permit is subject to control by the watermaster of State Water District No. 65, Payette River.

2 Denial of said application is for the following reasons: _____

Witness my hand this 6TH day of June 19 78.

Norman C Young
Administrator



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 24, 1994

SLIM YORGENSEN
ANN YORGENSEN
HC 71 BOX 2106
CASCADE ID 83611

RE: WATER RIGHT NO. 65-12095

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to be 'JJ', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

JAN 24 1994

WR0749NP
No. L65-12095

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/18/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SLIM YORGENSEN	05/14/1980	IRRIGATION	04-15 10-15	0.08 CFS	12.00 AFA
C	ANN YORGENSEN HC 71 BOX 2106 CASCADE ID 83611 (208) 382-4712					
TOTAL DIVERSION:					0.08 CFS	12.00 AFA

Water Source: PEARSOL CREEK

Tributary to: PAYETTE RIVER, NORTH FORK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.11 CFS

Point(s) of Diversion: T13N R04E S05 Lot 02(NWNE) Lot 03(NENW) VALLEY County
T14N R04E S31 SESE VALLEY County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
14N	04E	31	:																	:	
																			04	:	4.0
TOTAL ACRES																				:	4.0

Pou County: VALLEY

Other Water Rights with Same Point(s) of Diversion and Source:
65-09763 65-12095 65-12608 L65-12608

Other Water Rights Listing Overlapping Place(s) of use:
65-07340 65-12095 65-12608

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
- R29 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Remarks: Single point of diversion located on or near line between NWNE (Lot 2) and NENW (Lot 3), S05, T13N, R04E and SESE, S31, T14N, R04E.

Dates: App. Received: 02/15/1978 Priority Date: 05/14/1980
Proof Due Date: 06/01/1983 Proof Made Date: 04/15/1983
Exam Made Date: 08/31/1989 Exam Sent to S.O.: 06/16/1993
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee: R (Received)

Audit: 01/07/94 CHAPMAN 01/07/94 CHAPMAN 01/07/94 CHAPMAN 01/10/94 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 65-12095

Date 1-7-94

Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☒ ☐	Advance? ☒ Advanced to: <u>5-14-80</u> Order to Reinstate Needed? <u>DONE ALREADY</u> ☐ ☒ Incorrect Fee for rate recommended?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source ☐ ☒ Notice of Intent to Void - Source change.
P/D	☒ ☐	Amendment Needed? <u>ADD NWNE LOT 2 NENE LOT 3</u> } SEC 5 ☒ ☐ Overlap(s) <u>13N</u>
P/U	☐ ☒	Amendment Needed? <u>CLARIFICATION ONLY</u> ☒ ☐ Overlap(s)
TOTAL CFS	☐ ☒	Measurement ☒ Theoretical only ☐ <u>5 GAL BUCKET</u> <u>SPRINKLERS & Pipe flow (2" pipe)</u> Allowable Amount: <u>4 acres @ .02 = .08</u> Capacity of System: <u>.11 CFS</u>
TOTAL VOLUME	☐ ☒	Season of Use: <u>B/3 (4-15 to 10-15)</u> Calculations: <u>4 acres @ 3.0 = 12 afa</u> Flow limit: <u>.08</u> x 184 x 1.9835 = <u>29</u>
USES	☐ ☒	Change(s) in Nature of Use? <u>Amendment Needed?</u>
REMARKS	☐ ☒	Multiple P/Ds in 1/4 1/4? <u>Special Overlap</u>
CONDITIONS	☒ ☐	Measuring/Locking Devices <u>R04</u> ☐ W/Master Control <u>65</u> Water Dist <u>R29</u> ☐ Irrigation Overlap <u>2-15-78</u> App Rec'd Water Quality Exam Made <u>W33</u> ☐ Other <u>SINGLE P/D ON SECTION & Y4Y4 LINES</u>

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Irrigation</u>	<u>.08</u>	<u>12.0</u>	☒
_____	_____	_____	1ST AMEND LETTER _____
_____	_____	_____	2ND AMEND LETTER _____

JUN 17 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

RECEIVED SEE 1/24/92 MEMO: REVIEW THIS EXAM
WITH 65-12608
RECEIVED -SL 5/28/93

JUN 17 1993

Department of Water Resources

Phone No. 382-4712

A. GENERAL INFORMATION

1. Owner: Slim & Joe Ann Yorgensen
Current Address: HC 71 Box 2016 CASCADE, ID. 83611
2. Accompanied by: MARSHA Wallon
Address: Same
Relationship to Permit Holder Daughter-in-law
EXAM. DATE 8/31/89
Phone No. _____
3. Source Pearson Creek tributary to Payette River, North Fork


B. OVERLAP REVIEW

1. Other water rights with same place of use 65-12608, 65-07340, 65-09019, 65-07334 ☐ Copies Attached
2. Other water rights with same point of diversion: AS in pln above ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

NOTE SAME SYSTEM AS 65-12608. Use this file for diagram, photos, maps, memo dated 1/24/92 to supplement info in 65-12608.



RECEIVED
FEB 24 1994

- Scale: 1" = NOT TO SCALE
2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required)
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
- ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water is diverted from Pearse Creek via 15' of 6" PVC pipe to a 3 a.f. pond (55'x26'x10'). A 30' piece of 6" pipe allows water from pond to be returned to creek or directly into 2" line & flow to pump (so pump can receive water directly from storage or ~~from~~ directly from creek). A 2" mainline from the pump supplies between 5 & 8 heads for 4 acres of pasture situated North & West of pump. See 1/24/92 memo for more information.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	1 1/2	R05	Water Ace	9860589, 2" line
			(See remarks)		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		NW	NE	5	13N	4E	Valley	USGS 7 1/2' quad & property from
	3		NE	NN	5	13N	4E		access road; single plat on
	-		SE	SE	31	14N	4E		section & CR lines.

6. Place(s) of Use:

Indicate Method of Determination AS ID plat

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	4E	31																4	4

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

8/31/89 } system not operational, could not measure
10/11/89 }

SEE 1/24/92 memo

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method

allow .08 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 3 = 12.0$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .08 \times 184 \times 1.9835 = 29.2$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 12$

2. Volume Calculations for Other Uses:

RECEIVED

FEB 24 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

POND STORAGE IS COVERED IN REVISED RECOMMENDATIONS FOR
65-12608.

OVERLAP - SAME DIV. & ACRES AS 65-12608. SEE 1/24/92

MEMO FOR MORE OVERLAP INFO. OTHER RIGHTS ARE
groundwater for other uses & for other land.

P/D AMENDMENT JUST CLARIFIES THAT P/D APPEARS TO BE ON
SECTION 1 & C&C LINES. SINCE TOTAL DESCRIPTION INCLUDES ORIGINAL
ONE & NO CHANGE OCCURRED, RECOMMEND NO AMENDMENT FEE.

P/D IS 6" PIPE DIVERTING 120 FROM CREEK TO POND. HOWEVER, PUMP
CAN ALSO WITHDRAW WATER DIRECTLY FROM CREEK DEPENDING ON WHERE
2" INTAKE LINE FOR PUMP IS PLACED.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/15	10/15	1.08	12.0
Totals:			1.08	12.0

2. Recommended Amendments (But no fee needed)

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name Steve Lestel

Signature [Signature]

Certification Date _____

Field Report Preparation Date 1/24/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MEMORANDUM

TO: FILE
FROM: STEVE LESTER
DATE: JANUARY 24, 1992
SUBJECT: EXAMS FOR PERMITS 65-12095 AND 65-12608

SL 5/28/93

Permit 65-12095 was filed in 1978 and 65-12608 was filed in 1983. I examined 65-12095 on 8-31-89 and found a confusing situation. Only three sprinklers were in place. I was informed that the owner (out of town on business) had the other unspecified number of sprinkler heads with him. The owner's relative was present but wasn't familiar with the system. She told me that the owner was repairing the system. The pond and pump and 2" mainline were present but it wasn't clear how much irrigated pasture was covered by the pond-pump system. A second visit was made on 10-11-89. Eight sprinklers were in place but the system was shut down for the season. Approximately four acres were covered by the sprinkler system. A measurement could not be made, and I decided to return during the 1990 season to measure the flow. I was not aware of the 9-15-89 Order of Reinstatement for 65-12608 during the 10-11-89 visit.

Instead, another examiner (Mel Schulte) conducted an exam for 65-12608 on 7-9-90. Apparently, it was not clear to Mel that the two permits are for the same system. Mel found the same pond, pump, and four acres of irrigation.

His exam was reviewed by Cindy Hodges on 6-21-91. The recommended procedure is to review both exams together for the common system.

Water is diverted from the creek via a 15' long, 6" PVC pipe to a .3 af pond. A 6" pipe exits the pond and can dump water back into the creek to be subsequently withdrawn via a 2" line connected to the pump and sprinklers. Also, the 2" line can be directly connected to the 6" exit pipe to route pond water to the sprinkler system. In this manner the pump can utilize live flow or stored water for irrigation use. See photo #2 in 65-12095 for the direct connection from storage to irrigation.

RATE OF FLOW

Mel's 1990 information leads to several flow estimates.

- 1) 5 gallon bucket @ 5g/4s = .17 cfs $\pm$.02 cfs from chart.
- 2) Sprinkler measurement of .05 cfs (5 heads found in 1990 although 8 found on 10-11-89 visit; 1990 calculation used 5 heads).
- 3) HP equation where $hp=1.5$, $eff=.7$, $psi=50$ (from sprinkler test), $z=@5'$ vertical lift to pump. Do not use 65' length of 2" pipe from creek to pump. Then, $Q = .08$ cfs.
- 4) Additionally, expected flow in 2" pipe at assumed velocity of 5 fps:
 $Q = VA$ where $A = \pi \times \text{radius squared}$ (radius in feet). $Q = .11$ cfs.

Microfilm

FEB 24 1994

The 5 gallon bucket method establishes the upper limit of the irrigation flow. The sprinkler test shows about .05 cfs applied to the land. The HP equation and expected flow calculations shows that @ .08 cfs could be delivered by the pump system.

Conclusion: recommend .08 cfs for 4 acres in permit 65-12095.

For 65-12608, the live flow irrigation is completely covered in the other permit. The diversion to storage and storage components can be covered by 65-12608. Because irrigation can occur from live flow and from the .3 af pond as explained above and due to the amount stored in 24 hrs. @ the recommended irrigation flow in 65-12095 (.08 x 1.9835 = .16 af), irrigation storage and irrigation from storage should be included in 65-12608. The remaining question deals with the rate for diversion to storage via the 6" pipe from the creek to the pond. No measurement of this rate was possible (submerged pipe). Instead, a theoretical estimate can be made.

DIVERSION TO STORAGE *

Given: 6" PVC pipe, 15' long, estimated 1' head from creek to pond.

Find: rate of flow

Method: $Q = VA$ where V is velocity and A is area of pipe.

$A = \pi \times \text{radius squared (radius in feet)}$ and radius = $(6/12)/2 = .25$

$A = \pi \times .25 \times .25 = .196$

For V, since head = velocity squared divided by $2 \times g$, solve for V where head is 1 and g is 32.2; $V = 8$ fps. This seems rather high for the conditions observed in the field. Therefore, assume velocity is @ 5 fps and solve for losses. Then recalculate head and substitute adjusted head value into above equation and solve for V. Use this velocity estimate in $Q = VA$.

Estimate losses for pipe entrance & exit plus loss in pipe length. Use the Hydraulic Handbook for entrance/exit loss equations. Use Rainbird guide to estimate loss in 15' length (see attachment).

$$\text{Entrance/exit loss} = \left[K_1 \times \frac{(V \times V)}{(2 \times g)} \right] + \left[K_2 \times \frac{(V \times V)}{(2 \times g)} \right]$$

$$= (K_1 + K_2) \left[\frac{(V \times V)}{(2 \times g)} \right]$$

above is simplified version of loss equations

where $V = 5$, $g = 32.2$, $K = 1 + .85$ (tables)

$$= 1.85 \times \frac{(5 \times 5)}{2 \times 32.2} = .72$$

* methodology per DRT - it have question about
him for clarification.

Length loss = .17 from attachment

Total losses = .72 + .17 = .89

Total head available = 1 - .89 = .11

Solve for V where head = .11 = $\frac{V \times V}{2 \times g}$ where g = 32.2

V = sq. root of .11 x 64.4 = 2.66 and A = .196 (from above)

Estimated flow from creek to pond = Q = VA = 2.66 x .196 = .52 cfs.

Recommend for 65-12608: .52 cfs div. to storage 1/1-12/31
.3 af irrigation storage 1/1-12/31
.3 af irrig. from storg. 4/15-10/15
.3 af wildlife storage 1/1-12/31
Total .52 cfs and .3 afa (same acres as 65-12095)

OVERLAP

Both permits are for same diversion and same acres. Acceptable to have full live flow volume plus storage volume from same creek. No other surface water used on property according to water right and adjudication databases. Owners have well 65-07340 for domestic and irrigation of adjacent land. Other wells for other property are located in SESE S.31.

SRBA CLAIMS

No claim is required for 65-12608 due to proof filing date of 6/20/89. However, 65-12095 does require a claim. Proof was submitted in 1983 and the exam fee was paid on 10/31/88 (late). Owners were notified in SRBA per ML3. No claim was found when searching AJQ1, AJ2, AJQ4, and non-data entry records. A letter was sent to owners on 1/24/92 requesting that a late claim be filed within 30 days to avoid need to cancel permit.

*Claim A 65-12095 received with \$54 fee on
2/11/92 in response to my 1/24/92 letter to
owners.*



For plot location, see note in 65-12095 Exam.

OK to complete licensing process now.

- Jc 5/26/93

cc. 65-12608

FILED
JUL 24 1993
FBI - DENVER



MAIN LINE CALCULATIONS

- 1 Set gallons per minute under C value for pipe used. (See table below.)
- 2 Read friction loss in P.S.I. per 100 of pipe under pipe size.
- 3 Blue pipe sizes are for PVC 160.

C Value	15 year old steel	100
	Aluminum with couplers	120
	Cement asbestos	140
	Plastic	150

RAIN BIRD®

SPRINKLER P.S.I.

NOZZLE SIZE INCHES

SPRINKLER P.S.I.

SPRINKLER G.P.M.

SPACING FEET

PRECIPITATION RATE INCH PER HOUR

SQUARE FEET OF SPACING

PRECIPITATION RATE CALCULATIONS

- 1 Set nozzle size opposite sprinkler pressure
- 2 Read sprinkler G.P.M. under arrow.
- 3 Read precipitation rate below spacing.

NOTE: For spacings other than listed, multiply to obtain square feet. Read precipitation directly above this figure.

Copyright 1972, Rain Bird
Compiled by Robert A. Cochran, P.E. Part No. D31225
Slide Chart by PERRYGRAF L.A., CA 91324 Printed in U.S.A.

CALCULATOR FOR MAINLINE PIPE SIZE & PRECIPITATION RATE

$$\frac{.5 \text{ psi}}{100'} = \frac{x \text{ psi}}{15'}$$


$$x = \frac{(.5)(15)}{100} = .075 \text{ psi}$$

$$(.075 \text{ psi})(2.31 \text{ ft/psi}) = .17'$$

$$.17' = \text{loss for } 15' \text{ of } 6'' \text{ pipe}$$

RAIN BIRD®

65-1209



65-12095

14N

46

5.31 m LITS etc

13N

46

5.5

P14 4 acres

Road

NO

P/D is on line
of :

5.5 L.2 NWNE
L.3 MENW

5.31 SESE

and located 500'
west of road.

P14 = 4 acres in
SESE 5.31

NOTE

POND located in 5.5
L.3 NWNE &
5.31 SESE
(Pond = 65-12608)
Pond is south of creek.

FEB 24 1964



Site is
about 1 3/4
miles SE of
Cascade.

PHOTO ONE-

P/O from Leonard Ck. via 6" pipe to
pond. (Pond - see photo #3 is 65-12608)
Same pld as 65-12608.



PHOTO TWO-

Looking South across Leonard Ck. at 6" outflow
line from pond. 2" line in foreground runs from 6"
line to pump (see photo #3). 2" pipe was hooked
to 6" pipe on 8/31 + 10/11 1989 visits.

FEB 24 1994




PHOTO THREE-

Looking NW at pump (same pump as in 65 12608). 2" intake and 2" outflow lines. Part of p/w shown.



PHOTO FOUR-

Looking West at pump & p/w SAME as described in 65-12608.

FEB 24 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

(208) 327-7900

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - [REDACTED]

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 21, 1989

RE: Permit No. 65-12095


Slim & Ann Yorgensen
HC 71 Box 2016
Cascade, ID 83611

Dear Mr. & Mrs. Yorgensen:

Enclosed is a copy of the order reinstating the above referenced permit and advancing the priority date to May 14, 1980, due to late submittal of the exam fee.

If you have any questions, please feel free to contact our office.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:hm

Enclosure

MICROFILMED

MAK 31 1989

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 65-12095

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE REVIEW

DATE: 1-MAR-1989

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	FEBRUARY 15 1978	46
EXAM FEE NOTICE		
Exam Fee Notice Date:	JUNE 05 1986	156
Exam Fee/Info Sheet Received Date:	OCTOBER 31 1988	1034
Exam Fee or Info Due Date:	AUGUST 04 1986	216
Days Late:		818 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	FEBRUARY 15 1978	46
Total Days Late:		818 DAY(S)
New Priority Date:	MAY 14 1980	134

UNRECORDED
MAR 31 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

65-12095
YONGESEN, STEVE
YONGESEN, DAN
STATE ROUTE
CHOCOMA, ID 83611

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 25, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on August 5, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on June 5, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before October 5, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

MICROFILMED

GLEN SAXTON, Chief
Operations Bureau

Enclosure

MAR 31 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

65-12095
YORGENSEN, SLIM
YORGENSEN, ANN
STAR ROUTE
CASCADE, ID 83611

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 9, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill, Jr.

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

MICRO
MAR 31 1989

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

65-12095
YORGENSEN, SLIM
YORGENSEN, ANN
STAR ROUTE
CASCADE, ID 83611

Mailing address:
Statehouse
Boise, Idaho 83720

138574

June 5, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You may change your decision to use this alternative and submit the fee to the department to conduct the field examination, but you may change to another certified examiner.

MAR 31 1989

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MAILED

MAR 31 1989

April 21, 1983

Slim and/or Ann Yorgensen
Star Route
Cascade, ID 83611

Dear Mr. and Mrs. Yorgensen:

Re: Permit No. 65-12095

This office acknowledges receipt of the assignment conveying this permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

Also this office acknowledges receipt of the statement of beneficial use submitted for the permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding the field examination, please contact our Western Regional office at 334-2190.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

RECEIVED
APR 22 1983
FBI - BUTTE

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-12095

Name(s) of Permit Holder: SUN (DELOY) YORGENSEN

Post Office Address: STAR RT

CASCADE ID 83611
Source of Water: PEARSOL CK.

Extent of Use:

☐ Domestic

☐ Stockwater

☒ Irrigation

☐ Other

RECEIVED
TEL. No. _____

(number of households) 1983

(number and type of stock)

(acres) _____

Department of Water Resources
Western Regional Office

Measuring Device: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

4-15-83
Date

DeLOY Yorgensen
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

APR 18 1983

DEPARTMENT OF WATER RESOURCES



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138416

MURPHY, ROBERT W. & WILMA C.
P.O. BOX 435
CASCADE, ID 83611

PROOF DUE NOTICE

MARCH 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-12095 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
MAY 11 1983



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

May 23, 1978

Re: Application for Permit No. 65-12095

Robert W. Murphy
P. O. Box 435
Cascade, ID 83611

Dear Mr. Murphy:

I received your letter today requesting the status of your application for permit. I sent your application to our state office for final action and signature. Please allow them three to four weeks to send you an approved permit.

If you have any further questions, feel free to contact our office.

Sincerely,

RITA FLECK
Sr. Secretary

RF

MICROFILMED

P.O. Box 435
Cascade, Idaho 83611
May 22, 1978

Sirs:

On February 15, 1978, I applied for
a permit to pump water from Pearsole
Creek to irrigate four acres. - permit #
65-12095

To this date, I have not received
any word from your office.

Would you please check on this
application and inform me if it
has been approved

Thank you

Sincerely

Robert W. Murphy

RECEIVED

MAY 23 1978

Department of Water Resources
Western Regional Office

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 9, 1978

Re: Permit No. 65-12095

Robert W. &/or Wilma C. Murphy
Box 435
Cascade, ID 83611

Dear Mr. and Mrs. Murphy:

Your approved copy of Application for Permit No. 65-12095 is enclosed and we direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

RECEIVED

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

A handwritten signature in cursive script, reading "L. Glen Saxton".

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

June 9, 1978

Re: Permit No. 65-12095

Robert W. &/or Wilma C. Murphy

Fox 435

Cascade, ID 83611

Dear Mr. and Mrs. Murphy:

Enclosed is a copy of your approved Application for Permit No. 65-12095. We direct your attention to the conditions of approval as listed on the fourth page.

Please be advised that there is insufficient natural flow available in the Payette River and tributaries to provide water for a new appropriation throughout the entire irrigation season.

During the spring run-off each year, there may be a period of time in which the prior rights to the use of the natural flow and storage are filled leaving water available for your later-in-time permit. As the natural flow diminishes, however, there would be no water available for your right and unless you had arranged for an additional source of water to supplement the flow right, you may find that you have to cease irrigating in the middle of the season.

This information is provided so that you will not be misled into thinking that this permit will provide sufficient water thru the entire irrigation season.

If you have any questions regarding this matter, please feel free to contact this office.

Sincerely,

L. GLEN SAXTON

Chief, Operations Bureau

LGS:kw

Enclosure

RECEIVED
JUN 11 1978
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO]
] ss.
County of Valley]

Michael Parfit, being first duly sworn, deposes and says: That he is the publisher of The Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began March 30, 1978, and ended April 6, 1978.

[Signature]
Subscribed and sworn to before me a Notary Public in and for the County of Valley, and the State of Idaho, this 6 day of April, 1978.

[Signature] Notary Public.

My commission expires Aug. 1, 1981.

Notice is hereby given of Application for 65-12095 in the name of ROBERT W. &/or William Murphy of, Box 425, C. Idaho was published in March 2 and March 9 1978. The place of use was as being within the SE 1/4 Sec. 31 T13N-R4E WHEREAS, the actual is within the SE 1/4 Sec. 31 T14N-R4E B.M. Any protest against this application must be filed with the Director of the Department of Water Resources, 92 South Cole, Boise, Idaho 83705 on or before April 17, 1978. C. STEPHEN A. Published in the Star-News

OK
4-12-78
[Signature]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

March 23, 1978

Re: Notice of Correction No. 65-12095 -- Robert &/or Wilma Murphy

Star News
Box 985
McCall, ID 83638

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before April 17, 1978.

Sincerely,

RITA FLECK
Secretary

Bill submitted
4-12-78
J

MICROFILMED

NOTICE OF CORRECTION

Notice is hereby given that notice of Application for Permit No. 65-12095 in the name of ROBERT W. &/or Wilma C. Murphy of Box 435, Cascade, Idaho was published in error on March 2 and March 9 1978.

The place of use was advertised as being within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 31 T13N-R4E B.M. WHEREAS, the actual place of use is within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 31 T14N-R4E B.M.

Any protest against approval of this application must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before April 17, 1978.

C. STEPHEN ALLRED

Director

Published in the Star News, McCall, Idaho on March 30 and April 6, 1978.

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM

Jan

DATE

TO

Rita

SUBJECT

I checked grade & the correct
legal is 14 N. Sorry,

MICROFILMED

SIGNATURE

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO]
]ss.
County of Valley]

Michael Parfit, being first duly sworn, deposes and says: That he is the publisher of The Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began 19....., and ended 19.....

Subscribed and sworn to before me a Notary Public in and for the County of Valley, and the State of Idaho, this.....day of 19.....

.....Notary Public.

My commission expires 19.....

WATER PERMIT

Notice is hereby given that ROBERT W. &/or WILMA C. MURPHY Box 433 Cascade, Idaho has on February 15, 1978 submitted Application No. 65-12095 for a permit to appropriate 0.08 cubic feet per second of water from Pearsof Creek trib. N. Fk. Payette River by means of pump and ditch with in the SE¹/₄SE¹/₄ Sec 31 T14N-R4E B.M., Valley County to be used from Apr 15 'to Oct 15 for irrigation of 4 acres within the SE¹/₄SE¹/₄ Sec 31 T13N-R4E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Department of the Idaho Depart-

88795 on or before March 1, 1978.

C. STEPHEN ALLRED
Director

Published in the Star News

OK
3-21-78
mb

MAILED



DEPARTMENT OF WATER RESOURCES

WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

February 24, 1978

Re: Notice of Application for Water Permit No. 65-12095 -- Robert &/or Wilma Murphy
65-12096 -- Idaho Power Company

The Star News
Box 935
McCall, ID 83638

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before March 20, 1978.

Sincerely,

RITA FLECK
Secretary

Bill submitted
3-21-78

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ROBERT W. &/or WILMA G. MURPHY
Box 435 Cascade, Idaho
has on February 15, 1978 submitted Application No. 65-12095
for a permit to appropriate 0.08 cubic feet per second XXXXXXX
per annum of water from RM Pearso1 Creek trib. N. Ek. Payette River
XXXXXXXXXXXX
by means of pump and ditch
within the SE1/4SE1/4 Sec 31 T14N-R4E B.M., Valley County

to be used from Apr 15 to Oct 15
for irrigation of 4 acres

within the SE1/4SE1/4 Sec 31 T13N-R4E, B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before March 20, 1978.

C. STEPHEN ALLRED

Director

Published in the Star News, McCall, ID
on March 2, 1978 and March 9, 1978.