


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael E. Holladay
(Applicant)
Mike Holladay
Ass't City Engineer

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Copy of Notice
(First Copy)

Notice of Application for Water Permit

TITLE OF PUBLICATION

City of Payette

SPONSOR OR PLAINTIFF

Idaho Dept. Water Resources

PLAINTIFF OR LEGAL AGENT

I, Sharon L Swanson, being

duly sworn, deposes and says:

That he is the principle clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two (2) consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with

October 20, 19 77, and ending with the issue
of October 27, 19 77

Subscribed and sworn to before me this 28 day
of October, 19 77.

Mary Jane Lee

Notary Public, Residing at Payette, Idaho.

My Commission Expires April 28, 19 80.

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines 18

Number of Insertions two

18 Lines @ 42⁵⁰/₁₀₀ \$ 7.65

18 Lines @ 30²⁴/₁₀₀ \$ 5.49

TOTAL COST
WILL BE \$ 13.14

NOTICE OF APPLICATION FOR WATER PERMIT
Notice is hereby given that CITY OF PAYETTE 700 Center
Avenue Payette, ID has on October 12, 1977 submitted
Application No. 65-12019 for a permit to appropriate 0.22
cubic feet per second of water from a groundwater source by
means of well and pump within the SE¹/₄SE¹/₄ Sec 33 T9N-
R5W B.M., Payette County to be used from Jan 1 to Dec 31 for
municipal purposes and from Mar 15 to Nov 1 for irrigation
of 5 acres within the SE¹/₄SE¹/₄ Sec 33 T9N-R5W B.M.

If issued, this permit will be subject to all prior water
rights. Protests against the granting of the permit must be
filed with the Director of the Idaho Department of Water
Resources, 92 South Cole Road, Boise, Idaho 83705 on or
before November 7, 1977.

C. STEPHEN ALLRED

Director

Published in the Independent Enterprise, Payette, Idaho on
October 20, 1977 and October 27, 1977.
No. 449

10-20-2tc

MICROFILMED

RECEIVED

NOV 1 1977

Department of Water Resources
Western Regional Office

Nº 449

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 65-12019
1. Owner: CITY OF PAYETTE Phone No. 642-3377
Current Address: 700 CENTER AVE PAYETTE ID.
2. Accompanied by: TONY MELL EXAM. DATE: 7-16-87
Address: 700 CENTER AVE PAYETTE Phone No. 642-3377
Relationship to Permit Holder: PARKS SUPERVISOR
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-9196, 65-6491, 65-6023, 65-4346
IN SAME 1/4 1/4 BUT NOT ON SAME LAND ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED

SEP 26 1990



65-12019-33 NA

65-12019



P.D.



P.U.

NOTIFIED
SEP 26 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-12019

Priority: September 22, 1977

Maximum Diversion Rate:

0.22 CFS

This is to certify, that CITY OF PAYETTE
700 CENTER AVE.

PAYETTE, ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 22, 1977; and has submitted Proof of Beneficial Use on November 4, 1982. An examination indicates that the works have a diversion capacity of .240 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	0.22 CFS	

LOCATION OF POINT(S) OF DIVERSION: LOT 1(SESE), Sec. 33, Township 09N, Range 05W
PAYETTE County


PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Place of use within city limits of Payette.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of September, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 26 1990

Identification No. _____

Application No. 65-12019

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1 Name of applicant City of Payette Phone: 642-3377
post office address 700 Center Ave., Payette, Idaho 83661

2 Source of water supply ground water which is a tributary of _____

3 a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 33 Township 9 N.
Range 5 W B M Payette County; additional points of diversion if any: _____
N/A

b If water is not consumed, it will be discharged into N/A at a point in N/A $\frac{1}{4}$
of N/A $\frac{1}{4}$ of Section N/A Township N/A Range N/A B.M. _____

4. Water will be used for the following purposes:

Amount _____ or _____ purpose from _____ to _____ (both dates inclusive)

Amount .10 (cfs or acre-feet per annum) for Irrigation purpose from 3/15 to 11/ 15 (both dates inclusive)

Amount .12 (cfs or acre-feet per annum) for Municipal purpose from 1/1 to 12/31 (both dates inclusive)

5. Total quantity to be appropriated.

a .22 CFS cubic feet per second and/or

b _____ acre feet per annum

6 Proposed diverting works

100

3" pursuant to telephone

a Description of ditches, flumes, pumps, headgates, etc. 250 GPM pump and 4" pipe line conversation
10-14-77
DRT

b Height of storage dam N/A feet, active reservoir capacity N/A acre feet, total reservoir
capacity N/A acre feet, materials used in storage dam N/A

Period of year during which storage will occur N/A to N/A inclusive.
(Mo Day) (Mo Day)

c Proposed well diameter is 8 inches, proposed depth of well is 100 feet

7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years

b Estimated construction cost is \$2,500.00

8 Description of proposed uses

a If water is **not** for irrigation

(1) Give the place of use of water City limits of Payette
Range _____ B M _____ Township _____

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served PAYETTE, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
9 N	5 W	33																5	5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above Water from Slough 49, a tributary of Payette River for irrigation - Use Permit 19243, Dec. 26, 1941.

9 a. Who owns the property at the point of diversion City of Payette

b. Who owns the land to be irrigated or place of use City of Payette

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks The water will also be used to wash and clean city streets and fill agricultural spraying equipment. Presently these requirements are met by domestic water supplies. The use of the ground water to meet these needs would reduce the load on the domestic water supply. This water right is also being requested due to problems with irrigating from Slough 49.

Water used for irrigation 0.10 CFS

Water used for non-irrigation use 0.12 CFS

Street washing, agricultural spraying, sanitary and storm sewer flushing.

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Michael E. Holladay
(Applicant)
Mike Holladay
Ass't City Engineer

Proposed priority 9/22/77

CLS 9/22/77 B.30

Received by LS Date 2/28/77 Time 10:30

Preliminary check by CLS Fee \$ 25.00

Receipted by Y Date 10-12-77 # 8979

Publication prepared by Y Date 10-13-77

Published in Independent Enterprise

Publication dates Oct 20 + 27

Publication approved Y Date 11-1-77

Priority reduced to _____ Reason _____

Protests filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ORT W. H. H.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-12019, and said application is hereby APPROVED.

1 Approval of said application is subject to the following limitations and conditions

- a SUBJECT TO ALL PRIOR WATER RIGHTS
- b Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 83.
- c Other- The rate of diversion of water for irrigation under this permit when combined with Right No. 65-2424 and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

2 Denial of said application is for the following reasons _____

Witness my hand this 29 day of January 19 78.


DEPUTY Director

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS

Copy of Notice
(First Copy)

Notice of Application for Water Permit
TITLE OF PUBLICATION

City of Payette
SPONSOR OR PLAINTIFF

Idaho Dept. Water Resources
PLAINTIFF OR LEGAL AGENT

D. Sharon Swanson, being

duly sworn, deposes and says:

That he is the principle clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two (2) consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with
October 20, 19 77, and ending with the issue
of October 27, 19 77

Subscribed and sworn to before me this 25 day
of October, 19 77

Mary Jane Lee
Notary Public, Residing at Payette, Idaho.

My Commission Expires April 28, 19 80

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

Number of Lines 18

Number of Insertions 600

18 Lines @ 42.50 \$ 765

18 Lines @ 30.24 \$ 549

TOTAL COST
WILL BE \$ 13.14

NOTICE
Notice is hereby given that the City of Payette, Idaho, has submitted Application No. 443 for a permit to appropriate 0.22 cubic feet per second of water from a groundwater source by means of well and pump within the SE 1/4 Sec 19 T14N R5W B.M., Payette County to be used from Jan 1 to Dec 31 for municipal purposes and from Mar 15 to Nov 1 for irrigation of 5 acres within the SE 1/4 Sec 19 T14N R5W B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83726 on or before November 7, 1977.
C. STEPHEN ALLRED
Director
Published in the Independent Enterprise, Payette, Idaho on
October 20, 1977 and October 27, 1977.
No. 443

OK
11-1-77
[Signature]

MICROFILMED

Nº 449

September 18, 1990

CITY OF PAYETTE
700 CENTER AVE.
PAYETTE, ID 83661

RE: PERMIT NO. 65-12019

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 26 1990

6512411

RECEIVED
AUG 7 1990



JOHN P. FRANKS
City Clerk

Department of Water Resources
CITY OF PAYETTE
700 Center Avenue
Payette, Idaho 83661
(208) 642-3377

CITY CLERK

August 6, 1990

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

Dear Mr. Johnson;

Enclosed is the Proof of Beneficial Use form that I sent in on 8-30-89 to secure water rights for Well #18.

The rate of use requested is 1.0 cubic foot per second. I'm confused as to where the .22 cfs came from and this is not sufficient for the needs or design of the well in question.

Please review the Proof of Beneficial Use. The City of Payette requests the full 1.0 cubic foot per second.

Thank you for your time and consideration.

Sincerely,

John P. Franks
John P. Franks
City Clerk

RECEIVED

SEP 6 1990

9-6-90 - on this date I called Mr. Franks & explained to him that well #18 (1.0 cfs) is filed under 65-12951 and this permit can only be licensed for .22 cfs as originally applied for. after giving him the area description for this well (near Kuwani park) he had no further objections to our issuance of the license as proposed.

SC

RECEIVED
AUG 7 1990

no v enclosed
Department of Water Resources STATE OF IDAHO

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-12951

Name(s) of Permit Holder: City of Payette

Post Office Address: 700 Center Ave.

Payette, ID 83661 Telephone No. 642-6024

Source of Water: 18" Well with 12" Screens Well is 226' deep

Extent of Use:

Domestic 2200 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.0 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: July 25, 1988

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Bob Anderson 642-6024
(Name) (Telephone Number)

700 Center Ave. Payette, ID 83661
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 26 1990

P-3089
Date

John P. Franks City Coordinator
Signature of Permit Holder (and title, if appropriate)

July 31, 1990

CITY OF PAYETTE
700 CENTER AVE.
PAYETTE, ID 83661

RE: PERMIT NO. 65-12019

Dear Mr. Franks

I am in receipt of your letter of July 16, 1990 requesting one cubic foot per second of water for future use. Unfortunately the permit we are currently processing (65-12019) only requested 0.22 cubic feet per second. We are prepared to issue a license for that amount, but because only 0.22 cubic feet per second was requested on the permit we cannot exceed that amount on the license.

If you have installed additional wells to supply your municipal needs I would suggest that you file additional permit to cover the increase in the City's system. You can contact our Western Regional Office for more information. Their phone number is 334-2190.

You need to return the application for amendment of permit with the amendment fee so that we can complete the license processing.

If you have any questions on this call me at 327-7947.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

MICROFILMED

SEP 26 1990

JOHN P. FRANKS

████████████████████

City Clerk



CITY OF PAYETTE
700 Center Avenue
Payette, Idaho 83661
(208) 642-3377

CITY CLERK

RECEIVED

JUL 18 1990

Department of Water Resources

July 16, 1990

State of Idaho
Department of Water Resources
Mr. Jim Johnson
1301 North Orchard Street
Boise, Idaho 83720

RE: Permit 65-12019

Dear Mr. Johnson:

The above permit was applied for with a diversion rate of one cubic foot per second. The well is designed to supply this amount of water for future needs. At the present time, and I am sure the field examiner reported as such, the City is pumping a small portion of what the well will supply.

The City would like the permit to cover the one cubic foot per second applied for so we will be within permit in the future when the well is used to provide more water for the domestic supply of Payette.

Thank you for your time in reviewing this application.

Sincerely,

John P. Franks
John P. Franks
City Clerk

MICROFILMED

SEP 20 1991

July 5, 1990

CITY OF PAYETTE
700 CENTER AVE.
PAYETTE, ID 83661

RE: PERMIT NO. 65-12019

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 20 1990

AMENDMENT NOT REQ'D - this letter was sent in error

SC 8/29/90

MEMORANDUM

TO: FILE 65-12019

FROM: JIM JOHNSON

RE: EXAMINATION REPORT OF MUNICIPAL USE

DATE: December 11, 1989

The field report recommended this right be licensed for two uses, Irrigation and Municipal, however, to stay in compliance with the Administrators Memorandum dated November 5, 1979, only the Municipal use should be licensed. The capacity of the system is reflected in the following information.

PUMPING PLANT WELL DATA

Pressure at well head:	60 psi	(estimated)
Depth to water:	100 feet	(per field report)
Pump and Motor efficiency:	0.65 percent	(estimated)
Motor Horsepower:	10 hp	(per field report)
TDH:	239 feet	(calculated)
Pipe Diameter at well head	4 inches	(per field report)
Velocity:	2.7 fps	(calculated)
Discharge:	0.24 cfs	(determined from above info.)
	108 gpm	

The estimated pumping plant capacity exceeds the rate of flow requested on the permit therefore the license should be limited to the permitted amount of 0.22cfs.

MICROFILMED

SEP 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-12019
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

SE SE SE 7N 3W

RECEIVED

MAR -1 1988

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat
- Check of P/D index DN 7-2-57 (Initial and date)
 - Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached? NO OTHER
 - Type of Overlap? ☐ Add acres or uses to existing system G.W.
 - ☐ Increase rate of flow or volume
 - ☐ Other: _____
- Check of P/U index DN 7-2-57 (Initial and date)
 - Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
 - Same Type of Overlap? ☐ Increase rate of flow or volume
 - ☐ Add P/D's
 - ☐ Increase number of acres within tracts
 - ☐ Other: _____
- Aerial Photo
 - Required? ☐ yes ☒ no If yes: ☐ copy attached?
- Scheduling Letter sent? _____ (Initial and date)
- ☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Quentin Webb 8-17-87 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent GO 8/18/87 (Initial and date)
Exam Reviewed by Manager of Regional Office Ang 2/29/88 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office 2/29/88 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 65-12019
1. Owner: CITY OF PAYETTE Phone No. 642-3377
Current Address: 700 CENTER AVE PAYETTE ID.
2. Accompanied by: TONY MELL EXAM. DATE: 7-16-87
Address: 700 CENTER AVE PAYETTE Phone No. 642-3377
Relationship to Permit Holder: PARKS SUPERVISOR
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use. 65-9196, 65-6491, 65-6023, 65-4316
IN SAME 1/4 1/4 BUT NOT ON SAME LAND ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

- 2 ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED

SEP 26 1990

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM CONSISTS OF A WELL WITH 12" CASING DOWN 200 FT WITH A 10 HP PUMP SET AT 87 FT. 4" PIPE COMES OUT OF WELL UNDERGROUND THEN DOWN TO 2" UNTIL GETS TO OUTLET WHERE THEY FILL TRUCKS, THEN IT GOES DOWN TO 1 1/2" TO ALL OF THE SPRINKLERS.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN?	10	?	?	?

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		SE	SE	33	9N	SW	PAYETTE	USGS QUAD & COUNTY MAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9N	SW	33																2	2

* GOV. LOT NO. 1

Note: Municipal use is within city limits of City of Payette

MICROFILMED

Do not use this space

SEP 20 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE						
(PITOT TUBE)						

2. Measurements:

10 SPRINKLERS RUNNING WITH 5/32 + 3/16 NOZZLES
 8 MODEL 35'S AND 2 MODEL 30'S
 CHART → 8 X 6.5 G.P.M. + 2 X 4.5 G.P.M. @ 43 PSI
 ≈ 61 G.P.M. → 1.4 cfs
 * SUPERVISOR SAID CAN RUN ABOUT 102 G.P.M. TO FILL
 7 TRUCKS (BECAUSE NO RESTRICTION)

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

SPRINKLER PRESSURE GAUGE 1.4 cfs, WHICH IS

LESS THAN 500 G.P.M. .03 cfs X 2 = .06 cfs FOR IRRIGATION

2. Alternate Method for Checking Purposes.

THEORETICAL ASSUME 60 FT
 $\frac{10 \times 9.8 \times 1.8}{60 + (2 \times 43 \text{ PSI})} = .44 \text{ cfs} > 1.4 \text{ cfs O.K.} \checkmark$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 4.5 = 9 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 1.98 \times 245 \text{ days} = 29.1$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 9 \text{ afa}$

2. Volume Calculations for Other Uses

MUNICIPAL N/A

~~$.12 \times 1.98 \times 365 = 86.72 \text{ afa}$~~

MICROFILMED

SEP 26 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

* I MEASURED .14 cfs ON THE SPRINKLERS WHICH IS ~~MEASURED~~ FOR THE IRRIGATION PART, BUT I AM SURE THAT COULD PROBABLY GET 102 G.P.M. → .22 cfs LIKE SUPER VISOR SAID OUT OF THE FAUCET, ~~SO I RECOMMEND~~ EVEN THOUGH I DIDN'T MEASURE IT. SO I RECOMMEND THAT THE PERMIT BE LICENSED FOR A TOTAL OF .18 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
IRRIGATION	3-15	11-15	.06	Qafa
MUNICIPAL	1-1	12/31	.12	~~85.7 cfs~~ N/A
Totals:			.18 cfs	95.7 cfs Qafa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name QUENTIN NESBIT
 Signature Quentin Nesbitt
 Certification Date _____
 Field Report Preparation Date 8-17-87


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

reviewed: Reyanna McElrath 1/18/89

MICROFILMED

SEP 26 1990







P.D.



P.U.

MICROFILMED
SEP 20 1965

4/86

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$100
Date 7-22-86
Receipt # 40484
Receipt by RMB
Sent to S.O. 7/23/86

RECEIVED

JUL 11 1986

1. Permit No. 65-12019

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: City of Payette

3. Post Office Address: 700 Center Ave.

Payette, Idaho 83661 Telephone No. 642-3377

4. Source of Water: ground water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 18 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .22 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

9/28/77

8. Person to contact to accompany the department representative during the field examination:

Tony Mell, Park Supt.

(Name)

Kiwanis Park - So. 6th St. or 700 Center Ave.

(Address)

642-3377

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certifier. I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

SEP 26 1990

City Clerk

7/8/86
Date

Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

65-12019
CITY OF PAYETTE
700 CENTER AVENUE
PAYETTE, ID 83661

Mailing address:
Statehouse
Boise, Idaho 83720

June 5, 1986

138560
CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, **MICROFILMED** change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

SEP 26 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

SEP 26 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-12019

Name(s) of Permit Holder: City of Payette

Post Office Address: 700 Center Ave.

Payette, ID Tel. 642-3377

Telex No. 642-3377

Source of Water ground water

Extent of Use: ☐ Domestic _____ (number of households)

☐ **Stockwater** _____ (number and type of stock)

☒ Irrigation 5 (acres)

☒ Other street flushing

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

11/2/82
Date

Signature of Permit Holder

Payette, Idaho 83441



NOV 13 2010
1382
DEPARTMENT OF WATER RESOURCES

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138890

CITY OF PAYETTE
700 CENTER AVENUE
PAYETTE, ID 83661

OCTOBER 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-12019
WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS
OFFICE ON OR BEFORE JANUARY 01, 1983. (SEE LAST PAGE OF YOUR
APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT
THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY
RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PRO-
VIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204,
IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A
GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN
BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME
MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE,
OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT
WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC 1

NOV 1 1982

July 29, 1982

City of Payette
700 Center Avenue
Payette, Idaho 83661

RE: Water Right Permits for the City of Payette

Dear Mike:

It appears that you have changed jobs since I last was in contact with you. Congratulations on becoming the City of Payette's Engineer.

The letter that we sent with respect to Section 42-204, Idaho Code, referred to permit no. 65-12412, which you mentioned in your letter dated July 7, 1982. It appears in your letter that you do not have a copy of the permit, so I have enclosed one with this letter. Note that proof is due on July 1, 1986.

To comply with Section 42-204, Idaho Code, the City will have to submit the blue Commencement of Works postcard by June 30, 1983. If, as you anticipate, the construction of works has not been commenced by that date, the card should be accompanied by an explanation of how the city was prevented from commencement.

Please give me a call at 334-4104 if you have any questions on this matter.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Supervisor, Water Allocation Section

DRT:jg

Enclosure

City of Payette

INCORPORATED JULY 16 1891



DICK E. BUTCHER
MAYOR
STEPHEN C. BATT
CITY ATTORNEY
BARBARA A. MILLARD
CITY CLERK

700 CENTER AVENUE — PHONE 642-3377
PAYETTE, IDAHO 83661

RECEIVED
JUL 9 1982
Department of Water Resources
CITY COUNCIL —

LLOYD BLACKMER
HENRY J. DIENER
ARNOLD L. HILDEBRANDT
JAMES MCEWEN
BARBARA SCHOEN
DAN G. WHITE

July 7, 1982

Mr. David R. Tuthill, Jr., P.E.
Supervisor, Water Allocation Section
State of Idaho
Department of Water Resources
450 W. State Street
Boise, Idaho 83720

RE: Water Right Permits with respect to 42-204, Idaho Code.

Dear Mr. Tuthill:

The City of Payette has the following water right permits:

65-0065
65-0068
65-5630
65-2785
65-7001
65-12214

Would you please advise the City with respect to what possible effect 42-204 will have on these rights.

65-12412 The City applied for a right on the Payette River on April 27, 1981. The City will not be able to construct a municipal treatment plant before July, 1983. The council is planning to purchase land for the plant in the 1982-83 budget year. The City requests that the right be left as is until July 1, 1986.

Sincerely,

Michael E. Holladay
Michael E. Holladay
City Engineer

CITY OF PAYETTE

700 Center Avenue

PAYETTE, IDAHO 83661



Mr. David R. Tuthill, Jr. P.E.
Supervisor, Water Allocation Section
Department of Water Resources
450 W. State Street
Boise, ID 83720

CITY OF PAYETTE


INCORPORATED JULY 16, 1891

700 Center Avenue
PAYETTE, IDAHO 83661

DICK E. BUTCHER
MAYOR

STEPHEN C. BATT
CITY ATTORNEY

BARBARA A. MILLARD
CITY CLERK



"The Blossom City"

CITY COUNCILMEN

HENRY J. DIENER
ARNOLD L. HILDEBRANDT
DARRELL J. FIKE
PERRY E. KAIL
JAMES MGEWEN
R. WENDELL SALYARDS

February 9, 1978

RECEIVED

FEB 10 1978

Department of Water Resources


State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

RE: Permit No. 65-12019

Gentlemen:

Please send us the form needed to submit proof of application of
beneficial use of water permit.

Very truly yours,


Barbara A. Millard
City Clerk

Proof form sent 2/13/78

February 1, 1978

Re: Permit No. 65-12019

City of Payette
700 Center Ave.
Payette, ID 83661

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 65-12019. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 65-12019

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

(1) 6LS 9/26/77
(2) if 10-14-77

In form to receipt

Send Copies to:

- ☒ Idaho State Health Department
- ☐ Idaho Fish and Game Department
- ☐ Bureau of Land Management

(3) _____

- ☐ Request Special Use Permit from U.S.F.S.
- ☐ Request Easement from B.L.M.
- ☐ Request Information from Applicant
- ☐ Request Dam Safety Information

(4) 6LS 9/26/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) if OK

Affidavit of Publication received(date) 11-1-77

(12) _____

Final date for protests _____

Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

9-22-77 Proposed Priority

_____ Reason for Reduction _____

NO Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

MICROFILMED

SUPPLEMENTAL
CONDITION (65-2424)

(15) District W By DRT Date 11-7-77



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment
801 Reserve Street
Boise, Idaho 83702

RECEIVED

OCT 19 1977

October 18, 1977

MEMORANDUM

Department of Water Resources

TO: L. Glen Saxton
FROM: Frank Keller
RE: Application for Permit Nos. 63-9026, 65-7978,
65-12008, 65-12011, and 65-12019

63-9026: We have no information on this system and will have to have a copy of the plans for it.

65-7978: This is an existing, unapproved system.

65-12008: We have no information on this system and will have to have a copy of the plans for it.

65-12011: We have no comment on these two permits.

and
65-12019:

Frank Keller

FK/ds

RECEIVED

October 14, 1977

Re: Applications for Permit Nos. 65-12011 & 65-12019

Frank Keller
Department of Health & Welfare
801 Reserve Street
Boise, ID

Dear Mr. Keller:

Enclosed are copies of the above referenced applications for permit which may be of interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have questions regarding the applications, please contact this office.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rf

Enc.



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

October 14, 1977

City of Payette
700 Center Avenue
Payette, ID 83661

Gentlemen:

Enclosed is your Receipt No. 8979 in the amount of \$25.00
for Application for Permit No. 65-12019 which was received in
this office on October 12, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure



DEPARTMENT OF WATER RESOURCES

WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

October 14, 1977

Re: Notice of Claim to a Water Right No. 03-4003 -- H. C. Shelley
03-4003 -- H. C. Shelley
Notice of Application for Water Permit No. 65-12012 -- Clarence &/or Florence Hawker
65-12015 -- Henry &/or Helen Pohlring
65-12019 -- City of Payette

Independent Enterprise
Box 520
Payette, ID 83661

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before November 7, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
11-1-77
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CITY OF PAYETTE
700 Center Avenue Payette, ID
has on October 12, 1977 submitted Application No. 85-12012
for a permit to appropriate 0.22 cubic feet per second ~~acre feet~~
~~per annum~~ of water from a groundwater source
by means of well and pump
within the SE1/4 Sec 35 T4N-55W R4E, Payette County

to be used from Jan 1 to Dec 31
for municipal purposes and from Mar 15 to Nov 1 for irrigation of 5 acres

within the SE1/4 Sec 35 T4N-55W R4E

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before November 7, 1977.

C. STEPHEN ALLRED

Director

Published in the Independent Enterprise, Payette, Idaho
on October 20, 1977 and October 27, 1977.

DETACH AND RETAIN
THIS STATEMENT

CITY OF PAYETTE
GENERAL FUND

THE ATTACHED CHECK IS IN
PAYMENT OF ITEMS BELOW.
IF NOT CORRECT PLEASE
NOTIFY US PROMPTLY

DATE	REFERENCE	DEPT.	AMOUNT	MEMO
9/20/77	5202		\$25.00	irrigation well in Kiwanis Park

City of Payette
700 Center Ave.
Payette, Idaho 83661

Please find enclosed a partially completed claim to a water right based upon an application for permit which you recently submitted to this office.

Would you please review the claim, make any necessary additions or corrections, sign it before a notary public and return it to this office at your earliest convenience. There is no additional charge for this filing.

Sincerely,

a1w
Enc.