
11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ten Ax Water Co Inc
(Applicant)
by Richard W. Pittmore Sec.

UNAPPROVED

STATE OF IDAHO,
County of Boise }

Deanna Nebb being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for

2 consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

Sept 9, 1977 and ending with the issue of Sept. 16

1977

Deanna Nebb

Subscribed and sworn to before me this 15th day of Sept., 1977.

Robert J. Tuffield
Clerk of Dist Court.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ten Ax Water Company, Inc., % Richard W. Pridmore, 5306 Denton Street, Boise, Idaho 83704 has on August 29, 1977 submitted Application No. 65-7949 for a permit to appropriate 0.45 cubic feet per second of water from a spring, tributary of South Fork Payette River by means of pipe within the SW¼SE¼ Sec 16 T9N-R9E B.M., Boise County to be used from January 1 to December 31 for domestic use within the E½SW¼ W½SE¼ Sec 16 T9N-R9E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before September 26, 1977.

C. STEPHEN ALLRED
Director

Published in THE IDAHO WORLD, Idaho City, Idaho 83631 on September 9 and 16, 1977.

OK
a-20-77
WHm


MICROFILMED

(4-675a


p No. 9 North Range No. 9 East of the

F e E d D c

MICROFILMED
MAR 09 1981



9N 9E



MICROFILMED
MAR 09 1987

RECEIVED
OCT 2 1986
Department of Water Resources
Western Regional Office

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-7949


1. Owner: Ten Ax Water Company Inc Phone No. 375-2571
   Current Address: c/o Richard Pridmore 5306 Denton St Boise Id 83704
2. Accompanied by: Bud Carpenter EXAM. DATE: 9/8/86
   Address: Lowman Id Phone No. 259 3437 ✓
   Relationship to Permit Holder: occupant of Subdivision
3. Source: Spring tributary to So Fk Payette R ✓

B. OVERLAP REVIEW

1. Other water rights with same place of use: 65-4019
   ☐ Copies Attached
2. Other water rights with same point of diversion: 65-4019 - copy of DWR printout attached. ✓
   ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached ✓



Scale: 1" = Not to Scale.

Department of Water Resources

2. ☐ Copy of U.S.G.S. Quadrangle Attached
   Showing location(s) of point(s) of diversion and place(s) of use (required).
   ☐ Aerial Photo Attached
   (required for irrigation of 10 acres or more).
   ☒ Photo of Diversion and System Attached
   (required for all but single household domestic groundwater, and stockwater.



MAR 09 1987

State of Idaho

Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No 65-7949 Priority August 29, 1977 Amount 0.09 cfs

THIS IS TO CERTIFY, that Ten Ax Water Company, Inc.

of Boise, Idaho, has complied with the terms and conditions of Permit No. 65-7949 issued pursuant to Application for Permit dated August 29, 1977, and has submitted proof to the Department of Water Resources on August 18, 1982, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.09 cfs of water from a spring, tributary to Payette River, South Fork, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
Domestic (44 Units)	from January 1	to December 31	at 0.09 cfs and	52.8 acre feet
	from	to	at cfs and	
	from	to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.09 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 52.8 acre feet per year, said waters to be diverted within the SW¼SE¼ Section 16, Twp 9N, Rge 9E in the County of Boise

Description and location of place of use:

Twp	Range	Sec	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9N	9E	16									X GL6			X		X GL7	X		

Total number of acres irrigated

MAR 0

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code,** or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 14TH day of JANUARY, 1987.

Acting for the Director Norman C. Young

MICROFILMED

MAR 09 1987

GS
JIM

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING DEVICE REQUIREMENT FOR PERMIT NO. 65-7949 IN THE NAME OF TEN AX WATER COMPANY, INC.	ORDER

WHEREAS, on August 29, 1977, Ten Ax Water Company, Inc. applied to the Department of Water Resources for an application to appropriate 0.45 cubic feet per second of water from a spring, tributary to the South Fork Payette River, to be diverted within the SW¼SE¼, Sec. 16, Twp. 9N, Rge. 9E, B.M., Boise County, to be used for domestic purposes; and,

WHEREAS, on October 7, 1977, the Department approved said application and issued Permit No. 65-7949 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before October 1, 1982, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works or that the rate of diversion be certified to the Department by a professional engineer prior to submitting proof of beneficial use of water; and,

WHEREAS, on November 9, 1977, the Department received a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not necessary at this time for a determination of the quantity of water appropriated under said permit; and,

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, or that the rate of diversion be certified to the Department by a professional engineer prior to submitting proof of beneficial use of water, be and is, REMOVED from Permit No. 65-7949.

Dated this 5 day of December, 1977.

Bobby D. Fleenor

BOBBY D. FLEENOR
Chief, Operations Bureau

MICROFILMED

Identification No. 65-7949

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Ten Ax Water Company, Inc. (Herb Nitz) (Richard Pridmore) Phone: 376-4436 375-2571

   post office address c/o Richard W. Pridmore 5306 Denton St. Boise, ID 83704

2 Source of water supply Spring which is a tributary of So. Fork Payette River

3 a Location of point of diversion is SW ¼ of SE ¼ of Section 16 Township 9N Range 9E B M Boise County; additional points of diversion if any _____

b If water is not consumed, it will be discharged into _____ at a point in _____ ¼ of _____ ¼ of Section _____ Township _____ Range _____ B.M _____

4 Water will be used for the following purposes

Amount .45 (cfs or acre-feet per annum) for domestic purpose from Jan 1 to Dec 31 (both dates inclusive)

Amount _____ (cfs or acre-feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)

Amount _____ (cfs or acre feet per annum) for _____ purpose from _____ to _____ (both dates inclusive)

5 Total quantity to be appropriated

a .45 cubic feet per second and/or

b _____ acre feet per annum.

6 Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc Springs PIPED TO 28,000 GAL TANK PIPED TO PLACE OF USE

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir capacity _____ acre feet, materials used in storage dam _____

Period of year during which storage will occur _____ (Mo Day) to _____ (Mo Day) inclusive

c Proposed well diameter is _____ inches, proposed depth of well is _____ feet

7 a Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years

b Estimated construction cost is $_____

8 Description of proposed uses

a If water is **not** for irrigation

(1) Give the place of use of water E½ W½ ¼ of SW¼ SE¼ ¼ of Section 16 Township 9N Range 9E B M

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 45

(5) If water is to be used for other purposes describe _____

INCLUDED ON FILED

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated_____

c Describe any other water rights used for the same purposes as described above. 65-4019


9 a. Who owns the property at the point of diversion U.S. Forest Service

b Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Special use permit already obtained

10. Remarks

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Ten Ax Water Co Inc
(Applicant)
by Richard W. Pinkmore Sec.

MICROFILMED

Proposed priority date: August 29, 1977

Received by DET Date AUG 29 77 Time 10:40

Preliminary check by LS Fee $ 25.00 # 8668

Receipted by RF Date Aug 30 77

Publication prepared by [illegible] Date 9-2-77

Published in The Idaho World

Publication dates Sept 9 + 16

Publication approved [illegible] Date 9-20-77

Priority reduced to _____ Reason _____

Protests filed by. _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by [illegible]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-7949, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions

   a SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1982.

   c. Other. For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2 Denial of said application is for the following reasons _____

Witness my hand this 7 day of October 1977.

[illegible]
Deputy Director

STATE OF IDAHO,
County of Boise

Deanna Keth being duly sworn, deposes and says: that he is the manager and principal clerk of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for

2 ....consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy-eight weeks past previous to the first publication of this notice. Such notice was published in the issue beginning with

Sept 9, 1977 and ending with the issue of Sept. 16

1977.

Deanna Keth

Subscribed and sworn to before me this 15th day of Sept, 1977.

Robert L Tuffield
Clerk of Dist Court.

[redacted]

OK
a-20-77
WHm

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
~~JOHN V. EVANS~~
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 3, 1987

RE: Permit No. 65-7949

Ten Ax Water Co., Inc.
c/o Richard Pridmore
592 N. Weaver Ave.
Boise, ID 83704-9256

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 09 1987

INTER-DEPARTMENT MEMO — 1

FROM Kay Walker KW

DATE December 22, 1986

TO File 65-7949

SUBJECT Address Change

Mr. Pridmore came in the office this date regarding his pre-licensing letter and gave me a new mailing address for this permit.

Ten Ax Water Company, Inc.
c/o Richard Pridmore
592 N. Weaver Ave.
Boise, ID 83704-9256

MICROFILMED
MAR 09 1987

Data entry correction has been routed for entry...

SIGNATURE

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 12, 1986

RE: Permit No. 65-7949

Ten Ax Water Co., Inc.
c/o Richard Pridmore
5306 Denton St.
Boise, ID 83704

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FILMED
MAR 09 1987

MEMORANDUM

TO: File 65-7949

FROM: Jim Johnson

DATE: 11-7-86

RE: Beneficial Use Field Report Review

Right No. 65-7949

	Comments
Part A - General Info.	ok- Exam conducted by Sherl Chapman - certified examiner
Part B - Overlap Review	ok- claim 65-4019 - recommended to be decreed. Rt only covered one unit.
Part C - System Description	ok-
Part D - Flow Measurements	38 gpm = 0.0846 cfs ≈ 0.085 cfs ≈ 0.09cfs kw 11/12/86
Part E - Flow Calculations	44 units x 1.2 = 52.8 AFA 44 units x 0.6 = 26.4 AFA (in house only)
Part F - Volume Calculations	Examiner Recommended 62 AFA Per Dept. Guidelines AFA for 44 units should be (1.2 x 44) 52.8
Part G - Remarks	OK
Part H - Recommendations	ok

MICROFILMED
MAR 09 1987


[redacted]

(4-675a


›Nº 9 North _ Range Nº 9 East of the _

F e E d D c

MICROFILMED
MAR 09 1987



9N 9E



MICROFILMED
MAR 09 1990

Sherl L. Chapman

CONSULTANT
410 S ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 344-6690

September 30, 1986

Mr. Dave Tuthill
Western Division
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Dave:

Enclosed is a proof of beneficial use exam I conducted in behalf of Ten Ax Water Company, Inc. I apologize for the lack of photographs, but the other two or three I took were in a very dark area and did not turn out. However, this building is the spring house and there is not much else to see since everything else is buried below ground.

If you need additional information or have any questions, please give me a call at the office.

Sincerely yours,

Sherl L. Chapman
Consultant

SLC:kje
enclosures

MICROFILMED
MAR 09 1987

RECEIVED
~~SEP 26~~ 1986
OCT. 2
Department of Water Resources
Western Regional Office

Form 217
03/86

RECEIVED
OCT 2 1986
Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region ____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 65-7949

Name(s) of Permit Holder: Ten Ax Water Company, Inc.

Post Office Address: c/o Richard Pridmore, 5306 Denton St., Boise, ID 83704

Telephone No. 375-2571

Source of Water: Spring

Extent of Use:

Domestic 44 (number of households) Stockwater -0- (number and type of stock)

Irrigation -0- (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .085 cfs 62 acre-feet

Show the date water was first diverted and beneficially used under this permit: August 29, 1977

Measuring Device: Required? __ Yes X No
Installed? __ Yes X No

Fee enclosed $_____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? __ Yes X No
Installed? __ Yes X No

MICROFILMED
MAR 09 1987

Person to contact to accompany the Department representative during the field examination:

N/A
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

duplicate

9-26-86
Date

Herbert H. Nitz Pres.
Signature of Permit Holder (and title, if appropriate)

RECEIVED
OCT 2 1986
Department of Water Resources
Western Regional Office

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-7949

1 Owner: Ten Ax Water Company Inc Phone No. 375-2571

Current Address: c/o Richard Pridmore 5306 Denton St Boise Id 83704

2 Accompanied by: Bud Carpenter EXAM. DATE: 9/8/86 ✓

Address: Lowman Id Phone No. 259 3437

Relationship to Permit Holder. occupant of Subdivision

3. Source: Spring tributary to So Fk Payette R ✓

B. OVERLAP REVIEW

1 Other water rights with same place of use: 65-4019


☐ Copies Attached

2. Other water rights with same point of diversion: 65-4019 - copy of DWR printout attached. ✓

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached ✓



MICROFILMED
MAR 09 1987
RECEIVED
OCT 27 1986
Department of Water Resources

Scale: 1" = Not to Scale.

2. ☐ Copy of U.S G S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Developed spring from granitic rock. Piped through 2 1" poly pipes To two tanks, one of 6000 gal capacity one of 25000 gal capacity. Main line manifolded to each tank with control valves at tanks and at side midpoints of system. Each of 44 lots served with a 3/4 service and freeze proof hydrant. Measured pressure of 35psi at hydrant with .0305 cfs discharge (13.7 gpm) Flow at spring total 38 gpm (.085) cfs. Main line is 2" ABS pipe.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	None	0	0	0	0

**Code to correspond with No. on map and aerial photo*

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1			SW	SE	16	9N	9E	Boise	Quadrangle map

6 **Place(s) of Use:** Indicate Method of Determination

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
											X			X		X	X		

MICROFILMED
MAR 09 1987

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Parshall flume	portable	—	—	—	—	—

2. **Measurements:**

Service avg. 1 1/4" stage = .0305 cfs = 13.7 gpm
Spring discharge 2 7/16" stage = .085 cfs = 38 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:
.25 Throat Parshall chart in Farm Water Measurement U of I Bull. #170
2. Alternate Method for Checking Purposes.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1 34 = _____ (7)
Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation.

V_{IR} = (Acres Irrigated) x (Irrigation Requirement) = N/A

V_{DR} = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1 9835 = _____

V = Smaller of V_{IR} and V_{DR} = _____

2. Volume Calculations for Other Uses

MICROFILMED
MAR 09 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Storage system adequate to provide 772 gallons/per day to each home without input from spring.

Springflow less at this time of year due to normal hydrologic fluctuation

lots without homes are occupied by trailers or other temporary facilities each summer and water is used from each service. All services have been used to date

I. RECOMMENDATIONS

1. **Recommended Amounts**

Beneficial Use	Period of Use From	Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic - 44 units 38 gpm (.085 cfs)	Jan 1	Dec 31	.085 cfs ✓	62 *
Totals:			.085	

2. **Recommended Amendments**

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name: Sheri Chapman

Signature: Sheri H Chapman

Certification Date: 6/5/86

Field Report Preparation Date: 9-11-86

REGISTERED PROFESSIONAL GEOLOGIST SHERRI H. CHAPMAN NO. 21 CONSULTANT SEAL STATE OF IDAHO

K. **Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.**

MICROFILMED

MAR 09 1987

* 52.8 SEE 11-6-86 memorandum

REVIEWED 11-7-86 Jim



MAR 09 1987

MAR 09 1981

Ten Ax Water Company, Inc.

IN THE DISTRICT COURT OF THE THIRD JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF GEM.

IN THE MATTER OF THE GENERAL DETERMINATION OF THE RIGHT TO THE USE OF SURFACE AND GROUNDWATERS OF THE PAYETTE RIVER DRAINAGE BASIN.

CIVIL NO. 3667

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROPOSED FINDING OF WATER RIGHTS

IDWR
WESTERN REGION
92 SOUTH COLE ROAD
BROADBENT BUSINESS PARK
BOISE, IDAHO 83705
(208) 384-2190

Dear Wateruser:

In connection with the above entitled action you or your predecessors filed one or more Claims to a Water Right in the Payette River Drainage Basin. Your water rights have been recommended to the court as described below:

DESCRIPTION OF COLUMN HEADINGS AND ABBREVIATIONS ON REVERSE SIDE

MAY 05, 1979

INDICATES TOTAL

SOURCE: SPRING

TRIBUTARY TO: SOUTH FORK, PAYETTE RIVER

CLAIM NUMBER	NAME AND ADDRESS	PRIORITY DATE	USE	USE PERIOD FROM TO	MAX AMOUNT MAX RATE	DIVERSION POINT	PLACE OF USE AND ACREAGE	BASIS FOR CLAIM
65-4015	TEN AX WATER COMPANY, INC. C/O RICHARD W. PRIDMORE, 5306 DENTON STREET, BOISE, IDAHO 83704	6/25/1925	DOMESTIC	1/ 1 12/31	1.20 AFA .04 CFS	SWSE S16 T 9N R 9E	SWSE S16 T 9N R 9E	BENEFICIAL USE
65-7949	TEN AX WATER COMPANY, INC. C/O RICHARD W. PRIDMORE, 5306 DENTON STREET, BOISE, IDAHO 83704 REMARKS: THIS PERMIT RIGHT IS NOT DECREED BY THE PRESENT ADJUDICATION PROCEDURE, AND IS INCLUDED FOR INFORMATION PURPOSES ONLY. NORMAL STATUTORY PROCEDURES MUST BE COMPLETED FOR LICENSING.	8/29/1977	DOMESTIC	1/ 1 12/31	54.00 AFA .45 CFS	SWSE S16 T 9N R 9E	SESW SWSE LOT6 LOT7 S16 T 9N R 9E	PERMIT

MICROFILMED
MAR 09 1987

If you do not agree with these findings you should follow the procedure set forth in Section 42-1410, Idaho Code, which states in part that "Any claimant who desires to object to the report shall file his objections with the Court (Third Judicial District) within 60 days of the date of mailing of such report by the Director of the Department of Water R... and shall send a copy of such objections to the Director of the Department of Water R..."

Sherl L. Chapman

CONSULTANT
410 S ORCHARD / SUITE 144 / BOISE, IDAHO 83705 / PHONE 344-6690

DDF

Mr. A. Kenneth Dunn, Director
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Dunn:

I hereby verify that I have been retained to conduct the water right examination for water right permit #65-7949 in accordance with the laws and regulations of the State of Idaho.

Sherl L. Chapman
Sherl L. Chapman

Dated: 8/5/86

RECEIVED
AUG 5 1986
Department of Water Resources
Western Regional Office

MICROFILMED
MAR 09 1987

SPECIALIST IN
GROUND-WATER HYDROLOGY / WATER RIGHTS / WATER WELL DESIGN / GEOTHERMAL RESOURCES

EXAM TO BE COMPLETED BY SHERL CHAPMAN

4/86

RECEIVED
SEP 11 1986
Department of Water Resources
Western Regional Office

For Office Use Only
Fee Received No Fee
Date 8/5/86
Receipt # ———
Receipt by ———
Sent to S.O. 9-11-86

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

1. Permit No. 65-7949

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Ten Ax Water Company, Inc. (Richard Pridmore)

3. Post Office Address: 590 Weaver Avenue Boise, ID 83704

Telephone No. 362-4651 (Herb Nitz)

4. Source of Water: Spring

5. Extent of Use:

Domestic 45 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .45 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

October, 1977

8. Person to contact to accompany the department representative during the field examination:

MICROFILMED
MAR 09 1987

(Name)

(Address) (Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

July 17, 1986
Date

Herbert D. Nitz Pres.
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

65-7949
TEN AX WATER COMPANY, INC.
C/O RICHARD W. PRIDMORE
5306 DENTON STREET
BOISE, ID 83704

138551

June 5, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED
MAR 09 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region
Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region
Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED
MAR 09 1987

State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

November 1, 1982

Ten Ax Water Company, Inc.
5306 Denton
Boise, ID 83706

Re: Permit No. 65-7949

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

DEPARTMENT OF WATER RESOURCES

The Idaho Depar[illegible]t of Water Resources will consider this card as a[illegible]ment that the permit holder(s) has com[illegible]ed development to the extent shown below of Pe[illegible] No. 65-7949

Name(s) of Permit Holder: Ten Ax Water Co. Inc.

Post Office Address: 5306 Denton Boise Ida 83706

Tel No 375-2571

Source of Water: Springs

Extent of Use:
- ☒ Domestic Approx 40 (number of households)
- ☐ Stockwater (number and type of stock)
- ☐ Irrigation (acres)
- ☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-18-82
Date

Richard W. Pinkerton Sec.
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE



RECEIVED

AUG 18 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
138487

TEN AX WATER COMPANY, INC.
C/O RICHARD W. PRIDMORE
5306 DENTON STREET
BOISE, ID 83704

JULY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-7949 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECIEVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment
801 Reserve Street
Boise, ID 83702

ok to file
SDF

October 3, 1977

Department of Water Resources
Western Regional Office

MEMORANDUM

TO: L. Glen Saxton

FROM: Frank Keller

RE: 65-7949 Ten Ax Water Co., Inc.
65-7955 Valley Hi Estates, Inc.

We have reviewed both applications for permit. We have yet to determine whether or not the two water companies have approved water systems.

We will contact them concerning this.

Frank Keller

FK/ds

December 5, 1977

Re: Permit No. 65-7949

Richard W. Pridmore, Secretary
TEN AX WATER COMPANY
5306 Denton St.
Boise, Idaho 83704

Dear Mr. Pridmore:

Enclosed is an Order which removes the measuring device requirement from the above refereneed permit.

Sincerely,

DAVID B. SHAW
Supervisor,
Water Allocations Section

DBS:JFR

Encl.

FILMED

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

RECEIVED
NOV 9 19
Department of Water Resources
Western Regional Office

IN THE MATTER OF PERMIT NO. 65-7949	)	PETITION TO WAIVE
	)	
MEASURING DEVICE REQUIREMENT	)	MEASUREMENT DEVICE REQUIREMENT

I, Richard W. Pridmore, as Secretary of the Ten Ax Water Company, hereby request that the requirement for installing a measurement device for licensing of right # 65-7949 be waived.

The system in question consists of a pipe which carries the entire flow from the spring into a 28,000 gallon storage tank. Water is piped from the tank to the place of use. There is no practical way to measure the flow coming from the spring--nor is there a need since the entire spring flow is intercepted.

Dated this 9th day of November, 1977.

Richard W. Pridmore

MICROFILMED

October 17, 1977

Re: Permit No. 65-7949

Ten Ax Water Company, Inc.
5306 Denton St.
Boise, ID 83704

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 65-7949 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item	Initial	Date	
			Application No. _____
			✓ Source
			✓ Point of Diversion
			✓ County
			✓ Quantity of Water and Period of Use
			✓ Description of Diverting Works
			✓ Time required for B/U of water
			✓ Place of Use or Acres Irrigated
			✓ Map
			✓ Signature
			✓ Fee
			___ Pre-permit exam
			✓ Adjudication Claim
(1)	GLS	8/30/77	In form to receipt ___ Dam Construction Papers Sent
(2)	____	____	Send Copies to:
			✓ Idaho State Health Department
			____ Idaho Fish and Game Department
			____ Bureau of Land Management
			____
(3)	____	____	____ Request Special Use Permit from U.S.F.S.
			____ Request Easement from B.L.M.
			____ Request Information from Applicant
			____ Request Dam Safety Information
(4)	GLS	8/30/77	In form for advertising
(5)	____	____	Platted on Map No. _____
(6)	____	____	Located within Water District No. _____
(7)	____	____	Critical groundwater area: yes ____ no ____
(8)	____	____	Groundwater levels: N/A
			____ Declining, ____ Stable, ____ Increasing
			(comment) _____
(9)	____	____	Other rights on the same place of use
(10)	____	____	Comments: _____
(11)	Y	OK	Affidavit of Publication received (date) 9-20-77
(12)	____	____	Final date for protests 9-26-77
			Protests received: yes ____ no ✓
(13)	____	____	All requested information received from agencies or applicant: yes ____ no ____
(14)	____	____	Action recommended:
			✓ Approve ____ Deny
			8-29-77 Proposed Priority
			____ Reason for Reduction _____
			✓ Measuring device required
			____ See attached sheet for other conditions of approval
			____ No special conditions for approval
(15)	District W		By GLS Date 9-26-77

September 27, 1977

Re: Applications for Permit NOs. 65-7949 -- Ten Ax Water Co., Inc.
65-7955 -- Valley Hi Estates, Inc.

Frank Keller
Department of Health & Welfare
801 Reserve Street
Boise, ID

Dear Mr. Keller:

Enclosed is a copy of the above referenced applications for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter.

If you have questions regarding the application, please contact this office.

Sincerely,

L. GLEN SAXTON, P.E.
Western Regional Supervisor

LGS:rf

Enc.

DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

September 2, 1977

RE: Notice of Application for Water Permit No. 65-7955 -- Valley Hi Estates Inc. Water Association
65-7954 -- John Corder
65-7952 -- Paul A. &/or Marie E. Wrights
65-7951 -- Dennis M. &/or Vonda R. Woods
65-7950 -- Marvin S. &/or Virginia Richardson
65-7949 -- Ten Ax Water Company, Inc.
65-7948 -- David Q. &.or Fairy L. Bowen
65-7947 -- Robert L. Smith
65-7946 -- Robert L. Smith

The Idaho World
c/o Julie Darnell
Sec/Treas.
P. O. Box 220
Idaho City, ID 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

> "I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

_____
(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before September 26, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
9-20 77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ten Ax Water Company, Inc.

c/o Richard W. Pridmore, 5306 Denton St., Boise, ID 83704

has on Aug. 29, 1977 submitted Application No. 65-7949

for a permit to appropriate .45 cubic feet per second a~~XXXfXXXX~~

p~~XXXaXXXXXXf~~ water from a spring, tributary of S. Fork Payette River

by means of pipe

within the SW¼SE¼ Sec. 16 T9N-R9E B.M., Boise County

to be used from Jan. 1 to Dec. 31 for domestic use

f~~XXX~~

within the E½SW¼, W½SE¼, Sec. 16 T9N-R9E B.M.

.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before September 26, 1977.

C. STEPHEN ALLRED

Director

Published in the Idaho World, Idaho City, ID 83631

on September 9, 1977 and September 16, 1977.

MICROFILMED