



Laurel Payette Ditch Co
(Applicant)
By Edward E. Pearson
chairman

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Copy of Notice
(First Copy)

notice of Appl' for water permit
TITLE OF PUBLICATION

Lower Payette Ditch 65-7848
SPONSOR OR PLAINTIFF

Dept of water resources
PLAINTIFF OR LEGAL AGENT

Sharon A Swanson, being

duly sworn, deposes and says:

That *he* is the *principal clerk* of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two (2) consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with
April 28, 19 *77*, and ending with the issue
of *May 5*, 19 *77*.

Subscribed and sworn to before me this *5* day
of *May*, 19 *77*.

Mary Jane Lee
Notary Public, Residing at Payette, Idaho.

My Commission Expires *April 28*, 19 *80*.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
LOWER PAYETTE DITCH
CO. 114 8th Street Payette,
ID has on April *19*, 1977
submitted Application No.
65-7848 for a permit to ap-
propriate 2.4 cubic feet per
second of water from
Payette River tributary of
Snake River by means of
pump & pipeline within the
Gov Lt 3 (SE¹/₄NW¹/₄) Sec 7
T7N-R3W B.M., Payette
County to be used from Mar
15 to Nov 15 for irrigation of
120 acres within the
NE¹/₄SE¹/₄ S¹/₂SE¹/₄ Sec 25
T8N-R4W B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Director of
the Idaho Department of
Water Resources, 92 South
Cole Road, Boise, Idaho
83705 on or before May 16,
1977.

C. STEPHEN ALLRED
Director

Published in the
Independent Enterprise -
Payette, ID April 28, 1977
and May 5, 1977.
No. 245

STATEMENT


Independent-Enterprise
PAYETTE, IDAHO


Number of Lines *36 lines*
Number of Insertions *two 2*
36 Lines @ *21* ... \$ *7.56*
36 Lines @ *15* ... \$ *5.40*
TOTAL COST
WILL BE \$ *12.96*

MICROFILMED

OK *HS*
5-11-77

No. 245






14N

Developed P/U ///

Proposed PPU ///

27000m. N.

13N



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: _____

Place(s) of Use See 10/17/85 Exam

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8N	4W	25													30		30	32	92
8N	3W	30									13	15							28
																			120

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ None
- ☒ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

APR 19 1990

Examiner's Signature Jan Grover Date 10/19/83
Checked by 615 Date 3/20/85
Approved by ADM Date 6/5/89

RECEIVED

MAR 25 1986

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

Measured by: JAN GROVER Date 9/15/83
Owner: LOWER PAYETTE DITCH CO. Permit No. 65-7848

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

PUMP & MOTOR ARE DOWN AT THE RIVER. W/ APPROX. 100' UP TO ROAD & 50' ACROSS ROAD TO ELBOW W/ ACCESS PORT 6' FROM ELBOW OUT OF GROUND & 5' TO WHERE IT ELBOWS UP HILL AGAIN APPROX. 4 OR 5' TO UPPER IRRIGATED GROUND.

Measured inside diameter of pipe in inches

(A) 9.75"

Size of Annubar used in test 10.020"

State ID No. 191151

Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

Size Eagle Eye Meter Used 10-80"

State ID No. 091476

Date of Last Calibration of Meter 4-27-83

Observed inches of H₂O read on Meter

(B) 14"

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) 1.026

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14


(C) 3.85


CALCULATION: $K \frac{(A^2)}{448.8} (\sqrt{B}) C =$

= _____ cfs measured

SKETCH (If not shown on Field Report):

$$\frac{1.026 (95.06) (3.74) 3.85}{448.8} = 3.13 \text{ cfs}$$





65-7428

65-4982

65-12756

65-7848


F6A

A310 System covers lands colored brown. Permit covers yellow with brown trim.

MICROFILMED

APR 19 1990

NOT TO SCALE



WEISER 24 MI.
PAYETTE 9 MI.

TO V-54

IDAHO - PAYETTE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

47°30"

517

230 000 FEET

116°45'

44°00'

27
Mile 12

Birding
Island

Willow
Creek

65-2019

65-2157

65-2019

65-2157

65-2282

65-12323

65-2664

65-2272

65-2394

65-7758

65-12034

65-7213

65-2386

65-12162

65-2303

65-2260

65-2261

65-7461

65-2219

65-12072

65-7489

65-2259

65-7191

65-12015

65-7439

65-2984

65-12205

63-7093

65-12068

65-2616

65-7131

65-12176

65-7308

65-12213

65-12012

65-7385

65-12263

65-12025

65-12478

65-2242


65-2239

65-2220

65-12032(2)

65-7843 SEE

65-12036



MICROFILMED
APR 19 1990

3 W

Township N^o 1 North Range 3rd West Bo





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

July 19, 1982

Lower Payette Ditch Co.
114 8th St.
Payette, Idaho 83661

RE: 65-7848

Dear Sirs:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

_____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-07848

Priority: April 15, 1977

Maximum Diversion Rate:

2.14 CFS

Maximum Diversion Volume:¹

481.5 AF

This is to certify, that LOWER PAYETTE DITCH CO.
828 CENTER AVE.

PAYETTE, ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 15, 1977; and has submitted Proof of Beneficial Use on May 25, 1982. An examination indicates that the works have a diversion capacity of 3.200 cfs of water from:

PAYETTE RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	2.14 CFS	481.5 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SENW), Sec. 7, Township 07N, Range 03W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	04W	25	NESE 36	SWSE 40	SESE 31	107

Total number of acres irrigated: 107

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
6. Use of water under this water right is subject to control by the watermaster of State Water District No. 65

MICROFILMED

APR 19 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-07848

CONDITIONS/REMARKS:

7. The right holder must obtain adequate supplemental water for the irrigation season that natural flow is not available.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
9. System capacity under this right represents capacity of re-diversion from Lower Payette Ditch Co. Canal.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of MARCH, 1990.

Acting for  R. Keith Higginson, Director

MICROFILMED

APR 19 1990

Identification No. _____

Application No. 65-7848

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1 Name of applicant LOWER PAYETTE DITCH CO. Phone: _____
post office address 114 8th St., Payette, Idaho

2 Source of water supply Payette River which is a tributary of Snake River
Government Lot 3

3 a Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 7 Township 7N
Range 3W B.M. Payette County; additional points of diversion if any _____

b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4 Water will be used for the following purposes.

Amount 2.4 for irrigation purpose from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated

a 2.4 cubic feet per second and/or

b _____ acre feet per annum

6 Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc. pump & pipeline

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive
(Mo. Day) (Mo. Day)

c Proposed well diameter is _____ inches, proposed depth of well is _____ feet

7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years

b Estimated construction cost is \$ _____

8 Description of proposed uses

a If water is **not** for irrigation

(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe _____

MICROFILMED

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8N	4W	25													40		40	40	120

Total number of acres to be irrigated 120

c Describe any other water rights used for the same purposes as described above

9 a Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

2304
25

2409
25180

AA
19

EE
32

A. 10

A
27

A. 311

40 A.

40 A.

40 A.

"NOT TO SCALE"

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Laver Payette Pitch &
(Applicant)
By Edward E. Pearson
chairman

Proposed Priority 4/15/77

Received by if Date 4-15-77 Time 1:05pm

Preliminary check by WLM Fee \$ 45.00

Received by if Date 4-19-77 # 7188

Publication prepared by if Date 4-21-77

Published in Independent Enterprise

Publication dates April 28 & May 5

Publication approved if Date 5-16-77

Priority reduced to _____ Reason _____

Protests filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WLM

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-7848, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1,, 19 82.

c. Other. A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The permit holder must obtain adequate supplemental water for the irrigation of the land during the period of the irrigation season that natural flow is not available.

Witness my hand this 10 day of June, 19 77.

[Signature]
Deputy Director

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

ss.

Copy of Notice
(First Copy)

notice of Appl' for water permit
TITLE OF PUBLICATION
Lamier Payette Sited 65-7848
SPONSOR OR PLAINTIFF
dept of water resources
PLAINTIFF OR LEGAL AGENT

Sharon A Swanson, being
duly sworn, deposes and says:
That *she* is the *principal clerk* of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at
Payette, in the County of Payette and State of Idaho; that said paper
has been and is in general circulation in the county aforesaid, and in
the vicinity of Payette; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
two (2) consecutive weeks in the regular and entire issue of said
paper during the period and time of publication, and was published
in the newspaper proper and not a supplement; that said paper has
been established and regularly published for more than seventy-eight
consecutive weeks prior to the date of first publication of said adver-
tisement.

Such notice was published in the issue beginning with
April 28, 19 *77*, and ending with the issue
of *May 5*, 19 *77*.

Subscribed and sworn to before me this *5* day
of *May*, 19 *77*.

Mary Jane Lee
Notary Public, Residing at Payette, Idaho.

My Commission Expires *April 28*, 19 *80*.

STATEMENT

Independent-Enterprise
PAYETTE, IDAHO

MICROFILMED

Number of Lines *36* *See li*

Number of Insertions *two 2*

36 Lines @ *21* ... \$ *7.56*

36 Lines @ *15* ... \$ *5.40*

TOTAL COST
WILL BE \$ *12.96*

Nº 245

OK *HS*
5-11-77

ROUTING SLIP

Distribution		Provided for your:	
Date: <i>11-19-99</i>		Information	
To: <i>Pam S.</i>		Comments	
From: <i>Western/du</i>		Approval	
		Signature	
Special Notes:			

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR AMENDMENT OF A PERMITApplicant Terry Lumsford Phone 208-333-2478
Address 2394 Keithley Cr Rd Midvale Id 83645I am the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 67-07840, and request that the permit and permit map be amended and/or changed as follows:Purpose of Amendment: Change point of diversion Add point of diversion
X Change place of use Change nature of use Change period of use Other1. Point of diversion: 1/4 NW 1/4 SW 1/4, Section 5, Township 13N, Range 3W, B.M.,
County of Washington. Other points of diversion NONE

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 1.840 for irrigation purposes from 03-15 to 11-15 (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)Amount .040 for Domestic purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum) (water use) (Begin month) (End month)

3. Place of use or land to be irrigated:

T w p	R g e	S e c	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13N	3W	5		3.5	4	4	26	24.3	4	2									59.8
13N	3W	6	25.6																25.6
14N	3W	31															2		2
14N	3W	32											36.6						36.6

~~Area~~ Irrigation use is FOR 90 acres within the 124 acre PERMISSIBLE PLACE OF USE. Total number of acres to be irrigated = 124

4. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated at the place of use? same
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

RECEIVED

NOV 22 1999

Department of Water Resources

August 28, 1999

APPLICANTS
ATTACHMENTS

Department of Water Resources

To whom it may concern;

In the spring of '97, Lawrence Hester irrigated the section of land between the first and second gullies South of his house, with his new irrigation system.

Signed, *Kenneth Said* Date *aug 28, 1999*

Witnessed, *Alvin E. Emery* Date *aug. 28 - 1999*

ATTACHMENT A

WR0749NP
No. 67-07848

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/17/99
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JERRY LUNSFORD 2394 KEITHY CREEK RD MIDVALE ID 83645 (208) 355-2478	09/02/1990	IRRIGATION DOMESTIC	03/15 11/15 01/01 12/31	1.800 CFS 0.040 CFS	
TOTAL DIVERSION:					1.840 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T13N R03W S05 NWSW WASHINGTON County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
NENE	NNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	SUM
T	R	S	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: Lt Ac Lt Ac Lt Ac Lt Ac	: SUM
13N	03W	5	:	:	:	:	40 40	:	:	:	10	:	:	:	:	90.0
TOTAL ACRES															90.0	

Place of use Legal Description for: DOMESTIC

13N	03W	5	:	:	:	:	0	:	:	:	:	:	:	:	:	:
-----	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Pou County: WASHINGTON

Other Water Rights Listing Overlapping Place(s) of Use:

67-00149 67-00150 67-07206 67-07280

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow
- measurement port or other device as specified by the Department
- shall be installed to provide for the installation of measuring
- equipment and the determination of the rate of diversion by the
- Department.
- 046 - Right holder shall comply with the drilling permit
- requirements of Section 42-235, Idaho Code.
- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Remarks: GEN Domestic use is for one home.

Dates: App. Received: 08/06/1990 Priority Date: 09/02/1990 (Priority Date Advanced.)
Proof Due Date: 05/01/1997 Proof Made Date: 05/28/1997 (Proof Received Late.)
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

ALACURIE/H

WR0749NP
No. 67-07848

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT


DATE: 11/17/99
PAGE: 2

Misc: Water District Number: 67 Field Exam Fee: R (Received)

Comments: Date: 05/12/1997 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

Date: 05/30/1997 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 09/13/90 GARRETT 11/23/90 SKAGGS 11/29/90 CURTIS 09/10/93 GUSTAFSO
05/12/97 COMMENTS 05/30/97 COMMENTS 07/30/97 SCURTIS 09/01/99 KTOWNSEN
09/07/99 KTOWNSEN



LAND TO BE
IRRIGATED

Domestic
Use

LAND
TO BE
Dried up

ATTACHMENT 11



14N

Developed P/U ///

Proposed PPU ///

000m N.



13N

ATTACHMENT B

May 19, 1992

LOWER PAYETTE DITCH CO.
828 CENTER AVE.
PAYETTE ID 83661

RE: Water Right No. 65-07848

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

March 28, 1990

LOWER PAYETTE DITCH CO.
828 CENTER AVE.
PAYETTE, ID 83661

RE: PERMIT NO. 65-07848

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 19 1990

February 23, 1990

LOWER PAYETTE DITCH CO.
828 CENTER AVE.
PAYETTE, ID 83661

RE: PERMIT NO. 65-07848

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FILED

APR 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis
for
Beneficial Use Field Report

65-7848
Permit No.

RECEIVED

FEB 12 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

P.V. - 8W 4W
Sec. 25
NESE
SWSE
SESE

Check of P/D index see exam (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index see exam (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? N/A (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

License at same time
as 65-12756

C. Review and Processing:

Exam Completed _____ (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent BD 12/17/86 (Initial and date)

Exam Reviewed by Manager of Regional Office DR 2/9/87 (Initial and date)

Exam Date Entered in Computer 201-8-87 (Initial and date)

Exam sent to State Office EH 2/11/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File EH 2/11/87 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FFP 12 198

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Lower Payette Ditch Co. Permit No. 65-7848
Current Address: 828 Center Ave. Payette, ID 83661 Phone No. 642-2441
2. Accompanied by: Renter & Barker land EXAM. DATE: 10/17/1985
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Payette River tributary to Snake River 1-8-86

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: 65-0165A/B/C/X, 65-11212,
65-4982, 65-7425, 65-7428 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

- See 9/15/83 suppl. Field Report
1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

APR 19 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required) (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1- 125 HP Motor & pump, 10" steel pipeline, sprinkler irrigation.
From C. canal

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S.	125	~~R9982-01323~~ R9917379	Verh- the Line	T79152

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		SE	NW	7	7N	3W	Payette	USGS Quadrangle

6. Place(s) of Use:

Indicate Method of Determination ASCS photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
8N	4W	25													36	40	31		107

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

9/15/83 Report

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

9/15/83 Suppl. Field Report

1. Measured Method: Annubar - Eagle Eye meter ~~3.85~~ 3.13

2. Alternate Method for Checking Purposes:

$$\frac{125 \text{ HP} \times 8.8 \times .75}{60' + (.43 \div 20 \text{ psi})} = 7.75 \text{ cfs}$$

50% Efficiency provides 512 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 107 \times 4.5 = 481.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.14 \times 245 \times 1.9835 = 1040.$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 481.5$$

2. Volume Calculations for Other Uses

N/A

MICROFILMED

NOV 14 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

R04, R32, R36 Point of injection into Big Willow Creek in SESE, S06, T07N, R03W. Point of redirection in Lot 1 (SWSW) S25 T8N, R04W.

Land in NWSW, SWSW, S30, T08N, R03W and NESW, SESE, NWSE, S25, T08N, R04W are not covered by any WRs, but are under this system.

Diversion capacity measured at point for pump from canal.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation 01	3/15	11/15	2.14	481.5
Totals:			2.14	481.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name John K. Noyes
Signature John K. Noyes
Certification Date _____
Field Report Preparation Date 10/31/85

BD
12/10/86


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

John, 6/5/89

MICROFILMED

APR 19 1990



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: _____

Place(s) of Use *See 10/17/85 Exam*

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8N	4W	25													30		30	32	92
8N	3W	30									13	15							38

MICROFILMED

Recommended Amendments:

- ☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None APR 19 1990
☐ Other _____

Examiner's Signature

Checked by

Approved by

Jan Grover
6/5/85
Staff

Date

Date

Date

10/19/83

1/3/20/85

6/5/89

For Annubar Measurements

TABLE 3

<u>Pipe size / Annubar Model No.</u>	<u>C</u> ← Based ON Annubar Model No.	% Difference
6"	3.75	+2.60
8"	3.87	+ .10
10" (10.020")	3.94	-2.34
12"	3.99	-3.64
14" & 16"	4.01	-4.16
18" & 24"	4.02	-4.42
30" & larger	4.03	-4.68

$$\frac{1.026 \times (9.75^2) \times (\sqrt{14}) \times 3.94}{448.8} = 3.20 \text{ cfs}$$

kw
9/15/87

MICROFILMED

APR 19 1990

RECEIVED

MAR 25 1986

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT Water Resources

Measured by: JAN GROVER Date 9/15/83
Owner: LOWER PAYETTE DITCH CO. Permit No. 65-7848

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

PUMP & MOTOR ARE DOWN AT THE RIVER. W/ APPROX. 100' UP -
TO ROAD & 50' ACROSS ROAD TO ELBOW W/ ACCESS PORT
6' FROM ELBOW OUT OF GROUND & 5' TO WHERE IT ELBOWS
UP HILL AGAIN APPROX. 4 OR 5' TO UPPER IRRIGATED GROUND.

Measured inside diameter of pipe in inches

(A) 9.75"

Size of Annubar used in test 10.020"

State ID No. 191151

Model No. of Annubar Meter Used 75
(Model No. = 75 for 6" and larger)
(Model No. = 73 for 4")

Size Eagle Eye Meter Used 10-80"

State ID No. 091476

Date of Last Calibration of Meter 4-27-83

Observed inches of H₂O read on Meter

(B) 14"

Flow Correction Factor (From Calibration Graph)
(Use 1 if Error is $\pm 2\%$ at observed pressure)

(K) 1.026

Select C based on Annubar Model No.

If Model No. = 75, then C = 3.85

If Model No. = 73, then C = 4.14


(C) 3.85

CALCULATION: $K \frac{(A^2) (\sqrt{B})}{448.8} C =$


= cfs measured

SKETCH (If not shown on Field Report):

$$\frac{1.026 (95.06) (3.74) 3.85}{448.8} = 3.13 \text{ CFS}$$







4871000m N

T 8 N
T 7 N

57°30'

NEW PLYMOUTH 4.3 MI
HAMILTON CORNER (U.S. 30) 1.1 MI

MICROFILMED

APR 19 1990

10 V-34

IDAHO - PAYETTE CO.

7.5 MINUTE SERIES (TOPOGRAPHIC)


WEISER 24 MI
PAYETTE 9 MI

47°30"

230 000 FEET

19

116°45'



65-2019

65-2157

65-2282

65-12323

65-2664

65-2272

65-2394

65-7758

65-12094

65-7213

65-2386

65-12162

65-2303

65-2260

65-2261

65-7461

65-2219

65-12071

65-7489

65-2239

65-7181

65-12015

65-7439

65-2984

65-12205

63-7093

65-12068

65-2616

65-7131

65-12176

65-7308

65-12213

65-7192

65-12012

57°30"

65-7365

65-7263

65-12025

65-12478

65-2242

65-2239

65-2220

65-12032(2)

65-7843 SEE

65-12036

NOT FILMED

APR 19 1990

FARMERS

Hamilton Corner

BM 2231

65-12478

65-12026

65-2239

65-2220

EMMETT 15 MI

T 7 N

R

3 W





State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

A. Kenneth Dunn
Director

(208) 334-2190

July 19, 1962

Lower Payette District
114 8th St.
Payette, Idaho 83641

RE: 65-7548

Dear Sirs:

We acknowledge receipt of your statement submitted as proof as beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit no. 63-7848

Name(s) of Permit Holder:

Lower Payette Ditch Company

Post Office Address:

114 N 8th St, Payette Idaho

Source of Water:

Payette River

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock) 1982

☒ Irrigation

120

(acres)

☐ Other

RECEIVED
MAY 18 1982

Department of Water Resources

Western Regional Office

Mowing Device:

Required?

☒ Yes ☐ No

Installed?

☐ Yes ☐ No

Port:

Required?

☐ Yes ☒ No

Installed?

☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 20, 1982
Date

Cecil Shurtliff President
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



Department of Water Resources

MAY 25 1982

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138677

LOWER PAYETTE DITCH CO.
114 NORTH 8TH ST.
PAYETTE, ID 83661

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 65-7848 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC:

RECEIVED
MAY 1 1982

June 15, 1977

Re: Permit No. 65-7848

Lower Payette Ditch Co.
114 8th St.
Payette, ID 83661

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. ~~65-7848~~ . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MULTICOPY

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 65-7848

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WMM 4-15-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) WMM 4-15-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no •

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____ RNS

Other rights on the same place of use

(10) _____

Comments: _____

(11) if OK

Affidavit of Publication received(date) 5-10-77

(12) _____

Final date for protests 5-16-77

Protests received: yes _____ no ✓

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required
Payette R. Letter
See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By WMM

Date 5-17-77

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 25, 1977

Lower Fayette Ditch Co.
114 8th St.
Fayette, ID 83661

Gentlemen:

Enclosed is your Receipt No. 7188 in the amount of \$ 55.00
for Application for Permit No. 65-7848 which was received in
this office on April 15, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

Cecil D. Anderson
Governor

R. Keith Huggins
Director

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

April 22, 1977

Re: Notice of Application for Water Permit No. 65-7848
Lower Payette Ditch Co.

Independent Enterprise
Box 520
Payette, ID 83661

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before May 16, 1977.

Sincerely,

Bill submitted
5-16-77
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LOWER PAYETTE DITCH CO.
114 8th Street Payette, ID
has on April 19, 1977 submitted Application No. 65-7848
for a permit to appopriate 2.4 cubic feet per second acre feet
~~XXXXXXXXXX~~ per annum of water from Payette River tributary of Snake River
~~XXXXXXXXXX~~ by means of pump & pipeline
within the Gov Lt 3 (SE1/4) Sec 7 T7N R2W B.M., Payette County

to be used from Mar 15 to Nov 15
for irrigation of 120 acres

within the NE1/4, S1/4, Sec 25 T8N R4W B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before May 16, 1977.

C. STEPHEN ALLRED
Acting Director

Published in the Independent Enterprise - Payette, ID
April 20, 1977 and May 5, 1977.

MICROFILMED