


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Park View Cemetery
James H. Orwert
(Applicant)

65 7489

Nº 4675

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Payette } ss.

I, Marilyn J. Rhinehart, being duly sworn,
deposes and says:

That she is the principle clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper
published at Payette, in the County of Payette and State
of Idaho that said paper has been and is in general cir-
culation in the county aforesaid, and in the vicinity of Pay-
ette; that the advertisement, a copy of which is attached
hereto, was published in said newspaper once a week for
two (2) consecutive weeks in the regular and entire
issue of said paper during the period and time of publica-
tion, and was published in the newspaper proper and not
a supplement; that said paper has been established and
regularly published for more than seventy-eight consecu-
tive weeks prior to the date of first publication of said
advertisement.

Such notice was published in the issue beginning with
June 13, 1974, and ending
with the issue of June 20, 1974

Marilyn J. Rhinehart
Fee \$ 12⁶⁰

Subscribed and sworn to before me this 8th day
of July, 1974

Glenn L. Robinson
Notary Public, Residing at Payette, Idaho.

My Commission Expires 11-20, 1977

RECEIVED

JUL 9 1974
Department of Water Resources

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
PARKVIEW CEMETERY
MAINTENANCE DISTRI-
CT, Rt. No. 1, New
Plymouth, Idaho has on June
3, 1974 submitted Application
No. 65-7489 for a permit to
appropriate 0.65 cubic feet
per second of water from a
groundwater source by
means of well, pump &
sprinkler system within the
SE $\frac{1}{4}$ NW $\frac{1}{4}$, S. 5, T. 7 N., R. 4
W. B.M., Payette County to
be used from April 1 to Oct.
15 for irrigation of 32.5 acres
within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, S. 5, T.
7 N., R. 4 W., B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water
Administration, Statehouse,
Boise, Idaho, 83707, on or
before July 1, 1974.

R. KEITH HIGGINSON
Director

Published in the
Independent Enterprise,
Payette, Idaho on June 13,
1974 and June 20, 1974.

No. 4675

6-13(2tc)

OK
sw
7-9-74
65 7489

2469m

5800
6200

2200
2200
1000 2100

Rge. 4W

T
7
N

14 acres
*

Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 65-7489 Priority June 3, 1974 Amount 0.28 cfs

THIS IS TO CERTIFY, that Parkview Cemetery Maintenance District
of New Plymouth, Idaho, has complied with the terms and conditions of Permit
No 65-7489 issued pursuant to Application for Permit dated June 3, 1974,
and has submitted proof to the Department of Water Resources on August 1, 1975,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.48 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 15</u>	at <u>0.28</u> cfs and	<u>63 acre feet or</u>
	from _____ to _____	_____ cfs and	<u>4.5 af per acre</u>
	from _____ to _____	_____ cfs and	_____

(both dates inclusive)

Subject, however, to ~~the condition~~ that no more than 0.28 cfs of water be ~~diverted~~ at any one time, and
that the amount of ~~water~~ so diverted and to which such right is entitled and ~~confined~~ is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
63 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 5,
Twp. 7 N, Rge. 4 W, B. M. in the County of Payette

Description and location of place of use

Twp	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7 N	4 W	5							14										14

Total number of acres irrigated 14

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23 day of

FEBRUARY, 19 78

Director

Identification No. _____

Application No. 65-7489

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant PARKVIEW CEMETERY MAINTENANCE DISTRICT
post office address Route #1, New Plymouth, Idaho 83655
2. Source of water supply Groundwater which is a tributary of _____
3. a Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 5 Township 7 N.
Range 4 W. B.M. Payette County; additional points of diversion if any: _____

b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes:
Amount .65 for Irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a .65 cubic feet per second and/or
b _____ acre feet per annum.
- 6 Proposed diverting works:
a Description of ditches, flumes, pumps, headgates, etc. 5 hp pump, 15 hp booster, sprinkler
system irrigation

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c Proposed well diameter is 12 inches, proposed depth of well is 50 feet.
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years
b Estimated construction cost is \$ 1800.00.
- 8 Description of proposed uses.
a If water is **not** for irrigation
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated. _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

65 7489

Total number of acres to be irrigated 32.5

c Describe any other water rights used for the same purposes as described above.

- 9 a Who owns the property at the point of diversion


b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

applicant to make this filing-

10 Remarks

11 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Park View Cemetery
James H. Rauert
(Applicant)

Received by mt Date 6-3-74 Time 8:30(A)
 Preliminary check by BDF Fee \$ 25.00
 Receipted by mt Date 6-3-74 # 14551
 Publication prepared by df Date 6-6-74
 Published in Independent Enterprise
 Publication dates 6-13 & 6-20-74
 Publication approved sw Date 7-9-74
 Priority reduced to _____ Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by df BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-7489, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 75.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19 day of July 1974.

R. Karl Hjort
 Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>R.W.H.</u>	<u>6-5-74</u>	Application No. <u>65-7489</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>R.W.H.</u>	<u>6-5-74</u>	In form to receipt
	<u>NA</u>		Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)		<u>NA</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>R.W.H.</u>	<u>6-5-74</u>	In form for advertising <u>OK 3 June</u>
(6)		<u>NA</u>	Located within Water District No. _____
(7)	<u>CS</u>	<u>7/10/74</u>	Critical groundwater area: yes _____ no <u>X</u>
(8)	<u>CS</u>	<u>7/10/74</u>	Groundwater levels: ____ Decline (comment) _____ <u>X</u> Stable (comment) _____ ____ Increasing (comment) _____
(9)	<u>NA</u>		Comments: _____
(10)	<u>SW</u>	<u>7-9-74</u>	Affidavit of Publication received (date) <u>OK</u>
(11)	<u>CS</u>	<u>7/10/74</u>	Final date for protests <u>July 1, 1974</u> Protests received: yes _____ no <u>✓</u>
(12)	<u>NA</u>		Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>NA</u>		All requested information received from agencies or applicant yes _____ no _____
(14)	<u>CS</u>	<u>7/10/74</u>	Action recommended: <u>X</u> Approve Priority <u>6/3/74</u> ____ Deny Reason for Reduction _____ <u>X</u> Measuring device required ____ See attached sheet for additional conditions of approval ____ No additional conditions for approval
(15)	District <u>Western</u>	By <u>M. L. Raper</u>	Date <u>7/10/74</u>

65 7489

RECEIVED
JUL 15 1974
Department of Water Resources

Nº 4675

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Payette }

L. Marilyn J. Rhinehart, being duly sworn,
deposes and says:

That he is the principle clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper
published at Payette, in the County of Payette and State
of Idaho that said paper has been and is in general cir-
culation in the county aforesaid, and in the vicinity of Pay-
ette; that the advertisement, a copy of which is attached
hereto, was published in said newspaper once a week for
two (2) consecutive weeks in the regular and entire
issue of said paper during the period and time of publica-
tion, and was published in the newspaper proper and not
a supplement; that said paper has been established and
regularly published for more than seventy-eight consecu-
tive weeks prior to the date of first publication of said
advertisement.

Such notice was published in the issue beginning with
June 13, 1974, and ending
with the issue of June 20, 1974

Marilyn J. Rhinehart
Fee \$ 12⁶⁰

Subscribed and sworn to before me this 8th day
of July, 1974

Glenn L. Robinson
Notary Public, Residing at Payette, Idaho.

My Commission Expires 11-20, 1977

RECEIVED

JUL 9

Dep.



OK
sw
7-9-74

65 7489

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

USE TYPEWRITER OR
RECEIVED
NOV 13 1987

WELL OWNER

Name Park View Cemetery
Address 3600 Hwy 30 So.
Owner's Permit No. New Plymouth, Id

7. WATER LEVEL

Department of Water Resources
Static water level 11 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 57 °F. Quality Good
Describe artesian or temperature zones below _____

NATURE OF WORK

65-87-2 @ 41/ 83655
45-7489
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other _____
Discharge G.P.M. 600 Pumping Level 60 Hours Pumped 5

PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water Yes No	
	From	To			
18	0	10	Brown Clay sticky		
18	10	20	Brown clay hard		
12	20	25	Brown sand fine		
12	25	45	Hard gravel		
12	45	46	Blue clay		
12	46	50	White sand (coarse)		
12	50	62	Blue clay		
12	62	76	White sand		
12	76	88	Blue clay		

METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

WELL CONSTRUCTION

Casing schedule ☒ Steel ☐ Concrete ☐ Other _____
Thickness 37 1/2 inches Diameter 12 inches From 1 feet To 53 feet
Was casing drive shoe used? ☒ Yes ☐ No Wells
Was a packer or seal used? ☐ Yes ☒ No Drone hole
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation 1/16 inches by 1.5 inches
Number 1500 perforations From 34 feet To 50 feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☒ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

10.

Work started 7-25-87 finished 7-26-87

LOCATION OF WELL

Sketch map location must agree with written location
Subdivision Name Payette
Lot No. _____ Block No. _____
County SE 1/4 NW 1/4 Sec. 5 T. 7N N/S. R. 4W E/W
Sketch map location must agree with written location
N
W X E
S

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.
DALLAS DRILLING & PUMP CO., INC. Firm No. #445
Firm Name SOUTH 18TH STREET
MYETTE, IDAHO 83361
Address _____ Date _____
Signed by (Firm Official) July 2, 1987
and
(Operator) July 2, 1987

RECEIVED
OCT 30 1987

Drilling Permit No. 65-87-Z-044
Water Permit No. 65-7489
Injection Permit No. _____

State of Idaho
Department of Water Resources

\$100.⁰⁰

Department of Water Resources **DRILLING PERMIT**

(Authorizing Construction of a Well)*

1. Applicant Parkview Cemetery
2. Address 3600 Hwy 30 South
New Plymouth, Ida 83655
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Water right permit no. 65-7489; Injection well permit no. _____
4. Proposed well location 1/4 SE 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 5, Twp. 7N, Rge. 4W, County Payette,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
6. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 12" Proposed depth 80'
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
7. Anticipated construction start date July - Aug 87
8. Well Driller (if known) Dallas Drilling & Pump
Address 505 So 18th Payette, Ida
Date 10/23/87 Applicant's signature James H. Rancert
Title Owner

JUL 07 1988

ACTION OF IDWR

(☒) Approved () Denied

65-822-044

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. water from this well shall be diverted in accordance with water right 65-7489 or other approved rights.

Dated this 2nd day of November, 1987.

Signed

Title

John E. Ball
SECTION MANAGER
GROUNDWATER PROTECTION

Received by aw

Fee

\$100 100.00 100.00

Date

10/30/87

Receipt No. 45634

Construction start date

Construction start extension to

JUL 07 1988

Extension approved by

MICROFILMED

March 23, 1978

Re: License No. 65-7489

Parkview Cemetary Maintenance District
Route #1
New Plymouth, ID 83655

Gentlemen:

Enclosed is a copy of your corrected Water Right License.

Please note that we have put in the amount circled as it was inadvertently omitted on the copy of the license previously mailed to you.

We hope this error has not caused you any inconvenience.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure

11-1-78

INTER-DEPARTMENT MEMO — 1

FROM *Amato*

DATE 3-22-78

TO *Jan Hoover*

SUBJECT 65-7489

Ask conditional rate of diversion in cfs has
 been left out. Bill M. told me it should
 be .28. and I have done the abstracts this
 way. If it is different, please let me know.

RECORDED

SIGNATURE

March 1, 1978

Re: Permit No. 65-7489

Parkview Cemetary Maintenance Dist.
Route #1
New Plymouth, ID 83655

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JB/kw
Enclosure

MICROFILMED

February 8, 1978

Re: Permit No. 65-7489

Parkview Cemetary Maintenance Dist.
Route 1
New Plymouth, Idaho 83655

Gentlemen:

A representative of this Department made an examination of the works covered by your Permit No. 65-7489 on August 21, 1975, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.28 cfs Source: Groundwater

The maximum quantity diverted shall not exceed 63 acre feet per
year.

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 5, Twp. 7N, Rge. 4W, B.M.

Beneficial use: Irrigation of 14 acres within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 5,
Twp. 7N, Rge. 4W, B.M.

Priority date established: June 3, 1974

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF:cah

RECEIVED
FEB 14 1978

FIELD REPORT

Tributary to _____

Other uses: _____

Permit No. 65-7489
Examination for b/u

Other Points of Diversions: _____


6 Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE 32.5 14

MICROFILMED

Diagram of System



Can we allow the Q recommended by
the examiner?

No!

Bob F.

DATE OF EXAM 8/20/75

ACREAGE
Found 14
Recommended 14

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = .48 c.f.s. V = 63 AF/Ann. from 4-1 to 10-15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .48 cfs Method of measurement Flow meter

Total Q recommended .48 cfs Meter No. M0644646 Type Badger Condition New

Total V recommended 63.0 gfl/ann
Cannot allow 0.48 cfs

Recommended Amendments: BDFG decision

P.D. _____

Place of Use _____

Other average now under irrigation is 14 acres not 32.5 as shown in permit

None _____

MEASUREMENT CALCULATION:

4" Badger # M0644646 showing 212.0 gal/min.
V = 4.5 af/ann X 14 acres. V total V.

SYSTEM DESCRIPTION:

12" well with 4" main line - 23 heads - Rain bird 1/2" Model 30
40' foot deep well. Franklin sub. pump Model # 28210222011
5 H.P. 14 acres irr. 15 h.p. pump to produce to make
s sprinklers work

REMARKS: Diversin Rate of 0.48 cfs
is needed to maintain pressure in sprinkler system,
but system is only run for short periods of time to
irrigate lawn

Examiner's Signature Peter Chomahin Date 8-21-75

Checked by _____ Date _____

Approved by _____ Date _____

August 8, 1975

Re: Permit No. 65-7489

Parkview Cemetary Maintenance District
Route 1
New Plymouth, Idaho 83655

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in Boise.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

Identification No. _____
Permit No. 65-7489
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Parkview Maintenance District
b) Post Office Address Rt. 1 New Plymouth, Idaho 83655
2. Permit Number 65-7489
3. Date of Priority that you are prepared to establish June 3, 1974
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: SE 1/4 NW 1/4, Section 5
Township 7, Range 4W Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount .65 for Irrigation purposes from April 1 to Oct. 15th incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .65 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measurement made by reading a 4" Badger meter by Karl L. Bronson, Mgr. of Growers Supply Co., from whom pump and irrigation equipment was purchased.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 5 HP pump with 15 HP booster to sprinkler system.

b) Describe the type and size of measuring device which you have installed at your point of diversion: 4" Badger meter.

c) Give well driller's name and address and the date the well was completed: H.C. Nichol森 Payette, Idaho

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 8-7-75

MICROFILMED

NB

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: 32.5 acres

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7	4W	5								32.5									32.5

Total number of acres irrigated 32.5

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-30-75
(Date)

Bonnieta R. Hewett
(Signature) Sec.

State of Idaho)
) ss.
County of Payette)


On this 30th day of July, 19 75, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Diane L. Bohm
Notary Public residing at New Plymouth

My commission expires 6-1-78

PS Form 3811, Nov 1973

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDFR Complete items 1 and 2 Add your address in the "RETURN TO" space on reverse		
1. The following service is requested (check one)		
☐ Show to whom and date delivered..... 15¢		
☐ Show to whom, date, & address of delivery.. 35¢		
☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢		
☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢		
2 ARTICLE ADDRESSED TO:		
		
3 ARTICLE DESCRIPTION:		
REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	96854	
(Always obtain signature of addressee or agent)		
I have received the article described above		
SIGNATURE <i>Barb. view</i>		
4 <i>Bonnieta R Hewett.</i>		
DATE OF DELIVERY 6-3-75		POSTMARK
5 ADDRESS (Complete only if requested)		
6. UNABLE TO DELIVER BECAUSE:		CLERK'S INITIALS 20

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS


Print your name, address, and ZIP Code in the space below

- Complete items 1 and 2 on reverse side
- Moisten gummed ends and attach to back of article

RETURN
TO



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



June 2, 1975

CERTIFIED MAIL

26854

Re: Permit No. 65-7489


Parkview Cemetery Maintenance District
Route 1
New Plymouth, Idaho 83655

Gentlemen:

One of the conditions of approval of your water Permit No. 65-7489 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

July 22, 1974

Re: Permit No. 65-7489

Parkview Cemetary Maintenance District
Route 1
New Plymouth, Idaho 83655

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 65-7489. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

65 7489

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that PARKVIEW CEMETERY MAINTENANCE DISTRICT,
Rt. #1, New Plymouth, ID
has on June 3, 1974 submitted Application No. 65-7489
for a permit to appropriate 0.65 cubic feet per second ~~XXXXXXXXXX~~
~~XXXXXXXXXX~~ of water from a groundwater source
by means of well, pump & sprinkler system
within the SE 1/4, S. 5, T. 7 N., R. 4 W., B.M., Payette County

to be used from April 1 to Oct. 15
for irrigation of 32.5 acres

within the SE 1/4, S. 5, T. 7 N., R. 4 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 1, 1974.

R. KEITH HIGGINSON

Director

Published in the Independent Enterprise, Payette, Idaho
on June 13, 1974 and June 20, 1974 65-7489.

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse Annex 2
Bose Idaho 83707
(208) 384-2215
Western District Office



Water Right Administration
Water Resource Development
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

June 7, 1974

**Independent Enterprise
Box 348
Payetta, Idaho 83661**

**Re: Application for Permit No. 63-7994 - Omar L. Maine &/or Eva M. Maine
65-7489 - Parkview Cemetery Maintenance District**

Gentlemen

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

*Bill submitted
7-9-74 sw*

65 7489

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
WESTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

June 5, 1974

Parkview Cemetery Maintenance Dist.
Route #1
New Plymouth, ID 83655

Re: Application for Permit No. 65-7489

Gentlemen:

Enclosed is your Receipt No. 14551 in the amount of \$ 25.00 for
Application for Permit No. 65-7489 which was received in this office
on June 3, 1974.

Sincerely,

DEANNA E. FELDT
Secretary

DEF:d

Enclosure

65 7489

May 16, 1974

Parkview Cemetery Maintenance Dist.
Route #1
New Plymouth, ID 83655

Gentlemen:

We are returning your application for permit form in order that you can make some necessary changes and include the proper fee. We have also taken the liberty of re-typing your application form.

Item #3 is confusing. We believe that all of your irrigation takes place within the SE 1/4 of Section 5, Twp. 7 N., Rge. 4 W. If you only have one well within this property description, it is not necessary to list the other information you have put down.

Item #4 requests 288 Acre feet of water for irrigation. This would imply a storage right such as a reservoir or pond. If you pump water directly into your sprinkler system from the well, you should indicate the amount of water you wish to pump in cubic feet per second. The maximum amount allowable in this instance would be .65 c.f.s. The fee for this amount would be \$25.00.

We have also changed your map to reflect the acreage listed in item 8b. (32.5 acres).

Please make the necessary corrections on the retyped application form, sign it, and return it with the proper fee to this department.

If you should have any questions concerning this matter, please feel free to contact this office.

Sincerely,

JAMES E. BOOKER
W. R. Technician II

JEB:df

Enclosures

65 7489