


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R4W



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lucas Wright Jr.
(Applicant)

65-7462

No 4553

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Payette } ss.

I, Janice Murphy, being duly sworn,
deposes and says:

That she is the principle clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper
published at Payette, in the County of Payette and State
of Idaho that said paper has been and is in general cir-
culation in the county aforesaid, and in the vicinity of Pay-
ette; that the advertisement, a copy of which is attached
hereto, was published in said newspaper once a week for
Two (2) consecutive weeks in the regular and entire
issue of said paper during the period and time of publica-
tion, and was published in the newspaper proper and not
a supplement; that said paper has been established and
regularly published for more than seventy-eight consecu-
tive weeks prior to the date of first publication of said
advertisement.

Such notice was published in the issue beginning with
January 31, 19 74, and ending
with the issue of February 7, 19 74

Janice Murphy

Fee \$ 12.24

Subscribed and sworn to before me this 9th day
of February, 19 74

Glenn L. Robinson

Notary Public, Residing at Payette, Idaho.

My Commission Expires 11-20, 19 77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
LEE C. WRIGHT, JR., Star
Route, Payette, ID has on
Jan. 24, 1974 submitted
Application No. 65-7462 for a
permit to appropriate 1.14
cubic feet per second of
water from groundwater
sources by means of six well,
pumps, stock tanks &
pipelines within the
SW $\frac{1}{4}$ NE $\frac{1}{4}$, S. 20, 3 pts.,
NW $\frac{1}{4}$ SE $\frac{1}{4}$, 2 pts.,
NE $\frac{1}{4}$ SE $\frac{1}{4}$, S. 17, T. 8 N., R. 4
W., B.M., Payette County to
be used from Jan. 1 to Dec.
for domestic & stock use
within the N $\frac{1}{2}$ SE $\frac{1}{4}$,
SE $\frac{1}{4}$ SE $\frac{1}{4}$, S. 17, SW $\frac{1}{4}$ NE $\frac{1}{4}$,
S. 20, T. 8 N., R. 4 W., B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must
be filed with the Idaho
Department of Water
Administration, Statehouse,
Boise, Idaho, 83707, on or
before Feb. 18, 1974.

R. KEITH HIGGINSON
Director

No. 4553

1-31(2tc)

OK'd


2-12-74


RECEIVED

FEB 12 1974

Department of Water Administration

65-7462






8. **POSSIBLE CONTAMINATION SOURCES:**
Is there evidence of Chemigation? ☐ Yes ☒ No
If yes, is there a check-valve present? ☐ Yes ☐ No
Is there a possible source of contamination nearby? ☐ Yes ☒ No
If yes, what Type? _____
How far away from the well is this source? _____

9. **REMARKS:** 3 wells in NESE + 1 well in SWSE feed a 750' cement sitem, 10' deep. Water from the sitem is then delivered to ~35 stock tanks, 375 gal each. The sitem was covered with cement. It resembled a big cement cube that was buried. Seepage or leaks did not seem a problem and were not apparent.

Signature of Dept. Representative & Title

6/19/98
Inspection Date

PHOTOS, DRAWINGS, O





SWNW sec 21
Dom/stock well



NWSE sec 17
Dom/stock well



SWNE sec 20
trailer/stock
well



well in SWSE
piped to
intern

one of three
wells in
NESE, sec 17
feeding intern





cement vault or
sifter

50' x 15' x 10'

sifter
controlling
works





FEEDLOT AREA
SE sec 17





7/18

T604

T574

1-10.2

13-28.1

14-10.6

15-19.7

16-26.8

17-19.9

18-11.6

3-21.5

4-39.0

T605

5-3.3

6-3.6

7-5.5

NA

T8460

F-5

Not to Scale

20/2

T605



F-5

Not to Scale

1985

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-07462

Priority: March 25, 1974

Maximum Diversion Rate:

0.27 CFS

Maximum Diversion Volume:

37.1 AF

This is to certify, that CHARLES S HIGBY

STAR RT

PAYETTE ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 24, 1974; and has submitted Proof of Beneficial Use on April 2, 1979. An examination indicates that the works have a diversion capacity of 0.270 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.27 CFS	33.5 AF
DOMESTIC	01/01 to 12/31	0.11 CFS	3.6 AF
	Totals	0.27 CFS	37.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 17, Township 08N, Range 04W
NWSE , Sec. 17, Township 08N, Range 04W
Lot 1(SWSE), Sec. 17, Township 08N, Range 04W
Lot 2(SWNE), Sec. 20, Township 08N, Range 04W
Lot 5(SWNW), Sec. 21, Township 08N, Range 04W
PAYETTE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08N 04W 17	NESE	NWSE	Lot 1(SWSE)
	SESE		
20	Lot 2(SWNE)		
21	Lot 5(SWNW)		

PLACE OF USE: DOMESTIC

TWN RGE SEC

08N 04W 17	NWSE
21	Lot 5(SWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. Three points of diversion are located within NESE, S17, T8N, R4W.
2. Domestic use is for 3 homes.

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 65-07462

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 19th day of

July, 2000.


Acting for KARL J. DREHER, Director

RECEIVED

JUL 14 2000

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 65-07462

Date of Priority: March 25, 1974

Maximum Diversion Rate: 0.27 CFS

Maximum Diversion Volume: 37.1 AF

Comes now
STAR RT
PAYETTE ID 83661

CHARLES S HIGBY

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-07462, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.27 CFS	33.5 AF
DOMESTIC	01/01 to 12/31	0.11 CFS	3.6 AF
	Totals	0.27 CFS	37.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 17, Township 08N, Range 04W
NWSE , Sec. 17, Township 08N, Range 04W
Lot 1 (SWSE), Sec. 17, Township 08N, Range 04W
Lot 2 (SWNE), Sec. 20, Township 08N, Range 04W
Lot 5 (SWNW), Sec. 21, Township 08N, Range 04W
PAYETTE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

08N 04W 17	NESE	NWSE	Lot 1 (SWSE)
	SESE		
20	Lot 2 (SWNE)		
21	Lot 5 (SWNW)		

PLACE OF USE: DOMESTIC

TWN RGE SEC

08N 04W 17	NWSE
21	Lot 5 (SWNW)

State of Idaho
Department of Water Resources


APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 65-07462

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at BOISE, IDAHO, this 6th day of July, 2000.


(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-07462

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee =50⁰⁰ Received by JM # 0049808 Date 7/14/00


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 65-07462 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Three points of diversion are located within NESE, S17, T8N,
R4W.
2. Domestic use is for 3 homes.

Witness my hand this 19TH day of July, 2000.


Acting for KARL J. DREHER, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
NO. 65-07462 IN THE NAME	)	ORDER OF REINSTATEMENT
OF CHARLES S. HIGBY	)	
_____	)	

This matter having come before the Department of Water Resources (Department) as a result of findings during a licensing field examination, the Department finds, concludes and orders as follows:

FINDINGS OF FACT

1. On February 26, 1974, the Department approved Application for Permit No. 65-07462 authorizing the diversion of 1.14 cubic feet per second (cfs) of groundwater to be used for domestic and stockwater purposes in Payette County, Idaho with a proposed priority of January 24, 1974. Proof of beneficial use of water for the permit was due on or before February 1, 1979.

2. On April 2, 1979, the permit holder submitted an acceptable proof of beneficial use. Since the proof was submitted late, the Department advanced the priority to March 25, 1974.

3. On June 5, 1986, the Department corresponded with the permit holder advising that newly enacted House Bill 671 (effective April 4, 1986) required the submittal of a field examination report prepared by a certified water right examiner or a license examination fee before the Department could conduct a field examination to determine the extent of beneficial use made of water by the permit holder. The permit holder did not respond.

4. On June 25, 1987, the Department sent a lapse notice to the permit holder rejecting the proof, since the permit holder had not submitted the license examination fee or a field examination report prepared by a certified water right examiner.

5. On August 4, 1987, the permit holder returned a completed examination fee information sheet for the project, but did not submit the required license examination fee.

NOT RECALLED

5/16 10 1988

6. On June 19, 1998, the Department conducted a field examination and found that the permit holder was diverting water for stockwater purposes at a maximum rate of 0.24 cfs. The Department advised the permit holder that a license examination fee in the amount of \$100.00 was required before the Department could issue a license.

7. On June 29, 1998, the permit holder submitted the required license examination fee to the Department.

CONCLUSIONS OF LAW

1. Section 42-218a.3., Idaho Code, provides in pertinent part as follows:

The original priority date of a lapsed permit shall not be reinstated except upon a showing of error or mistake of the department.


2. The permit holder has submitted sufficient information for the Department to reinstate the permit.

3. The Department should reinstate the permit with no advance in priority, since the Department did not advise the permit holder in August 1987, that the license fee examination information was only acceptable if it were accompanied by the appropriate license examination fee.

ORDER

IT IS HEREBY ORDERED that Permit No. 65-07462 is **REINSTATED** and that the priority of use for the permit is **March 25, 1974**.

Dated this 9th day of July, 1998.


L. GLEN SAXTON, Chief
Water Allocation Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-7462
IN THE NAME OF CHARLES S. HIGBY

ORDER OF REINSTATEMENT

WHEREAS, on January 24, 1974, Lee C. Wright, Jr. filed with the Department of Water Resources an application for permit to appropriate 1.14 cubic feet per second of water from a groundwater source to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, NW $\frac{1}{4}$ SE $\frac{1}{4}$ (3 pts.), NE $\frac{1}{4}$ SE $\frac{1}{4}$ (2 pts.), Sec. 17, Twp. 8N, Rge. 4W B.M., Payette County, to be used for stockwater and domestic purposes; and,

WHEREAS, on February 26, 1974, the Department approved said application and issued Permit No. 65-7462 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before February 1, 1979; and,

WHEREAS, on November 30, 1978, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on January 24, 1979, the permit holder assigned all right, title, and interest in and to Permit No. 65-7462 to Charles S. Higby; and,

WHEREAS, on February 21, 1979, the Department notified the permit holder that Permit No. 65-7462 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of lapsing;

WHEREAS, the permit holder provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on April 2, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-7462 be REINSTATED and the priority advanced to March 25, 1974.

Dated this 11 day of April, 1979.


L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED
APR 11 1979

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE

1. a) Name of permit holder Charles S. & Emma J Higby
b) Post office address Star Rt. Payette Id 83661
2. Permit number 65-7462
3. Date of priority that you are prepared to establish 1973

4. a) Source from which water was appropriated _____
b) Location of the point of diversion: _____ 1/4 _____ 1/4, Section _____
Township _____, Range _____ Boise Meridian. Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

- b) Total amount appropriated 1.14 cfs and/or acre-feet per annum.

- c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:

Max Holloway Well Drilling - Tested at time of drilling

6. If the means of diversion and conveyance are owned by someone other than the permit holder:

- a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

- b) Describe the agreement of understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):

- b) Describe the provision for making a measurement which you have at your point of diversion: (i e., installed measuring device, access port, other)

4-10-79

[Handwritten signature and stamp]

c) Give well driller's name and address and the date the well was completed: Max Holloway
Well Drilling 1973

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

Stock water for 5000 head feedlot and domestic use

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

T	R	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTAL
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

3-30-79
(Date)

[Signature]
(Signature)

State of Idaho)
County of PAVETT) ss.

On this 30 day of MARCH, 19 79, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

[Signature]
Notary Public
Residing at New Plymouth

My commission expires LIFE TIME

44

Department of Water Resources

Department of Water Resources

I, LEE C. WRIGHT, JR, hereby assign to CHARLES S. HIGBY
of STAR ROUTE, PAYETTE ID 83661
Address

CHECK ONE

All my right, title, and interest in and to Permit No. 65-7462
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within each 40 acre subdivision, the point of diversion and the amount of water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 2nd day of January, 1971.

Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Payette) ss.

On this 22nd day of January, 19 79, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

s e a l

Notary Public residing at
New Plymouth, Idaho

My commission expires:

7-75-80

RECEIVED

450 Rite Mayle

hd mo/mo
Cows 12x51x9

5508

horns 4x51x15

3060

Rent 325x51 (6375)

16575

Rent-Trail 65x63

780 - 4095

25923

= 411.48

63

29238

10200

19038 - 302.19

29238

= 464.80

63

No. cows sold

✓ C/Fs

✓

✓
cattle

Taxes

Ins


Ins

RECEIVED
JAN 10 1964
CATTLE

HIGBY $\frac{N}{N}$ RANCH
STAR ROUTE
PAYETTE, IDAHO 83661

11/11/11

State of Idaho
Department of Health Services
State Office, 313 W. Nevada St.
Boise, Idaho 83720



ASSIGNED TO:
Charles S. Higby
Star Route
Payette, ID 83661
1-24-79

Identification No. _____
Application No. 65-7462

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant LEE C. WRIGHT, JR.
post office address Star Route, Payette, Idaho
- 2 Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 20 Township 8 N.
Range 4 W. B.M. Payette County; additional points of diversion if any: 3 pts., NW $\frac{1}{4}$ SE $\frac{1}{4}$, 2 pts., NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17, T. 8 N., R. 4 W., B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.1 for Stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated.
a. 1.14 cubic feet per second and/or
b. _____ acre feet per annum
6. Proposed diverting works:
a Description of ditches, flumes, pumps, headgates, etc. Drilled wells (6), electric pumps, stock tanks & pipelines
- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c Proposed well diameter is 6 & 8 inches; proposed depth of well is 200 feet.
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years
b Estimated construction cost is \$ 10,000.00.
- 8 Description of proposed uses
a If water is **not** for irrigation See 8 b.
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
(2) Amount of power to be generated _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 5000 Head of Cattle
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water one
- (5) If water is to be used for other purposes describe. _____

65 7462

65-7462

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
8 N.	4 W.	17													X	X		X	
		20			X														

Total number of acres to be irrigated _____

c Describe any other water rights used for the same purposes as described above. None

9 a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RAW



Scale. 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lucas Wright Jr.
(Applicant)

65-7462

1-24-1974

~~Proposed priority~~

65-7462

Received by JSB Date 24 Jan 74 Time 2:00 PM
Preliminary check by JSB Fee \$ 35.00
Receipted by Eg Date 1-24-74 # 13604
Publication prepared by df Date 1-24-74
Published in Independent Enterprise
Publication dates 1-31 & 2-7-74
Publication approved df Date 2-12-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by W JDE

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-7462, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 79.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 26 day of February, 19 74.

R. Keith Higgins
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>JSB</u>	<u>125/74</u>	Application No. <u>65-7462</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>JSB</u>	<u>125/74</u>	In form to receipt
	<u>JSB</u>	<u>125/74</u>	Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>JSB</u>	<u>125/74</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>JSB</u>	<u>125/74</u>	In form for advertising
(6)		<u>NA</u>	Located within Water District No. _____
(7)	<u>RWH</u>	<u>2-20-74</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>RWH</u>	<u>2-20-74</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>df</u>	<u>2-12-74</u>	Affidavit of Publication received (date) _____
(11)	<u>RWH</u>	<u>2-20-74</u>	Final date for protests <u>2-18-74</u> Protests received: yes _____ no ☒
(12)		<u>NA</u>	Date and Place of hearing _____ Decision reached at hearing _____
(13)		<u>NA</u>	All requested information received from agencies or applicant yes _____ no _____
(14)	<u>RWH</u>	<u>2-20-74</u>	Action recommended: ☒ Approve Priority <u>1-24-1974</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required <u>average of .196 gpm per well</u> ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>Western</u>		By <u>Robert W. Hamill</u> Date <u>2-20-74</u>

65-7462

Nº 4553

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Payette } ss.

I, Janice Murphy, being duly sworn,
deposes and says:

That he is the principle clerk of
THE INDEPENDENT-ENTERPRISE, a weekly newspaper
published at Payette, in the County of Payette and State
of Idaho that said paper has been and is in general cir-
culation in the county aforesaid, and in the vicinity of Pay-
ette; that the advertisement, a copy of which is attached
hereto, was published in said newspaper once a week for
Two (2) consecutive weeks in the regular and entire
issue of said paper during the period and time of publica-
tion, and was published in the newspaper proper and not
a supplement; that said paper has been established and
regularly published for more than seventy-eight consecu-
tive weeks prior to the date of first publication of said
advertisement.

Such notice was published in the issue beginning with
January 31, 19 74, and ending
with the issue of February 7, 19 74

Janice Murphy
Fee \$ 12.24

Subscribed and sworn to before me this 9th day
of February, 19 74

Flamence L. Robinson
Notary Public, Residing at Payette, Idaho.

My Commission Expires 11-20, 19 77

[REDACTED]

OK'd
2-12-74

65-7462



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

OCT 29 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

September 27, 2001

CHERYL F COLWELL
GEORGE E COLWELL
PO BOX 251
NORTH POWDER OR 97867-0251

Payette.
CHERYL F. Colwell
3990 Hwy 52
Payette, IDAHO 83661
(208) 278-3448

RE: Snake River Basin Adjudication (SRBA)
Water Rights #65-3616, 65-3617, 65-3618, 65-3619, 65-7461, 65-7462,
65-8627, 65-11211, 65-11261 and 65-21373

Dear Water Right Holders:

cc: W. A.
Records modified 10/30/01.
R=NCAP done.

Mail we sent you was returned to us by the Postal Service. The Postal Service advised us your address has changed to the above address. We have enclosed the returned mail.

Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by October 12, 2001. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water rights referenced above, please call this office toll-free at 1/800-451-4129 to obtain a form to make this required change to the water right records.

Sincerely,

Sally Sherman

Technical Records Specialist
Adjudication Bureau

SS:region

Enclosure:

Returned Mail

#####

The address is correct as shown above or as otherwise changed


Water Right Holder's Signature

Telephone No.

Rec'd P. 2.
10/10/01

(541) 898-2863
(208) 278-3448

ADDRESS SERVICE
REQUESTED



RECEIVED

SEP 24 2001

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

1301 North Orchard St

PO Box 83720

Boise, ID 83720-0098

(208) 327-7900

TO

COLW800 837092226 1500 04 09/21/01
FORWARD TIME EXP RTN TO SEND
COLWELL
PO BOX 251
NORTH POWDER OR 97867-0251

RETURN TO SENDER

65-11261 rec
65-3611
65-3618
65-7461
65-7462
65-8627
65-11211
65-11261 dupel
65-3616 WR
65-3614
65-21373



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 27, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

GEORGE E COLWELL
CHERYL F COLWELL
10800 SMOKE RANCH RD
BOISE ID 83709

RE: Assignment of Permit for 65-07462

Dear Mr. & Mrs. Colwell:

The Assignment of Permit for the above referenced water right that you sent has been forwarded to me for processing.

Because this water right was licensed prior to receipt of the assignment, the assignment is no longer appropriate and will not be required. The filing fee of \$25.00 that accompanied the assignment will be refunded under separate cover by our Fiscal Section.

You may wish to complete the enclosed Notice of Change in Water Right Ownership form and return it to my attention. It will not be necessary to provide proof of ownership of the land as a copy of the warranty deed is already in the file. No fee will be required to process an ownership change form for this licensed water right. Also enclosed is a copy of the water right license in the name of Charles S. Higby for your reference.

Upon receipt of the completed ownership change form we will make the necessary database changes and send you a computer-generated report showing you as the current owner.

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

A handwritten signature in black ink, appearing to read 'Kari Lynn Townsend'.

Kari Lynn Townsend
Secretary

KLT:k

Enclosures
cc: Fiscal Section

SD-1603-3

Idaho Department Of Water Resources
Detail Receipt Summary Screen

Date: 12/19/00
Time: 10:24:22

Rec/No - C049935 AR/No -
From: - BIRDING ISLAND RANCH

Receipt Type - CK Doc/No - 4222
Remarks -

REFUNDED 25.00

Receipt Date: 07/27/2000

Type Of Payment
ASSIGNMENT OF PERMIT # 65-07462

Fund	FD	PCA	Obj	Subsid	Fee
229	21	56103	1155		25.00

Total Due - 25.00

WR/No	WR Fee	WR/No	WR Fee	WR/No	WR Fee
-------	--------	-------	--------	-------	--------

(Enter=Continue)

(GOLD7=Selection Screen)

(GOLD8=Cancel)

Receipt Details for ID C049935

Status	Adjustment Type	Version
	Adjusted Receipt	1

General Information:

Date Received	Date Deposited	Region	Total Amount	Payment Type
7/27/00 9:56:28 AM	7/27/00	State	\$25.00	Check
Payer		BIRDING ISLAND RANCH		

Account Information:

Check #	Account #	Credit Card Name	Authorization #
4222			
Card Expiration Date	Credit Card Transaction #		

Comment ASSIGNMENT OF PERMIT # 65-07462

Fee Detail:

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$25.00	ASSIGNMENT OF PERMIT # 65-07462	56103	229	21	0	1155

11/99

For Office Use Only
\$25 filing fee 25.00
Receipt # 2279935
Date 7-27-00

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

JUL 27 2000

ASSIGNMENT OF PERMIT

Department of Water Resources

To change the ownership of a permit

I, Charles S. Higby, hereby assign to GEORGE E. OR CHERYL F. COLWELL
of, 10800 SMOKE RANCH RD. BOISE, IDAHO 83709 (208) 375-8158 or
(Full Address) (Phone) (541) 898-2863

All my right, title, and interest in and to Permit No. 65-07462 to
appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to for
Permit No. _____ to appropriate the public waters of the State of Idaho.
(Describe portion of the application for permit assigned, listing the number of acres in each 40 acre
subdivision, point of diversion location, and amount of the water in cubic feet per second.)


Made this 24th day of July, 20 00

X Charles S. Higby
Permit Holder(s)

State of Idaho)

County of Canyon)ss

On this 25th day of July, 20 00, personally appeared before me the signer(s) of the above
instrument, who duly acknowledged to me that he (she) (they) executed the same.



H. Williams
Notary Public residing at
Naampa

My commission expires

8/31/2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 19, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CHARLES S HIGBY
STAR RT
PAYETTE ID 83661

RE: WATER RIGHT NO. 65-07462

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 19th day of July, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-07462

CHARLES S HIGBY
STAR RT
PAYETTE ID 83661


Kari Lynn Townsend
Secretary

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows.

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

GEORGE E COLWELL
CHERYL F COLWELL
10800 SMOKE RANCH RD
BOISE ID ~~83702~~ 83709

RE: WATER RIGHT 65-07462

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend the permit to depict the water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

(541-898-2863)
Mr. Colwell called 7/5/2000 -
just rec'd letter of
6/7 - correct zip code to
get mail directed to
him - Needs additional
time to locate Mr.
Higby and get assignment
allow 30 more
days to submit
amendment - kw
7/6/2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 7, 2000

GEORGE E. OR CHERYL F. COLWELL
10800 SMOKE RANCH RD
BOISE ID 83702

RE: PERMIT NO. 65-07462

Dear Mr. and Mrs. Colwell:

The Department of Water Resources is reviewing the above referenced permit prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified the water use reported that there are points of diversion and places of use developed in locations other than what was described on the permit. Therefore, before a license can be issued, the permit must be amended to depict the water right as it was actually developed.

The enclosed Application for Amendment form depicts the points of diversion and places of use and other information as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with a \$50.00 filing fee within 14 days.

This permit is still in the name of Charles S. Higby and we need to have an assignment of this permit from Mr. Higby to you in order to change the name. We have a copy of your deed that shows you purchased Mr. Higby's property, however, a permit is personal property and in order for us to change our records we require an "Assignment of Permit" form along with a \$25.00 filing fee. If you do not submit the completed assignment form and \$25.00 to us, we will issue the license in Mr. Higby's name as currently shown in our records. Once the license is issued it becomes real property and we will be able to change the ownership with just a copy of the deed and submittal of an ownership change form.

If you have any questions in regard to this matter, please do not hesitate to contact me at (208)327-7944.

Sincerely,

A handwritten signature in cursive script that reads 'Kay Walker'.

KAY WALKER
Sr. Water Resource Agent

KW:k
Enclosure

LICENSE REVIEW CHECKLIST

Permit No 65-07462 Date 6-7-2000 Reviewer Kay Walker

Change/OK

Name/Address assignment requested -

Source OK Does change clarify original intended source? If no, void permit
Point of Diversion. add Change (P39/P49) Add (P45/P44) Feds (P43)

W32 (multiple in 1/4/1/4) 3 in NESE, S17
W36 (overlap)
W59 (subdivision description)

Place of Use add Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps Right(s) 65-036/6

File reviewed _____ Profile reports printed ✓

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion: Permitted rate 1.14 cfs
Fee Limit 1.0 cfs Recommended Total Diversion Rate 0.27
Measured 0.27 cfs
Theoretical 0.27 cfs

Water Uses

Irrigation _____ cfs _____ af
Stockwater 0.27 cfs 33.6 af
Domestic 0.11 cfs 3.6 af
_____ cfs _____ af
Total 0.27 cfs 37.1 af

Change (P46)

permit for 1 home - 3 building wells - only 1/2 stock use developed

~~Irrigation - overlap (R58-R61, R62-R65, R66-R69)~~
~~supp Gw (WB7/065/079)~~
~~overlap spec combined rts (W35)~~
~~>1 acre (W31)~~
~~Domestic (W01/wb5/070/071/075)~~
~~Power (W42 or W43/025/027/R22 or R23)~~
~~Fish (042)~~
~~Fire (077)~~
~~Water Quality (081/R07)~~
~~Payette - (W22/047/27A)~~

OK to allow all 3 homes.

Volume Determination Over
_____ cfs x 1 9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks _____

Additional Conditions N2 Watermaster Control
N1 GW Measurement/Measuring Device
Other _____
~~Trust (052/R55 - remove 051)~~
~~Non-trust (048/049)~~

Government Lots? YES

Advance Priority? yes If yes, explain why below
no

SRBA Claim? YES - pending

Adjust memo YES P37

Amend Letters P45, P41 P87, S06

Second Amendment Notice P44 S06

$$5 \text{ hours} \times 1.2 = 3.6 \text{ MFA}$$

$$V = 2500 \text{ kg} \times 0.0134 = 33.5 \text{ MFA}$$

$$\text{Rate} = 2500 \text{ kg} \times 0.00033 = 0.55 \rightarrow \text{allow capacity at 0.27 MFA}$$

WR0749NP
No. L65-07462

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/07/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHARLES S HIGBY STAR RT PAYETTE ID 83661	03/25/1974	STOCKWATER ✓ DOMESTIC ✓	01/01 12/31 ✓ 01/01 12/31 ✓	0.270 CFS ✓ 0.110 CFS ✓	33.50 AFA ✓ 3.60 AFA ✓
TOTAL DIVERSION:					0.270 CFS ✓	37.10 AFA ✓

*assignment
requested*

Water Source: GROUNDWATER ✓

Tributary to: ✓

Stage: LICENSE ✓

Point(s) of Diversion Capacity:

0.270 CFS ✓

Point(s) of Diversion:

T08N R04W S17 ✓

NESE ✓

NWSE Lot 01 ✓

SWSE ✓

S20 Lot 02 ✓

SWNE ✓

S21 Lot 05 ✓

SWNW ✓

add

PAYETTE County
PAYETTE County
PAYETTE County

Place of use Legal Description for: STOCKWATER

NE				NW				SW				SE																			
NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE	
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
08N	04W	17	✓																					S ✓	S ✓	01-S ✓	S ✓				
08N	04W	20	✓																												
08N	04W	21	✓																												

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE																			
NENE		NWNE		SWNE		SENE		NENW		NWNW		SWNW		SENW		NESW		NWSW		SWSW		SESW		NESE		NWSE		SWSE		SESE	
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
08N	04W	17	:																												
08N	04W	21	:																												

Pou County: PAYETTE ✓

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

65-03616 65-03618 65-05773 65-07462

Diff source Diff source

Other Water Rights Listing Overlapping Place(s) of use:

65-00165X 65-03617 65-03618 65-07461 65-11413

Remarks: GEN Three points of diversion are located within NESE, S17, T8N, R4W. ✓
Domestic use is for 3 homes. ✓

Dates: App. Received: 01/24/1974 ✓ Priority Date: 03/25/1974 ✓ (Priority Date Advanced.)
Proof Due Date: 02/01/1979 ✓ Proof Made Date: 04/02/1979 ✓ (Proof Received Late.)
Exam Made Date: 06/19/1998 ✓ Exam Sent to S.O.: 04/27/1999
Licensed Date:

Misc: Water District Number: ~~05~~ Field Exam Fee: R (Received)

WR0749NP
No. L65-07462

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 06/07/00
PAGE: 2

Comments: Date: 05/11/1999 User-ID: SCURTIS Subject: STOCKWATER USE
Stockwater use is for a 2500 head feedlot. ✓

Audit: 05/11/99 SCURTIS 05/13/99 SCURTIS

AJ5809NP
No. A65-07462

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 06/07/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHERYL F COLWELL	01/24/1974	STOCKWATER	01-01 12-31	1.100 CFS	67.00 AFA
C	GEORGE E COLWELL		DOMESTIC	01-01 12-31	0.040 CFS	1.20 AFA
	10800 SMOKE RANCH ROAD					
	BOISE ID 83709					
	(208) 376-6922					
				TOTAL DIVERSION:	1.140 CFS	68.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion:

T08N R04W S17
S20

NESE
SWNE

NWSE

PAYETTE County
PAYETTE County

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	MWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
08N	04W	17	:					:					:					:	S	S		S	:
08N	04W	20	:			S		:					:					:					:

Place of use location for DOMESTIC is the same location as described for: STOCKWATER

POU County: PAYETTE

Remarks: GEN SOURCES FOR THIS RIGHT ARE 6 WELLS.
THIS PERMIT RIGHT IS NOT DECREED BY THE PRESENT ADJUDICATION
PROCEDURE, AND IS INCLUDED FOR INFORMATION PURPOSES ONLY.
NORMAL STATUTORY PROCEDURES MUST BE COMPLETED FOR LICENSING.
OWNERSHIP CHANGED BY LH 11/18/94.

Dates: Exam Made Date:

Verified Date:

Objection Filed Date:

Misc: Water District Number: 65

Field Inspection Flag:
Presumption Flag:

SRBA

PARTIAL DECREE 65-03616

Issued on 08-28-1998.

This is not an official copy.

Contact IDWR or the Court for a Certified Copy.

Choose Landscape Orientation when printing.

NAME AND ADDRESS: CHERYL F COLWELL
GEORGE E COLWELL
10800 SMOKE RANCH RD
BOISE, ID 83709

SOURCE: GROUNDWATER

QUANTITY: 0.04 CFS
1.20 AFY

THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 1 GALLONS PER DAY.

PRIORITY DATE: 04/01/1951

POINT OF DIVERSION: T08N R04W S17 SWSE Within Payette County

PURPOSE AND PERIOD OF USE:

PURPOSE OF USE	PERIOD OF USE	QUANTITY
Domestic 1 HOME	01-01 TO 12-31	0.04 CF
		1.20 AF

PLACE OF USE: Domestic *Diff plu* Within Payette

T08N R04W S17 SWSE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:
THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT DETERMINATION OF HISTORICAL BENEFICIAL USE.

[Return to SRBA Home Page](#)

MEMORANDUM

TO: File 65-07462

FROM: ~~Sharla~~ *KW*

DATE: ~~May 10, 1999~~ *6/7/2000*

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 65-07462 are as follows:

H RECOMMENDATIONS

Stockwater	1/1 – 12/31	0.27 cfs	33.5 afa
Domestic	1/1 – 12/31	0.11 cfs	3.6 afa
	TOTALS	0.27 cfs	37.1 afa

Three homes are connected to this system; the permit authorized one home. The stockwater use that was developed is half of what the permit allowed, thus the two additional homes can be picked up under this license without expanding the right.

Exam Date: March 9, 1999
Examiner: Dan Tomich

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED PHOTOS

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Y Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Sec 17: NESE (3 wells), SWSE (1 well), Sec 20: SWNE (1 well)		1 hp each		Submersible	
Sec 17: NWSE		3/4		Sta-Rite	C48K2P100
Sec 21: SWNW		1		Jacuzzi	C55CXHAB-3901

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

E. NARRATIVE/REMARKS/COMMENTS

Seven wells supply water to a feedlot consisting of 2 homes, 1 trailer, and up to 2500 beef stock. The primary feedlot wells are 3 located in the NESE and one in the SWSE, Sec 17. All four feed a 50'x15'x10' buried cement vault or sistern through 1" lines. From the sistern, water is delivered to 35 stock tanks, 375 gallons each, located throughout the feedlot area in the SE, Sec 17. The other three wells supply water to the three homes with incidental stock watering. No other water rights are used.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

_____ Additional Computation Sheets

Attached

Measured Method:

$$\frac{1 \text{ hp} \times 8.8 \times .7}{100 + 20 \text{ psi} \times 2.31} = .04 \text{ cfs} \times 6 \text{ wells} = .24 \text{ cfs}$$

$$\frac{.75 \times 8.8 \times .7}{100 + 20 \text{ psi} \times 2.31} = .03 \text{ cfs}$$

*Lift and psi per owner and surrounding well logs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$2500 \times .0134 = 33.5 \text{ afa}$$

$$3 \text{ homes} \times 1.2 = 3.6 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.04</u>	<u>3.6</u>
<u>Stockwater</u>	<u>1/1</u>	<u>12/31</u>	<u>.27</u>	<u>33.5</u>
Totals:			<u>.27</u>	<u>37.1</u>

2. Recommended Amendments

☒ Change P.D. as reflected above☒ Add P.D. as reflected above☐ None☒ Change P.U. as reflected above☒ Add P.U. as reflected above☐ Other**I. AUTHENTICATION**Field Examiner's Name W. G. G. G. G. Date 4/19/99


Reviewer _____ Date _____


SEAL



and published by the Geological Survey
 USC&GS
 al photographs by multiplex methods
 1952 Aerial photographs taken 1950
 1927 North American datum

19 1/2'





IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 65-07462
2. OWNER: Colewell Phone: 376-6922
Address: 11193 Emerald
3. WELL LOCATION: Twp 8N, Rge. 4W, Sec. 17, 20, 21, see back 1/4 _____ 1/4 _____
County Payette (Provide sketch map and photo on reverse.)
4. DRILLER: W/K Lic. No. _____
When Drilled? 1970s
5. WELL CONSTRUCTION: see attached description from original owner
Casing Diameter _____ inches Water tight cap? ☐ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☐ Good ☒ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 100 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____


8. **POSSIBLE CONTAMINATION SOURCES:**
Is there evidence of Chemigation? ☐ Yes ☒ No
If yes, is there a check-valve present? ☐ Yes ☐ No
Is there a possible source of contamination nearby? ☐ Yes ☒ No
If yes, what Type? _____
How far away from the well is this source? _____

9. **REMARKS:** 3 wells in NESE + 1 well in SWSE feed a 750' cement sinter, 10' deep. Water from the sinter is then delivered to ~35 stock tanks, 375 gal each. The sinter was covered with cement. It resembled a big cement cube that was buried. Seepage or leaks did not seem a problem and were not apparent.

Signature of L Dept. Representative & Title

6/19/98
Inspection Date


PHOTOS, DRAWINGS, O



7 wells



SWNW sec 21
Dorm/stock well




NWSE sec 17
Dorm/stock well



SWNE sec 20
trailer/stock
well



well in SWSE
 piped to
 sinterm



one of three
 wells in
 NESE, see 17
 feeding sinterm

F. FLOW CALCULATIONS

Additional Computations Attached

Measured Method:

$$1 \text{ hp} \times 8.8 \times 10^{-7} = .04 \text{ cfs} \times 7 \text{ wells} = .28 \text{ cfs}$$

$$100 + 20 \text{ ps} \times 2.31$$

*Listed per owner and surrounding logs

G. VOLUME CALCULATIONS

1. Volume calculation for irrigation:

$$V_{I.R.} \text{ (Acres irrigated) (Irrigation Requirement)} \underline{\hspace{2cm}}$$

$$V_{D.R.} \text{ (Diversions (cfs) (Days in Irrigation Season)) } 1.9835 \underline{\hspace{2cm}}$$

$$V = \text{Smaller } V_{I.R.} \text{ and } V_{D.R.} \underline{\hspace{2cm}}$$

2. Volume calculation for other uses:

$$2500 \times .013 = 33.5 \text{ afa}$$

$$3 \text{ homes} \times 1.2 = 3.6 \text{ afa}$$

H. RECOMMENDATIONS**1. Recommended amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.04</u>	<u>3.6</u>
<u>Stockwater</u>	<u>1/1</u>	<u>12/31</u>	<u>.28</u>	<u>33.5</u>
Totals			<u>.28</u>	<u>37.1</u>

2. Recommended amendments


___ Change P. Das reflected above ___ Add P. Das reflected above ___ None
 ___ Change U. Das reflected above ___ Add P. U. Das reflected above ___ Other

I. AUTHENTICATION

Field Examiner Name _____ Date _____

Reviewer _____ Date _____


SEAL



cement vault or
syster

50' x 15' x 10'

syster
controlling
works





FEEDLOT AREA
SE SEC 17





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

July 9, 1998

George E Colwell
Fresca Mexican Foods Inc
11193 Emerald
Boise ID 83713

EXAMINATION FEE ACKNOWLEDGMENT LETTER

RE: Permit No. 65-07462

Dear Permit Holder:

The department acknowledges receipt of the license examination fee submitted for the above referenced permit.

Enclosed is an order reinstating the permit since fee was submitted late. Please note that the priority date has not been advanced.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have any questions concerning the enclosed order, you may contact me directly at (208)327-7953.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

Enclosure

c: IDWR - Regional Office (Lori Graves)

RECEIVED
AUG 10 1998

RECEIVED

JUN 25 1998

WATER RESOURCES
WESTERN REGION

FRESCA

MEXICAN FOODS, INC.

11193 Emerald, Boise, Idaho 83713
(208) 376-6922 Fax (208) 375-2330

MEMO

To: LAURIE GRAVES
IDWR
2735 Airport Way
Boise, IDAHO 83705
Hello Laurie —

Date 6/24/98

PLEASE FIND THE CHECK YOU DISCUSSED
WITH MY WIFE ENCLOSED.

THANK YOU FOR YOUR HELP — IT IS
GRENTLY APPRECIATED.

Yours Truly,
George E. Colwell
GEORGE E. COLWELL

.24

* Exam conducted by Lori Graves June 19, 1998.

NOTED
AUG 10 1998

Date 5/18/98
By g

EXAM INFO

PERMIT: 65-07462

NAME: Cheryl + George Colwell

PHONE: HOME- 278-3448
WORK- 376-6922
MOBILE-

DRILLER:

DATE DRILLED:

DYNAMIC:

STATIC:

DEPTH:

PUMP CAPACITY (GPM):

HP:

PSI:

EXPOSED PIPE/LENGTH:

ACRES IRRIGATED:

SPRINKLERS:

LATERALS:

LENGTH:

HD SIZE:

STOCK:

DOMESTICS:

OTHER USES:

OTHER RIGHTS:

DIRECTIONS: Black Canyon Exit #13 - rt 1/2 mi to
Sand Hollow Rd (dead end) - L 6 mi through
blinking red light 5.9 mi to driveway
on rt

DOGS:

EXAM DATE/TIME: 9:30 6/19/98

HIGBY $\frac{N}{N}$ RANCH

• Fine Commercial Cattle •
PAYETTE, IDAHO 83661

STAR ROUTE

PHONE 208-642-2525

5a, & 7a.

	CFS	Purpose	Dates Used	Pump & Motor	Casing	Depth
1.	.059	Stock	1-1 to 12-31	1 HP. Sub.	8"	210
2	.078	Stock	1-1 to 12-31	1 HP Sub	8"	110
3	.294	Stock	1-1 to 12-31	1 HP Sub	8"	46
4	.294	Stock	1-1 to 12-31	1 HP Sub	8"	120
5.	.392	Stock	1-1 to 12-31	1 HP Sub.	8"	180
6.	.049	Dom	1-1 to 12-31	3/4 HP Sub	6"	60'

Gravity flow from system vault ^{cement}
stock - 2500 bf 50' x 15' x 10'

1" line → system → 6" line
to feedlot, gradually reduced
to 1"

sec 17 NESE \ 4 wells feed system then
Gov 41 SWSE / 35 tanks (6 x 4 x 2) 375 gal


NWSE - 1 house, 10 bf ^{3/4 HP starite}
#C48KZP100


45
21
42
20

SW NW - 1 house, 40 bf ^{C55CXHAB-3901}
SW NE - 1 trailer, 40 bf ^{1 HP}
6" submers
1" line


4.62

126.2






2000
1000
500
0



of to



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.RECEIVED
USE TYPEWRITER OR
BALLPOINT PEN

OCT 24 1988

1. WELL OWNER Name <u>HIGBY RANCH (Pat)</u> Address <u>FORT WILSON DRIVE</u> Owner's Permit No. <u>Payette Ida</u>	7. WATER LEVEL Department of Water Resources Static water level <u>95</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature <u>68</u> °F Quality _____ Describe artesian or temperature zones below																																																																																																																																																																																		
2. NATURE OF WORK <u>65-7462</u> <u>65-89-Z-02</u> ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>40</u></td><td><u>130</u></td><td><u>48 hours</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>40</u>	<u>130</u>	<u>48 hours</u>																																																																																																																																																																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																	
<u>40</u>	<u>130</u>	<u>48 hours</u>																																																																																																																																																																																	
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>12</td><td>SILTY SAND</td><td></td><td></td></tr><tr><td>10</td><td>12</td><td>18</td><td>CEMENTED GRAVEL</td><td></td><td></td></tr><tr><td>10</td><td>18</td><td>24</td><td>SILTY SAND</td><td></td><td></td></tr><tr><td>10</td><td>24</td><td>32</td><td>CEMENTED GRAVEL</td><td></td><td></td></tr><tr><td>10</td><td>32</td><td>50</td><td>SILTY CLAY</td><td></td><td></td></tr><tr><td>6</td><td>50</td><td>95</td><td>SILTY BROWN CLAY</td><td></td><td></td></tr><tr><td>6</td><td>95</td><td>117</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>117</td><td>118</td><td>COARSE SAND</td><td>X</td><td></td></tr><tr><td>6</td><td>118</td><td>158</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>158</td><td>168</td><td>SAND</td><td>X</td><td></td></tr><tr><td>6</td><td>168</td><td>172</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>172</td><td>173</td><td>FINE SAND GREY</td><td>X</td><td></td></tr><tr><td>6</td><td>173</td><td>180</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>180</td><td>181</td><td>FINE GREY</td><td>X</td><td></td></tr><tr><td>6</td><td>181</td><td>202</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>202</td><td>203</td><td>FINE GREY</td><td>X</td><td></td></tr><tr><td>6</td><td>203</td><td>208</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>208</td><td>209</td><td>FINE GREY SAND</td><td>X</td><td></td></tr><tr><td>6</td><td>209</td><td>217</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>217</td><td>218</td><td>FINE GREY SAND</td><td>X</td><td></td></tr><tr><td>6</td><td>218</td><td>230</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td>6</td><td>230</td><td>233</td><td>FINE GREY SAND</td><td>X</td><td></td></tr><tr><td>6</td><td>233</td><td>260</td><td>BLUE CLAY</td><td></td><td></td></tr><tr><td colspan="6">***NOTE***</td></tr><tr><td colspan="6">FIVE SEPARATE SCREEN SECTIONS</td></tr><tr><td colspan="6">5' screen 20 slot 182-177</td></tr><tr><td colspan="6">5' screen 20 slot 166-161</td></tr><tr><td colspan="6">5' screen 20 slot 121-116</td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10	0	12	SILTY SAND			10	12	18	CEMENTED GRAVEL			10	18	24	SILTY SAND			10	24	32	CEMENTED GRAVEL			10	32	50	SILTY CLAY			6	50	95	SILTY BROWN CLAY			6	95	117	BLUE CLAY			6	117	118	COARSE SAND	X		6	118	158	BLUE CLAY			6	158	168	SAND	X		6	168	172	BLUE CLAY			6	172	173	FINE SAND GREY	X		6	173	180	BLUE CLAY			6	180	181	FINE GREY	X		6	181	202	BLUE CLAY			6	202	203	FINE GREY	X		6	203	208	BLUE CLAY			6	208	209	FINE GREY SAND	X		6	209	217	BLUE CLAY			6	217	218	FINE GREY SAND	X		6	218	230	BLUE CLAY			6	230	233	FINE GREY SAND	X		6	233	260	BLUE CLAY			***NOTE***						FIVE SEPARATE SCREEN SECTIONS						5' screen 20 slot 182-177						5' screen 20 slot 166-161						5' screen 20 slot 121-116					
Bore Diam.	Depth		Material	Water																																																																																																																																																																															
	From	To		Yes	No																																																																																																																																																																														
10	0	12	SILTY SAND																																																																																																																																																																																
10	12	18	CEMENTED GRAVEL																																																																																																																																																																																
10	18	24	SILTY SAND																																																																																																																																																																																
10	24	32	CEMENTED GRAVEL																																																																																																																																																																																
10	32	50	SILTY CLAY																																																																																																																																																																																
6	50	95	SILTY BROWN CLAY																																																																																																																																																																																
6	95	117	BLUE CLAY																																																																																																																																																																																
6	117	118	COARSE SAND	X																																																																																																																																																																															
6	118	158	BLUE CLAY																																																																																																																																																																																
6	158	168	SAND	X																																																																																																																																																																															
6	168	172	BLUE CLAY																																																																																																																																																																																
6	172	173	FINE SAND GREY	X																																																																																																																																																																															
6	173	180	BLUE CLAY																																																																																																																																																																																
6	180	181	FINE GREY	X																																																																																																																																																																															
6	181	202	BLUE CLAY																																																																																																																																																																																
6	202	203	FINE GREY	X																																																																																																																																																																															
6	203	208	BLUE CLAY																																																																																																																																																																																
6	208	209	FINE GREY SAND	X																																																																																																																																																																															
6	209	217	BLUE CLAY																																																																																																																																																																																
6	217	218	FINE GREY SAND	X																																																																																																																																																																															
6	218	230	BLUE CLAY																																																																																																																																																																																
6	230	233	FINE GREY SAND	X																																																																																																																																																																															
6	233	260	BLUE CLAY																																																																																																																																																																																
NOTE																																																																																																																																																																																			
FIVE SEPARATE SCREEN SECTIONS																																																																																																																																																																																			
5' screen 20 slot 182-177																																																																																																																																																																																			
5' screen 20 slot 166-161																																																																																																																																																																																			
5' screen 20 slot 121-116																																																																																																																																																																																			
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>2/18/88</u> finished <u>2/25/88</u>																																																																																																																																																																																		
5. WELL CONSTRUCTION Casing schedule. ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> feet</td><td><u>122</u> feet</td></tr><tr><td><u>.258</u> inches</td><td><u>5</u> inches</td><td><u>2</u> feet</td><td><u>260</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/8</u> inches by <u>6</u> inches Number <u>60</u> From <u>115</u> feet To <u>121</u> feet perforations feet feet perforations feet feet perforations feet feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>COOK</u> Type <u>304 STAINLESS</u> Model No. _____ Diameter <u>5</u> Slot size <u>20</u> Set from <u>234</u> feet to <u>229</u> feet Diameter <u>5</u> Slot size <u>20</u> Set from <u>208</u> feet to <u>203</u> feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <u>9-14</u> Sand Placed from <u>0</u> feet to <u>260</u> feet Surface seal depth <u>60</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>122</u> feet	<u>.258</u> inches	<u>5</u> inches	<u>2</u> feet	<u>260</u> feet									11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. DALLAS DRILLING & PUMP CO., INC. <u>445</u> Firm Name _____ Firm No. _____ 505 SOUTH 18TH STREET #445 Address _____ Date _____ PAYETTE, IDAHO 3/23/88 Signed by (Firm Official) <u>John L. Driff</u> and <u>John L. Driff</u> (Operator)																																																																																																																																																														
Thickness	Diameter	From	To																																																																																																																																																																																
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>122</u> feet																																																																																																																																																																																
<u>.258</u> inches	<u>5</u> inches	<u>2</u> feet	<u>260</u> feet																																																																																																																																																																																
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. County <u>Payette</u> Subdivision Name _____ Lot No. _____ Block No. _____ <u>17</u> T. <u>8N</u> N/S, R. <u>14W</u> E/W.	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. DALLAS DRILLING & PUMP CO., INC. <u>445</u> Firm Name _____ Firm No. _____ 505 SOUTH 18TH STREET #445 Address _____ Date _____ PAYETTE, IDAHO 3/23/88 Signed by (Firm Official) <u>John L. Driff</u> and <u>John L. Driff</u> (Operator)																																																																																																																																																																																		

RECEIVED

JAN 04 1989

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

(Authorizing Construction of a Well)*

1. Applicant Highby ranch (Pat)
2. Address 8108 Ft. Wilson drive
Payette, Idaho 83661 Telephone 642-4225 or 642-2525
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 17, Twp. 8N, Rge. 4W, County Payette,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
() Domestic ☒ Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 260'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 2/18/88
7. Well Driller (if known) Dallas Drilling & Pump.
Address Payette, Idaho
8. Applicant's signature Charles Pat Highby
Title well owner MIC-7C-11 MED
Date 2/18/88 AUG 10 1998

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

stockwater usage

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 9 day of January, 1989.

Signed

Title

MICROC-IMEU

AUG 10 1998

Received by CP Fee \$10.00 Date 1/5/89

Receipt No. C004949 Construction start extension to _____

Extension approved by _____

RECEIVED

JAN 04 1989

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

(Authorizing Construction of a Well)*

1. Applicant Highly Ranch
2. Address 8108 74. Wilson drive
Payette Idaho 83661 Telephone 642-4225
☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 17, Twp. 8 N, Rge. 4 W, County Payette,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
() Domestic ☒ Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
() New well ☒ Deepen started as a workover () Replace
Proposed surface diameter 6" Maximum depth ~~120'~~ 120'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 11-24-88
7. Well Driller (if known) Dallas Drilling & Pump
Address 505 1st St Payette, Ida
8. Applicant's signature Charles F. Highly
Title Well owner
Date 11/24/88 AUG 10 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

stockwater make checks payable to Dept of Water Resources

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 9 day of January, 1989.

Signed

Title

John E. Beal

MICROFILMED

AUG 10 1998

Received by

CP

Fee

\$10.00

Date

1/5/89

Receipt No.

2004949

Construction start extension to

Extension approved by

4/86

RECEIVED

AUG 04 1987

Department of Water Resources
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received No Fee Reg'd

Date 8/3/87

Receipt #

Receipt by

RECEIVED

SEP 04 1987

1. Permit No. 65-7462

Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Pat & Charles Higby

3. Post Office Address: 8108 Fort Wilson

Payette, ID Telephone No. 642-2525

4. Source of Water: Ground

5. Extent of Use:

Domestic (No. of households) Stockwater ☒ (No. and type of stock)

Irrigation (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 1.14 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

(Name)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

8-3-87
Date

Charles Pat Higby
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

65-7462
HIGBY, CHARLES S.
STAR RUIE
PAYETTE, ID 83661

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 25, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on August 5, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on June 5, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before October 5, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

MCB 106

AUG 10 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

65-7462
HIGHY, CHARLES S.
STATE HOUSE
FAYETTE, ID 83461

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 9, 1986

EXAMINATION FEE REMINDER

Dear Permit Holder:

Earlier this year you were mailed a certified letter by our state office, which described a new law related to your water right permit. The water right permit to which this law applies is identified by the number at the top of the mailing label above. The purpose of this letter is to act as a reminder of the new law and to warn you that your permit is now losing priority daily.

As described in the certified letter, House Bill 671 enacted by the 1986 Idaho Legislature requires payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. The certified letter described the procedure for selecting the latter alternative, whereby you initially notify us regarding which water right examiner you have selected, and provide a statement from the examiner as verification.

The date of priority of your water right permit is now being delayed one day for each day the response is late. Also, if the fee or completed field examination report are not submitted within a year from the sixty-first day after the certified letter was mailed, the permit may be lapsed and rendered invalid. The fee, or notice that a private field examination will be conducted, should be submitted as soon as possible if you wish to maintain your permit in a valid status.

Enclosed please find an Examination Fee Information Sheet, with the License Examination Fee Schedule printed on the back. This sheet should be submitted if either the fee payment option or the private examination option is selected. If you have questions or desire assistance in this matter, please feel free to contact this office.

Sincerely,

David R. Tuthill, Jr. P.E.
Manager, Western Regional Office

Enclosure

306 10 1986



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

65-7462
HIGBY, CHARLES S.
STAR ROUTE
PAYETTE, ID 83661

Mailing address:
Statehouse
Boise, Idaho 83720

138487

CERTIFIED MAIL

June 5, 1986

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

JUN 10 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

100-100000-100000
100-100000-100000



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 20, 1979

Charles S. and Emma J. Higby
Star Route
Payette, ID 83661

Dear Mr. Higby:

Re: Permit No. 65-7462

Enclosed is a copy of the order reinstating the permit and advancing the priority date to March 25, 1974.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Boise.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

HIGBY $\frac{N}{N}$ RANCH

STAR ROUTE
PAYETTE, IDAHO 83661



1
2
3
4
5
6
7
8
9
10
11
12



Department of State, Personnel
373 N. Franklin St.
Bain, Idaho 83720

11

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

UNCLASSIFIED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

February 21, 1979

Charles S. Higby
Star Route
Payette, ID 83661

Dear Mr. Higby:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 65-7462 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated November 30, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.

C. STEPHEN ALLRED

Director

CSA:jfr

Encl.

CERTIFICATION OF MAILING

I hereby certify that on 2-23-79
a copy of this document was
deposited in the United States mail,
postage paid and addressed to the
individual named below.

February 1, 1979

Charles S. Higby
Star Route
Payette, ID 83661

Dear Mr. Higby:

Re: Permit No. 65-7462

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the Department's records.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

NOT RECORDED

January 12, 1979

Re: Permit No. 65-7462

Charles S. Higby
Star Route
Payette, Idaho 83661

Dear Mr. Higby:

In reviewing the water rights in the Payette River Drainage Basin for presentation to the court we have discovered that no assignment has been made on Permit No. 65-7462 (copy enclosed).

Please sign this assignment before a notary and return it to this office at your earliest convenience.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

November 30, 1973

Re: Permit No. 65-7462

100426

Lee C. Wright, Jr.
Star Route
Payette, ID 83661

Dear Mr. Wright:

One of the conditions of approval of your water Permit No. 65-7462 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before February 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED

February 27, 1974

Re: Permit No. 6507462

**Lee C. Wright, Jr.
Star Route
Payette, Idaho**

Dear Mr. Wright:

Enclosed is a copy of your approved Application for Permit No. **65-7462** . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

**BOBBY D. FLEENOR
Assistant Director**

BDF/bjg

Enclosure

65-7462

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 24, 1974

**Independent Enterprise
Box 348
Payette, ID 83661**

**Re: Application for Permit No. 65-7461 - Lee C. Wright, Jr.
65-7462 - Lee C. Wright, Jr.**

Gentlemen

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

65-7462
Bill submitted 2-12-74 by df

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that LEE C. WRIGHT, JR., Star Route, Payette, ID

has on Jan. 24, 1974 submitted Application No. 65-7462
for a permit to appropriate 1.14 cubic feet per second ~~surface~~
~~surface~~ of water from groundwater sources
by means of six wells, pumps, stock tanks & pipelines
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, S. 20, 3 pts., NW $\frac{1}{4}$ SE $\frac{1}{4}$, 2 pts., NE $\frac{1}{4}$ SE $\frac{1}{4}$, S. 17, T. 8 N.,
R. 4 W., B.M., Payette County

to be used from Jan. 1 to Dec. for domestic & stock use
~~for~~

within the N $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, S. 17, SW $\frac{1}{4}$ NE $\frac{1}{4}$, S. 20, T. 8 N., R. 4 W., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Feb. 18, 1974.

R. KEITH HIGGINSON

Director

Published in the Independent Enterprise, Payette, Idaho
on Jan. 31, 1974 and Feb. 7, 1974

65-7462