


65 7167

See map in C 5-0503

8-20-69

1024-I-15



AFFIDAVIT
OF
PUBLICATION

STATE OF IDAHO, }
COUNTY OF BOISE } S.S.

T. R. Adams, being
duly sworn, deposes and says:
That he is the manager and prin-
cipal clerk of THE IDAHO
WORLD a weekly news paper
published at Idaho City, in the
County of Boise and state of
Idaho; that said paper has been
and is in general circulation
in the county aforesaid, and in
the vicinity of Idaho City; that
the advertisement, a copy of
which is hereto attached, was
published in said newspaper

once a week for Two con-
secutive weeks in the entire and
regular issue of every number
of said paper during the period
and time of publication, and was
published in the newspaper pro-
per and not in a supplement;
that said paper has been estab-
lished and regularly and contin-
uously published for more than
seventy-eight weeks past pre-
vious to the first publication of
this notice. Such notice was pub-
lished in the issue beginning
with November 29, 1970
and ending with the issue of
December 3, 1970
Fees \$. . . . T. R. Adams

Subscribed and sworn to before
me this 19 day of Jan
1971

Robert J. Tuffield
Clerk District Court

Deputy

NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE STATE OF
IDAHO

Notice is hereby given that
Jack D. Ward, Garden Valley,
Idaho, has on October 8, 1970,
submitted Application No. 65-
7167 to appropriate the public
waters of eight unnamed hot
springs, tributary of South Fork
of the Payette River.

The application proposes a
maximum diversion and appro-
priation of 0.12 cubic feet per
second of water diverted by a
pipe and pump within the SW $\frac{1}{4}$ -
NE $\frac{1}{4}$, Sec. 10; SE $\frac{1}{4}$ NE $\frac{1}{4}$ (7
points), Sec. 10, T. 8N., R. 5E.,
B.M., Boise, County, and is to
be used within the SE $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 9, T. 8N., R. 5E., B.M. for
Industrial purposes from Janu-
ary 1 to December 31.

Any permit issued pursuant
to this application will be sub-
ject to ALL PRIOR WATER
RIGHTS and subject to the
CONTROL OF A STATE WAT-
ERMASTER. Any pretest a-
gainst this application must be
filed with the Idaho Department
of Water Administration, State
house, Boise, Idaho, on or be-
fore December 14, 1970.

R. Keith Higginson
Director

Published in the Idaho World,
Idaho City, Idaho on Nov. 26
and Dec. 3, 1970.


RECEIVED

JAN 20 1971

Department of Water Administration

65 7167





05 7163









65-2167



CS 7167




05 7157



65 7167


MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

10- Greenhouses



Point(s) of diversion: SWNE, SENE 8 & 10 T 8 N RSE 0 = 10 HP booster pump

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8N	5E	9				X													

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature John K. Noyes

Date 9/22/80

Checked by DJS

Date 10/3/80

Approved by [Signature]

Date 5/19/82

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Jack D. Ward

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

116 1875

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Boise)

Permit No. 65-7167

Jack D. Ward of Garden Valley
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 65-7167.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before February 1, 19 76.

That he has heretofore performed the following work described under said permit:
1,700 feet of pipe line constructed and I am working on the diversion structure
at the present time.

Costing \$7,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Do to recent road construction and right-of-way problem
involving U.S. Forest Service.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to February 1, 19 80.

Jack D. Ward
(signature) *

Subscribed and sworn before me this 12th day of December, 19 75.

s e a l

Carthy L. Sharr
Notary Public residing at

Boise, Id

My commission expires 12-26-78

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use under Permit No. 65-7167
is extended to February 1, 1980.

Witness my hand this 17 day of December, 19 75.

A. Kenneth Dunn
DIRECTOR

by A. KENNETH DUNN, Administrator
Operations Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

Identification No.

65-7167

Application No.

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1 Name of applicant Jack D Ward
post office address Garden Valley Idaho 83622

2 Source of water supply 8 Unnamed Hot Springs which is a tributary of 3 Fk. Payette R.

3 a. Location of point of diversion is SW 1/4 of NE 1/4 of Section 10 Township 8N
Range 5E B.M. Poise County; additional points of diversion if any: SE NE 7 Points Div/phone 11-6-70

b If water is not consumed, it will be discharged into South Fork Payette at a point in 1/4
of 1/4 of Section 10 Township 8N Range 5E B.M. Poise

4 Water will be used for the following purposes:

Amount .12 for Industrial purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.12 for Industrial purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.12 for Industrial purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a .12 cubic feet per second and/or

b 0.12 acre feet per annum.

6 Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc Diversion by pipe to pump then
through 4 inch pipe to green house

b Height of storage dam 0 feet, active reservoir capacity 0 acre feet; total reservoir
capacity 0 acre feet, materials used in storage dam. 0

Period of year during which storage will occur 0 to 0 inclusive.
(Mo. Day) (Mo. Day)

c Proposed well diameter is 0 inches; proposed depth of well is 0 feet.

7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b Estimated construction cost is \$ 3000.00.

8 Description of proposed uses:

a. If water is not for irrigation

(1) Give the place of use of water. SE 1/4 of NE 1/4 of Section 9 Township 8N
Range 5E B.M.

(2) Amount of power to be generated. 0 hp under 0 feet of head


(3) List number of each kind of livestock to be watered 0

(4) Name of municipality to be served 0, or number of families to be
supplied with domestic water 0.

(5) If water is to be used for other purposes describe. For heating greenhouse

65 7167

11 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jack D. Ward
(Applicant)

65-7167

Received by 21 Date 10-8-70 Time 8.00 AM
 Preliminary check by 21 Fee \$ 10.00
 Receipted by 21 Date 10-19-70
 Publication prepared by dg Date 11-17-70
 Published in Idaho World
 Publication dates 11-26-70 & 12-3-70
 Publication approved du Date 1-20-71
 Priority reduced to _____ Reason _____

 Protests filed by _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by 21/4 BDF

APPROVED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 65-7167, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a SUBJECT TO ALL PRIOR WATER RIGHTS.
- b Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 76.
- c. Other: The permit holder shall permanently install and maintain as part of the diverting works measuring devices at the points of diversion of a type approved by this department. Maximum rate of diversion shall not exceed 0.12 c.f.s.

2. Denial of said application is for the following reasons _____

Witness my hand this 1st day of February 19 71.



 Director

65 7167

See map in 65-0503

8-20-69

1024-I-15



**AFFIDAVIT
OF
PUBLICATION**

STATE OF IDAHO, }
COUNTY OF BOISE } S.S.

T. R. Adams, being
duly sworn, deposes and says:
That he is the manager and prin-
cipal clerk of **THE IDAHO
WORLD** a weekly news paper
published at Idaho City, in the
County of Boise and state of
Idaho; that said paper has been
and is in general circulation
in the county aforesaid, and in
the vicinity of Idaho City; that
the advertisement, a copy of
which is hereto attached, was
published in said newspaper

once a week for Two con-
secutive weeks in the entire and
regular issue of every number
of said paper during the period
and time of publication, and was
published in the newspaper pro-
per and not in a supplement;
that said paper has been estab-
lished and regularly and contin-
uously published for more than
seventy-eight weeks past pre-
vious to the first publication of
this notice. Such notice was pub-
lished in the issue beginning

with November 26, 1970
and ending with the issue of

December 3, 1970
Fees \$....T. R. Adams

Subscribed and sworn to before
me this 19 day of Jan


1971

Robert J. Taffield
Clerk District Court

Deputy



65 7107



2011 00














1017 03





July 13, 1982

RE: Permit No. 65-7167

Jack D. Ward
Garden Valley,
Idaho 83622

Dear Mr. Ward:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 7, 1982

RE: Permit No. 65-7167

Jack D. Ward
Garden Valley,
Idaho 83622

Dear Mr. Ward:

A representative of this Department has made an examination of the works covered by your Permit No. 65-7167, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.12 cfs Source: springs trib. to South Fork Payette River

The maximum quantity diverted shall not exceed ^{4.2}~~7.7~~ acre feet
per year.

Point(s) of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 10, Twp. 8N, Rge. 5E, Boise County

Beneficial use: ~~Domestic~~ use for greenhouses and heating for greenhouses within
the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, Twp. 8N, Rge. 5E

Priority date established: October 8, 1970

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

Total AF should be
n/a
~~AAA~~ so as not to limit the
diversion for heating

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

65-7167
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)	9/19/80	JLK	

EXAMINATION

Date 9/19/80 Accompanied by Jack Hard Total Q measured .502
If source is surface water, estimate total flow of source
Methods of measurement Cipolletti weir Meets Permit requirements?

Measurement calculations:
 $V_{\text{Cipolletti}} = .28 = .502 \text{ cfs}$ Capacity
 $2.70 \times 1.98 \times .12 = 64.15 \text{ AF}$
 $V = \text{see below calculations}$
Recommended .12 cfs as per permit.

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	10	JACUZZI						
	10	"						
	5	"						

System Description 2 pumping plants to lift hot water from hot springs to greenhouse. See schematic diagram for system layout.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)		FROM	TO
Commercial	.12	4.2	11.1	12/31
Heating	.12	N/A		
Amendment of use not required				
Industrial = commercial + heating on this permit		4.2		
Total	.12	4.2	11.1	12/31

Remarks


2 permits due in Sept, 1982 (65-7903 & 65-7904) for commercial + irrigation.

(Hot water for heating 10 greenhouses)

* See memo to file 5/22/81
 $V = 17 \text{ greenhouses } 100' \times 30' = 17 \times 100 \times 30 = \frac{51,000 \text{ ft}^3}{43,560 \text{ ft}^3/\text{ac}} = 1.2 \text{ ac}$

$1.2 \text{ ac} \times 3.5 = 4.2 \text{ AF}$ for Commercial use
 ~~$1.2 \text{ ac} \times 3.5 = 4.2 \text{ AF}$~~
3-IRR. COVERED PERMITS 65-7903 & 65-7904
JIM 6-02-82


MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

10- Greenhouses



①
Hot Water 183' 2"
Interception
lines
DIST 114' -

②
95'-2" - Aluminum
Pipe

H. P. 1045 10 Total 25 HP
standby - 10 HP
20 HP Gas

Point(s) of diversion: SWNE, SENE 8 & 10 T8N R5E O=10 HP buster pump

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by _____

Date 9/22/80

Date 10/3/80

Date 5/19/82

MEMO TO FILE 65-7167

Robyn Carlson May 22, 1981

RC

In reviewing the field exam for Permit No. 65-7167, I had several questions concerning the use and volume amount.

In a discussion with D. Tuthill and J. Johnson it shall be noted that when the application was filed in 1970, a greenhouse operation was considered Industrial use only. Since that time the department has broken this use down into several different uses. This permit should reflect Heating and Commercial uses without the permitholder filing an amendment and without an expansion to the permit.

Also discussed was the volume amount, greenhouse irrigation vs. field irrigation. Both kinds of irrigation are consumptive and in looking over the differences (year round vs. seasonal, several crops per year vs. 1 main crop during the growing season, isles and enviornmental factors) the resulting conclusion was to figure the volume amount for the greenhouse by the size of the greenhouse in acres times the irrigation requirement of acre feet annual per acre.


Example

No. of greenhouses X acres of each greenhouse X AFA/acre = total volume

1 acre = 43,560 sq ft

RECEIVED
MAY 23 1981
FBI - MEMPHIS

Jack Dillard
Garden Valley
Idaho 83622



RECEIVED

JAN 18 1980

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 65-7167.

Name(s) of Permit Holder

Jack D Ward

Post Office Address:

Garden Valley Idaho

Tel. No. 208-462-3846

Source of Water

Hot Springs Along Snake River

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

mining industrial

Measuring Device:

Required?

☒ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 15, 80

Date

Jack D Ward

Signature of Permit Holder



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 30, 1979

Jack D. Ward
Garden Valley,
Idaho 83622

101576

Dear Mr. Ward:

One of the conditions of approval of your water Permit No. 65-7167 was that evidence of the extent of development must be submitted to this office on or before February 1, 1980. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

MICROFILMED

File

RECEIVED

MAY 4 1978

Department of Water Resources

[Signature]

Glen

May 3, 1978

Mr. Jack D. Ward
Garden Valley, ID 83622

RE: Easement 4725

Dear Mr. Ward:

Enclosed is State of Idaho Easement No. 4725 granting the right to construct two pumps and pipelines in Section 10, Township 3 North, Range 3 East, Boise Meridian.

Also enclosed are receipts Nos. 11028 and 11047 acknowledging payment of the consideration and fees.

Temporary Permit No. 1383 was automatically cancelled the date the easement was issued.

Very truly yours,

BUREAU OF LANDS

65-7167
File

Donald F. McMarie
Land Records Specialist

DFM/bv
Encls.

cc: Area Supervisor - Southwestern
Water Resources

RECORDED

STATE OF IDAHO EASEMENT

NO. 4725

THIS INDENTURE, made this 28th day of April, 1978, by and between the STATE OF IDAHO, acting by and through the State Board of Land Commissioners, as party of the first part, and Jack D. Ward, Garden Valley, ID 83622, as party of the second part;

WITNESSETH: That for and in consideration of the sum of ONE HUNDRED AND NO/100 DOLLARS (\$100.00), lawful money of the United States of America, receipt whereof is hereby acknowledged, the party of the first part does hereby grant to the party of the second part an easement for the purpose of constructing two water pumps and pipelines over and across the following described lands situated in Boise County, State of Idaho, to-wit: so much of the following described lands that were below the ordinary or natural high water mark on the date the State of Idaho was admitted to the Union with the right to additions thereto and subject to deletions therefrom that have occurred causing the boundary of the State's ownership to change:

A strip of land ten (10.0) feet wide, being five (5.0) feet on either side of the following described centerline:

SITE I

Beginning at corner Number 11 of Homestead Entry Survey Number 494, a brass cap, located in Government Lot 13 of Section 10, Township 8 North, Range 5 East, Boise Meridian; thence North 86°30' East a distance of 264 feet; thence South 76°30' East a distance of 660 feet; thence South 88°00' East a distance of 66 feet to a point, said point designated Point A on the plat attached hereto and made a part hereof; thence South 41°00' East a distance of 170.28 feet; thence South 5°30' East a distance of 35.92 feet to a point, said point being the REAL POINT OF BEGINNING; thence continuing South 5°30' East a distance of 5 feet to water pumping site Number One on the North bank of the South Fork of the Payette River; thence continuing South 5°30' East a distance of 5 feet to a point, said point being the terminus of said survey, the above described area containing .0023 acres, more or less.

SITE II

Beginning at Point A as designated above; thence North 83°30' East a distance of 264 feet; thence South 87°15' East a distance of 132 feet; thence South 74°30' East a distance of 528 feet; thence North 88°30' East a distance of 264 feet; thence North 82°00' East a distance of 330 feet; thence North 73°45' East a distance of 264 feet; thence South 39°15' East a distance of 146.8 feet to a point, said point being the REAL POINT OF BEGINNING; thence continuing South 39°15' East a distance of 5 feet to water pumping site Number Two on the North bank of the South Fork of the Payette River; thence South 70°00' West a distance of 106.92 feet to a point, said point being the terminus of said easement, the above described area containing .025 acres, more or less.

It is understood and agreed that the two water pumps and pipelines are to be constructed and maintained in such a manner that will not obstruct the river channel or hinder or affect navigation, recreation, or other authorized and customary use of the river.

It is further understood and agreed that the pumping site structures will be constructed of wood with roofs of non-reflective material and left in natural wood or finished in a subdued color befitting the natural surroundings as determined by the Director of the Department of Lands, or his representative.

The State Board of Land Commissioners reserves the right to terminate this easement for failure to construct and maintain the two water pumps and pipelines as herein provided, upon thirty (30) days written notice to the party of the second part.


RECORDED

It is further understood and agreed that in the event the lands hereinabove described are not used for the purposes herein specified for any five year period the State Board of Land Commissioners may declare such right of way forfeited and the use of the lands will revert back to the State of Idaho or to the record owner of the lands.


IN WITNESS WHEREOF, the State Board of Land Commissioners has caused these presents to be executed by its President, the Governor of the State of Idaho, and countersigned by the Secretary of State and the Director.

STATE BOARD OF LAND COMMISSIONERS

Countersigned:


Secretary of State





Governor of the State of Idaho and
President of the State Board of
Land Commissioners


Director

STATE OF IDAHO)
)
COUNTY OF ADA) ss

On this 3 day of May, 1978, before me, a notary public in and for said State, personally appeared John V. Evans, known to me to be the Governor of the State of Idaho and President of the State Board of Land Commissioners, Pete T. Cenarrusa, known to me to be the Secretary of State of Idaho and G. C. Trombley, known to me to be the Director of the Department of Lands of the State of Idaho, that executed the said instrument and acknowledged to me that such State of Idaho and State Board of Land Commissioners executed same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal on the day and year last written above.


Notary Public residing at Idaho City, Idaho

My Bond expires August 25, 1978

CARBON COPY

December 18, 1975

Re: Permit No. 65-7167

Jack D. Ward
Garden Valley,
Idaho 83622


Dear Mr. Ward:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to February 1, 1980.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

SENDER Complete items 1, 2, and 3. Add your address in the "RETURN TO" space on reverse			
1 The following service is requested (check one) ☐ Show to whom and date delivered..... ☐ Show to whom, date, & address of delivery. ☐ RESTRICTED DELIVERY ☐ RESTRICTED DELIVERY 15¢ 35¢ 65¢ 85¢			
2 ARTICLE ADDRESSED TO			
			
3 ARTICLE DESCRIPTION.			
REGISTERED NO	CERTIFIED NO	INSURED NO	
		<i>138133-3</i>	
(Always obtain signature of addressee or agent)			
I have received the article described above			
SIGNATURE ☐ Addressee ☐ Authorized agent			
4 DATE OF DELIVERY		POSTMARK	
<i>Jan 13 1975</i>		[Postmark]	
5 ADDRESS (Complete only if requested)			
[Address]		[Address]	
6 UNABLE TO DELIVER BECAUSE-		CLERK'S INITIALS	
[Reason]		[Initials]	

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below


- Complete items 1, 2, and 3 on reverse side
- Moisten gummed ends and attach to back of article

**RETURN
TO**



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



December 1, 1975

CERTIFIED MAIL

13 8/33

Re: Permit No. 65-7167

Jack D. Ward
Garden Valley,
Idaho 83622

Dear Mr. Ward:

One of the conditions of approval of your water Permit No. 65-7167 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before February 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

February 4, 1971

Re: Permit No. 65-7167

Mr. Jack D. Ward
Garden Valley,
Idaho 83622

Dear Mr. Ward:

Enclosed is a copy of your approved Application for Permit No. 65-7167. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOF
Assistant Director

BDF:kh

Enclosures: Copy of permit
Receipt No. 5238 for \$10
1 informational letter

65 7167

January 14, 1971

Re: Application No. 65-7166 - Donald S. Javes
" " 65-7167 - Jack D. Ward
Claim Number 65-4040 - J. A. Tarteling & Sons

Idaho World
Box 144
Idaho City, Idaho 83631

Gentlemen:

In checking our files, we find that we still have not received affidavits of publication and certified bills in connection with the above referenced items as follows:

65-7166 - Published 12-10-70 & 12-17-70

65-7167 - Published 11-26-70 & 12-03-70

65-4040 - Published 12-10-70 & 12-17-70

As we cannot process these applications until we receive the affidavits from your paper, it is very important that we obtain them as soon as possible. Your immediate attention to this matter is most appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

65 7167

December 23, 1970

Re: Application No. 65-7167 - Jack D. Ward

Idaho World
Box 144
Idaho City, Idaho 83631

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on November 26th and December 3rd, 1970.

Your prompt attention to this matter would be most appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

65 7167

November 17, 1970

Re: Application No. 65-7167 - Jack D. Ward

The Idaho World
Box 144
Idaho City, Idaho 83631

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
Enc: legal notice

Bill submitted 1-26-71 By AW

65 7167

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Jack D. Ward, Garden Valley, Idaho

has on October 8, 1970

submitted Application No. 65-7167 to appropriate the public waters of
eight unnamed hot springs, trib. of S. Fork Payette River.

~~The proposed uses are /~~

The application proposes a maximum diversion and appropriation of 0.12
cubic feet per second ~~acre feet~~ of water to be diverted by pipe and pump

within the ~~SW 1/4~~ SW 1/4, Sec. 10;

~~SE 1/4~~ (7 points), Sec. 10, T. 8 N, R. 5 E, B. M, Boise County

and is to be used within the ~~SE 1/4~~ Sec. 9, T. 8 N, R. 5 E, B. M. for industrial
purposes from January 1 to December 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Water Adminis-
tration on or before December 1, 1970.
Statehouse, Boise, Idaho

R. KEITH HIGGINSON
Director

Published in the Idaho World, Idaho City, Idaho

on November 26 and Nov December 3, 1970.

65 7167

11

October 29, 1970

RE: Application for Permit No. 65-7167

Mr. Jack D. Ward
Garden Valley, Idaho
83622

Dear Mr. Ward:

We are in receipt of your application for permit. However, in reviewing your application, we find that there appears to be a discrepancy in the point of diversion. In checking the point of diversion that you have listed on the application, against that which you have marked on the aerial photo, we note that you not only have seven points located within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 10, but also two points within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of the same section.

If this is correct, please verify by return mail, and we shall continue with the processing of your application.

Very truly yours

Dorian Clay
Appropriation Examiner

DC:cm

65 7167

September 23, 1970

Re: Application for Permit

Jack Ward
Garden Valley,
Idaho 83622

Dear Mr. Ward:

We are in receipt of the Application for Permit and your check for \$10.00. However, in reviewing your application, we find that you have neglected to sign it on Page #3. We are returning the application for your signature.

As soon as you have re-submitted your application, we will begin its processing.

If we may be of any further assistance, please advise.

Very truly yours,

Dorian T. Clay
Appropriation Examiner

DTC:mh

Enclosure

65 7167

Jacob Ward
Harden Valley
Habo-83622

RECEIVED
SEP 21

SEP 21 1970

1970
Department of Water Administration

Ne
Am. Ind. Land

65 7167