


11. Map of proposed project:



Scale: 2 inches equal 1 mile

10/3 NW NE

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rio Vista, Inc.
Don H. Shetty, Sec
 (Applicant)

65 1152

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)
County of Valley) ss.

Donald E. McMahan, being first duly sworn, deposes and

says: That he is the Publisher of the Star-News, a Weekly newspaper published at Cascade and McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county aforesaid and is a legal newspaper; that the advertisement, a copy of which is hereto attached, was published in said news-

paper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began

April 23, 1970, and ended April 30, 1970

Subscribed and sworn to before me, a Notary Public in and for the County of Valley, and the State of Idaho, this 5th day of May, 1970

My commission expires March 24, 1971

NOTICE OF APPLICATION FOR PERMIT AO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Rio Vista, Inc., McCall, Idaho, has on February 18, 1970, submitted Application No. 65-7122 to appropriate the public waters of an unnamed spring, tributary of the Payette River.

The application proposes a maximum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pump within Lot 3, Sec. 17, T. 18N, R. 3E, B.M., Valley County, and is to be used within Lot 3, Sec. 17, T. 18N, R. 3E, B.M. for recreation purposes from April 15 to November 1.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before May 11, 1970.

R. Keith Higginson
State Reclamation Engineer
Publish in the Star News,
on April 23 & 30, 1970

NOTICE OF APPLICATION FOR PERMIT AO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Rio Vista, Inc., McCall, Idaho, has on February 18, 1970, submitted Application No. 65-7122 to appropriate the public waters of an unnamed spring, tributary of the Payette River.

The application proposes a maximum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pump within Lot 3, Sec. 17, T. 18N, R. 3E, B.M., Valley County, and is to be used within Lot 3, Sec. 17, T. 18N, R. 3E, B.M. for recreation purposes from April 15 to November 1.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before May 11, 1970.


R. Keith Higginson
State Reclamation Engineer
Publish in the Star News,
on April 23 & 30, 1970

RECEIVED

MAY 6 1970

Department of Reclamation

65-7122



Payette Lake

Mc Call

Williams

Creek

Copeland

Flats

VALLEY

NORTH FORK

Water Right 65-07122

T-18N R-3E

A/D in NWSWSW sec 8

RECORDED
FILED
DEC 10 1999

SWSW sec 8 10

SESW sec 8 9

NENW sec 17

NWNE sec. 17 13

DAN
6-2-99

TAKE

MR. F. R.

這工

CNV

PLIN
N.O.O.B.W.

NO. 1

N:003.14

27.003.14

1-82
A-3E
5-17

MICROFILMED
DEC 10 1999

Government
Flat Map
for 05-07122

Water Right overlap
For Reservoir,
By DAW Nelson
6-2-99

65-07122

MICROFILMED
DEC 10 1999

20

19

18

17

Reservoir

Plu

65-07122

spring
PIO

River
Piversion
65-07122

Run off
Water
Stream
65-06912

7

8

PAYETTE LAKE

T-18N

T-19N

R3E

R2E

Runoff
Water
Stream
65-06917

SPRING
65-07122
PID

New Subur

SWMSW

Govt. Lot 10

Govt. Lot 9

Plu

Rock River Pump

65-07558

65-07122
GIS Aerial Photo
By Mel Schultz
PID in
T-18N R-3E Sec. 8
NW SW SW 1/4, 1/4
P.M. in SE SW 1/4 Sec 8 and
NW in NW Sec 17 T-18N
R-3E.
REFILED
DEC 10 1998

No water lots

Govt Lot 3

18

17

8

7

65-7122



#2.
View inside 4' concrete
pipe that is buried
approximately 25'
vertically to collect
spring water. Water
is pumped to the
catch basin shown
here that flows into
the 10" discharge
pipe shown in
picture #3.

MICROFILMED

DEC 10 1999

65-7122

#3

View of 10" discharge pipe into unnamed stream that flows into recreational storage reservoir.



#4.

View of stream to reservoir looking down the stream to the East.



MICROFILMED
DEC 10 1999

65-7122



#4.

View of the recreation
reservoir from the
deck of Bob Brust,
the property owners
association president.


DEC 10 1999

GENERAL CONDITION AND DESCRIPTION OF DAM: Good, the facility is well maintained by the Assoc. A work day is planned later this summer to remove seedling growth and dead brush. No change noted in the spillway structure cracks, photo #3 (Ref photo #4 1992).
Mr. Phillips stated the piezometer located in the driveway of the north shore home has been covered by an addition to the home. They would like to know what action should be taken, if any?

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.) _____

1993 Readings are attached

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: Issue a storage certificate for a 2 year period.

Maintenance:

1. Control large growth on the embankment
2. Continue to control rodent activity on the embankment
3. Monitor the spillway structure for cracking/shifting.
4. Continue to read the piezometers.

Date: _____

8/19/94

19

DEC 10 1994

Inspected by: _____

J. N. N. Western Reg.

PERMIT 05-7122 INIT _____
T. R. S. 0/0
P/D 18N 3E 17 NWNE CL43
SCALE _____
PHOTO ID. _____





Mapped, edited, and published by the Geological Survey
in cooperation with the U. S. Forest Service

Control by USGS, NOS/NOAA, and USFS

Topography by photogrammetric methods from aerial
photographs taken 1965-66 and 1972. Field checked 1973

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)


1000-metre Universal Transverse Mercator grid ticks,
zone 11, shown in blue. 1927 North American datum

Fine red dashed lines indicate selected fence lines



MICROFILMED



UTM GRID AND 1973 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET
DEC 10 1999



65-7122

NATIONAL

THIS MAP COMPLETE
FOR SALE BY U. S. GEOLOGICAL SURVEY
A FOLDER DESCRIBING TOPOGRAPHY



CONTOUR INTERVAL 40 FEET
 PRESENT 20-FOOT CONTOURS
 VERTICAL DATUM OF 1929

NATIONAL MAP ACCURACY STANDARDS
 FOR COLORADO 80225, OR RESTON, VIRGINIA 22092
 MAP AND SYMBOLS IS AVAILABLE ON REQUEST



MICROFILMED
DEC 10 1999
 65-7122

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route
	State Route

MEADOWS, IDAHO
 N4452.5—W11607.5/7

1973

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-07122

Priority: February 18, 1970

Maximum Diversion Rate:

0.26 CFS

Maximum Diversion Volume:

95.0 AF

This is to certify, that RIO VISTA PROPERTY OWNERS ASSN

PO BOX 298

MC CALL ID 83638

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 18, 1970; and has submitted Proof of Beneficial Use on February 4, 1976. An examination indicates that the works have a diversion capacity of 0.260 cfs of water from:

SPRING

tributary to **PAYETTE RIVER, NORTH FORK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
RECREATION STORAGE	01/01 to 12/31		95.0 AF
DIVERSION TO STORAGE	04/15 to 11/01	0.26 CFS	
	Totals	0.26 CFS	95.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10 (NWSWSW), Sec. 8, Township 18N, Range 03E
VALLEY County

PLACE OF USE: RECREATION STORAGE

TWN RGE SEC

18N 03E	8	Lot 10 (SWSW)	Lot 9 (SESW)
	17	Lot 3 (NWNE)	NENW

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
3. Rights 65-06917, 65-07558 and 65-07122 when combined shall not exceed a total annual diversion volume of 95.0 af.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 29th day of

OCTOBER, 1999.

MICROFILMED

DEC 10 1999

Acting for  **KARL J. DREHER, Director**

RECEIVED
OCT 13 1999

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-07122

Date of Priority: February 18, 1970

Maximum Diversion Rate:

0.26 CFS

Maximum Diversion Volume:

95.0 AF

Comes now

RIO VISTA PROPERTY OWNERS ASSN

PO BOX 298

MC CALL ID 83638

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 65-07122, and requests that the permit be changed as follows:

Source: SPRING

tributary to PAYETTE RIVER, NORTH FORK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
RECREATION STORAGE	01/01 to 12/31		95.0 AF
DIVERSION TO STORAGE	04/15 to 11/01	0.26 CFS	
	Totals	0.26 CFS	95.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 10 (NWSWSW), Sec. 8, Township 18N, Range 03E
VALLEY County

PLACE OF USE: RECREATION STORAGE

TWN RGE SEC

18N 03E	8	Lot 10 (SWSW)	Lot 9 (SESW)
	17	Lot 3 (NWNE)	NENW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at McCall, ID, this 8th day of October, 1999.

MICROFILMED

(Signature)

DEC 10 1999

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-07122

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = 50- Received by KL # 0042048 Date 10/13/99


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 65-07122 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
3. Rights 65-06917, 65-07558 and 65-07122 when combined shall not exceed a total annual diversion volume of 95.0 af.

Witness my hand this 29TH day of OCTOBER, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED
DEC 10 1999

MEMORANDUM

DATE 12/10/76

FILE 65-7122 & 65-7558

Employee Darlene Reich

Re: proof of beneficial use

The proof affidavit received 2/4/76 under No. 65-7122 actually described the works under 65-7558. However, the Department accepted this proof without noting the discrepancy.

On 11/17/76 the permit holder filed a proof affidavit at the Western Regional Office describing the works for 65-7122.

Due to this mix-up, I feel the proof made in February, 1976, should be considered as the date of proof of the works for both permits. **RECORDED**

SEP 18 1990

RECEIVED

FEB 4 1976 OKP

Department of Water Resources

Identification No. _____

Permit No. 65-7122 *and*

65-7558 *W*

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Rio Vista, Inc.

b) Post Office Address %Perc H. Shelton, P.O. Box R, McCall, Idaho 83638

2. Permit Number 65.7122

3. Date of Priority that you are prepared to establish June 16, 1975

4. a) Source from which water was appropriated North Fork Payette River

b) Location of the point of diversion: Lot 3 1/4 17 1/4, Section T. 18 N., R. 3 EBM

Township _____, Range _____ Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 2.0 cfs for _____ purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount 170 ac. ft for Recreation pur ~~poses~~ poses from Jan. 1 to Dec 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount 170 Af for Recreation purposes from Jan 1 to Dec. 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 2 cfs from June 15 to Oct. 1 cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Bill Harris, E. M., McCall, Idaho

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) We have a contract on order from Valley Pump and Equipment Co, Emmett, Idaho for complete installation materials. 10 horse electric pump with 6" line, lift is approx 60 ft.

b) Describe the type and size of measuring device which you have installed at your point of diversion: We have a metered outlet which includes a worm type meter and registering meter to measure flow by, also from Valley Pump and Equipment. They say this GPM unit meets with all of the specifications of the Water Resources Board. The above unit, I think, is described as a propeller meter in your spec. list,

c) Give well driller's name and address and the date the well was completed:

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

This water will be pumped from the Payette River and re-enter the River through out large headgate within about 1/2 mile from the point of outlet. It (the water) will be used primarily to keep the lake clean and clear and recreationally usable, and we also run a a little short of our main stream flow during the latter part of the summer.

Exam typed 2-5-76 *W*

WLB

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: None

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
18	3	17		X															

Total number of acres irrigated None

10. Remarks: Mr. Ken White of Valley Pump and Equipment says he can furnish almost any type of the diversion measuring device which you would prefer-- GPM, cfs, miner's inches etc. If there is any change you wish from the above please let us know.

The above information is a true statement of the extent to which the above numbered permit has been developed.

~~JANUARY~~ February 3, 1976
(Date)


(Signature)

State of Idaho)
) ss.
County of Valley)

On this 3 day of Feb., 19 76, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.


Notary Public residing at McCall, Idaho

My commission expires 2-9-78

RECEIVED
1976

Department of Water Resources

Identification No. _____

Permit No. 65-7122

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder RIO VISTA INC. c/o PERC H. SHELTON
b) Post Office Address Box R McCall ID 83638
2. Permit Number 65-7122
3. Date of Priority that you are prepared to establish 2-18-70
4. a) Source from which water was appropriated UNNAMED STREAM
b) Location of the point of diversion: LOT 3 1/4 1/4, Section 17
Township 18N, Range 3E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 2 cfs for RECREATION purposes from APR 15 to NOV 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 2.0 (highest spring flow) cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimation by Perc H Shelton / Weir
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Cleared out natural drain: this flow serves to fill a 170 AF Recreational Lake
b) Describe the type and size of measuring device which you have installed at your point of diversion: 24" Cipolletti Weir
c) Give well driller's name and address and the date the well was completed: _____
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

MICROFILMED

SEP 18 1990

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTAL
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-17-76
(Date)

David R. Tutthill
Notary Public
(Signature)

State of Idaho)
) ss.
County of Ada)

On this 17 day of November, 19 76, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

David R. Tutthill
Notary Public residing at Boise Id

My commission expires Sept 10, 1980

MICROFILMED

SEP 18 1990

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	65-7122	Rio Vista, Inc.	2.0
Full Assignment	65-7122	Rio Vista Property Owners Assn.	2.0

MICROFILMED

SEP 18 1990

State of Idaho
Department of Water Resources

AUG 19 1990

ASSIGNMENT OF APPLICATION

Department of Water Resources
Aquatic Regional Office

I, Rio Vista Inc., hereby assign to Rio Vista Property Owners Assn.
of P.O. Box 817 McCall Id. 83638
Address

CHECK ONE

☒ All my right, title, and interest in and to Application No. 65-07122
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Application
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 13th day of August, 19 90.

Glady A. Shelton
Application Holder - President

David K. Enger
Secretary of Application Holder

State of Idaho)
County of Valley) ss.

On this 13 day of August, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Notary Public residing at

My commission expires:

1-13-93

MICROFILMED

SEP 18 1990

RECEIVED

AUG 21 1990

Department of Water Resources

Identification No. 65-7122
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Bio Vista, Inc.
post office address McCall, Idaho NE 1/2 of Sec. 6 T. 18 N R. 3E B.M. 83638
- 2 Source of water supply Spring - Originating which is a tributary of Payette River
- 3 a Location of point of diversion is Lot 3 1/4 of Section 17 Township 18 N
Range 3E B.M. Valley County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2 cfs for recreation purpose from April 15 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) Only use to be recreational
5. Total quantity to be appropriated:
a. 2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a Description of ditches, flumes, pumps, headgates, etc. Water flows normally from
spring until approx. July 15 of each year. A pump will be installed
to operate as of July 15 each year
- b Height of storage dam 16.5 feet, active reservoir capacity 250 acre feet; total reservoir
capacity same acre feet, materials used in storage dam Dirt and Rock
Period of year during which storage will occur Jan 15 to Dec 31 inclusive.
(Mo. Day) (Mo. Day)
- c Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b. Estimated construction cost is \$ 25,000.00.
- 8 Description of proposed uses:
a. If water is not for irrigation.
(1) Give the place of use of water. Lot 3 1/4 of Section 17 Township 18 N
Range # 3E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: Water is to be used for
Subdivision recreation purposes

Total number of acres to be irrigated.

c. Describe any other water rights used for the same purposes.

- 9 a. Who owns the property at the point of diversion _____ Rio Vista Inc.


b. Who owns the land to be irrigated or place of use ~~same~~

c If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing-

10. Remarks.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rio Vista, Inc.
Dwight H. Sweetman, Sec.
(Applicant)

Received by ef Date 2-18-70 Time 2:30 pm
 Preliminary check by 0 Fee \$ 25.00
 Receipted by ef Date 2-23-70
 Publication prepared by du Date 4-15-70
 Published in Star News
 Publication dates 4-23+30-70
 Publication approved du Date 5-11-70
 Priority reduced to _____ Reason _____

 Protests filed by _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by D. R. [unclear] CA

ACTION OF STATE RECLAMATION ENGINEER


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 65-7122, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 76.
- c. Other The permit holder shall permanently install and maintain as part of the diverting works a measuring device at the point of diversion of a type approved by this Department.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of April 19 71.


 State Reclamation Engineer
 Director

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No.	65-7122		Name	Rio Vista, Inc.	
Source	unn. spring, trib. of Payette River				
Point of Diversion	Lot 3, Sec. 17, T. 18N, R. 3E, B.M., Valley County				
Quantity	2.0	Use	recreation	Period	April 15 - Nov. 1
Quantity		Use		Period	
Quantity		Use		Period	
Well Size		Diameter		Proposed Depth	
Use	subdivision recreation purposes				
Date Forwarded	4-15-70		Date Returned		
			Received by		

RECOMMENDATIONS: LOCATED 2 MILES WEST OF MC CALL -
NO DATA ON THE SPRING - SHOULD BE SUBJECT
TO ANY DOWNSTREAM USE. - MUST HAVE
BETTER DESCRIPTION OF USE

Qty.	Use	Period	AF	AFA
Qty.	Use	Period	AF	AFA
Qty.	Use	Period	AF	AFA

ACTION: Approved _____ Denied _____ HOLD X

Conditions of approval or reason for denial: NEED BETTER
DESCRIPTION OF USE - MORE DETAIL

INVESTIGATION By [Signature] Title Asst. Recl. Engr
Date 5-4-70

*detail for use purposes 65 4400
intent of water*

PUBLISHER'S AFFIDAVIT

STATE OF IDAHO)
County of Valley) ss.

Donald E. McMahan, being first duly sworn, deposes and

says: That he is the Publisher of the Star News, a Weekly newspaper published at Cascade and McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county aforesaid and is a legal newspaper, that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began April 23, 1970, and ended April 30, 1970.

Subscribed and sworn to before me, a Notary Public, in and for the County of Valley, and the State of Idaho, this 5th day of May 1970.

My commission expires March 24, 1971.

NOTICE OF AFFIDAVIT

[REDACTED]

[REDACTED]

Declaration

RECEIVED

MAY 6 1970

67 122

**NOTICE OF APPLICATION
FOR PERMIT TO APPROPRI-
ATE THE PUBLIC WATERS
OF THE STATE OF IDAHO**

Notice is hereby given that Rio Vista, Inc., McCall, Idaho, has on February 18, 1970, submitted Application No. 65-7122 to appropriate the public waters of an unnamed spring, tributary of the Payette River.

The application proposes a maximum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pump within Lot 3, Sec. 17, T. 18N, R. 3E, B.M., Valley County, and is to be used within Lot 3, Sec. 17, T. 18N, R. 3E, B.M. for recreation purposes from April 15 to November 1.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before May 11, 1970.

R. Keith Higginson
State Reclamation Engineer
Publish in the Star News,
on April 23 & 30, 1970



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 1, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

RIO VISTA PROPERTY OWNERS ASSN
PO BOX 298
MC CALL ID 83638

RE: WATER RIGHT NO. 65-07122

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


DEC 10 1999

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of November, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-07122

RIO VISTA PROPERTY OWNERS ASSN
PO BOX 298
MC CALL ID 83638


Kari Lynn Townsend
Secretary

FILED
DEC 10 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
DEC 10 1999
Page 1

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

DEC 10 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

October 14, 1999

RE: Water Right No. 65-07122

Albert E. Wilson, Secretary-Treasurer
Rio Vista Property Owners, Inc.
P.O. Box 298
McCall, ID 83638

Dear Mr. Wilson:

In response to your questions regarding the need for the licensing amendment we sent to you, I have enclosed a copy of the permit as it was issued so you can review the copy as I respond to your questions.

Please note that this permit was issued for the use of a spring tributary to the Payette River. The permit shows "spring" as the source in several places and our examiner found the source to be a spring tributary to the North Fork of the Payette River. The point of diversion listed on the permit is described as Government Lot 3, Section 17, Twp. 18N, Rge. 3E. Our examiner found the spring located in Government Lot 10, Section 8, of the same township and range. This is the reason we required the licensing amendment.

The claim that was submitted on this right, No. A65-07122 reflects this right as it was claimed in the Payette River Basin Adjudication (PRBA). The PRBA included this permit for informational purposes only and did not change the way the right was recorded in our office.

If you have any further questions in regard to the licensing of this permit, please feel free to contact me.

Sincerely,


KAY WALKER
Sr. Water Resource Agent
Allocation Bureau

MICROFILMED

DEC 10 1999

RECEIVED

OCT 13 1999

DEPARTMENT OF WATER RESOURCES

RIO VISTA PROPERTY OWNERS ASSOCIATION

P.O. Box 298
McCall, Idaho 83638

October 8, 1999

Shelley W. Keen, Water Rights Supervisor
Idaho Department of Water Resources
P.O. Box 83720
Boise, Idaho

RE: WATER RIGHT NO. 65-07122 and your letter dated Sept. 23, 1999

I am completely confused by your letter saying that the location of the claim is not where it has always been. I feel that your examiner may have the referenced claim confused with other claims held by the Rio Vista Property Owners Association, Inc. Specifically, You have asked us to change the Point of diversion to the same location as that for our claim A65-06917.


Also, claim A65-07122 used to list the Source a "SPRINGS", not "SPRING" It was my understanding that the reason for the Point of diversion having two lot numbers associated with it was that the springs were distributed over some distance. We have a drainage pipe installed for collection of the water.

Since you have given me only 14 days to concur with your findings and since I must be out of town for the next twelve to fifteen days I have signed your APPLICATION FOR AMENDMENT and enclosed a check for \$50 even though I feel the amendment is in error. I certainly don't want the Association to loose a water right while we try to straighten this out.

I will be back in Idaho about October 25 and will try to reach you at that time. Perhaps you can check on the findings by that time.

I realize that this Adjudication process is very complicated and that errors may have been made in the past. I trust it will all be straightened out eventually.

Sincerely,


Albert E. Wilson, Secretary/Treasurer
Rio Vista Property Owners, Inc.

MICROFILMED

DEC 10 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 23, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

RIO VISTA PROPERTY OWNERS ASSN
PO BOX 298
MC CALL ID 83638

RE: WATER RIGHT NO. 65-07122

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion developed is in a location other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
DEC 10 1999

WR0749NP
No. L65-07122

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 10/13/99
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RIO VISTA PROPERTY OWNERS ASSN PO BOX 298 MC CALL ID 83638 (208) 634-3760	02/18/1970	RECREATION STORAGE DIVERSION TO STORAGE	01/01 12/31 04/15 11/01	0.260 CFS	95.00 AFA
TOTAL DIVERSION:					0.260 CFS	95.00 AFA

Water Source: SPRING

Tributary to: PAYETTE RIVER, NORTH FORK

Stage: LICENSE

Point(s) of Diversion Capacity:

0.26 ~~mcfs~~

Point(s) of Diversion:

T18N R03E S08 Lot 10(NWSWSW)

VALLEY County

Place of use Legal Description for: RECREATION STORAGE

NE				NW				SW				SE								
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
18N	03E	8	:											10-R	09-R					:
18N	03E	17	:			03-R														:

Pou County: VALLEY

Conditions of Approval:

- R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
- R43 - The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.

Remarks: GEN Rights 65-06917, 65-07558 and 65-07122 when combined shall not exceed a total annual diversion volume of 95.0 af.

Dates: App. Received: 02/18/1970 Priority Date: 02/18/1970
Proof Due Date: 04/01/1976 Proof Made Date: 02/04/1976
Exam Made Date: 06/06/1991 Exam Sent to S.O.: 07/09/1999
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee: R (Received)

LICENSE REVIEW CHECKLIST

Permit No. 65-07122 Date: 9/21/99 Reviewer: Kay Walker

Change/OK

Name/Address

change - per memo of Dan Nelson 7/7/99

Source

Point of Diversion

OK Does change clarify original intended source? If no, void permit.
change Change (P39/P47) Add (P45/P42) Feds (P43)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use

OK

Change (P41/P47) Add (P41/P42) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps. Right(s): 65-06917 & 65-07558 - different sources.
File reviewed ✓ Profile reports printed ✓ WR & AJ

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion.

Permitted rate 2.0 cfs
Fee Limit 2.0 cfs
Measured 0.26 cfs
Theoretical cfs

Recommended Total Diversion Rate 0.26

need to limit to 95 afa when all combined

Water Uses

Change (P46)

Irrigation cfs af
Stockwater cfs af
Domestic cfs af
Recreation cfs 95 af
 cfs af
Total 0.26 cfs 95 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)
supp Gw (WB7/065/079)
overlap spec combined rts (W35)
>1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)

Rec Stor. 95 AF (yr. round)
Div. to Stor. 4/15 1/1

Volume Determination

11/11 cfs x 1.9835 x days = af (vs) acres x (FHR) = af

Remarks

Additional Conditions

 Watermaster Control
 GW Measurement/Measuring Device
 Other
Trust (052/R55 - remove 051)
Non-trust (048/049)

Advance Priority? yes If yes, explain why below.
no

SRBA Claim?

yes

Adjust memo

yes

Amend Letters

P39, P38

Priority date was in error in PRBA - should be 2/18/1970 as that was date of submittal - SRBA claim amended to earlier date -

Cascade Reservoir
65-02924

Memorandum

To: File 65-07122

From: Kay Walker

Date: 09/21/99

Re: Licensing Recommendations

.....
.....
In a review of this right I found there is some conflicting information in our records. This permit was issued for a recreational use with the intention of storing water in a pond associated with Rio Vista Subdivision. The application for permit does not address a storage parameter for this right but the map attached to the application clearly shows the water being diverted into the "proposed lake". A storage parameter should have been attached to the application when it was received and processed but was not.

This permit was included in the Payette River Basin Adjudication (PRBA) with the remark stating that it was in the decree for informational purposes only. The PRBA showed this permit consisting of recreation storage and diversion to storage uses, which is the way this permit has been used. The permit went through the PRBA with no objections to the way it was listed.

It is my recommendation that we license this permit with recreation storage for year-round season and diversion to storage for the permitted season of use without a licensing amendment to change the nature of use. This recommendation will cover the uses intended under the right when originally submitted to IDWR and will also be consistent with the way the right was listed in the PRBA.

A question arose as to injury of other water rights, such as Cascade Reservoir if this permit was clarified. The rights for Cascade Reservoir date back to 1937 which is much earlier in time than this permit and those rights should not be affected by this clarification. Idaho Power also holds water rights at Cascade Dam for power production purposes. They have a permit for 2000 cfs at this site which is in the licensing process and has a later priority date than this right (1978). A permit for Davis Cattle is also in the licensing process with a 1995 priority date. If this right, 65-07122, was causing injury to other rights at the dam site, they would have submitted complaints long before now.
.....

MICROFILMED

DEC 10 1999

MAR 02, 1979

PROPOSED FINDING OF WATER RIGHTS - PAYETTE RIVER DRAINAGE

PAGE 135

INDICATES TOTAL

SOURCE: SPRINGS

TRIBUTARY TO: NORTH FORK, PAYETTE RIVER

RIGHT NUMBER	NAME AND ADDRESS	PRIORITY DATE	USE	USE PERIOD FROM TO	MAX AMOUNT MAX RATE	DIVERSION POINT	PLACE OF USE AND ACREAGE	BASIS FOR RIGHT
65-9741	BISHOP RANCHES, INC. ROUTE 3, CALDWELL, IDAHO 83605	1/ 1/1943	STOCKWATER	1/ 1 12/31	2.70 AFA .05 CFS	SENW S19 T17N R 3E NENW S19 T17N R 3E SESW S19 T17N R 3E	SENW NESW SESW S19 T17N R 3E	BENEFICIAL USE
65-0597	BOISE CASCADE CORPORATION TIMBER & WOOD PRODUCTS DIV., 1010 JEFFERSON ST., BOISE, IDAHO 83702	7/ 1/1945	COMMERCIAL	1/ 1 12/31	9.17 AFA .30 CFS	NENE S36 T14N R 3E	NENE S36 T14N R 3E	BENEFICIAL USE
65-7122	RIU VISTA, INC. P. O. BOX R, MC CALL, IDAHO 93638 REMARKS: THIS RIGHT WHEN COMBINED WITH RIGHT 65-7558 SHALL PROVIDE NO MORE THAN 170.0 AFA. THIS PERMIT RIGHT IS NOT DECREED BY THE PRESENT ADJUDICATION PROCEDURE, AND IS INCLUDED FOR INFORMATION PURPOSES ONLY. NORMAL STATUTORY PROCEDURES MUST BE COMPLETED FOR LICENSING.	4/15/1971	RECREATION STORAGE	1/ 1 12/31	170.00 AFA --- CFS	LOT 3 S17 T18N R 3E	SAME AS OTHER USE	PERMIT
			DIVERSION TO STORAGE	1/ 1 12/31	--- AFA 2.00 CFS *170.00*AFA *2.00*CFS		LCT8 LOT9 S17 T18N R 3E	
65-7576	HATT, JAMES H. P.O. BOX 160, MC CALL, IDAHO 83638 REMARKS: THIS PERMIT RIGHT IS NOT DECREED BY THE PRESENT ADJUDICATION PROCEDURE, AND IS INCLUDED FOR INFORMATION PURPOSES ONLY. NORMAL STATUTORY PROCEDURES MUST BE COMPLETED FOR LICENSING.	9/ 3/1975	IRRIGATION	4/15 10/15	--- AFA 9.96 CFS	NWNW S12 T17N R 2E	NWNE(32) NENW(40) NWNW(11) SWNW(35) SENW(38) NESW(14) NWSW(40) SWSW(40) SESW(7) S36 T18N R 2E NENE(30) SENE(36) NENW(40) NWNW(20) SENW(40) NESE(10) NWSW(40) SWSE(25) S 1 T17N R 2E *498*	PERMIT
			STOCKWATER	1/ 1 12/31	2.00 AFA .04 CFS *---*AFA *10.00*CFS		SAFE AS OTHER USE	

DISC 1 11 1985
 MICROFILMED

WR5809NP
No. 65-07122

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 09/21/99
PAGE: 2

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RIO VISTA PROPERTY OWNERS ASSN.	04/15/1977	RECREATION STORAGE	01/01 12/31	0.26	170.00 AFA
	PO Box 298	2/18/70	DIVERSION TO STORAGE	01/01 12/31	2.000 cfs	170.00 AFA
	McCall, ID 83638					95.
	634-3760					95.

Water Source: ~~Snake~~ Spring

Tributary to: PAYETTE RIVER, NORTH FORK
T18N R03E S08 Lot 10 NNSW

Stage: PERMIT
VALLEY County

Point(s) of Diversion:

Lots Without 1/4 1/4 Description: DIVERSION TO STORAGE
18N 03E 17 08-D 09-D

Pool County:

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
65-06917 (65-09412) Spring date 6 10 0 1.

Remarks: GEN THIS RIGHT WHEN COMBINED WITH RIGHT 65-7558 SHALL PROVIDE NO MORE THAN 170.0 AFA.
THIS PERMIT RIGHT IS NOT DECREE BY THE PRESENT ADJUDICATION PROCEDURE, AND IS INCLUDED FOR INFORMATION PURPOSES ONLY.
NORMAL STATUTORY PROCEDURES MUST BE COMPLETED FOR LICENSING.

Dates: App. Received: 04/15/1971 (Priority Date Advanced.)
Proof Due Date: 01/01/1900 (Proof Received Late.)
Exam Made Date: 06/06/1991
Exam Sent to S.O.: 07/09/1999

Misc: Water District Number: 65 Field Exam Fee: R (Received)

Audit: 10/06/86 04/30/88 CONVERT 08/01/89 CURTIS 09/06/90 MILLER
06/13/91 GARRETT 09/09/99 SKEEN

65-07558, 65-06917
+ 65-07122 shall
not exceed 95 AFA.

WR5809NP
65-07558

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 09/21/99
PAGE: 1

OWNER	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
P	RIO VISTA, INC.	06/20/1975	RECREATION STORAGE	01/01 12/31		95.00 AFA
C	RIO VISTA INC.		DIVERSION TO STORAGE	01/01 12/31	1.110 CFS	95.00 AFA
TOTAL DIVERSION:					1.110 CFS	95.00 AFA

Water Source: PAYETTE RIVER, NORTH FORK Tributary to:

Stage: DECREEED
VALLEY County

Point(s) of Diversion: T18N R03E S08 Lot 01()

Lots Without 1/4 1/4 Description: RECREATION STORAGE
18N 03E 17 08-R 09-R

Pool County:

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

65-02278	65-02333	65-02466	65-06879	65-06904	65-06915	65-06966
65-08101	65-08139	65-08218	65-08255	65-08296	65-08310	65-08324
65-08465	65-08468	65-08561	65-08571	65-08638	65-08652	65-08655
65-08750	65-08838	65-08916	65-08917	65-08978	65-09081	65-09530
65-09818	65-09819	65-10254	65-10293	65-10298	65-10366	65-10367
65-10442						

Remarks: GEN THIS RIGHT WHEN COMBINED WITH RIGHT 65-7122 SHALL PROVIDE NO MORE THAN 170.0 AFA/ACRE.

Dates: App. Received: Priority Date: 06/20/1975
Proof Due Date: Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 65 Field Exam Fee:

Audit: 04/02/86 04/30/88 CONVERT 08/01/89 CURTIS 08/05/92 NAME-ADD

RECORDED
SEP 10 1999

AJ5809NP
No. R65-07558

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 09/22/99
PAGE: 3

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RIO VISTA PROPERTY OWNERS ASSOC INC	06/20/1975	RECREATION STORAGE DIVERSION TO STORAGE	01-01 12-31 01-01 12-31	1.110 CFS	95.00 AFA
TOTAL DIVERSION:					1.110 CFS	95.00 AFA

Water Source: PAYETTE RIVER, NORTH FORK Tributary to: PAYETTE RIVER

Stage: DECREED
VALLEY County

Point(s) of Diversion: T18N R03E S08 Lot09(SESW)

Place of use Legal Description for: RECREATION STORAGE

		NE		NW		SW		SE		
		NENE		NNWN		NWSW		NWSE		
		SENE		SENW		SESW		SESE		
T	R	S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
18N	03E	8	:	:	:	:	:	:	:	:
18N	03E	17	:	:	:	:	:	:	:	:

POU County: VALLEY

Other Rights: A65-7122, A65-6917

Remarks: QNT USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A
TOTAL COMBINED ANNUAL DIVERSION VOLUME OF 95 AF.
COMBINED RIGHT NOS.: 65-06917 AND 65-07122.

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: 65 Field Inspection Flag:
Presumption Flag:

Comments: Date: 08/18/1999 User-ID: KWALKER Subject: COPIED FROM REMARKS
THIS RIGHT WHEN COMBINED WITH RIGHT 65-7122 SHALL PROVIDE NO
MORE THAN 170.0 AFA/ACRE.
ADDRESS CHANGED PER CLAIMANT REQUEST (BY DB) 11/18/98.

Date: 08/18/1999 User-ID: KWALKER Subject: RECOMMENDATION
RECOMMEND CHANGES TO P/D & P/U PER TOPO "S-10" DATED 1973. P/U
ALSO IN S1/2SH, S8 IN 1973 SO HAVE ADDED THAT TO THIS RIGHT.
BELIEVE THAT PREVIOUS EXAMINER HAD GRID MISPLACED WHEN ORIGINAL

MICROFILMED
JEC 10 1999

AJ5809NP
No. R65-07558

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 09/22/99
PAGE: 4

Comments:

Date: 08/18/1999 User-ID: KWALKER Subject: RECOMMENDATION
FINDINGS FOR PRBA WERE DONE. NO CHANGES TO AMOUNT OF WATER, USE,
PRIORITY DATE. NOTE THAT THE LICENSE ISSUED ON THIS RIGHT
MATCHES THESE RECOMMENDATIONS.

Date: 09/21/1999 User-ID: SBOCK Subject: QNT
THIS RIGHT WAS LIMITED TO 170 AFA WHEN COMBINED WITH RIGHT
65-06917 IN THE PRBA. HOWEVER, THE DAM SAFETY MEASUREMENT SHOWS
THEY CAN ONLY HOLD 95 AF. THIS WAS ALSO CONFIRMED BY A FIELD
EXAM ON LICENSE 65-07122.

Audit:

08/18/99 KWALKER 09/21/99 SBOCK

MICROFILMED
DEC 10 1999

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RIO VISTA INC.	04/15/1971	RECREATION	01/01 12/31	2.000 CFS	

DIVERSION
VOLUME

USE PERIOD FROM TO DIVERSION RATE

PRIORITY	DATE	WATER USE
1	10/10/10	1000
2	10/10/10	1000
3	10/10/10	1000
4	10/10/10	1000
5	10/10/10	1000
6	10/10/10	1000
7	10/10/10	1000
8	10/10/10	1000
9	10/10/10	1000
10	10/10/10	1000
11	10/10/10	1000
12	10/10/10	1000
13	10/10/10	1000
14	10/10/10	1000
15	10/10/10	1000
16	10/10/10	1000
17	10/10/10	1000
18	10/10/10	1000
19	10/10/10	1000
20	10/10/10	1000
21	10/10/10	1000
22	10/10/10	1000
23	10/10/10	1000
24	10/10/10	1000
25	10/10/10	1000
26	10/10/10	1000
27	10/10/10	1000
28	10/10/10	1000
29	10/10/10	1000
30	10/10/10	1000
31	10/10/10	1000
32	10/10/10	1000
33	10/10/10	1000
34	10/10/10	1000
35	10/10/10	1000
36	10/10/10	1000
37	10/10/10	1000
38	10/10/10	1000
39	10/10/10	1000
40	10/10/10	1000
41	10/10/10	1000
42	10/10/10	1000
43	10/10/10	1000
44	10/10/10	1000
45	10/10/10	1000
46	10/10/10	1000
47	10/10/10	1000
48	10/10/10	1000
49	10/10/10	1000
50	10/10/10	1000
51	10/10/10	1000
52	10/10/10	1000
53	10/10/10	1000
54	10/10/10	1000
55	10/10/10	1000
56	10/10/10	1000
57	10/10/10	1000
58	10/10/10	1000
59	10/10/10	1000
60	10/10/10	1000
61	10/10/10	1000
62	10/10/10	1000
63	10/10/10	1000
64	10/10/10	1000
65	10/10/10	1000
66	10/10/10	1000
67	10/10/10	1000
68	10/10/10	1000
69	10/10/10	1000
70	10/10/10	1000
71	10/10/10	1000
72	10/10/10	1000
73	10/10/10	1000
74	10/10/10	1000
75	10/10/10	1000
76	10/10/10	1000
77	10/10/10	1000
78	10/10/10	1000
79	10/10/10	1000
80	10/10/10	1000
81	10/10/10	1000
82	10/10/10	1000
83	10/10/10	1000
84	10/10/10	1000
85	10/10/10	1000
86	10/10/10	1000
87	10/10/10	1000
88	10/10/10	1000
89	10/10/10	1000
90	10/10/10	1000
91	10/10/10	1000
92	10/10/10	1000
93	10/10/10	1000
94	10/10/10	1000
95	10/10/10	1000
96	10/10/10	1000
97	10/10/10	1000
98	10/10/10	1000
99	10/10/10	1000
100	10/10/10	1000

NAME & ADDRESS

OWNER
CODE

	01/01	12/31	2,000 CFS
1987			
1988			
1989			
1990			
1991			
1992			
1993			
1994			
1995			
1996			
1997			
1998			
1999			
2000			
2001			
2002			
2003			
2004			
2005			
2006			
2007			
2008			
2009			
2010			
2011			
2012			
2013			
2014			
2015			
2016			
2017			
2018			
2019			
2020			
2021			
2022			
2023			
2024			
2025			
2026			
2027			
2028			
2029			
2030			
2031			
2032			
2033			
2034			
2035			
2036			
2037			
2038			
2039			
2040			
2041			
2042			
2043			
2044			
2045			
2046			
2047			
2048			
2049			
2050			
2051			
2052			
2053			
2054			
2055			
2056			
2057			
2058			
2059			
2060			
2061			
2062			
2063			
2064			
2065			
2066			
2067			
2068			
2069			
2070			
2071			
2072			
2073			
2074			
2075			
2076			
2077			
2078			
2079			
2080			
2081			
2082			
2083			
2084			
2085			
2086			
2087			
2088			
2089			
2090			
2091			
2092			
2093			
2094			
2095			
2096			
2097			
2098			
2099			
2100			

04/15/1971 RECREATION

C RIO VISTA INC.

TOTAL DIVERSION: 2,000 CFS

2,000 CFS

Stage: DECREE

Tributary to: PAYETTE RIVER, NORTH FORK

Water Source: UNNAMED STREAM

VALLEY County

T18N R03E S17 Lot 03()

Point(s) of Diversion:

Lots Without 1/4 1/4 Description: RECREATION

18N 03E 17 03-R

Pol County:

Other Water Rights with ~~Same Point(s) of Diversion with Stage (Includes All Sources):~~

65-07122 65-09412

Priority Date: 10-01-2001

Dates:	App. Received:	Priority Date:	04/15/1971
	Proof Due Date:	Proof Made Date:	
	Exam Made Date:	Exam Sent to S.O.:	

Priority Date:
Proof Made Date
Exam Sent to S.

Misc: Water District Number: 65 Field Exam Fee:

Audit:	04/02/86	04/30/88	CONVERT	08/01/89	CURTIS
--------	----------	----------	---------	----------	--------

Water Source: UNNAMED STREAM
Tributary to: PAYETTE RIVER, NORTH FORK
Stage: DECEASED

Point(s) of Diversion:	T18N R03E S07-10-100-34347	VALLEY COUNTY
Place of use Legal Description for:	RECREATION	
NE		
NENE NUNE SWNE SENE	NENE NUNE SWNE SENE	
Lt Ac Lt Ac Lt Ac Lt Ac	Lt Ac Lt Ac Lt Ac Lt Ac	
T R S	T R S	
18N 03E 8	10-R 09-R	

POU County: VALLEY

Other Rights: A65-7558, A65-7122

Remarks: QNT USE OF THIS RIGHT WITH RIGHTS LISTED BELOW IS LIMITED TO A TOTAL COMBINED ANNUAL DIVISION VOLUME OF 95 AF. COMBINED RIGHT NOS.: 65-07122 AND 65-07358. 000000

Notes: _____
 Exam Made Date: _____
 Verified Date: _____
 Objection Filed Date: _____

Misc:
Water District Number: 65
Field Inspection Flag:
Presumption Flag:

Comments: Date: 08/18/1999 User-ID: KWALKER Subject: COPIED FROM REMARKS
POD & POU ARE THE SAME AS IN ORIGINAL RIGHT. I HAVE EXPANDED
ON THIS FOR ADDITIONAL INFORMATION ONLY AS THE QUARTER SECTIONS
WERE NOT SHOWN IN ORIGINAL RIGHT.
ADDRESS CHANGED PER CLAIMANT REQUEST (BY DB) 11/18/98.

Date: 08/18/1999 User-ID: KWALKER Subject: RECOMMENDATIONS
RECOMMENDING CHANGE TO P/D & P/U PER 1973 TOPO "S-10" WHICH SHOWS
STREAM GOING INTO RESERVOIR. PRBA DECREE SHOULD HAVE INCLUDED
THE ABOVE CHANGES SINCE SHOWING ON 1973 MAP. SEE COPY OF MAP
AND GOV. LOT PLAT IN FILE.

Date: 00/21/1999 User-ID: SBOCK Subject: AF LIMITER

MICROFILMED
DEC 10 1999

AJ5809NP

No. R65-06917

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 09/22/99
PAGE: 2

Comments:

Date: 09/21/1999 User-ID: SBROCK Subject: AF LIMITER
IN THE PRBA THIS RIGHT ALONG WITH 65-07558 WAS LIMITED TO 170 AFA
HOWEVER, THE LATEST DAM SAFETY MEASUREMENTS SHOW THEY CAN ONLY
HOLD 95 AF. THIS WAS ALSO CONFIRMED WHEN THE FIELD EXAM WAS
CONDUCTED ON LICENSE 65-07122.

Audit:

08/17/99 KWALKER 08/18/99 KWALKER 09/21/99 SBROCK

RECEIVED

JUL - 9 1999

Department of Water Resources

ROUTING SLIP

DISTRIBUTION	PROVIDED FOR YOUR:	
DATE: 7/7/1999	INFORMATION	YES
TO: SHELLY KING	COMMENTS	
FROM: DANIEL A. NELSON WESTERN REGION	APPROVAL	
	SIGNATURE	
SPECIAL NOTES: Shelly, I had called Mr. Wilson who is the treasurer of Rio Vista Homeowners Association over a month ago to confirm some information concerning their beneficial use exam for permit 65-07122 and received no reply. I received the information needed from other sources so I sent the Field Examiner's Beneficial Use Report onto your office. Mr. Wilson called me back and said that he had been on vacation and didn't receive my message until a few days ago. I went over the information I needed to discuss with him for confirmation purposes and included it in the attached memo to the file. Please enclose this memo with the field notes for water right 65-07122.		
Thank you		
Dan Nelson		

MICROFILMED

DEC 10 1999

MEMORANDUM

TO: BENEFICIAL USE REPORT FOR 65-07122

FROM: DANIEL A NELSON

DATE: 7/7/1999

SUBJECT: TELEPHONE CONVERSATION WITH AL WILSON - TREASURER OF RIO VISTA HOMEOWNERS ASSN.

Mr. Wilson returned the telephone call I made to him concerning Rio Vista Homeowners' beneficial use exam on the 7/6/1999. I had already discovered most of the questions that I needed to ask him at that time and sent the file to the State Office for licensing. Mr. Wilson had been on vacation for over a month and did not have the opportunity to respond to my telephone call.

I went to the State Office and reviewed the file and my notes and called Mr. Wilson back on 7/7/1999. The questions that I had were to verify if the address I put on the Beneficial Use Exam was correct and he said that this is the correct current address.

Rio Vista Homeowners Assn.
PO Box 298
McCall, Idaho 83638
Telephone Number - (208) 634-3760

I also inquired about the re-lift pump for the spring. He said that there was actually 2 pumps that operate alternatively and that he has been told that they are 7.5 Hp pumps. However, he was not positive of the pump size and was relying on the word of another homeowners estimation.

MICROFILMED
DEC 10 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 11 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-07122

1. Owner: Rio Vista Property Owners Association Phone No. (208) 634-3760

Current Address: PO Box 298, McCall, Idaho 83638

2. Accompanied by: Bob Brost EXAM DATE : (9/9/1986 - S.L.) (6/6/1991 - M.S.) (6/7/1995 D.R.T. & C.H.)

Address: UNKNOWN Phone No. (208) 634-4529

Relationship to Permit Holder: Former president of Home Owners Association

3. Source: Unnamed spring tributary to North Fork of the Pavette River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-07558 & 65-06917

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
SPRING	10	NW	SW	SW	08	18N	03E	VALLEY	AERIAL PHOTO - USGS QUADRANGLE MAP AND FIELD EXAM BY MEL SCHULTE AND JOHN WESTRA

2. Place(s) of Use:

Indicate Method of Determination SAME AS P/D

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	03E	08											R	R					
													L-10	L-9					
18N	03E	17		R			R												
				L-3															

PLEASE NOTE: The letter "R" represents recreational use and "L-?" represents the Government Lot numbers.

MICROFILMED

DEC 10 1999

3. **Delivery System Diagram:** Include all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

YES Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

YES Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A	N/A	N/A	N/A	N/A	N/A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. **Measurements:** The timed fill method was performed by Mel Schulte on 6/6/91. This method consisted of measuring the time it took to fill a 4 ft in diameter standpipe a certain distance. This was done while the relift pump was not operating. This allowed Mr. Schulte to attain the actual diversion rate of the spring of .26 cfs. I reviewed Mr. Schulte's calculations and believe them to be reasonable and the only way to attain an accurate measurement of the system (see attached Diversion Rate Calculation Sheet).

MICROFILMED

DEC 10 1999

E. NARRATIVE/REMARKS/COMMENTS

There have been 3 field visits for this exam. The first field visit was done by Steve Lester on 9/9/1987. Mr. Lester visited this system late in the year and could not attain a maximum diversion rate for the spring. Mel Schulte performed a second field visit to this system on 6/6/1991. At this time Mr. Schulte measured the system using the fill method and determined that the flow rate was approximately .26 cfs. Cindy Hodges and Dave Tuthill visited this site to determine if there was more than one spring and to find a possible weir for measurement. They did not find anything that had not been found by Mel Schulte in 1991. I also spoke with John Westra, Western Region Dam Safety Specialist, who visits this site every two years to confirm the points of diversion and place of use. I (Daniel A. Nelson) have been asked to review and complete this field report.

65-07122

SYSTEM DESCRIPTION:

This permit is to license a spring in the NWSWSW ¼, lot 10 of section 8 township 18N, Range 03E. This spring is collected through a 4" collection pipe and is diverted into a 4 ft culvert 15 feet deep. The water is then pumped from the bottom of this culvert or the water is allowed to fill the culvert and naturally flows into a 10" distribution pipe that delivers the water to the unnamed stream mentioned under overlapping water rights (right 65-06917) that empties into the reservoir. The pump for this system is used as a relift pump and is not essential to the system. There is no record of the pump size or horse power for this pump and none of the examiners or the owners that I contacted know the size or type of pump.

The place of use for this permit is a recreational reservoir that is located in township 18N, Range 3E in the SWSW ¼, lot 10 and SESW ¼, lot 9 of section 8 and NENW ¼ and NWNE ¼, lot 3 in section 17. The reservoir size was determine by Mike Stubblefield, Idaho Department of Water Resources, to be 95 acre feet on 5/13/1977 during the licensing process for water right 65-07558 (see attached volume sheet). John Westra, Western Region Dam Safety Specialist, has visited the site every 2 years since the licensing of 65-07558 and stated that reservoir size has not changed. I performed some measurements on the USGS Quadrangle map and concluded that reservoir's surface area was approximately 18 acres. This was consistent with the volume measurements of Mike Stubblefield in 1977.

OVERLAPPING WATER RIGHTS:

This application is to license the spring diversion for the Rio Vista Property Owners Association's recreational reservoir. The reservoir is fed from three different sources. The first source consists of a pump diverting water from North Fork Payette River into the reservoir (water right 65-07558). The second source consists of the natural flow from an unnamed stream into the reservoir (water right 65-06917). The third source (this permit 65-07122) is a spring described above that diverts into the unnamed stream mentioned above for water right 65-06917. All other water rights in these sections do not seem to pertain to this reservoir. Please note overlapping water right map.

RECOMMENDATIONS:

I recommend that this permit be licensed for a diversion rate of .26 cfs per Mel Schulte's measurement. I also recommend that this permit be licensed for an annual volume of 95 afa annual volume and a maximum volume of 95 afa when water rights 65-07122, 65-07558, and 65-06917 are combined.

Have conditions of permit approval been met? X yes

MICROFILMED
no
DEC 10 1999

65-07122

F. FLOW CALCULATIONSYES Additional Computation Sheets Attached

Measured Method:

.26 CFS (SEE ATTACHED SHEET)**G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{N/A}$ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{N/A}$ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{N/A}$ **B****2. Volume Calculations for Other Uses:****95 AF (SEE ATTACHED SHEET)****H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>RECREATION</u>	<u>01/01</u>	<u>12/31</u>	<u>.26 CFS</u>	<u>95 AFA</u>


Totals: .26 CFS 95 AFA**2. Recommended Amendments**☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**Field Examiner's Name Daniel A. Nelson Date 6-4-99

Reviewer _____ Date _____


SEAL

MICROFILMED
DEC 10 1999

65-07127



LAKE



R 2 E R 3 E

T-19N

T-18N

PAYETTE LAKE

7

8

65-0698
KIMBERLY
WATER
RIGHT
65-0698

P10
SPRING
65-07122

RIVER
PIEDMONT
65-07122

P14
Reservoir

18

17

65-07122

Water Right Overlap
For Reservoir,
By DAN NELSON
6-2-99

19

MICROFILMED
DEC 10 1999

NORTH FORK

20

RUNOFF
WATER
STRAIN
65-06917

SPRING
65-07122

NEW SUBS

P10

BOUL. LOT 10

BOUL. LOT 9

ALF. LOT 5

P14

OK River Camp

65-07558

65-07122
GIS Aerial Photo
By mel SCHULTZ

P10 in


T-18N R-3E SEC. 8
NW SW SW $\frac{1}{4}$, $\frac{1}{4}$, $\frac{1}{4}$
P. 14. in SE SW $\frac{1}{4}$ Sec 8 and
NEW in NW Sec 17 T-18N
R-3E.

DEFILED

10 1900

P/D Diagram FOR WATER RIGHT 65-07122

4 FT DIAMETER CULVERT 15 FT DEEP



MICROFILMED
DEC 10 1999

RESERVOIR VOLUME CALCULATION FOR WATER RIGHT # 65-07122

By Daniel A. Nelson 6-2-99

The size of this reservoir was determined in 1977 to be 95 acre feet by Mike Stubblefield, Idaho Department of Water Resources, for water right 65-07558 and/or this water right from reservoir plans submitted by Bill Harris Engineers, McCall, Idaho, August 1970. Mr. Stubblefield determined that reservoir maximum surface area was 18.2 acres and that the capacity was 95 acre feet (see memo photocopied below). I measured the reservoir using an engineering ruler and a USGS Quadrangle map and came up with close to the same figures, assuming the reservoir averages approx. 5.3 feet deep. My figures are listed below:

LENGTH = (3 units) X (8 units/mile) / 5280 ft = 1980 feet long
WIDTH = (.6 units ave) X (8 units/mile) / 5280 ft = 396 feet wide
DEPTH = (95 af) X 43560 / (1980 ft X 396 ft) = 5.3 ft est. depth

(1980 ft length) X (396 ft width) / 43560 = 18 acre ft surface area

CONCLUSION:

With the memo below from Mike Stubblefield and my measurements of the quadrangle map. I recommend that this water right be licensed for a total of 95 annual acre feet volume when water rights 65-07122, 65-07558, and 65-06917 are combined.

FROM: Mike Stubblefield

MAY 13 1977

DATE 13 May 1977

Department of Water Resources
Western Regional Office

SUBJECT: 65-7558 or 065-7122 (Rio Vista Dam)

The dimensions of Rio Vista Dam and reservoir, located in Sections 8 & 9, T18N - R8E, are as follows. These dimensions were taken from the plans submitted by Bill Harris Engineers, McCall, ID.; Aug 1970.

Height of Dam = 15.5 feet

Area at Maximum water surface elevation = 18.2 Acres

Capacity at max. water surface elev. = 95 Acre-feet.

MICROFILMED

COPY 10 1999

AMA

SIGNATURE

DIVERSION RATE CALCULATIONS FOR WATER RIGHT 65-07122

The diversion rate was determined by Mel Schulte using the timed volume fill test. This is a version of the Bucket and Stopwatch method using a known volume and measuring the amount of time it takes to fill. Mel Schulte only timed the fill rate of the spring pipe without the relift pump operating (see P/D diagram). The relift pump is not significant, because the spring water can flow into delivery ditch without the use of the pump. The following equations was used for this calculation:

$$(3.1416) \times (R)^2 \times (H) / T = \text{cfs}$$

3.1416 = Pi
R = Radius or (2 ft)
H = Head in ft
T = Time to fill in seconds

Four measurements were taken to attain an average flow rate.

MEASUREMENT # 1 = 2 FT HEAD @ 90 SECONDS

$$(3.1416) \times (2)^2 \times (2) / 90 = .28 \text{ cfs}$$

MEASUREMENT # 2 = 2.33 FT HEAD @ 120 SECONDS

$$(3.1416) \times (2)^2 \times (2.33) / 120 = .24 \text{ cfs}$$

MEASUREMENT # 3 = .75 FT HEAD @ 120 SECONDS

$$(3.1416) \times (2)^2 \times (.75) / 120 = .08 \text{ cfs}$$

MEASUREMENT # 4 = 0.83 FT HEAD @ 300 SECONDS

$$(3.1416) \times (2)^2 \times (0.83) / 300 = .04 \text{ cfs}$$

AVERAGE DIVERSION RATE =

$$.28 \text{ cfs} + .24 \text{ cfs} + .08 \text{ cfs} + .04 \text{ cfs} / 4 = .16 \text{ cfs}$$

These measurements do seem reasonable due to the variables associated with the spring. However, I believe that only the 2 highest measurements be used in order to license the maximum diversion rate for the system. Therefore, My recommendation is for a diversion rate of .26 cfs (.28 cfs + .24 cfs / 2 = .26 cfs). Mel Schulte agrees with this conclusion.

MICROFILM
DEC 10 1999

RECEIVED
MAR 12 1999

RIO VISTA PROPERTY OWNERS ASSOCIATION
P.O. Box 298
McCall, Idaho 83638

Department of Water Resources

March 10, 1999

Mr. Michael Stubblefield
Department of Water Resources
1301 N. Orchard, P.O. Box 83720
Boise, ID 83720-0098

Dear Mike:

RE: Rio Vista Dam


Thank you for your letter of February 10, 1999, and the *Certificate of Approval* for Rio Vista dam and reservoir. I note in your letter that you have said "Continue to monitor the piezometers around the reservoir monthly and submit the..." However, the *Operation Plan* states, on page 3:

"On a quarterly basis, usually, in April, July, September, and late November or early December, the areas of known seepage, the piezometers and areas of slope instability located around the reservoir shall be checked."

Was your letter intended to make a change in the *Operation Plan* in this regard?

I have enclosed a copy of the present Board members with addresses, phone numbers, and e-mail addresses where available. I'm sorry I left these off the annual report. I'll try to remember in the future.

Sincerely,



Albert E. Wilson, Treasurer
Rio Vista Property Owners Association

WATER RIGHT # 65-07122
CURRENT LIST OF ASSOCIATION OFFICERS
ATTAINED FROM IDWA DAM SAFETY FILE.

Daniel A. Nelson. 4-4-99

MICROFILMED
DEC 11 1999

1998-99 Board:

Adelle Adams
P.O. Box 6171
Boise, ID 83707

634-3595 (When in McCall)
1-800-445-1732 (F206043#)

Pat Phillips
P. O. Box 1997
McCall, ID 83638

634-4992

Mick Cole
6111 N. Fountain Lane
Boise, ID 83704

375-4449
cwi@cyberhighway.net

John White **
4672 N. Marcliff Way
Boise, ID 83704

378-4253
jwhite@lesbois.com

← Number Has been
K's connected

Annette DeAngelis
3035 El Rio Drive
Meridian, ID 83642

362-9468
angels9@cyberhighway.net

Bill Ziegert
9206 W. Pebble Brook Ln.
Boise, ID 83703

853-4450
bziegert@smokeguard.com

Al Wilson
P. O. Box 4178
McCall, ID 83638

Treas.

634-3760
anwilson@cyberhighway.net


** 1998-99 President

1998-99 BOARD OF
RIO VISTA HOMEOWNERS
ASSOCIATION.

MICROFILMED
DEC 10 1999

65-07122

65-7122



#2.
View inside 4' concrete
pipe that is buried
approximately 25'
vertically to collect
spring water. Water
is pumped to the
catch basin shown
here that flows into
the 10" discharge
pipe shown in
picture #3.

MICROFILMED


DEC 10 1999

65-7122



#3

View of 10" discharge
pipe into unnamed
stream that flows
into recreational
storage reservoir.



#4.

View of stream to
reservoir looking
down the stream to
the East.

MICROFILMED

DEC 10 1999

65-7122



#4.

View of the recreation
reservoir from the
deck of Bob Brust,
the property owners
association president.

ONE

NOV 11 1945

FIELD NOTES

PERMIT NUMBER 65-07122

PLEASE NOTE: These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

MICROFILMED

DEC 10 1999

MEMORANDUM

TO: FILE

FROM: DANIEL A NELSON

DATE: 6/2/1999

SUBJECT: TELEPHONE CONVERSATION WITH USERS OF WATER RIGHT 65-07122

On the above date I called Bob Brost (634-4529) concerning the size of the pump used for permit 65-07122. Mr. Brost stated that he the pump was a submersible pump and that was all he knew. He stated that this pump was installed a long time ago and he did not know if anyone actually knew the size of the pump anymore. Mr. Brost also stated that he was no longer the Association President and that John White from Boise was the president. He did not have an address or telephone number for Mr. White. I looked in the Boise telephone book and discovered 12 John Whites in the telephone directory.

I then called Dave Engen. Mr Engen was one of the original developers of this project. Mr. Engen stated that he also did not know anything about the pump and did not know anything concerning Mr. White's address or telephone number. He stated that this project was under the ownership of the Rio Vista Property Owners Association at this time and was no longer involved with the organization.

I then reviewed the Dam Safety file for this reservoir and found a current board or directors and addresses.

MICROFILM

DEC 10 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
RECORD OF INSPECTION OF DAM

RECEIVED

Form 1717

JUN 11 1999

Department of Water Resources

Name of Dam: RIO VISTA

File No.

65-7558

Stream: N. FORK PAYETTE RIVER

☒ Offstream

Name of Owner: RIO VISTA PROPERTY OWNERS

Location: 17 Sec 18n T 3E R

Individuals accompanying Inspector: PAT PHILLIPS

RESERVOIR CHARACTERISTICS:

Dam height 12.7 FT

Photographs Y/N ☒ Y

Storage capacity 41 AC-FT

Surface area 11 AC

Hazard class 2

Size class 3

CONDITION OF EMBANKMENT OR STRUCTURE:

☐ Poor ☐ Fair ☒ Good ☐ Excellent

STRUCTURE TYPE:

☒ Earth ☐ Rockfill ☐ Conc. arch

☐ Conc. gravity ☐ Timber crib ☐ Other

	UPSTREAM SLOPE	CREST	DOWNSTREAM SLOPE	TOE AREA
SURFACE COVER MATERIAL	EARTH	EARTH	EARTH	EARTH
GROWTH	SCATTERED PINE SEEDLINGS	SCATTERED PINE SEEDLINGS	SCATTERED PINE SEEDLINGS	GRASSES
SETTLEMENT OR CRACKS	NONE	NONE	NONE	NONE
SURFACE EROSION	NONE	NONE	NONE	NONE
DEBRIS	NONE	NONE	NONE	NONE
ANIMAL BURROWS	NONE	NONE	A FEW SCATTERED SQUIRREL BURROWS	NONE
CREST WIDTH AND SLOPE GRADIENT	3:1	20FT	2:1	NONE

CONDITION OF OUTLET WORKS:

☐ Poor ☐ Fair ☒ Good ☐ Excellent

Location: ☐ Left side ☐ Center ☐ Right side ☐ Other

Description and condition: 15 IN DIA CONCRETE PIPE THRU THE DAM

Gate hoist: ☒ Manual ☐ Electric ☐ Other

Stem: ☒ Inclined from entrance to crest ☐ Vertical on tower at entrance

☐ Vertical through dam from crest ☐ Downstream valve

Entrance: SUBMERGED

Outlet: GOOD, DISCHARGING

CONDITION OF SPILLWAY:

☐ Poor ☐ Fair ☒ Good ☐ Excellent

Location: ☒ Left abutment ☐ Right abutment ☐ Away from dam ☐ Other

Base width 8 FT Freeboard at crest 7.6 FT Sideslope VERT Channel slope MILD Fetch 1/4 MILE

Overflow channel: ☒ Well defined ☒ Flow directed away from toe ☐ Flow could reach toe

Erosion control present CONCRETE CREST Erosion present NONE

Maintenance condition:

Debris NONE

Growth GRASSES

SEEPAGE:

Reservoir level during inspection

FULL, SPILLING


	TOE AREA	DOWNSTREAM SLOPE	ABUTMENTS	OTHER
PIPING OF MATERIAL EVIDENT (est. G.P.M)	NONE	NONE	NONE	
FLOWING WATER (est. G.P.M)	NONE	NONE	NONE	
MURRY OR STANDING WATER	NONE	NONE	NONE	
DAMP	NONE	NONE	NONE	
EVIDENT FROM GROWTH PRESENT	NONE	NONE	NONE	

DEC 10 1999

GENERAL CONDITION AND DESCRIPTION OF DAM: Good, the facility is well maintained by the Assoc. A work day is planned later this summer to remove seedling growth and dead brush. No change noted in the spillway structure cracks, photo #3 (Ref photo #4 1992).
Mr. Phillips stated the piezometer located in the driveway of the north shore home has been covered by an addition to the home. They would like to know what action should be taken, if any?

INSTRUMENTATION READINGS (Piezometer, Seepage measurement, Alignment, Elevation, etc.) _____
1993 Readings are attached

SKETCH OF DAM SHOWING LOCATION OF SPILLWAY AND OUTLET WORKS AND ANY MAINTENANCE PROBLEMS:



RECOMMENDATIONS: Issue a storage certificate for a 2 year period.

Maintenance:

- 1 Control large growth on the embankment
- 2 Continue to control rodent activity on the embankment
- 3 Monitor the spillway structure for cracking/shifting.
- 4 Continue to read the piezometers.

Date: _____

8/2/94

MICROFILMED
19
DEC 10 1994

Inspected by: _____

J. N. White Western Reg.

IDAHO DEPARTMENT OF WATER RESOURCES
INVENTORY WORKSHEET - DAM

FORM NO. 1

Identification No. D65-7558

Name of Dam RIO VISTA

County VALLEY

River or Stream NFK PAYETTE RIVER (OS)

Purpose R (Specify if other)

Location Sec 17 Twship 18N Range 03E NW 1/4 NE 1/4 - MAP S10 - MCCALL

FORM NO. 2

Name of Owner RIO VISTA PROPERTY OWNERS ASSN

Owner's Phone No. 634-2114 DAVID ENGEN HOME: 634-2127 (Alternate phone no.)
ENGEN REAL ESTATE

Address Line 1 C/O DAVID ENGEN, SECRETARY

FORM NO. 3

Address Line 2 P O BOX 817

Address Line 3 MCCALL ID 83638

FORM NO. 4

Type of Dam EARTH (Other dam types)

Storage Capacity (ac-ft) 41 W/ FLASHBOARDS

Height of Dam (ft) 12.0 14 W/ FLASHBOARDS

Drain. Area (sq. mi.) .5

Res. Surface Area (ac) 11 17 W/ FLASHBOARDS

Year Completed 1971 (Date enlarged, reconstructed, etc.)

Crest Elev. (M.S.L.) 5,038

Crest Length (ft) 600 (Dike lengths)

Spillway Type RPC HAN CONCRETE CREST W/ FLASHBOARDS (Auxiliary spillways)

Spillway Depth (ft) 8.0 W/O FLASHBOARDS (Aux. spillway depths)

Spillway Capacity (cfs) 268 W/ 3 FT FREEBOARD

Hazard Classification 2

Region 2

FORM NO. 5

Last Inspection 08 82

Approval Expiration 11 94

General Condition GO

Q 100 (cfs) 40 ESTIMATE

Outlet Type RNFCNP 15 IN. DIA. PIPE

Outlet Capacity (cfs) 9 ESTIMATE

Problems/Remarks CHANGED FROM 65-XX09 AND 65-7122

PIEZOMETER NO. 2 LOCATED IN DRIVEWAY - LOCATION IS 18 FT FROM HOUSE AT APPROX CENTER OF

Spillway is adequate will pass Q100 WINDOW FACING DRIVEWAY.

WATER RIGHTS: 65-7122 - PERMIT FOR 170 AF

65-7558 - LICENSE FOR 95 AF (DECREED)

65-07122

6/7/93

w/ DRT

✓ @ Reservoir is my 1986 weir location.

Weir washed out.

Per M.S. 1991 (?) photos/notes, appears
spring (?) d/v/p. upstream somewhere where
feeds 10" pipe into ditch/drainage

DRT + I followed drainage up from old weir
site & found spot where Hwy 55 @ Village
Motel

Looks like Dave Engen (634-) @ Engen
Real Estate office next to Paul's market in McClellan
is now local contact.

To Complete Exam

① Discuss w/ MGL

② Meet/arrange w/ Dave

③ Measure flow to/from pipe per
MGL's photos

See MGL's
memo/notes
on back of

MICROFILMED
DEC 14 1999


Mel's Field work
1991 (?)

Bot Boost - Dan Area
634-4529

65.

120' - 10" pipe

7



22



4" diam.
concrete pipe

- #1 1.5 min @ 24" = 2.00
- #2 2 min @ 28" = 2.33
- #3 2 min @ 9" = .75
- #4 3 min @ 10" = .83

MICROFILMED
DEC 10 1999

6-6-91

Volume turning

$A = \pi R^2 \cdot H$

$$A = 3.1416 \cdot (2')^2 \cdot 2.33 = 29.28 \text{ cu ft.}$$

$$29.28 \div 120 = .24 \text{ cfs.}$$

$$\#1 \quad 3.1416 \cdot (2')^2 \cdot 2 = 25.1328 \text{ cu ft.}$$

$$25.13 \div 90 = .28 \text{ cfs}$$

$$\#3 \quad 3.1416 \cdot (2')^2 \cdot .75 = 9.42 \text{ ft}^3$$

$$9.42 \div 120 = .08 \text{ cfs}$$

$$\#4 \quad 3.1416 \cdot (2')^2 \cdot .83 = 10.43 \text{ ft}^3$$

$$10.43 \div 300 = .04$$

Volume

$$A = \pi R^2 \cdot H$$

$$\pi = 3.1416$$

$$R^2 = (\text{radius} = 2') \cdot 2^2$$

$$H = \#1 = 2'$$

$$\#2 = 2.33'$$

$$\#3 = .75'$$

$$\#4 = .83'$$

MICROFILMED
DEC 10 1999

32850

ATTACHMENT A
SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER Michelle DATE SUBMITTED 7-19
ADJUDICATION AGENT Linda RESPONSE DUE DATE 7-27
COUNTY Valley OWNER'S NAME Rio Vista, Inc

PERMIT DATA	T	R	S	Q/Q	T	R	S	Q/Q
P/D	<u>18N</u>	<u>3.E</u>	<u>17</u>	<u>lot 3 NW NE</u>				
P/U	<u>11</u>	<u>11</u>	<u>17</u>	<u>lot 3 NW NE and 18N</u>	<u>3E</u>	<u>17</u>	<u>lot 3 SW SE</u>	

ADJUDICATION DATA

Number Index Proof due 1900 - (Initial & Date) L.W. 7-25-90
Claim required for permit

☐ yes ☐ no If yes: ☐ copy attached?

Claim files Although Not Required

☒ yes ☐ no If yes: ☒ copy attached?

Pt. of Use AG 5-6917 (Decreed)

Name Index AG 5-7558 (Initial & Date)

Claim(s) filed in permit owner's name?

☒ yes ☐ no If yes: ☒ copy attached? ☐ N/A * L.W. 7-25-90

Non-Data Entry Claims Found by County and Name ALL 7-26-90
(Initial & Date)

☐ yes ☒ no If yes: ☐ copy attached? ☐ N/A *

* copies included only if pertinent to permit field exam

MICROFILMED
DEC 10 1999

Water Right Number - A65-07122

[illegible]

*** C - CURRENT OWNER ***
RIO VISTA PROPERTY OWNERS ASSOC., INC.

1 - C/O DAVID ENGEN
2 - PO BOX 817
3 -

City- MC CALL
Phone - 208-634-2114
State- ID Zip- 83638

	+ - -	Priority Date	- - +	+ - - - Region	- - +	+ - - - Stage	- - +	+ - - - Status
		04/15/1971		14 Error in Region		P - PERMIT		

```
+ - - - Source - - - +
- - - SPRINGS
+ - - - Tributary - - - Payette River, North Fork
```

[illegible]

18N	03E	17	SE	SW	SW	8	(85)	VALLEY
18N	03E	17	SE	SW	SW	9	(85)	VALLEY

code	description	period from	water use	diversion rate	diversion volume
------	-------------	-------------	-----------	----------------	------------------

47 - RECREATION STORAGE	01/01	12/31	170.00
55 - DIVERSION TO STORAGE	01/01	12/31	170.00
			2.000

[illegible]

Rng	Sec	Tract	Lot	Acres	Place of Use	Description	County
03E	17	NW NE	9		55	DIVERSION TO STORAGE	(85) VALLEY
03E	17	NE NW	8		55	DIVERSION TO STORAGE	(85) VALLEY

Total Acres:

Diversion Means - Pump from Collection Area w/ 250' Pipeline from Stream to Reserv.

+ - - Non-Irrigation Use - RECREATIONAL

4 - - Other Rights for Same Use - A65-6917, A65-7558

[illegible]

THIS RIGHT WHEN COMBINED WITH RIGHT 65-7558 SHALL PROVIDE NO MORE THAN 170.0 AFA.

THIS PERMIT RIGHT IS NOT DECEED BY THE PRESENT ADJUDICATION
MORE THAN 10.0 AFA.

PROCEDURE, AND IS INCLUDED FOR INFORMATION PURPOSES ONLY. NORMAL STATUTORY PROCEDURES MUST BE COMPLETED FOR LICENSING.

NORMAL STATUTORY PROCEDURES MUST BE COMPLETED FOR FILING.
CHANGED NAME FROM RIO VISTA, INC. TO RIO VISTA PROPERTY OWNER'S

CHANGED NAME FROM RIO VIEW, INC. TO RIO VIEW ASSOCIATES, INC. PER REQUEST FROM DAVID ENGEN ON 10/18/88.

MICROFILMED
DEC 10 1999

Old (D) Number -

1 - C/O DAVID ENGEN
2 - PO BOX 817
3 -
City- MC CALL
Phone - 208-634-2114

MICROFILMED
+
DEC 10 1999

1--	03E	8	SW SW	46	RECREATION	(85)	VALLEY
18W	03E	8	SE SW	46	RECREATION	(85)	VALLEY
18W	03E	17	NW NE	46	RECREATION	(85)	VALLEY
18W	03E	17	NE NW	46	RECREATION	(85)	VALLEY

-----+
 ----- Old Water Right Numbers -----
 ----- No Old Water Right Numbers found. -----

MICROFILMED
DEC 10 1999

Water Right Number - A65-07558

Adj. Flag Translation: ADJUDICATION CLAIM

Old (D) Number -

*** C - CURRENT OWNER ***
RIO VISTA, INC.

1 - C/O DAVID ENGER
2 - BOX 817
3 -
City- MC CALL
Phone - 208-634-2114
State- ID Zip- 83638

Priority Date - 06/20/1975
Region - 14 Error in Region
Stage - D - DECREED
Status -

Source - PAVETTE RIVER, NORTH FORK
Tributary - SNAKE RIVER

Twn Rng Sec Tract Lot Rflg County Point of Diversion
18N 03E 8 SE SW 1 (85) VALLEY
Stream Index (Blank if no Index Code)

Code Description Period From Period To Water Use Diversion Rate Diversion Volume
47 - RECREATION STORAGE 01/01 12/31 95.00
55 - DIVERSION TO STORAGE 01/01 12/31 1.110 95.00

Total Div. Rate - 1.110
Total Div. Volume - 95.00
Total Div. Capacity -
Total Consumptive Use -
KW Usage -

Twn	Rng	Sec	Tract	Lot	Acres	Place of Use	Description	Code	County
18N	03E	17	NW NE	9			47 RECREATION STORAGE		(85) VALLEY
18N	03E	17	NE NW	8			47 RECREATION STORAGE		(85) VALLEY

Total Acres:

- - - Diversion Means - PUMP ON RIVER W/PIPELINE (600') TO RESERVOIR (8" PIPE)

- - - Non-Irrigation Use - RECREATIONAL

- - - Other Rights for Same Use - A65-7122, A65-6917

REMARKS
THIS RIGHT WHEN COMBINED WITH RIGHT 65-7122 SHALL PROVIDE NO MORE THAN 170.0 AFA/ACRE.

- - - Old Water Right Numbers -
No Old Water Right Numbers found.

MICROFILMED
DEC 10 1999

PERMIT 05-7122 INIT

T. R. S. Q/Q

P/D 18N 3E 17 NWNE 173

SCALE

PHOTO ID.

McC

Sewage
Pond

Gopel

2.0 - 65
253 A54
Form 219-S.A.
6/86

DIVERSION TO
STORAGE
AVOID
RECREATION
STORAGE

AD } 18N 3E S-17 10T 8
PU } LOT 9

Check Perm
- Safety Record
- Check for ERLAP IN
S. 8

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

65-7122
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index S.L. 9/5/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index S.L. 9/5/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? S.L. 8/21/86 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed _____ (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)
Exam Reviewed by Manager of Regional Office _____ (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

What is reference in permit: To T18N R3E S6 NE1/4 ?? PD-spring?

Needs to be
done during
the runoff
period

Dan Knutson

1986 field work

9/9/86

MR. SHELTON OUTLINED HIS RESERVOIR SYS^m WHEN WE MET. RESERVOIR FALLS INTO SECTIONS 8 AND 17. SPRING (MORE THAN 1?) ORIGINATE IN SECTION 6. DITCH IN SECTION 7 CARRIES COLLECTED SPRING WATER AND RUNOFF FROM SNOWACK TO RESERVOIR. 24" CIPOLETTI WEIR IS LOCATED ON DITCH IN SECTION 7. STANDING WATER WAS SEEN BUT NO APPRECIABLE FLOW. MUST DO MEASUREMENT DURING RUNOFF PERIOD, USUALLY MAY-JUNE.


A 10 HP GULF PUMP DIVERTS WATER FROM THE NORTH FORK PAYETTE RIVER IN SECTION 8. THIS SUPPLEMENTAL WATER IS USED AFTER RUNOFF TAPERES OFF.

WILL SCHEDULE AN EXAM NEXT SPRING/SUMMER WHEN RUNOFF IS HIGH.

WROTE HIM A LETTER ABOUT CONDUCTING EXAM IN 1987. (9/10/86)

Steven Lester

MICROFILMED
DEC 10 1999





Mapped, edited, and published by the Geological Survey
in cooperation with the U. S. Forest Service
Control by USGS, NOS/NOAA, and USFS

Topography by photogrammetric methods from aerial
photographs taken 1965-66 and 1972 Field checked 1973

Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)

1000-metre Universal Transverse Mercator grid ticks,
zone 11, shown in blue. 1927 North American datum

Fine red dashed lines indicate selected fence lines




65-7122

C
NATIONAL

MICROFILMED
UTM GRID AND 1973 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET
DEC 10 1999

THIS MAP COMP.
FOR SALE BY U S GEOLOGICAL SURVEY
A FOLDER DESCRIBING TOP



1:24 000

1 MILE

4000 5000 6000 7000 FEET

1 KILOMETRE

VERTICAL DATUM OF 1929

MAP ACCURACY STANDARDS

ER, COLORADO 80225, OR RESTON, VIRGINIA 22092

S AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U S Route
	State Route

MICROFILMED

DEC 10 1999

65-7122

QUADRANGLE LOCATION

MEADOWS, IDAH

N4452 5-W11607.5/7

1973

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

10
HP pump
from
River

License of Water Right No. 65-7558 Priority June 20, 1975 Amount 95 acre feet

THIS IS TO CERTIFY, that Rio Vista, Inc.

of McCall, Idaho, has complied with the terms and conditions of Permit
No. 65-7558 issued pursuant to Application for Permit dated June 20, 1975,
and has submitted proof to the Department of Water Resources on February 4, 1976,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 1.11 cfs of water from North Fork Payette River,
tributary to Payette River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Diversion to storage	from <u>January 1</u> to <u>December 31</u>	at <u>1.11</u> cfs and	<u>N/A</u>
Storage for recreation	from <u>January 1</u> to <u>December 31</u>	at <u>N/A</u> cfs and	<u>95 acre feet</u>
	from _____ to _____	at _____ cfs and	
(both dates inclusive)			

Subject, however, to the condition that no more than 1.11 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
95 acre feet per year, said waters to be diverted within the Government Lot 9, Sec. 8,
Twp. 18N, Rge. 3E, B. M. in the County of Valley

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
18N	3E	8											X	X					
		17		X															
				L3			X												

Total number of acres irrigated _____

A measuring device of a type approved by this Department shall be maintained as
part of the diverting works.

MICROFILMED

DEC 10 1999


NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this _____ day of
February, 19 78.

Director

ip 1018 NORTH. HALLS NO. 3125



REPRODUCED

DEC 10 1990

FIELD REPORT

- 3. Water will be used for the following purposes:**

Other uses: _____

- Other Points of Diversions: _____

Measuring device required: yes ☒ no ☐

- [illegible]

TOTAL ACREAGE

Permit No. 65-7558
Examination for b/u

FROM Mike Stubblefield

MAY 13 1977

DATE 13 May 1977

Department of Water Resources
Western Regional Office

TO Bill

SUBJECT 65-7558 or D65-7122 (RIO VISTA DAM)

The dimensions of Rio Vista Dam and reservoir, located in Sections 8 & 9, T8N - R3E, are as follows. These dimensions were taken from the plans submitted by Bill Harris Engineers; McCall, ID.; Aug 1970.

Height of Dam = 15.5 feet

Area at Maximum water surface elevation = 18.2 Acres

Capacity at Max. water surface elev. = 95 Acre-feet.

MICROFILMED

DEC 1 1977

AMA

SIGNATURE

DATE OF EXAM 5/11/77

Does not have
20 hp Jacuzzi

ACREAGE
Found 0
Recommended 0

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Diversion to Storage for Reaction Q = 1.11 cfs V = 95 Acre feet/year Jan 1 to Dec.
Storage Recreation Q = N/A V = 95 Acre feet/year Jan. 1 to Dec.

Is water co-mingled? yes ☒ no _____

Name source: Unnamed springs also contribute to storage
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Total Q measured 1.11 cfs Method of measurement meter

Total Q recommended 1.11 cfs Meter No. 10597 Type saddle Condition good

Total V recommended 95 Acre feet/year

Recommended Amendments:

P.D. Lot 9, section 8, T18N., R3E.
Place of Use Should also include T18N., R3E., sec. 17, Lot 3 & Lot 10
Other Delete Lot 8
None _____

MEASUREMENT CALCULATION:

500 gallons/minute = 1.11 cfs.

See attached Memo for basis for volume.

SYSTEM DESCRIPTION:

U.S. Electrical Motors, Unenclosed Motor, frame # 256JP
20 hp. with Jacuzzi, centrifugal pump model # 20F1M6/Ac.
4 ft sump on edge of river with concrete pipe from
river to sump. 12" plastic pipe from pump to small
lake

REMARKS:

Correction from USGS 7 minute quad. within 1-29-77

MICROFILMED

Examiner's Signature William H. MacAllister Date 5/11/77

Checked by WHS Date 5-20-77

Approved by _____ Date _____

RECEIVED

DEC 17 1954

- Post office address P.O. Box R
McCall, ID 83638

Depart Phone 634-2223

Wes. & Hines, Inc. - 2329

Person to contact PERC H. SHELTON

Phone

2. Source of water supply: Groundwater ☐ Surface water ☒ Spring SEC 6 - 11N-3E
(name spring, stream, etc.)

ORIGINATES IN THE NE 1/4 OF
SEC 6 - 18N - 3E

Tributary to Payette River

3. Water will be used for the following purposes:

Amount 2.0 c.f.s. for Recreation
AF/Annum (nature of use)

Period of Use: from April 15 to Nov. 14
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use. from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses:

- 4 Total amount to be appropriated:

Max Rate of Diversion 2.0 cubic feet per second and annual volume _____ AF/Annum.

- 5. Location of Point(s) of Diversion:**

Township 18N N/S, Range 3E E/W, B.M., Section 17, Subdivision Lot 3 Valley
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
County

Other Points of Diversions:

Description of diverting works: Cleared out natural drain: this flow serves to fill a 170 AF recreational lake water flows normally from Spring until approx. July 15 of each year - then pump is installed

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

DATE OF EXAM _____

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____
Domestic Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____
Livestock Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
Twp. _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement _____

Total Q recommended _____ Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

SYSTEM DESCRIPTION:

REMARKS: _____
_____ DEC 10 1999
_____ MICROFILMED

Examiner's Signature _____ Date _____

Checked by _____ Date _____

Approved by _____ Date _____

5/11/77 Contacted

Not enough run off for measurement this year

8/16/79 Lake had to be drained at the request of Dept. of Water Resources due to seepage which caused collapse of river bank. Mr. Shelton is presently seeking a material to line the lake and take care of the seepage problem.

MICROFILMED
DEC 10 1999

IN THE DISTRICT COURT OF THE THIRD JUDICIAL DISTRICT
OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF GEM

Valley

IN THE MATTER OF THE GENERAL DETERMINATION OF THE RIGHT TO THE USE OF THE SURFACE AND GROUND WATERS OF THE PAYETTE RIVER DRAINAGE BASIN

**NOTICE OF CLAIM
TO A
WATER RIGHT**

IDENT. NO.

MAP NO.

65-7122

Notice is hereby given that Rio Vista, Inc.

(Name of Claimant)

P.O. box R, McCall, Id. 83438
(Mailing Address)

.. claims a right to the diversion

and beneficial use of the surface or groundwater, of or tributary to the Payette River;

The extent and nature of said claim is as follows:

- (1) Date of priority: (When was the water first applied to a beneficial use, or date that permit was issued)
April 15, 1971 (No. 65-7122)
- (2) Describe source of water: (Name of stream, lake, spring, etc., or subterranean)
~~Mountain~~ Springs Truckee North Fork Payette R.
- (3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:
Use Recreational storage 170 A-F Period of Use From 4/13 To Dec. 31
(Domestic, irrigation, stock, etc.) (Mo., Day) (Both Dates Inclusive) (Mo., Day)
Use 2 cfs diversion to storage Period of Use From 1/1 To 12/31
(Domestic, irrigation, stock, etc.) (Mo., Day) (Both Dates Inclusive) (Mo., Day)
Use _____ Period of Use From _____ To _____
(Domestic, irrigation, stock, etc.) (Mo., Day) (Both Dates Inclusive) (Mo., Day)
- (4) Quantity of water claimed: 2 2.0 Cubic Feet Per Second, or 170 Acre Feet Per Annum,
and/or _____ Gals. Per Minute.
- (5) A) Point of Diversion: Give location of point where water is diverted from its source N.E. 1/4 619 1/4,
Sec. 8 17, Twp. 18 N., Rge. 3 E., B.M.; additional points: _____
- B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.)
Give sizes and capacities; be as specific as possible.
Normal run-off stream
- (6) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

[illegible]**Total No. of acres**

- B) If water is used for other than irrigation, fully describe that use, being as specific as possible: Only use to be recreational, lake overflow back into Payette River

- (7) Effluent, sewage waste, or return water from this use is discharged into _____
- (8) If you are claiming water as a member of an organization, list name of organization. _____
- (9) Remarks *(This right when combined with 65-7558 shall provide no more than 170 AF)*
- (10) Basis of claim (Check one) ☒ A) Right based on diversion and beneficial use.
☐ B) Right decreed by court, cite title of case _____
☒ C) Right based on application, license, or claim filed with State Reclamation Engineer, Office No.: _____

Be it known that the undersigned, after being duly sworn on oath, depose(s) and say(s) that all statements included herein are true and accurate to the best of (his, her, their) knowledge.

Individual

Rio Vista, Inc.

(Signature of Claimant)

Secretary

Organization

(Signature of Spouse)

(Signature of Authorized Agent)

State of Mississippi

County of Collier

On this 26th day of July, in the year 1973, before me,

a notary public, personally appeared John A. Smith
known to me to be the person(s) whose name(s) are subscribed to the above instrument, and acknowledged to me that (he, she, they,
corporation, partnership or John A. Smith executed the same.

Notary Public residing at

My commission expires

9 Nov 12/5/77

IN THE MATTER OF THE GENERAL DETERMINATION OF THE RIGHT TO THE USE OF THE SURFACE AND GROUND WATERS OF THE PAYETTE RIVER DRAINAGE BASIN

IDENT. NO.

MAP NO

Notice is hereby given that P.O. Box R, McCalla, Idaho 83638 1000 N 3rd McCalla Id 83638 claims a right to the diversion

and beneficial use of the surface or groundwater, of or tributary to the Payette River;

The extent and nature of said claim is as follows:

- (1) Date of priority: (When was the water first applied to a beneficial use, or date that permit was issued) April 15, 1971
- (2) Describe source of water: (Name of stream, lake, spring, etc., or subterranean) Normal run-off stream trib to N. Fork Payette River
- (3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed: (Both Dates Inclusive)
2 cfs. Recreational lake Period of Use From Jan 1 To Dec. 30
(Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both Dates Inclusive)
Use _____ Period of Use From _____ To _____
(Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both Dates Inclusive)
Use _____ Period of Use From _____ To _____
(Domestic, irrigation, stock, etc.) (Mo., Day) (Mo., Day)
(Both Dates Inclusive)
- (4) Quantity of water claimed: 2 Cubic Feet Per Second, or _____ Acre Feet Per Annu
and/or _____ Gals. Per Minute.
- (5) A) Point of Diversion: Give location of point where water is diverted from its source Lot 3 1/4
Sec. 17, Twp. 18, Rge. 3 E., B.M.; additional points: _____
- B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.)
Give sizes and capacities; be as specific as possible.
normal run-off stream
- (6) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

[illegible]

Total No. of acres

- B) If water is used for other than irrigation, fully describe that use, being as specific as possible:
Only use is for recreational lake
- (7) Effluent, sewage waste, or return water from this use is discharged into _____
- (8) If you are claiming water as a member of an organization, list name of organization _____
- (9) Remarks ~~This run-off spring stream originates a little SW of the SW 1/16 corner of the NE 1/4 S. 6, T. 13 N., R. 3 EBM, and is subject to a prior water filing by Albert Lambert of McCall.~~
- (10) Basis of claim (Check one) ☒ A) Right based on diversion and beneficial use.
☐ B) Right decreed by court, cite title of case _____
☐ C) Right based on application, license, or claim filed with State Reclamation Engineer, Office No. _____

Be it known that the undersigned, after being duly sworn on oath, depose(s) and say(s) that all statements included herein are true and accurate to the best of (his, her, their) knowledge.

Individual

MICROFILMED

Rio Vista, Inc.

(Signature of Claimant)

(Signature of Spouse)

(Signature of Authorized Agent)

State of Idaho

County of Valley

On this 20 day of Nov., in the year 1973, before me
a notary public, personally appeared Percy H. Shelton
known to me to be the person(s) whose name(s) are subscribed to the above instrument, and acknowledged to me that (he, she, they,
corporation, partnership or Corporation secretary) executed the same.

Notary Public residing at McCall, Idaho

pires

September 5, 1990

Re: Water Right No. 65-7122

Rio Vista Property Owners Assn.
P.O. Box 817
McCall, ID 83638

Dear Water Right Holder(s):


We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm



RECEIVED

JUL 2 1986

RECEIVED

JUN 26 1986

KEYPUNCH

4/86

Department of Water Resources
Western Regional Office

RECEIVED

JUL 29 1986

Department of Water Resources
STATE OF IDAHO Western Regional Office

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 8.150 ^{8.35} REFUND
Date 8/11/86
Receipt # 40537
Receipt by [Signature]
Sent to S.O. 111-7-86

Department of Water Resources

EXAMINATION FEE INFORMATION

RECEIVED

JUN 26 1986

1. Permit No. 65-7122

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: RIO-VISTA Inc. c/o Perc H Shelton

3. Post Office Address: DRAWER R McCall Id. 83638

Area Code 208 Telephone No. 634-2323

4. Source of Water: Payette River North Fork

5. Extent of Use:

Domestic [] (No. of households) Stockwater (No. and type of stock)

Irrigation [] (acres) Other/Remark Recreation

RECEIVED

NOV 7 1986

6. Total rate &/or volume for which proof is submitted 2 cfs 250 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Application June 20, 1975 February 4, 1976

8. Person to contact to accompany the department representative during the field examination:

Perc H Shelton (Name) SEP 10 1990

100 N 3rd St McCall, Idaho 83638 208-634-2323
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 8.)

June 25, 1986
Date

Perc H Shelton
Signature of Permit Holder (and title, if appropriate)

MICROFILMED

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

due 8/4/6



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720

65-7122
RIO VISTA, INC.
P. O. BOX R
MC CALL, ID 83638

138467

CERTIFIED MAIL

June 5, 1986

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

SEP 18 1990

December 10, 1976

Re: Permits No. 65-7122 & 65-7558

Rio Vista, Inc.
c/o Perc H. Shelton
Box R
McCall, ID 83638

Dear Mr. Shelton:

This office acknowledges receipt of the proof of beneficial use recently filed at our Western Regional office in connection with the above referenced permits.

As you are aware, a field examination must be made by a representative of this Department before licenses can be issued. We are, this date, forwarding the field report to our regional office and requesting that they conduct this exam in June, 1977.

Should you have questions regarding this matter, please feel free to contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

RECEIVED
DEC 15 1976
FBI - BOISE

February 6, 1976

Re: Permit No. 65-7122

Rio Vista, Inc.
c/o Perc H. Shelton
Box R
McCall, Idaho 83638

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in **Boise**.



Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

PS Form 3811, Jan 1975

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER Complete items 1, 2, and 3. Add your address in the "RETURN TO" space on reverse								
1. The following service is requested (check one). ☐ Show to whom and date delivered..... 15¢ ☐ Show to whom, date, & address of delivery.. 35¢ ☐ RESTRICTED DELIVERY Show to whom and date delivered 65¢ ☐ RESTRICTED DELIVERY Show to whom, date, and address of delivery 85¢								
2 ARTICLE ADDRESSED TO: 								
3. ARTICLE DESCRIPTION: <table border="1"> <tr> <td>REGISTERED NO.</td> <td>CERTIFIED NO.</td> <td>INSURED NO.</td> </tr> <tr> <td></td> <td>138314</td> <td></td> </tr> </table>			REGISTERED NO.	CERTIFIED NO.	INSURED NO.		138314	
REGISTERED NO.	CERTIFIED NO.	INSURED NO.						
	138314							
(Always obtain signature of addressee or agent)								
I have received the article described above: SIGNATURE ☐ Addressee ☐ Authorized agent 								
4 DATE OF DELIVERY 11 31 76								
5 ADDRESS (Complete only if requested) 								
6 UNABLE TO DELIVER BECAUSE: 		CLERK'S INITIALS 						


UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below

- Complete items 1, 2, and 3 on reverse side
- Moisten gummed ends and attach to back of article

RETURN
TO



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

January 30, 1976

CERTIFIED MAIL

128314

Re: Permit No. 65-7122

Rio Vista, Inc.
McCall,
Idaho 83628

Gentlemen:

One of the conditions of approval of your water Permit No. 65-7122 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

April 15, 1971

Re: Permit No. 63-7122 - Rio Vista, Inc.

Rio Vista, Inc.
McCall,
Idaho 83638

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 65-7122. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOF
Assistant Director

BDF:kh

Enclosures

65 7122

STATE OF IDAHO

Department of Reclamation

Nº 4242

Boise, Idaho, 2-23, 1970

RECEIVED
FROM


Leo Vista, Inc of M^e Cull \$ 25.00
Twenty five & no/100 — DOLL 'S

FOR

<u>app fee</u>	\$	<u>25.00</u>
<u>fee</u>	\$	
	\$	
	\$	
TOTAL - - -		<u>25.00</u>

E. J. Woods
STATE RECLAMATION DEPARTMENT

65 718



Shelton's

REAL ESTATE AGENCY — RESORT PROPERTY OUR SPECIALTY

PERC H SHELTON REALTOR

P O BOX R
McCALL, IDAHO 83638

DIAL LOCAL 4-2323

LD 208-634-2323

March 30, 1971

Donald W. McEldowney
Department of Water Administration
State Capitol Building
Boise, Idaho


Dear Mr. McEldowney,

Re: Application No. 65-7122

Rio Vista, Inc. wishes to simply impound this run-off water in a so-called Recreation lake. It is their intent to use same for boating, skiing, swimming, and especially for fishing. They intend to leave areas open for public access fishing, and will work with the State Fish and Game Department on the fishing etc.

Trusting that the above will clarify the intent of the Corporation I am,

Very sincerely yours,


Perc H. Shelton

65 7122

March 18, 1971

Re: Application No. 65-7122

Rio Vista, Inc.
Mr. Percy H. Shelton
P.O. Box R
McCall, Idaho 83638

Dear Mr. Shelton:

The right of Rio Vista, Inc. to store water in your 250 acre-foot reservoir at the rate of 2 cubic feet per second for recreation purposes will be based on your ability to prove your right to use this water as against some other appropriator with a junior priority. This means that you must be able to prove your beneficial use, your rate of diversion and acre-foot storage, and your period of use during each year when water is used for this purpose. Without this proof, a junior appropriator may be able to make you release the water you are storing to satisfy some other down-stream right. This burden of proof, in a court of law, can be very costly. The permit procedure under which this application was applied for is a most satisfactory method known to establish your right to use water.

The Deputy Director of the Department of Water Administration has requested clarification as to your specific use of the water under the term "recreation". Without further clarification, it will probably be impossible to get your permit approved. You should also be aware that if you are able to obtain an approved permit within a five-year period following the date of approval, you will be required to show additional evidence as to the extent of development of your project and the beneficial use to which you have applied the water.

We would, at this time, examine your project and if the terms and conditions of the permit have been met, we would issue a water license confirming your right to a water right with these characteristics.


Your assistance in this matter is greatly appreciated.

Very truly yours,

65 7122

Donald W. McEldowney
Appropriation Supervisor

DWM/bb



Shelton's

REAL ESTATE AGENCY — RESORT PROPERTY OUR SPECIALTY

PERC H SHELTON REALTOR

P.O. BOX R
MCCALL, IDAHO 83638

DIAL LOCAL 4-2663
LD 208-634-2323

Feb. 9, 1971

State Department of Water Administration
Idaho Statehouse
Boise, Idaho

Att: Mr. D. W. McEldowney:

Re: Application No. 65-7122

Rio Vista, Inc. is now in the process of building a recreation dam under the supervision of the Water Administration engineers. Weather conditions last Fall prohibited us from completing the dam itself but we did have inspections on the core and the conduit pipe and headgate by your office. This dam will create about a 30 acre lake which will simply be a flow through lake for recreational purposes only. Since probably 90% of the water impounded will be of the run-off nature, and since same is only a flow through lake we did not feel that we had to go further in establishing a beneficial use basis. The application was actually applied for at the suggestion of one of your engineers. If there is any further information on this which your office may need please let us know.

Very sincerely yours,

A handwritten signature in cursive script, appearing to read "Perc H. Shelton".

Perc H. Shelton

cc: Rio Vista, Inc.

65 7122

February 5, 1971

Re: Application No. 65-7122

C
Rio Vista, Inc.
McCall,
Idaho 83638

Gentlemen:

O
We are enclosing a copy of our letter of May 18, 1970. As of this date, we have not received the information requested in our letter.

Your prompt attention to this matter is requested so that we may continue the processing of your application.

P
Very truly yours,

Y
Donald W. McElowney
Appropriation Supervisor

DWM/DG

Enc: copy of letter

May 18, 1970

Re: Application for Permit 65-7122

C
O
P
Y

Rio Vista, Inc.
McCall,
Idaho 83638

Gentlemen:

In reviewing your Application for Permit No. 65-7122, we find that it will be necessary to have additional information concerning your intended use of the water for recreational purposes. Please supply us with detailed information on your intended use.

As soon as we have received this requested information, we shall continue to process your application.

Very truly yours,

DORIAN CLAY
Appropriation Examiner

DC:kh

65 7122

April 15, 1970

Re: Application for Permit No. 65-7122 - Rio Vista, Inc.
65-7129 - Francis B. or Alaire Bobbitt

Star News
Box 985
McCall, Idaho 83638

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McElDowney
Appropriation Supervisor

DWM:DR

Enc: Legal notices (2)

*Bill submitted
5-11-70
DW*

65 7377

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Rio Vista, Inc., McCall, Idaho,
has on February 18, 1970,
submitted Application No. 65-7122 to appropriate the public waters of
an unnamed spring, tributary of the Payette River.

~~The following~~ _____

The application proposes a maximum diversion and appropriation of 2.0
cubic feet per second ~~add/deduct~~ of water to be diverted by pump
within add Lot 3, Sec. 17,
T. 18N, R. 3E, B.M., Valley County,

and is to be used within ~~the~~ Lot 3, Sec. 17, T. 18N, R. 3E, B.M. for recreation
purposes from April 15 to November 1

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before May 11, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Star News, McCall, Idaho,
on April 23 and April 30, 1970.

65 7122

ej

gC

January 27, 1970

Re: Application for Permit - Rio Vista, Inc.

C
O
P
Y

Mr. James L. Schoenhut
Box 902
McCall, Idaho 83638

Dear Mr. Schoenhut:

Please be advised that in order for the Department to process the above referenced application, we will require a specific answer to item 4 on the application. What is the 2.0 c.f.s. of water to be used for and the period during each year? If the water is to be used for domestic as well as recreational purposes, please so advise. We will also require a filing fee of \$25.00.

Your cooperation in this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enclosure

65 7122