

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

The map is drawn on a grid. Handwritten labels include:
- 'R. 27E' in the upper right quadrant.
- 'T. 9S' and 'T. 10S' in the center-left area.
- '35' and '3' in the center-right area.
- Small symbols for 'PD' (Point of Diversion) and 'PU' (Place of Use) with arrows pointing to specific grid locations.
- A red stamp 'MICROFILMED' at the bottom left of the grid.

Scale: 2 inches equal 1 mile.

AUG 01 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Brent L. Wall
Partner * (Applicant)

* per drilling permit in File 43-7288-K...

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 3 43-7287

1. Owner: Webb Basin Dairy

Phone No. 349-5332

Current Address: 14C 76 Box 1050 American Falls, ID 83211

2. Accompanied by: Michael Webb

EXAM. DATE: 7/30/90

Address: _____

Phone No. _____

Relationship to Permit Holder: partner

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none

☐ Copies Attached


2. Other water rights with same point of diversion: none

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached


(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

Microfilm

JAN 1 1 1994

LAKE WALCOTT SE QUADRANGLE
IDAHO 36
7.5 MINUTE SERIES (TOPOGRAPHIC)





P/D



P/U
domestic



old unused
backup well

NOT RECORDED

JAN 1 1994



JAN 1 1 1994.



storage
tank



milking
apparatus

RECORDED

JAN 11 1994

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
STATE OF IDAHO) ss.

MARGE BARENDREGT being first

duly sworn, deposes and says that she is the

Clark of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for two (2) consecutive weeks, commencing with the issue

dated Jan 21 1988, and ending

with the issue dated Jan 28, 1988

Marge Barendregt

Subscribed and sworn to before me

this 5th day of Feb

1988.

Marge Barendregt Notary Public

Cost of Publication 22.88

Notary Fee .50

Total Cost 23.38

88-19

NOTICE OF APPLICATION
FOR WATER PERMIT

The following application (s) has been filed to appropriate the public waters of the State of Idaho:

43-7287

WEBB BASIN DAIRY
C-O BRENT L. WEBB, HC 76, BOX 1050,
AMERICAN FALLS, ID 83211
Source: GROUNDWATER

Diversion Pt: SESW Sec 35 T 09S R 27E; ¾ mile
South & 2 miles West of Raft River Exit on 184.

Use: DOMESTIC (0.080 CFS)

IRRIGATION (0.050 CFS)

Date Filed: 11-12-1987

In: SESW Sec 35 T 09S R 27E LOT 03 (NENW) Sec
02 T 10S R 27E FOR 2 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East, Twin Falls, Idaho 83301 on or before February 8, 1988.

-s-R. Keith Higginson, Director
Published in the South Idaho Press on January 21 and 28, 1988.

RECEIVED

FEB 8 1988

Department of Water Resources
Southern Region Office

OK MB
2/11/88
MICROFILMED

AUG 01 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 43-07287

Priority: November 23, 1987

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

7.8 AF

This is to certify, that WEBB BASIN DAIRY
HC 76 BOX 1050

AMERICAN FALLS ID 83211

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 12, 1987; and has submitted Proof of Beneficial Use on April 12, 1989. An examination indicates that the works have a diversion capacity of .160 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.8 AF
	Totals	0.11 CFS	7.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 35, Township 09S, Range 27E
Lot 2(NWNE), Sec. 2, Township 10S, Range 27E
CASSIA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	27E	35	SESW 1			1
10S	27E	2	Lot 2(NWNE) 0.5			0.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

JAN 1 1 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 43-07287

CONDITIONS/REMARKS:

6. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6th
day of DECEMBER, 1993.

Acting for


R. Keith Higginson, Director

JAN 11 1994

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
NOV 24 1993
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 43-07287

Date of Priority: November 23, 1987 Maximum Diversion Rate: 0.11 CFS
Maximum Diversion Volume: 7.8 AF

Comes now WEBB BASIN DAIRY
HC 76 BOX 1050
AMERICAN FALLS ID 83211

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 43-07287, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.8 AF
	Totals	0.11 CFS	7.8 AF

LOCATION OF POINT(S) OF DIVERSION: SESW, Sec. 35, Township 09S, Range 27E
Lot 2(NWNE), Sec. 2, Township 10S, Range 27E
CASSIA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	27E	35	SESW	1		1
10S	27E	2	Lot 2(NWNE)	0.5		0.5


Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Webb Basin Dairy, this 22 day of November, 19 93.



Bert L. Wall
(Signature)

JAN 11 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 43-07287

FOR DEPARTMENT USE ONLY

Preliminary check by RC Fee = 2000 Received by Joe # 000000 Date 11-24-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 43-07287 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Domestic use is for 3 homes.

Witness my hand this 6TH day of DECEMBER, 1993.

Acting for

R. Keith Higginson
R. Keith Higginson, Director

JAN 11 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 43-7287 IN THE)
NAME OF WEBB BASIN DAIRY) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before April 1, 1989; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on April 12, 1989;


IT IS, THEREFORE, HEREBY ORDERED that Permit No. 43-7287 be REINSTATED and the priority advanced to November 23, 1987.

Dated this 19th day of April, 1989.

MICROFILMED

JUN 13 1989


L. GLEN SAXTON, Chief
Water Allocation Bureau



APR 12 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 50.00
Date 4/12/89
Receipt # 0006315
Receipt by L. Young
Reviewed by W. S.
Sent to region 2

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 43-1287

Name(s) of Permit Holder: Webb Basin Dairy

Post Office Address: HC 76 Box 1050 American Falls Idaho 83211

Telephone No. 349-5545 or 349-5529

Source of Water: Groundwater

Extent of Use:

Domestic 3 (number of households) Stockwater _____ (number and type of stock)

Irrigation 1 1/2 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted * 0.11 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Fall of 1980

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Michael G. Webb 349-5529
(Name) (Telephone Number)

HC 76 Box 1050 American Falls Idaho 83211
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

April 10 1989
Date

Michael G. Webb Partner JUN 13 1989
Signature of Permit Holder (and title, if appropriate)

*Per App. for Permit

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Webb Basin Dairy Phone 349-5532
Post office address HC 76 Box 1050, American Falls, ID 83211

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____
Sec. 35 Township 9S Range 27E B.M. Cassia County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.05 cfs for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.11 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump, lines to 3 homes
with lawns

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ well diameter is 8 inches; ~~proposed~~ depth of well is 515 feet.


d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED
AUG 07 1988

for permit has been made for the dairy use and the new well,

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

AUG 01 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Brent L. Wall
Partner * (Applicant)

* per drilling permit in File 43-7288-kw

Proposed Priority 11/12/87

Received by Joe Stanton Date 11-12-87 Time 12:05 pm

Preliminary check by ADK

Fee \$ 30.00

Received by ga

44342

Date 11-12-87

Publication prepared by M. Baldwin Date 12/28/87 Published in So. Idaho Press

Publication approved M. Baldwin Date 2/11/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 43-7287

, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

April 1

, 19 89

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 30th day of March, 1988.

Director

[Signature]

AUG 01 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1993

WEBB BASIN DAIRY
HC 76 BOX 1050
AMERICAN FALLS ID 83211


RE: WATER RIGHT NO. 43-07287

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

JAN 11 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 26, 1993

WEBB BASIN DAIRY
HC 76 BOX 1050
AMERICAN FALLS ID 83211

RE: WATER RIGHT NO. 43-07287


Dear Water Right Holder(s):

I previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed, for your convenience, is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

NOV 11 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 5, 1993

WEBB BASIN DAIRY
HC 76 BOX 1050
AMERICAN FALLS ID 83211

RE: WATER RIGHT NO. 43-07287

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with these findings or if you have any questions, please contact me within the 14-day period.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
JAN 1 1994

DATE: 10/04/93
PAGE: 1

Audit: 10/04/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 43-7287 Date 10-1-93 Brenda Chapman

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u>Done</u> Memo to Advance <u>TO: 11-23-87</u>
	<u>007E</u>	<u> </u>	Order to Reinstate Needed?
	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of Originally Intended source
	<u> </u>	<u>✓</u>	Notice of Intent to Void - Source change. <u>(GOUT LOT 2)</u>
P/D	<u>✓</u>	<u> </u>	Amendment Needed? <u>Add NW NE SEC 2 10S 27E</u>
	<u> </u>	<u>✓</u>	Overlap(s) <u> </u>
P/U	<u>✓</u>	<u> </u>	Amendment Needed? <u>DELETE NE NW / ADD NW NE OF SEC 2</u> <u>(GOUT LOT 2)</u>
	<u> </u>	<u> </u>	Overlap(s) <u> </u>
TOTAL CFS	<u>✓</u>	<u> </u>	Disagree/Measurement <u>THEORETICAL</u>
Permit states	<u> </u>	<u> </u>	<u>3 homes @ .08</u>
Pump Capacity	<u> </u>	<u>✓</u>	<u>1 1/2 acres x .03 = .05 CFS</u>
is 50 gpm	<u> </u>	<u> </u>	Theoretical <u>(8.8 x .70 x 5HP)</u>
or .11 CFS in '87.	<u> </u>	<u> </u>	<u>(100 + 2.31 x 40) = .16 CFS</u>
	<u> </u>	<u> </u>	Capacity <u>.16</u>
	<u> </u>	<u> </u>	Allowable Amount: <u>Permit @ .11 CFS</u>
TOTAL VOLUME	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>3 homes @ .10 = 1.8 AF</u>
	<u> </u>	<u> </u>	<u>1 1/2 acres x 4 = 6 AF</u>
	<u> </u>	<u>✓</u>	Flow limit: <u>.05 x 2 1/4 x 1.9835 = 21.2</u>
	<u> </u>	<u> </u>	Season <u>C/4.0 (4-1 to 10-31)</u>
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring/Locking Devices Misc/Dates
	<u> </u>	<u>✓</u>	W/Master Control <u> </u> Water Dist
	<u>R51</u>	<u> </u>	Irrigation Overlap <u>11-12-87</u> App Rec'd
	<u> </u>	<u> </u>	Water Quality <u>7-30-90</u> Exam Made

COMMENTS: Examiner used static water level - not the estimated pumping level for a 515' deepwell. AMEND PD & PU

RECOMMENDED	CFS	DIV VOL
<u>Irrigation</u>	<u>.05</u>	<u>6.0</u>
<u>Domestic</u>	<u>.08</u>	<u>1.8</u>
<u>TOTALS</u>	<u>.11</u>	<u>7.8</u>

LICENSE
AMEND ✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 43-7287

1. Owner: Webb Basin Dairy

Phone No. 349-5532

Current Address: 14C 76 Box 1050 American Falls, ID 83211

2. Accompanied by: Michael Webb

EXAM. DATE: 7/30/90

Address: _____

Phone No. _____

Relationship to Permit Holder: partner

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none

☐ Copies Attached


2. Other water rights with same point of diversion: none

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

JAN 11 1994

3. **Narrative:** Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

Synchronizable well supplies 7 households
~~that supply~~ 1500 head max.
 10 watering troughs - approx. $6 \times 6 \times 3$ ft
 no dust control, spray hoses for wash
 sprays tank - $10 \times 10 \times 8$, one high-pressure
 horn down
 One backing well - never used for anything

☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	not avail	5	not avail		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use: _____
Indicate Method of Determination: _____

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\text{Theoretical } Q = \frac{5(8.8)(1.7)}{30 + 2.3(40)} = .25 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5(4.0) = 6.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05(245)(1.9835) = 24.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.0 \text{ gph}$$

2. Volume Calculations for Other Uses:

down 3 houses ~~water~~

~~water~~

$$V = 3(1.6) = 1.8$$

RECEIVED

JAN 11 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

7 houses are separate w/ less than 1/2 ac. of lawn each. No stockwater or commercial dairy filed for. Four of the seven houses are not filed for.

Application will be filed for new permit to cover dairy use and additional houses.

Amendment needed to add backup well NW NE sec 2 T10S R27E No other wells supply either houses or dairy

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	From	To	Period of Use	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	1/1	12/31		.08	1.8
Irrigation	3/15	11/15		.05	6.0
			Totals:	.13	7.8

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☒ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION


Field Examiner's Name: Mike Thompson
 Signature: [Signature]
 Certification Date: 4/16/90
 Field Report Preparation Date: 4/9/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



JAN 1 1994

7.5 MINUTE SERIES (HYPOGRAPHIC)





P/D




P/U
domestic



old unused
backup well

JAN 1 1994



JAN 11 1994



storage
tank



milking
apparatus


JAN 11 1994

Possible well log
(not confirmed by
groundwater protection
section)

USE THIS FORM ON
SMALL PUMP PUMPS

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Department of Natural Resources
within 30 days after completion of construction of the well.

1. WELL OWNER Name <u>Craig H. Hinson, Inc.</u> Address <u>1111 N. American Blvd. Tulsa, Okla.</u> Owner's Parish No. <u>13-2005</u>		2. MOUND LEVEL State water level <u>30</u> feet below ground surface Pumping ☐ Yes ☐ No <u>SPAL</u> flow Temperature <u>7</u> F. Quality <u>good</u> Artesian above in pressure <u>not</u> Controlled by ☐ Valve ☐ Stop ☐ Plug																																																																																																			
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning)		4. WELL TEST DATA ☒ Pump ☐ Sucker ☐ Other Discharge <u>SPAL</u> Rate <u>1.5</u> gpm Head <u>50</u> ft																																																																																																			
5. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		6. LITHOLOGIC LOG <table border="1"><thead><tr><th>Well Elev.</th><th>Depth</th><th>Material</th><th>Other</th></tr><tr><th>Feet</th><th>From</th><th>To</th><th></th></tr></thead><tbody><tr><td>18</td><td>0</td><td>4</td><td>Top Soil</td><td></td></tr><tr><td>18</td><td>4</td><td>30</td><td>Clay</td><td></td></tr><tr><td>18</td><td>30</td><td>185</td><td>Gravelly Sandy Clay</td><td></td></tr><tr><td>18</td><td>185</td><td>160</td><td>Blue Clay</td><td></td></tr><tr><td>18</td><td>150</td><td>200</td><td>Gray Clay & Shale & Gravel</td><td></td></tr><tr><td>18</td><td>200</td><td>265</td><td>Gray Sand & Blue Clay</td><td></td></tr><tr><td>18</td><td>255</td><td>260</td><td>Blue Clay</td><td></td></tr><tr><td>18</td><td>260</td><td>280</td><td>Sand & Gravel & Black</td><td></td></tr><tr><td>18</td><td>280</td><td>310</td><td>Gravelly Clay</td><td></td></tr><tr><td>18</td><td>310</td><td>320</td><td>Gray Sand & Gravel</td><td></td></tr><tr><td>18</td><td>320</td><td>385</td><td>Gravelly Clay & Small Gravel</td><td></td></tr><tr><td>18</td><td>385</td><td>405</td><td>Yellow Clay</td><td></td></tr><tr><td>18</td><td>405</td><td>425</td><td>Blue Clay</td><td></td></tr><tr><td>18</td><td>425</td><td>435</td><td>Gravelly Sand</td><td></td></tr><tr><td>18</td><td>435</td><td>445</td><td>Gravelly Clay</td><td></td></tr><tr><td>18</td><td>445</td><td>465</td><td>Blue Clay</td><td></td></tr><tr><td>18</td><td>465</td><td>475</td><td>Brown Sand</td><td></td></tr><tr><td>18</td><td>475</td><td>515</td><td>Gray Sandy Clay</td><td></td></tr></tbody></table>		Well Elev.	Depth	Material	Other	Feet	From	To		18	0	4	Top Soil		18	4	30	Clay		18	30	185	Gravelly Sandy Clay		18	185	160	Blue Clay		18	150	200	Gray Clay & Shale & Gravel		18	200	265	Gray Sand & Blue Clay		18	255	260	Blue Clay		18	260	280	Sand & Gravel & Black		18	280	310	Gravelly Clay		18	310	320	Gray Sand & Gravel		18	320	385	Gravelly Clay & Small Gravel		18	385	405	Yellow Clay		18	405	425	Blue Clay		18	425	435	Gravelly Sand		18	435	445	Gravelly Clay		18	445	465	Blue Clay		18	465	475	Brown Sand		18	475	515	Gray Sandy Clay	
Well Elev.	Depth	Material	Other																																																																																																		
Feet	From	To																																																																																																			
18	0	4	Top Soil																																																																																																		
18	4	30	Clay																																																																																																		
18	30	185	Gravelly Sandy Clay																																																																																																		
18	185	160	Blue Clay																																																																																																		
18	150	200	Gray Clay & Shale & Gravel																																																																																																		
18	200	265	Gray Sand & Blue Clay																																																																																																		
18	255	260	Blue Clay																																																																																																		
18	260	280	Sand & Gravel & Black																																																																																																		
18	280	310	Gravelly Clay																																																																																																		
18	310	320	Gray Sand & Gravel																																																																																																		
18	320	385	Gravelly Clay & Small Gravel																																																																																																		
18	385	405	Yellow Clay																																																																																																		
18	405	425	Blue Clay																																																																																																		
18	425	435	Gravelly Sand																																																																																																		
18	435	445	Gravelly Clay																																																																																																		
18	445	465	Blue Clay																																																																																																		
18	465	475	Brown Sand																																																																																																		
18	475	515	Gray Sandy Clay																																																																																																		
7. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																																																																																					
8. WELL CONSTRUCTION Diameter of hole <u>18</u> inches Total depth <u>515</u> feet Casing schedule: ☒ Steel ☐ Concrete Tablets: Diameter From To <u>260</u> inches <u>20</u> inches <u>±1</u> feet <u>20</u> feet <u>250</u> inches <u>18</u> inches <u>±1</u> feet <u>496</u> feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>20</u> feet Material used in seal ☐ Cement grout ☒ Fudding clay																																																																																																					
9. LOCATION OF WELL Sketch map location must agree with written location.  County <u>Craig</u> <u>1111 N. American Blvd. Tulsa, Okla.</u>		10. Work started <u>January 19, 1970</u> and <u>Aug 10, 1970</u>																																																																																																			
11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>Paul Vallmar & Son</u> 67 176 N. American Blvd. Tulsa, Okla. <u>Paul Vallmar & Son</u> Aug 11, 1970																																																																																																					

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

JAN 11 1994

04-May-1989

Webb Basin Dairy
HC 76 Box 1050
American Falls, Idaho 83211

Re; Permit No. 43-7287

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

Please find attache receipt no.C006315 for the amount of \$50.00.

If you have any questions regarding the field examination, please contact our office.

Very truly yours,

Lloyd Payne
Clerk

Encl:

RECEIVED
JAN 11 1994

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 43-7287

Date: 4/17/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
N Proof received timely
Y Reinstated

Source of Water:

 Surface water
Y Groundwater
 1. well log in file
 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

NA Is a measuring device or access port required?
NA Has one been installed?
 Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
Reinstated*

Y Priority Calculation:
Date proof received April 12, '89 102
Date proof due April 1, '89 - 91
No. of days late = 11
Priority date Nov. 12, '87 + 316
NEW PRIORITY DATE Nov. 23, '87 = 327

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

April 7, 1989

WEBB BASIN DAIRY
HC 76 BOX 1050
AMERICAN FALLS, ID 832110000

LAPSE NOTICE

RE: PERMIT NO. 43-07287

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated January 31, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

RECORDED

JUN 13 1989

4-7-89

Jodi L. Schultz

February 28, 1989

Webb Basin Dairy
HC 76, Box 1050
American Falls, ID 83211

Gentlemen:

Re: Permit No. 43-7287

Returned is the request for extension of time along with your check No. 1404 (92-6/1241) in the amount of \$15.

Also enclosed is a copy of your permit. I believe there is a discrepancy between your remark on the extension request form - "none" and the permit. The permit indicates that the well and lines to three homes were in existence at the time of filing this application for permit. If the project, as proposed by this permit is developed, I suggest that you complete and returned the enclosed proof of beneficial use form along with the licensing examination fee of \$50. This should be returned by April 1, 1989 to keep the permit in good standing.

The extension request identifies a few other numbers. The transfer number would be for a water right already licensed. For Permit No. 43-7288, the proof due date is April 1, 1990. You will be notified sixty days prior to that date that proof is due.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Acct. Sec.

RECEIVED

JUN 13 1989

WEBB BASIN DAIRY
HC 76 BOX 1050
AMERICAN FALLS, ID 832110000

January 31, 1989

138902

PROOF DUE NOTICE

RE: PERMIT NO. 43-07287

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JUN 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 01, 1988

WEBB BASIN DAIRY
C/O BRENT L. WEBB
HC 76, BOX 1050
AMERICAN FALLS, ID 83211

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 43-7287

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

RECEIVED
AUG 01 1988

RE: PERMIT NO. 43-7287

2

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE FORM THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

AUG 01 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 28, 1987

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

Gary R. Burkett
Idaho Dept. Health & Welfare
P.O. Box 1626
Twin Falls, ID 83301

Re: 43-7287, 43-7288

Gentlemen:

Please find enclosed a copy of the above referenced
Applications for Permit for your information and files.

If you have any questions or if this office can be of further
assistance, please feel free to contact us.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

Enclosure

RECEIVED

AUG 01 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 28, 1987

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

Webb Basin Dairy
c/o Brent L. Webb
HC 76, Box 1050
American Falls, ID 83211

Re: Application for permit, 43-7287

Dear Mr. Webb:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 43-7287. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the South Idaho Press on 1/21 & 1/28/88. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB
Enclosure

AUG 01 1988

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

MARGE BARENDRECHT being first

duly sworn, deposes and says that she is the

Clerk of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for two (2) consecutive weeks, commencing with the issue

dated January 21, 1988, and ending

with the issue dated January 28, 1988.

Marge Barendrecht

Subscribed and sworn to before me

this 5th day of Feb

1988.

Marge Barendrecht Notary Public

Cost of Publication 22.50

Notary Fee .50

Total Cost 23.00

88-19

NOTICE OF APPLICATION
FOR WATER PERMIT

The following application (s) has been filed to appropriate the public waters of the State of Idaho:

43-7287

WEBB BASIN DAIRY

C-O BRENT L. WEBB, HC 76, BOX 1050, AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SESW Sec 35 T 09S R 27E; 3/4 mile South & 2 miles West of Raft River Exit on 184.

Use: DOMESTIC (0.080 CFS)

IRRIGATION (0.050 CFS)

Date Filed: 11-12-1987

In: SESW Sec 35 T 09S R 27E LOT 03 (NENW) Sec 02 T 10S R 27E FOR 2 ACRES

The permits will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East, Twin Falls, Idaho 83301 on or before February 8, 1988.

-s-R. Keith Higginson, Director

Published in the South Idaho Press on January 21 and 28, 1988.

RECEIVED

FEB 8 1988

County of Idaho, Eastern
Twin Falls Regional Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 28, 1987

Mailing Address:
Southern Region
2148 4th Ave. East
Twin Falls, Idaho 83301
(208) 734-3578

South Idaho Press
Box 190
Burley, ID 83318

Re: Applications for Permit Nos. 43-7287, 43-7288

Gentlemen:

Enclosed you will find legal notices which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

mb

Enclosure

RECEIVED
DEC 31 1987
RUC 01 708

NOTICE OF APPLICATION FOR WATER PERMIT

The following application (s) has been filed to appropriate the public waters of the State of Idaho:

43-7287

WEBB BASIN DAIRY

C/O BRENT L. WEBB, HC 76, BOX 1050, AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SESW Sec 35 T 09S R 27E; 3/4 mile South & 2 miles
West of Raft River Exit on I84.

Use: DOMESTIC (0.080 CFS)
IRRIGATION (0.050 CFS)

Date Filed: 11/12/1987

In: SESW Sec 35 T 09S R 27E LOT 03 (NENM) Sec 02 T 10S R 27E
FOR 2 ACRES

The permits will be subject to all prior water rights.
Protests must be filed with the Director, Dept. of Water
Resources, Southern Region, 2148 Fourth Avenue East., Twin
Falls, Idaho 83301 on or before February 8, 1988.

R. Keith Higginson, Director

Published 1/21 & 1/28/88

APPROVED
1/28/88
R. Keith Higginson

NOTICE OF APPLICATION FOR WATER PERMIT

The following application (s) has been filed to appropriate the public waters of the State of Idaho:

43-7287

WEBB BASIN DAIRY

C-O BRENT L. WEBB, HC 76, BOX 1050,
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SESW Sec 35 T 09S R 27E, ¾ mile

South & 2 miles West of Roff River Exit on 184.

Use: DOMESTIC (0.080 CFS)

IRRIGATION (0.050 CFS)

Date filed: 1-12-1987

In: SESW Sec 35 T 09S R 27E LOT 03 (NEW) Sec

02 T 10S R 27E FOR 2 ACRES

The permits will be subject to all prior water

rights. Protests must be filed with the Director,

Dept. of Water Resources, Southern Region,

2148 Fourth Avenue East, Twin Falls, Idaho

83301 on or before February 8, 1988.

-s-R. Keith Higginson, Director

Published in the South Idaho Press on January

21 and 28, 1988.

OK
MB
1/14/88