

SOUTH IDAHO PRESS
BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,
STATE OF IDAHO

Patty Staker, being first

duly sworn, deposes and says that she is the

Ex. Secretary of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for 2 consecutive weeks, commencing with the issue

dated Jan. 31 1985, and ending

with the issue dated Feb. 7 1985.

Subscribed and sworn to before me

this 20th day of Feb.

1985.

Kenneth Moore Notary Public

Cost of Publication \$58.96

Notary Fee .50

Total Cost \$59.46

MICROFILMED

85-13

**NOTICE OF APPLICATION FOR
WATER RIGHTS**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

43-7194

L.D.S. Church (Almo Ward)
C/O Bruce Durfee, Almo, Id 83312

Source: Groundwater

Date Filed: 6-10-1983

Diversion Pt: SESE Sec 22 T 15S R 24E

Use: Irrigation (0.03 CFS)

Domestic (0.08 CFS)

In: SESE Sec 22 T 15S R 24E For 1 Acres
45-7528

Burgess, Don

Vigh, Lorenzo T

Higens, James F

Rt. 4, 308 Redwood Dr., Burley, Idaho
83318

Source: Groundwater

Date Filed: 3-29-1983

Diversion Pt: SENE Sec 27 T 10S R 22E

Use: Domestic (0.08 CFS) 3 Homes

In: SENE Sec 27 T 10S R 22E

45-7534

Peterson, Arnold E. &/or Sherryl C.

Rt. 4, 385 Bouck Rd., Burley, Id 83318

Source: Groundwater

Date Filed: 5-25-1983

Diversion Pt: SWNE Sec 21 T 10S R 22E

Use: Irrigation (0.04 CFS)

Domestic (0.04 CFS)

In: SWNE Sec 21 T 10S R 22E For 2 Acres
45-7536

Judd, Glenn C. &/or Alene

Rt. 3 Box 3088, Burley, Id 83318

Source: Groundwater

Date Filed: 6-9-1983

Diversion Pt: SENW Sec 17 T 11S R 23E

Use: Commercial (0.02 CFS)

Domestic (0.06 CFS)

In: SENW Sec 17 T 11S R 23E

45-7540

Hales, Terry D.

Evans, Jr., John V.

C/O Terry D. Hales, Rt. 1 Box 1508,
Burley, Idaho 83318

Source: Groundwater

Date Filed: 6-21-1983

Diversion Pt: SESE Sec 36 T 10S R 23E

Use: Irrigation (0.20 CFS)

Domestic (0.08 CFS)

In: SESE Sec 36 T 10S R 23E For 2 Acres

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd North, Twin Falls, Idaho 83301 and received on or before February 18, 1985.

A. Kenneth Duni
Director

Published in the South Idaho Press on
January 31 and February 7, 1985.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 43-7194

1. Owner: Church of Jesus Christ of Latterday Saints (Almo Ward)

Phone No. 824-5515

Current Address: c/o Barry Anderson, Almo, ID 83312

2. Accompanied by: Buddy Ward

EXAM. DATE: 8/16/89

Address: Same

Phone No. 824-5521

Relationship to Permit Holder: Custodian

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 43-7146

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached

(required for irrigation of 10 acres or more)

MICROFILMED

MAY 18 1992



P.D.
Looking
South



P.V.
Irrigation of lawn
+
Domestic

MICROFILMED
MAY 18 1992

P.D.

Looking
South



P.V.

Irrigation of lawn
+
Domestic

MICROFILMED
MAY 18 1992

P.D.

Looking
South



P.V.

Irrigation of lawn
+
Domestic

MICROFILMED

MAY 18 1992

POOR QUALITY

Point of
Diversion
Place of
use →



MICROFILMED

MAY 18 1992

22 23
+
27 26

58
T1168

66
T1171

57
T1172

1a2

2
244

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 43-07194

Priority: June 10, 1983

Maximum Diversion Rate: 0.11 CFS
Maximum Diversion Volume: 5.7 AF

This is to certify, that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
ALMO WARD
C/O BARRY ANDERSON
ALMO ID 83312

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 10, 1983; and has submitted Proof of Beneficial Use on July 23, 1985. An examination indicates that the works have a diversion capacity of .140 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 09/30	0.03 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.7 AF
	Totals	0.11 CFS	5.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 22, Township 15S, Range 24E
CASSIA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15S	24E	22	SESE	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

MAY 18 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 43-07194

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Domestic use is for a church building.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18 day of MAY, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

MAY 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Church of Jesus Christ of Latterday Saints (Almo Ward) Phone 654-2685

Post office address c/o Bruce Durfee, Almo, ID 83312

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 15S

Range 24E B.M. Cassia County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.03 cfs for Irrigation purposes from May 1 to Sep 30 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 15S

Range 24E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Domestic use in church building for
200 people

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

 Exec. Sec.
Reels Idaho State
(Applicant)

MICROFILMED

Proposed Priority 6/10/83

MICROFILMED

Received by JA Date 6-10-83 Time 2:17pm

Preliminary check by JA Fee \$ 30.00

Receipted by JA Date 6-10-83 # 30283

Publication prepared by merza Date 1/14/85

Published in South Idaho Press

Publication dates 1/31 & 2/7/85

Publication approved merza Date 2/21/85

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Adm

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 43-7194, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 14th day of June, 1985.

J. Glen Saylor
Chief, Operations Bureau

SOUTH IDAHO PRESS
BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,
STATE OF IDAHO

Patty Staker being first

duly sworn, deposes and says that she is the
Ex. Secretary of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for 2.....
consecutive weeks, commencing with the issue
dated Jan. 31 1985, and ending
with the issue dated Feb. 7 1985.

Patty Staker
Subscribed and sworn to before me
this 20th day of Feb.

1985.

Kenneth Moore Notary Public

Cost of Publication \$58.96

Notary Fee 50

Total Cost \$59.46

MICROFILMED

**NOTICE OF APPLICATION FOR
WATER RIGHTS**

Notice is hereby given that the following
application(s) have been submitted for per-
mit to appropriate the public waters of the
State of Idaho:

43-7194

L.D.S. Church (Almo Ward)
C/O Bruce Durfee, Almo, Id 83312

Source: Groundwater

Date Filed: 6-10-1983

Diversion Pt: SESE Sec 22 T 15S R 24E

Use: Irrigation (0.03 CFS)

Domestic (0.08 CFS)

In: SESE Sec 22 T 15S R 24E For 1 Acres
45-7528

Burgess, Don

Vigh, Lorenzo T.

Higens, James F.

Rt. 4, 308 Redwood Dr., Burley, Idaho
83318

Source: Groundwater

Date Filed: 3-29-1983

Diversion Pt: SENE Sec 27 T 10S R 22E

Use: Domestic (0.08 CFS) 3 Homes

In: SENE Sec 27 T 10S R 22E

45-7534

Peterson, Arnold E. &/or Sherry C.

Rt. 4, 385 Bouck Rd., Burley, Id 83318

Source: Groundwater

Date Filed: 5-25-1983

Diversion Pt: SWNE Sec 21 T 10S R 22E

Use: Irrigation (0.04 CFS)

Domestic (0.04 CFS)

In: SWNE Sec 21 T 10S R 22E For 2 Acres
45-7536

Judd, Glenn C. &/or Alene

Rt. 3 Box 3088, Burley, Id 83318

Source: Groundwater

Date Filed: 6-9-1983

Diversion Pt: SENW Sec 17 T 11S R 23E

Use: Commercial (0.02 CFS)

Domestic (0.06 CFS)

In: SENW Sec 17 T 11S R 23E

45-7540

Hales, Terry D.

Evans, Jr., John V.

C/O Terry D. Hales, Rt. 1 Box 1508,
Burley, Idaho 83318

Source: Groundwater

Date Filed: 6-21-1983

Diversion Pt: SESE Sec 36 T 10S R 23E

Use: Irrigation (0.20 CFS)

Domestic (0.08 CFS)

In: SESE Sec 36 T 10S R 23E For 2 Acres

If issued, the permit(s) will be subject
all prior water rights. Protests against the
granting of any permit must be filed with
the Director of the Idaho Department of
Water Resources, 1041 Blue Lakes Blvd
North, Twin Falls, Idaho 83301 and received
on or before February 18, 1985.

A. Kenneth Duni
Director

Published in the South Idaho Press on
January 31 and February 7, 1985.

May 5, 1992

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
ALMO WARD
C/O BARRY ANDERSON
ALMO ID 83312

RE: WATER RIGHT NO. 43-07194

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

UNRECORDED
MAY 18 1992

LICENSE REVIEW CHECKLIST

Date 04-22-92

Permit # 43-07194

28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☒	☐	Advance? <u>Notice Sent 10-15-87 / Fee Sheet 1-4-88 / Signed & Fee 2-8-88</u>
	☒	☐	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement?
	☒	☐	Disagree with Theoretical? <u>$8.8 \times .7 \times 3 = .136 = 0.14 \text{ cfs}$</u>
	☐	☒	Limited by Capacity? <u>.14 cfs</u> <u>20 x (2.31 x 50)</u> <u>.08 cfs (DOM) .03 cfs (IRR)</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u> <u>4-1 to 10-31</u> Standard Irr. Season <u>5-1 to 9-30 (Per Permit)</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
	☐	☐	Limited by Flow? <u>$1 \times 4.0 = 4.0 \text{ AFA (IRR)}$</u> <u>$200 \times 2.5 \text{ gpd} \times 112 = 560,000 \text{ g} = 1.7 \text{ AFA (Dom)}$</u> <u>$.03 \times 162 \times 1.9835 = 9.6 > 4.0$</u> <u>$.08 \times 112 \times 1.9835 = 17.8 > 1.7$</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Changes required to be compatible with Maps, Data Entry Standards, etc?
	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irrigation Uses <u>Dom / 1 Church</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R51</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED: <u>Pumping level is average from Well logs in SESE.</u>			
License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence ☐			

[Handwritten signature]

WR0749NP
No. L43-07194

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 04/23/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CHURCH OF JESUS CHRIST LATTER DAY SAINTS ALMO WARD C/O BARRY ANDERSON ALMO ID 83312 (208) 824-5521	06/10/1983	IRRIGATION DOMESTIC	05-01 09-30 01-01 12-31	0.03 CFS 0.08 CFS	4.0 AFA 1.7 AFA
TOTAL DIVERSION:					0.11 CFS	5.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.14 CFS

Point(s) of Diversion: T15S R24E S22 SE SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE													
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM	
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---	
15S	24E	22	:					:					:					:					:		
																							01	:	1.0
TOTAL ACRES																								:	1.0

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CASSIA

Other Water Rights with Same Point(s) of Diversion and Source:
43-02532A 43-02532B 43-02532D 43-02532E 43-07176 43-07194

Other Water Rights Listing Overlapping Place(s) of use:
43-00386 43-07194

Conditions of Approval:

- R51 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: Domestic use is for a church building.

Dates: App. Received: 06/10/1983 Priority Date: 06/10/1983
Proof Due Date: 07/01/1986 Proof Made Date: 07/23/1985
Exam Made Date: 08/16/1989 Exam Sent to S.O.: 11/27/1991
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/23/92 SKAGGS

Department of Water Resources

Permit No. 43-7194

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation or other agricultural use)
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

MAY 18 1992

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water is pumped from 8" well by submersible pump to bathrooms, sinks and baptismal fountain in church and a sprinkler system outside. The sprinkler system is a Toro 570 series and runs 20 pop up $\frac{1}{2}$ circle heads at 2 gpm each.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No. ^a	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3		Red Jacket	

**Code to correspond with No. on map and aerial photo*

- 5. Point(s) of Diversion:**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination Aerial Photo

[illegible]

Do not use this space

MICROFILMED
MAY 18 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Irrigation = 40 gpm
Calculations are based on theoretical method because system was not able to be measured accurately

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{40 \text{ gpm}}{448.8} = .09 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$\frac{8.8 \times 3 \times .7}{(45 \times 2.3) + 3} = .12 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.5 = 3.5 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .11 \times 215 \times 1.9835 = 46.9 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.5 \text{ afa}$$

2. Volume Calculations for Other Uses:

Church $\rightarrow 200 \text{ people} \times 5 \text{ gpd} = 1000 \text{ gpd}$
 $1000 \text{ gpd} \times .00442 \times 112 = 495 \text{ afa}$
Gym $\rightarrow 15 \text{ people} \times 20 \text{ gpd} = 300 \text{ gpd}$
 $300 \text{ gpd} \times .00442 \times 112 = 149 \text{ afa}$

MAY 18 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The Total capacity of the system was calculated at 0.13 cfs

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>Jan 1</i>	<i>Dec 31</i>	<i>0.08</i>	<i>644</i>
<i>Irrigation</i>	<i>Apr 1</i>	<i>Nov 1</i>	<i>0.03</i>	<i>3.5</i>
Totals:			<i>0.11</i>	<i>647</i>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None


☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name *Russ Lewins*
Signature *Russell J. Lewins*
Certification Date *2/21/89*
Field Report Preparation Date *8/17/89*



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
MAY 18 1992



P.D.
Looking
South




P.V.
Irrigation of lawn
+
Domestic

MICROFILMED
MAY 18 1992

P. D.

Looking
South




P.V.

Irrigation of lawn
+
Domestic

MICROFILMED
MAY 18 1982

P. D.

Looking
South




P. V.

Irrigation of lawn
+
Domestic

MICROFILMED

MAY 18 1992



MICROFILMED
MAY 18 1992

POOR QUALITY

58
T1168

66
T1167

3/11/72
12A

22, 23
27, 26

MICROFILMED
MAY 18 1992

4/86

RECEIVED

JAN 4 1988

Department of Water Resources
Southern Region Office

RECEIVED

FEB 8 1988

Department of Water Resources
Southern Region Office
STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 50.00Date 2/9/88Receipt # 45480Receipt by M Baldwin

Sent to S.O. _____

RECEIVED

FEB 11 1988

1. Permit No. 43-7194

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE.

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: Church of Jesus Christ of Latter day saints3. Post Office Address: P.O. Box 187Telephone No. 824 55664. Source of Water: Ground water

5. Extent of Use:

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)Irrigation 1 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 0.11 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

6-10-83

8. Person to contact to accompany the department representative during the field examination:

E. Bruce Durfee

(Name)

MICROFILMED

MAY 18 1982

P.O. Box 187 Almo Idaho 83312

(Address)

824-5566

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)Jan 10 1988

Date

E. Bruce Durfee
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

October 15, 1987

43-7194

Latter Day Saints Church of
Jesus Christ - Almo Ward
C/O E. Bruce Durfee P.O. Box 181
Almo, ID 83312

138018

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED
MAY 18 1992

Examination Fee Notice
Page 2

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department office.

Southern Region
Idaho Dept. of Water Resources
2148 4th Avenue East
Twin Falls, ID 83301
Phone: 734-3578

Sincerely,

Loren O Holmes

LOREN HOLMES
Southern Region Supervisor

Enclosures

MICROFILMED
MAY 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

POOR QUALITY

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

NOVEMBER 19, 1985

LATTER DAY SAINTS CHURCH OF JESUS CHRIST
ALMO WARD
C/O E. BRUCE DUFFEE P.O. BOX 181
ALMO ID 83312

RE: Permit No. 43-7194

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

MAY 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUL 23 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 43-7194

Name(s) of Permit Holder: Church of Jesus Christ of Latter-day Saints
(Almo Ward)

Post Office Address: c/o E. Bruce Durfee P.O. Box 181
Almo Idaho 83312 Telephone No. 208-824-5566

Source of Water: Ground water

Extent of Use:

Domestic Church Building (200) (number of households)
PEOPLE

Stockwater _____ (number and type of stock)

Irrigation 1 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: Aug 15, 1981

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

MICROFILMED

E. Bruce Durfee
(Name)

P.O. Box 181 Almo Idaho 83312 208-824-5566
(Address) (Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

July 21 1985
Date

E. Bruce Durfee (Bishop)
Signature of Permit Holder (and Title, if appropriate)

Church of Jesus Christ of Latter-day Saints
(Almo Ward)

E. Bruce Durfee
Almo Idaho 83312



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
ALMO WARD
C/O BRUCE DURFEE
ALMO, ID 83312

JUNE 19, 1985

RE: PERMIT NO. 43-7194

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 43-7194

PAGE 01
JUNE

19, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

LDS - Almo Ward

INITIAL REVIEW BY: W.F.

APPLICATION NUMBER: 43-7194

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☒ Yes ☒ No Field check required.

☒ Yes ☒ No Critical groundwater area.

☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☒ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising. 2/18/85

Final date for protests: 2/18/85

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 2/21/85

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 43-D

6/10/83 Date of priority recommended.

Special conditions of approval or cover letter. _____

app. not identified in
less than 2 1/2 acres

By: ADM

Date: 2/25/85 MAY 21 1985

STATE OFFICE REVIEW:

LOS, L/K

Department of Water Resources

☐ See attached sheet for more information.

By: EW Date: 6/12/85

RECEIVED

MAR 6 1985

MICROFILMED

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 17, 1985

South Idaho Press
P.O. Box 190
Burley, Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 18, 1985.

Yours truly,

Mary A. Newby
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

43-7194-

L.D.S. CHURCH (ALMO WARD)

C/O BRUCE DURFEE, ALMO, ID 83312

Source: GROUNDWATER

Date Filed: 06/10/1983

Diversion Pt: SESE Sec 22 T 15S R 24E

Use: IRRIGATION (0.03 CFS)
DOMESTIC (0.08 CFS)

In: SESE Sec 22 T 15S R 24E FOR 1 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 18, 1985.

A. KENNETH DUNN

Director

Published 1/31 & 2/7/1985.

REPRODUCED