

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
STATE OF IDAHO) ss.

Janet Parker, being first
duly sworn, deposes and says that She is the

clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for two
consecutive weeks, commencing with the issue
dated 3/27 19 79, and ending
with the issue dated 4/3, 19 79.

Janet M. Parker
Subscribed and sworn to before me
this 4 day of April
19 79.

Norma M. Peterson Notary Public

Cost of Publication 13.94

Notary Fee 13.94

Total Cost 13.94

NOTARY PUBLIC RESIDING AT
RUPERT, IDAHO. MY COMMISSION
EXPIRES JUNE 21, 1981

RECEIVED

APR 5 1979

Department of Water Resources
Southern District Office

79-74

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

43-7138

WARD, RONALD C., ELBA, ID 83326, Source:
GROUNDWATER, Dated Filed: 03/02/1979,
Amount: 3.20 CFS, Diversion Point: NENE Sec 19 T
15S R 25E, CASSIA Co., Use: IRRIGATION (3.20
CFS) from 04/01 to 11/01, Place of Use: NENE
NWNE SWNE SENE Sec 19 T 15S R 25E for 160
ACRES, Diversion Means: WELL & PUMP
DELIVERING TO PIVOT SPRINKLER SYSTEM.

45-7372

CLAYVILLE, CHRIS, P.O. BOX #713, BURLEY, ID
83318, Source: GROUNDWATER, Dated Filed:
03/01/1979, Amount: 0.80 CFS, Diversion Point:
SWNE Sec 22 T 10S R 24E, CASSIA Co., Use:
IRRIGATION (0.80 CFS) from 03/15 to 11/15,
Place of Use: SWNE Sec 22 T 10S R 24E for 40
ACRES, Diversion Means: WELL & PUMP.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting of
any permit must be filed with the Director of the
Idaho Department of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls, Idaho 83301 on or
before April 13, 1979.

C. STEPHEN ALLRED
Director

Published in the South Idaho Press on March 27
and April 3, 1979.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 43-7138 Priority March 2, 1979 Amount 1.60 cfs

THIS IS TO CERTIFY, that Ronald C. Ward
of Elba, Idaho, has complied with the terms and conditions of Permit
No. 43-7138 issued pursuant to Application for Permit dated March 2, 1979,
and has submitted proof to the Department of Water Resources on May 9, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.60 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>1.60</u> cfs and	<u>353.5</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 1.60 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
353.5 acre feet per year, said waters to be diverted within the NW 1/4 NE 1/4 Section 19,
Twp 15S, Rge 25E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	25E	19	21	36	36	8													101

Total number of acres irrigated 101

[Handwritten Signature]

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 6TH day of NOVEMBER, 19 86.

Acting for the Director

Norman C. Young

RECEIVED
NOV 11 1986

Sim
05.

RECEIVED

Ident. No. 43-7138

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

MAR 2 1979

Department of Water Resources
District Office

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Ronald C. Ward Phone 824-5594

Post office address Elba, Idaho 83326

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 19 Township 15S

Range 25E B.M. Cassia County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.20 for irrigation purposes from Apr 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: _____
a. _____ cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well & pump delivering to pivot system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 500 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	25E	19	40	40	40	40													160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Well is proposed to be located as close to the center of the NE¼ of Sec. 19 as possible to facilitate the installation of a center pivot.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald C. Ward
(Applicant)

Proposed Priority 3-2-79

Received by ADM Date 3/2/79 Time 3:00 p.m.

Preliminary check by go Fee \$ 65.00

Receipted by marcy Date 3/2/79 # 12715

Publication prepared by APM Date 3/8/79

Published in South Ida Press

Publication dates 3/27 + 4/3/79

Publication approved 3/16/79 marcy Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by J.J.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 43-7138, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____ May 1 _____, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 19 day of _____ May _____, 1980.

J. Glen Saxton
Chief, Operations Bureau

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Janet Parker, being first
duly sworn, deposes and says that she is the

clerk of the South Idaho
Press, a daily newspaper published at Bur-
ley, Idaho, in the county aforesaid and that
the paper is of general circulation therein.
Deponent further states that the printed no-
tice attached hereto was duly published
according to law in the regular editions of

The South Idaho Press for two
consecutive weeks, commencing with the issue
dated 3/27 1979, and ending
with the issue dated 4/3 1979.

Janet M. Parker
Subscribed and sworn to before me
this 4 day of April

1979
Norma M. Peterson Notary Public

Cost of Publication 13.94

Notary Fee _____

Total Cost 13.94

NOTARY PUBLIC RESIDING AT
RUPERT, IDAHO. MY COMMISSION
EXPIRES JUNE 21, 1981

79-74

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

43-7138

WARD, RONALD C., ELBA, ID 83326, Source:
GROUNDWATER, Dated Filed: 03/02/1979,
Amount: 3.20 CFS, Diversion Point: NWNE Sec 19 T
15S R 25E, CASSIA Co., Use: IRRIGATION (3.20
CFS) from 04/01 to 11/01, Place of Use: NENE
NWNE SWNE SENE Sec 19 T 15S R 25E for 160
ACRES, Diversion Means: WELL & PUMP
DELIVERING TO PIVOT SPRINKLER SYSTEM.

45-7372

CLAYVILLE, CHRIS, P.O. BOX #713, BURLEY, ID
83318, Source: GROUNDWATER, Dated Filed:
03/01/1979, Amount: 0.80 CFS, Diversion Point:
SWNE Sec 22 T 10S R 24E, CASSIA Co., Use:
IRRIGATION (0.80 CFS) from 03/15 to 11/15,
Place of Use: SWNE Sec 22 T 10S R 24E for 40
ACRES, Diversion Means: WELL & PUMP.

If issued, the permit(s) will be subject to all
prior water rights. Protests against the granting of
any permit must be filed with the Director of the
Idaho Department of Water Resources, 1041 Blue
Lakes Blvd. North, Twin Falls, Idaho 83301 on or
before April 13, 1979.

C. STEPHEN ALLRED
Director

Published in the South Idaho Press on March 27
and April 3, 1979.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 43-7138
Name(s) of Permit Holder(s): Ronald C. Ward
Post Office Address: Elba, ID 83425
Tel. No. 825-5594

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 11-15-1980. I understand that I must
(date)
continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

8/30/82
Date

Ronald C. Ward
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

SEP 1 1982

Department of Water Resources



JUN 29 1988

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 15, 1986

RE: Permit No. 43-7138

Ronald C. Ward
Elba,
Idaho 83326

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 12, 1986

RE: Permit No. 43-7138

Ronald C. Ward
Elba,
Idaho 83326

Dear Mr. Ward:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED

MAR 26 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

43-7538

RONALD C. WARD

P/O: SEC 18 TWP 15S RANG 27E
IRRIGATION? Y

Department of Water Resources

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☒ Telephone call made: (List Telephone No. used)	6/6/83	LT	10 AM - 6/9/83 - Ron Ward owner called office 1st Ranch on E. Side - 7 mi S. of E/6a
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6/9/83 Accompanied by Ron Ward Total Q measured 1.60 cfs ✓
 If source is surface water, estimate total flow of source _____
 Methods of measurement Access Port for Annubar Meets Permit requirements? yes

Measurement calculations:
 $Eagle-Eye \Rightarrow (7.981^2)(3.85)\sqrt{5}(1.045)/(448.8) = 1.28 \text{ cfs}$ ✓
 $Nozzle \text{ measurement: } (160)(4.5)/448.8 = 1.60 \text{ cfs}$ ✓ use this measurement
 $Horse \text{ Power Calc: } (8.8)(75)(80) / (143 + (80)(2.31)) = 1.61 \text{ cfs}$ ✓
 Assumed 80% efficiency - New system.
 Pumping Lift measured w/ M-SCOPE

Annubar: 7.981 dia #091410
 Meter: 0-15" #091464

$$V = 101 \text{ ac} \times 3.5 = 353.5 \text{ AF}$$

$$V = 1.6 \times 1.9835 \times 214 = 679.2 \text{ AF}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	75	U.S. Motor	FR4405UP 055968319	Aurora	37772717	Eagle Eye/ Annubar	DWR	BAD Reading
				Rated 1200 gpm @ 260 ft head				

System Description Electric Pump, 8" Nozzle Line - 5 hand Lines - 160 9/64 Nozzles
Eagle eye meter Reading = 5" Correction factor = 1.045

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE
 Irrigation ✓

Irrigation requirement = 3.5 ✓ AFA/Acre

Q (cfs)	V (afa)	FROM	TO
1.60 ✓	353.5 ✓	4/1 ✓	11/1 ✓

no overlapping rights
 per VAX 9/16/86

Total


1.60 ✓

353.5 ✓

Remarks Static water level before Pump start = 45 ft ✓ Measured w/ M-SCOPE
Pumping water level = 143 ft
Pump & system is new. Pressure at Pump = 80 PSI
System operates 5 Lines $\Rightarrow$ 160 9/64 Nozzles - Newest Nozzle = 4.5 gpm
Well has cascading water above S.W.L. - Entrained Air caused
by cascading water apparently causes bad Eagle-Eye Reading.
System also Pumps Fine Sand.
Measured sprinkler heads volumetrically - Avg flow 4.5 gpm
1.02 gal Container fills in 13.6 Sec

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ☒ NW 1/4 NE 1/4 Sec 19 T15S R25E

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	25E	19	21	36	36	8													101 ☒

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature Loren D. Palmer

Checked by Ally D. Mott

Approved by R. Walker

Date 6/10/83

Date

Date 9/16/86

10 Acts/m^2

Scale: 100 ft/mile

E 195

A

38.7.

45 psl
② NOZZLE
49 ft
Highest Nozzle
4/3-7138
C/4/83

Average Nozzle Flow = 4.5 g/min

18 17

E200019 20

NE 1/4
Sec 19 T15 S R 25E

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 11, 1985

Ronald C. Ward
Elba,
Idaho 83326

Re: Water Right Identification No. 43-7138

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the department is being returned to you for the following reason:

☒ Proof of beneficial use has already been submitted for the water right.

☐ Proof of beneficial use is not applicable for existing licensed rights.

☐ Proof of beneficial use is not applicable for existing decreed rights.

☐ Proof of beneficial use is not applicable for a right represented by a claim to a water right.

☐ Other:


Sincerely,

RITA I. FLECK

Secretary/Records Manager

Enclosure

cc: Region





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

C. Stephen Allred
Director

June 10, 1983

Ronald Ward
Elba,
Idaho 83326

Re: Permit No. 43-7138

Dear Mr. Ward:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

A field examination was completed on June 9, 1983 by this office.

The Department will now proceed to issue a license. You will be notified of the proposed licensing prior to it being issued.

If you have any questions, please feel free to contact this office.

Very truly yours,

LOREN O. HOLMES
Southern Region Supervisor

LOH:marya

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 43-7138

Name(s) of Permit Holder: Ronald C. Ward

Post Office Address: E/5 A, Idaho

Tel. No. 824-5594

Source of Water: ground water

Extent of Use:

☒ Domestic	(number of households)
☒ Stockwater	(number and type of stock)
☒ Irrigation <u>95</u>	(acres)
☐ Other	

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No



Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 31, 1983
Date

Ronald C. Ward
Signature of Permit Holder

Ronald C. Ward
Ellettsville, Idaho
83326



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 43-7138.

Name(s) of Permit Holder:

Ronald C. Ward

Post Office Address:

Elba, Idaho

Tel. No.

824-5594

Source of Water:

Ground Water

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

85

(acres)

☐ Other

Measuring Device:

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

Access Port:

Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

MAY 6, 1982

Date

Ronald C. Ward
Signature of Permit Holder

Ronald C. Ward
Elba, Idaho
83324



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WARD, RONALD C.
ELBA, ID 83326

MAY 27, 1980

RE: PERMIT NO. 43-7138

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

THE EXERCISE OF THIS PERMIT MAY ALSO BE AFFECTED BY THE COURT'S DETERMINATION OF WATER RIGHTS IN THE CASE OF IDAHO POWER COMPANY V. STATE OF IDAHO, ET AL., CIVIC NO. 62237, CURRENTLY PENDING BEFORE THE DISTRICT COURT OF ADA COUNTY. SINCE THE USE OF WATER UNDER YOUR PERMIT MAY AFFECT THE FLOWS IN THE SNAKE RIVER BETWEEN MILNER DAM AND HELLS CANYON, THE FINAL DECISION IN THIS CASE MAY DETERMINE TO WHAT EXTENT THE EXERCISE OF YOUR PERMIT IS SUBJECT TO WATER RIGHTS OF IDAHO POWER. WHILE THE ADA COUNTY COURT IS EXAMINING THIS QUESTION, IDAHO POWER COMPANY HAS NOT FILED A SPECIFIC PROTEST TO YOUR PERMIT. HOWEVER, THE DEPARTMENT OF WATER RESOURCES HAS BEEN ADVISED THAT THE POWER COMPANY IS NOT WAIVING ANY OF ITS RIGHTS TO CONTEST OR LIMIT THE EXERCISE OF YOUR PERMIT OR SUBSEQUENT LICENSE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TOTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

43-7138

STAFF REVIEW - STATE OFFICE

- | | |
|---|--|
| 1. <u>✓</u> Name vs. Signature | 7. <u>N/A</u> Place of Use for other than irrig. |
| 2. <u>W</u> Source | 8. <u>160</u> Place of Use for irrigation (add acres) |
| 3. <u>✓</u> Point of Diversion | 9. <u>A</u> Property Owner at Pt. of Div. & Pl. of Use |
| 4. <u>3.2</u> Amnt. & Period of Use | 10. <u>✓</u> Map |
| 5. <u>✓</u> Descrip. of Diverting Wrks. | 11. <u>65</u> Fee & Rec't. No. <u>✓</u> |
| 6. <u>5</u> Time req. for Proof of B/U | |

Copies Sent To:

- | | |
|------------------------------------|-------------------------|
| <u>NO</u> Idaho Health Department | <u>NO</u> U.S.F.S. |
| <u>7</u> Idaho Fish & Game Dept. | <u>7</u> Dept. of Lands |
| <u>1</u> Bureau of Land Management | <u>1</u> Other |

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no — Almo Subbasin
Other rights on same land None plotted

total Appropriation
to date 7982 A.F.
or
17,863

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO
ID Power Co. Letter - G.W. & Tribs. NO
Snake River Condition NO
Payette River Letter NO
Priority Date 3/2/79
Water Quality #16 NO
Water Quality #10 NO
intrastate NO interstate NO

Meas. Dev. or Sc. Meas. yes 01c
Totalizing meter NO
Supplemental NO
Right-of-Way Cond. NO
Watermaster Cond. NO
Wtr. Dist No. NO
Meas. Dev. Cond. for apps within a Water Dist. NO

I.P.L. w/oic cond

Jim
4/17/79
Date
MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 43-7138 Ward, Ronald C.

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JP 3-5-79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) _____

In form for advertising

(5) LH 4-8-79

Platted on Map No. PP-80

(6) _____

Located within Water District No. _____

(7) LH 4-13-79

Critical groundwater area: yes _____ no ☒
Along Elk Drainage

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) LH 4-13-79

Comments: PD is in upper Left R. valley.

(11) manya 4/5/79

Affidavit of Publication received(date) 4/5/79

(12) LH 4-13-79

Final date for protests 4/13/79
Protests received: yes _____ no ☒

(13) LH 4-13-79

All requested information received from agencies or applicant: yes ☒ no _____

(14) LH 4-13-79

Action recommended:

☒ Approve _____ Deny

3-2-79 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District S By Loren O'Halloran Date 4-13-79

RECEIVED
APR 16 1979

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

MARCH 8, 1979

South Idaho Press
P.O. Box 190
Burley, Idaho 83318

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before APRIL 13, 1979.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

79-74

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

43-7138

WARD, RONALD C., ELBA, ID 83326, Source: GROUNDWATER, Dated Filed: 03/02/1979, Amount: 3.20 CFS, Diversion Point: NWNE Sec 19 T 15S R 25E, CASSIA Co., Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01, Place of Use: NENE NWNE SWNE SENE Sec 19 T 15S R 25E for 160 ACRES, Diversion Means: WELL & PUMP DELIVERING TO PIVOT SPRINKLER SYSTEM.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

43-7138-

WARD, RONALD C.

ELBA, ID 83326

Source: GROUNDWATER

Date Filed: 03/02/1979

Amount: 3.20 CFS

Diversion Point: NWNE Sec 19 T 15S R 25E, CASSIA Co.

Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01

Place of Use: NENE NWNE SWNE SENE Sec 19 T 15S R 25E FOR 160 ACRES

Diversion Means: WELL & PUMP DELIVERING TO PIVOT SPRINKLER SYSTEM.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 on or before

C. STEPHEN ALLRED APRIL 13, 1979.

Director

Published 3/27 & 4/3/79.

MICROFILMED