


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vandis Hard
(Applicant)

MICROFILMED

MAP (Attach Aerial Photo)




SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

$$K_h = 57.6 \quad \text{Srew. / 22.5 sec.} \rightarrow 61.75 \text{ H.P.}$$

75 H.P. Pump.

Est. 240' to H₂O
Press. 96'
TDH 336



$$\frac{418 \times 336}{3960} / 61.75 = 57\% \text{ eff. for plant}$$

Point(s) of diversion: NW 1/4 SE 1/4 Sec. 18, T.15S., R.25E., B.M.

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	25E	18							40	23	40	40							143 ✓
									42			43							

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

John D. Merrill

Date 12/12/83

Checked by

J. E. Stanton

Date 12-12-83

Approved by

K. W. [Signature]

Date 9-16-86

RECEIVED

EB3

R 25

To well
by
house

A
12.5

B
10.9

C
62.6

D
16.7

12 7
13 18

E
14.6

F
13.3

G
28.1

H

I
8.8

J
12.7

A
7.0

3 handlines

Parley

K
4.9

well

E 143

MICROFILMED

E 195

35.9

B

A

40.3

38.7

Ward
43-7111

Inter connection to other lands.
Well generally only used on
these lands.

Place of Use

78-3

OK 1/9/78
NOTICE OF APPLICATION
FOR WATER PERMIT

NOTICE IS HEREBY given that Vaudis Ward, Elba, Idaho 83326 has on 12/29/77 submitted Application No. 43-7112 for a permit to appropriate 3.21 cubic feet per second of water from ground water by means of well, motor with gravity flow irrigation system within the Govt. Lot 2, Sec. 18, Twp. 15S., Rge. 25E., B.M., Cassia County to be used from Mar. 15 to Nov. 15 for irrigation purposes of 160.46 acres within the Govt. Lot 2, 3, SE 1/4 NW 1/4, NE 1/4 SW 1/4, Sec. 18, Twp. 15S., Rge. 25E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 27, 1978.

C. Stephen Allred
Director

Published in the South Idaho Press on January 10 & 17, 1978.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 43-7112 Priority December 29, 1977 Amount 0.93 cfs

THIS IS TO CERTIFY, that Vaudis Ward
of Elba, Idaho, has complied with the terms and conditions of Permit
No. 43-7112 issued pursuant to Application for Permit dated December 29, 1977,
and has submitted proof to the Department of Water Resources on August 28, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.93 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u>	at <u>0.93</u> cfs and	<u>451.9</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.93 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
451.9 acre feet per year, said waters to be diverted within the NW 1/4 SE 1/4 Section 18,
Twp 15S, Rge 25E in the County of Cassia

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	25E	18							GL 2 40	23	40	GL 3 40							143

Total number of acres irrigated 143

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 6TH day of NOVEMBER, 19 86.

Acting for the Director





Jim
8-2

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 43-7112

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,


WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.



Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A ~~PERMIT~~ **APPROVED**

To change the point of diversion and/or the place of use.

Comes now Vaudis Ward
of (address) Elba, Idaho 83326, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 43-7112, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW ¼ SE ¼, Section 18, Township 15S, Range 25E, B.M.,
County of Cassia. Other points of diversion: Govt Lt #2
Sec. 18, T15S R25E

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 3.21 for irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: No Change

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? applicant
b. Who owns the land to be irrigated or the place of use? applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

Rge 25E

Twp 15S

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twinn Falls, this 6 day of November, 19 80.
Vaudis Hand
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by ADM Fee = \$20.00 Received by ADM Date 11-6-80 # 16664
Publication prepared by N/A Date _____ Published in N/A
Publication dates N/A

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Chief, Operations Bureau of the Department of Water Resources hereby
APPROVE the above referenced Amendment for Permit No. 43-7112.

Witness my hand this

24th day of

November

19 80

L. Glen Saxton
Chief, Operations Bureau

Identification No. _____

Application No. 43-7112

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Vaudis Ward Phone: 824-5559
post office address Elba, Idaho 83326

2. Source of water supply ground water which is a tributary of _____

3. a. Location of point of diversion is Govt. Lot 2 $\frac{1}{4}$ of Section 18 Township 15S
Range 25E B.M. Cassia County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 3.21 cfs for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.21 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, motor with gravity flow
Irrigation system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 18 inches; proposed depth of well is 500 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 15,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	25E	18							Lt. 2 40.3	40			Lt. 3 40	40.16					160.46

Total number of acres to be irrigated 160.46

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Vandis Hard
(Applicant)

MICROFILMED

Proposed Priority 12-29-77

Received by GLE Date 12-29-77 Time 2:00 P.M.

Preliminary check by TB Fee \$ 55.00 # 7469

Received by GLE Date 12/29/77

Publication prepared by DL Date 12/30/77

Published in South Idaho Press

Publication dates 1/10/78 + 1/17/78

Publication approved DL Date 1/25/78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by mts:je


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined* Application for Permit to appropriate the public waters of the State of Idaho No. 43-7112, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 83.
 - c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.
2. Denial of said application is for the following reasons: _____
- _____
- _____
- _____
- _____

Witness my hand this 2/ day of March 19 78.


Deputy Director

SOUTH IDAHO PRESS

BURLEY, IDAHO

AFFIDAVIT OF PUBLICATION

County of Cassia,)
) ss.
STATE OF IDAHO)

Cindy Duffin being first

duly sworn, deposes and says that he is the

Bookkeeper of the South Idaho Press, a daily newspaper published at Burley, Idaho, in the county aforesaid and that the paper is of general circulation therein. Deponent further states that the printed notice attached hereto was duly published according to law in the regular editions of

The South Idaho Press for 2 times consecutive weeks, commencing with the issue

dated Jan 10 1978, and ending

with the issue dated Jan 17, 1978.

Cindy Duffin

Subscribed and sworn to before me

this 17th day of Jan
1978.

[Signature] Notary Public

Cost of Publication 9.80

Notary Fee

Total Cost 9.80

RECEIVED

Department of Water Resources
Southern District Office

78-3

**NOTICE OF APPLICATION
FOR WATER PERMIT**

NOTICE IS HEREBY given that Vaudts Ward, Elba, Idaho 83326 has on 12/29/77 submitted Application No. 43-7112 for a permit to appropriate 3.21 cubic feet per second of water from ground water by means of well, motor with gravity flow irrigation system within the Govt. Lot 2, Sec. 18, Twp. 15S., Rge. 25E., B.M. Cassia County to be used from Mar. 15 to Nov. 15 for irrigation purposes of 160.46 acres within the Govt. Lot 2,3, SE 1/4 NW 1/4, NE 1/4 SW 1/4, Sec. 18, Twp. 15S., Rge. 25E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 27, 1978.

C. Stephen Allred
Director

Published in the South Idaho Press on January 10 & 17, 1978.

DP
1/25/78
OK



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 12, 1986

RE: Permit No. 43-7112

Vaudis Ward
Elba,
Idaho 83326

Dear Permit Holder:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED
NOV 15 1986
WATER RESOURCES
DIVISION



State of Idaho
DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 15, 1986

RE: Permit No. 43-7112

Vaudis Ward
Elba,
Idaho 83326

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 26 1984State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Department of Water Resources

43-7112

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	6/8/83	LJ	Checked Pump - Access Port installed w/ foot tap valve.
☐ Telephone call made: (List Telephone No. used)	9/19/81	GLF.	Acknowledgement letter
☐ Appointment scheduled for: (Date, time, location)	8/10/83	ADM	C Ward Farmhouse

EXAMINATION

Date 8/10/83 Accompanied by Mr. Ward Total Q measured 0.93 cfs ✓
 If source is surface water, estimate total flow of source
 Methods of measurement Annuabz (7.98") Meets Permit requirements? Yes

Measurement calculations: Meas. 2.6" H₂O on "eagle eye"

$$\frac{3.85 \times \sqrt{2.6 \times (8)^2}}{448.8} \times 1.052 = 0.93 \text{ cfs} \checkmark$$

↑
Correction Factor Eagle Eye Meter

$$V_a = 0.93 \text{ cfs} \times 1.98 \text{ A.F./day} \times 246 \text{ days} = 453.0 \text{ A.F.}$$

$$0.93 \times 1.9835 \times 245 = 451.9$$

$$V = 143 \times 3.5 = 500.5 \text{ A.F.}$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
#1	75	U.S. Motors	R-6327-04-078 R2143507 M	Well Line	T81104	Access Port	OK	

System Description Well delivering to mainline from which three mile handlines normally operated.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
Irrigation ✓	0.93 cfs ✓	453.0 451.9 AF	Mar. 15 ✓	Nov. 15 ✓
Total	0.93 cfs ✓	451.9 AF 453.0		

Remarks Pump operated by owner at max. discharge. Pump was valued such that if valve opened fully pump pumps air. Pump valued back so as not to pump air. Three handlines normally operated at one time. Approx. 6 handlines installed or used on these lands.

@ Pump ↓ ✓ At furthest lead

$$Q \checkmark \text{ Ave. pressure} = \frac{42 + 33}{2} = 37.5 \text{ psi}$$

Nozzles range from 9/64" to 1/64" - use 5/32 average.

$$3 \text{ lines} \times 32 \text{ leads/line} \times 4.3 \text{ gpm/lead} = .92 \text{ cfs} \checkmark$$

450 gpm/cfs
37.5 psi for 5/32" nozzles

Topographic map of the RAFT RIVER VALLEY area. The map shows contour lines with elevations such as 5400, 5300, 5280, 5260, 5240, and 5337. A creek labeled 'RAFT RIVER' flows through the valley. A well is marked with an arrow and the label 'Well'. The map includes a grid system with section numbers 12, 13, 8, and 11. Handwritten annotations include 'T.15S.' at the top, 'R24E' and 'R25E' at the bottom, and 'Well' with an arrow pointing to a specific location. A north arrow is present in the upper right corner.

(Include distance from pump to measuring device, if applicable.)

75 H.P. pump.

A schematic diagram of a hot water line. A horizontal pipe is shown with a vertical section on the left representing a hot water source. A 'Hot Tap' is indicated by a circle on the horizontal pipe. A 'Butterfly valve' is indicated by a square with an 'X' inside the pipe. Dimensions are given: 6' from the hot tap to the butterfly valve, and 2.0' from the butterfly valve to the end of the pipe, which is connected to a water heater tank.

$$\frac{418 \times 336}{3960} / 61.75 = 57\% \text{ eff. for plant}$$

Point(s) of diversion: ✓ NW 1/4 SE 1/4 Sec. 18, T.15S., R.25E., B.M.

Place(s) of Use

[illegible]☒ None☐ Other

Date 9-16-86

E83

R 25

To well
by



Inter connection to other lands.
Well generally only used on
these lands.


Place of Use

well

E 143

E 195

Ward
43-7111



Overlap Review - Permit 43-7112

per VAX 9/16/86:


pld - none

plu - 43-2215 Grape Creek ✓
43-2044 Grape Creek ✓

Recommend R30

kw

RECEIVED
SEP 17 1986





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 30, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECORDED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

September 19, 1981

Vaudis Ward
Elba,
Idaho 83326

Re: Permit No. 43-7112

Dear Mrs. Ward:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Senior Water Resource Agent

GLF:marya

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 43-7112.

Name(s) of Permit Holder: Vaudis Ward

Post Office Address: Elba, ID 83326

Tel. No. 824-5559

Source of Water: Groundwater

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation <u>160</u>	(acres)
☐ Other	

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☐ Yes ☒ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug. 28, 1981
Date

Vaudis Ward
Signature of Permit Holder

FILMED

RECEIVED

AUG 28 1981

Department of Water Resources
Southern District Office

RECEIVED

PLACE
TEN CENT
STAMP
HERE

SEP 1 1981



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

November 25, 1980

Vaudis Ward
Elba,
Idaho 83326

Dear Mr. Ward,

RE: Permit No. 43-7112

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

RECEIVED

NOV 27 1980

Department of Water Resources

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: ADM

Right Number 43-7112 Applicant WARD, Vaudis

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.

☒ Existing water rights from the same source, amended place of use.

☐ Right number(s) _____

☐ Yes ☒ No Should amendment be advertised?

☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received.
- ☐ Amendment published correctly.
- ☐ Protests processed.
- ☐ Approve.
- ☐ Deny.

Conditions _____

By _____ Date _____

STATE OFFICE PROCESSING:

☒ Amendment correct and complete. By Juni Date 11/20/80

☐ Approved copy sent to applicant and to Region. By _____ Date _____

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

Dear Wateruser:

Forwarded for your information in regard to your water permit is a self-explanatory letter which this office is now forwarding to holders of recently issued water right permits.

This is being mailed retroactively for informational purposes to persons who submitted applications on approximately December 30, 1977 and later.

If you have any questions, please contact this office.

Sincerely,

L. GLEN SAXTON

Chief, Operations Bureau

LGS:kw

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

April 14, 1978

Re: Permit No.'s 43-7111, 43-7112 & 43-7113

Vaudis Ward
Elba,
Idaho 83326

Dear Mr. Ward:

listed

Your approved copy of Application for Permit No. above is enclosed and we direct your attention to the conditions of approval on the fourth page.

Please note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. Enclosed is a letter describing the different types of measuring devices accepted by this Department.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

MICROFILMED

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.


If you have any questions, please let us know.

Sincerely,

A handwritten signature in cursive script, reading "L. Glen Saxton".

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

A faint, rectangular stamp or mark, possibly a date stamp, located in the bottom right corner of the page. The text within the stamp is illegible.

March 21, 1978

Re: Permit No.'s 43-7111, 43-7112, & 43-7113

Vaudis Ward
Elba,
Idaho 83326

Dear Mr. Ward:

Enclosed are copies of your approved Applications for Permit No.'s 43-7111, 43-7112 and 43-7113. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your points of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosures

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 43-7112 Vaudis Ward

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) TS 12-29-77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) js 12-30-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) mls 1-27-78

Critical groundwater area: yes _____ no ☒

(8) mls 1-27-78

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none kw

(11) df 1/25/78

Affidavit of Publication received(date) 1/19/78

(12) df 12/30/77

Final date for protests 1/27/78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) mls 1-27-78

Action recommended:

☒ Approve

_____ Deny

12-29-77 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Southern By Michael Steele Date 1-27-78

cc. Sent to Boise 1/24/78 Sm

December 30, 1977

South Idaho Press
Box 190
Burley, Idaho 83318

Re: Application for Permit No. 43-7111 - Vaudis Ward
43-7112 - Vaudis Ward
43-7113 - Vaudis Ward

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:dj

Bill submitted: _____

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Vaudis Ward

Elba, Idaho 83326

has on 12/29/77 submitted Application No. 43-7112

for a permit to appropriate 3.21 cubic feet per second ~~and use for~~ ~~per annum~~

of water from ground water

by means of well, motor with gravity flow irrigation system

within the Govt. Lot 2, Sec. 18, Twp. 15S, Rge. 25E, B. M. Cassia County

to be used from Mar. 15 to Nov. 15 for irrigation purposes of 160.46 acres

~~xxx~~

within the Govt Lot 2, 3, SE $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 15S, Rge. 25E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 27, 1978.

C. STEPHEN ALLRED

Director

Published in the South Idaho Press

on 1/10/78 and 1/17/78

MICROFILMED

7-5 D. OR 4/78
NOTICE OF APPLICATION
FOR WATER PERMIT

NOTICE IS HEREBY given that Vaudis Ward, Elba, Idaho 83326 has on 12/29/77 submitted Application No. 43-7112 for a permit to appropriate 3.21 cubic feet per second of water from ground water by means of well, motor with gravity flow irrigation system within the Govt. Lot 2, Sec. 18, Twp. 15S., Rge. 25E., B.M. Cassia County to be used from Mar. 15 to Nov. 15 for irrigation purposes of 160.46 acres within the Govt. Lot 2, 3, SE 1/4 NW 1/4, NE 1/4 SW 1/4, Sec. 18, Twp. 15S., Rge. 25E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 27, 1978.

C. Stephen Allred
Director

Published in the South Idaho Press on January 10 & 17, 1978.