


R-28E.

T.
16
S.



use is domestic

$Q = .056 \text{ cfs} = \text{amt of filing.}$

NE 1/4 SW 4 20

SE 1/4 SW 4 20
T 16 S
R 28 E

SW 1/4 SW 4 20

COOPY

5280 24' E

3025

PROJECT F1 2011 (1)

3030

237'

3031+95

Well

PORT ENTRY 3035

NE 1/4 NW 4 29

T 16 S
R 28 E

BEACON

20 29

well submersible Pump
C.A.A. well

POWER STA

CIVIL DEED
WELL 30

CAA

B25973

STREVELL PORT OF ENTRY

Scale 1" = 200'

NOTICE OF PROOF OF
COMPLETION OF WORKS
and

APPLICATION OF WATER
TO BENEFICIAL USE

Notice is hereby given that at 2:00 P. M., on the 18th day of October, 1957, at Boise, County of Ada, State of Idaho, before Gordon M. Hawkes, Notary Public, State Hwy. Bldg., proof will be submitted of the completion of works for the diversion of .056 cubic feet per second of underground waters from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-25973, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the department holding said permit is State of Idaho, Department of Highways, Box 379, Boise, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is .056 cubic feet per second.

3. The use to which said water has been applied is Domestic purposes, and the amount applied to beneficial use is .056 cubic feet per second.

4. The point of diversion of said water is SE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 20, TWP 16 S, Rge. 28 E, B.M.

5. The place where said water is used is SE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 20, TWP 16 S, Rge. 28 E, B.M.

6. The date of priority which said user is prepared to establish is May 25, 1957.

MARK R. KULP

State Reclamation Engineer

First publication Sept. 19, 1957,

Fourth publication Oct. 10, 1957

Affidavit of Publication

RECEIVED
NOV 4 1957
Department of Reclamation

I, Charles Brown, being first duly sworn on oath, say:

That I am the publisher and printer of THE OAKLEY HERALD, which is a newspaper of general circulation in Cassia County, Idaho, and which has been continuously and uninterruptedly published at said place during a period of more than 78 consecutive weeks prior to the final publication of

the notice

herein mentioned; that a notice

of which the attached clipping is a copy, was published in the regular issue

of said newspaper for 4 consecutive weeks, to-wit, on

Sept. 19, 26, Oct. 2, 10.

1257

Charles Brown

Subscribed and sworn to before me this 12

day of October, 1957

Wallace A. J.



State of Idaho
License and Certificate of Water Right

Water License No. G-25973

Amount.....056 c.f.s.

Water District No.

Priority May 25, 1955

THIS IS TO CERTIFY that STATE OF IDAHO, DEPARTMENT OF HIGHWAYS
of Boise, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated May 25, 1955; that Permit No. G-25973
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
.056 second feet, was issued thereunder on January 16, 1958, showing that said works
were completed on the 18th day of October, 1957; and that on the 18th
day of October, 1957, G. Bryce Bennett,
State Highway Engineer

of Boise, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of a well, a tributary of subterranean, for the purpose of domestic use, under Use Permit No. G-25973 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume 10 of Licenses at page 6254, on the 16th day of January, 19 58 ; The right hereby confirmed dates from May 25, 19 55 ;

The Point of Diversion is located

in the SE ¼ SW ¼, Sec. 20, Tp. 16 S., R. 28 E., B. M. County Cassia

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed .056 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
			FOR DOMESTIC USE in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 20, Township 16		South, Range 28 East, B.M.

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this
16th day of January, 1958.

/s/ Mark R. Kulp
State Reclamation Engineer.

(SEAL)

43 2123

~~48-452~~

State of Idaho

License and Certificate of Water Right

Water License No. G-22610

Amount 1.32 c.f.s.

Water District No.

Priority February 20, 1952

THIS IS TO CERTIFY that HAROLD SAVAGE
 of Murtaugh, Idaho, made application for a permit to appropriate the
 public waters of the State of Idaho, dated February 20, 1952; that Permit No. G-22610
 was issued under said application; that Certificate of Completion of works, with a carrying capacity of
 1.32 second feet, was issued thereunder on January 16, 1958, showing that said works
 were completed on the 20th day of February, 1957; and that on the 20th
 day of February, 1957, HAROLD SAVAGE

of Murtaugh, State of Idaho, made proof to the satisfaction of the
 State Reclamation Engineer of Idaho, of the right to use the waters of a well
 , a tributary of subterranean, for the purpose of Irrigation and domestic
 use, under Use Permit No. G-22610 of the Department of Reclamation
 and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
 and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
 10 of Licenses at page 6253, on the 16th day of January, 1958;
 The right hereby confirmed dates from February 20, 1952;

The Point of Diversion is located
 in the NW 1/4 SE 1/4, Sec. 6, Tp. 12 S., R. 20 E., B. M. County Cassia

That the amount of water to which such right is entitled and hereby confirmed, for the purposes
 aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall
 not exceed 1.32 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
12 S.	20 E.	6	NE 1/4 NE 1/4	--	40
			NW 1/4 NE 1/4	--	40
			SW 1/4 NE 1/4	--	40
			SE 1/4 NE 1/4	--	40
			SE 1/4 NW 1/4	--	40
			NE 1/4 SW 1/4	--	20
			NW 1/4 SE 1/4	--	20
			Total number of acres irrigated	--	240

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place
 of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this
 16th day of January, 1958.

/s/ Mark R. Kulp
 State Reclamation Engineer.

(SEAL)

APPLICATION FOR PERMIT #3-2433

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 33562
Permit No. G- 25973
District No.

1. Name of Applicant: STATE OF IDAHO, DEPARTMENT OF HIGHWAYS
Postoffice address: Box 879, Boise County: Ada State: Idaho
2. Quantity of water claimed: 25 Gallons Per Minute
 - (a) Rate of withdrawal in cubic feet per second. .056 or Idaho
Miners' inches 2.8 or gallons per minute. 25 GPM
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Drilled and cased well.
4. Location of point of diversion or well is in the S.E. $\frac{1}{4}$ of the S.W. $\frac{1}{4}$ of Section 20
Twp. 16 S, Rge. 28 E, B.M., County of Cassia
5. Water is to be used for: Domestic purposes
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the S.E. $\frac{1}{4}$ of the S.W. $\frac{1}{4}$ of Section 20, Twp. 16 S
Rge. 28 E, B.M., County of Cassia.
 - (b) Waste water or sewage effluent is to be returned to
at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section, Twp., Rge., B.M.
7. Kind of works: 300 feet deep with 200 feet of 8" casing with 3" pump column with pump and 2 HP motor
8. Estimated cost of works: \$2,441.72
9. (a) Is reservoir to be used? No
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is COMPLETED years.
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash on hand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.

January 16, 1958

Re: Permit No. G-25973

Mr. G. Bryce Bennett
State Highway Engineer
603 Main Street
Boise, Idaho

Dear Mr. Bennett:

Enclosed is the Certificate of Completion of Works and the License and Certificate of Water Right issued under Permit No. G-25973 to the State of Idaho Department of Highways, confirming the right with priority of May 25, 1955, to the use of .056 second foot of water from a well, with the point of diversion in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 20, for domestic use in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 20, Township 16 South, Range 28 East, B.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

EPR:nls
Enc.

25973

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF ENGINEER

PERMIT NO. G-25973


REPORT ON PROOF OF Completion of Works & Beneficial Use
State of Idaho, By
G. Bryce Bennett, State Highway Engineer,
603 Main Street,
Boise, Idaho

app .056 cfs
Domestic

.056 cfs
max

R-28E.

T.
16
S.



Use is domestic

$Q = .056 \text{ cfs} = \text{amt of filing.}$

Schoonover drilled.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. G-25973

This proof is for Completion of Works & Beneficial Use In Water District No. _____1. Name of applicant State of Idaho, By, G. Bryce Bennett State Highway Engineer2. Source of water supply: Subterranean flow from a well.3. Location of point of diversion: Is in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 20
T. 16 S. R. 28 East County of Cassia

4. Describe works as they exist, giving dimensions and capacities of same: There are 2 wells with lines connected so that if one fails they still have water. Other well = C.A. A. Patrol. Two families live here. Duplex with full plumbing. Station has lavatory & drinking water. Also small lamp.
Well = 300' csd 200' x 6" 2 hp Wagner motor Myers pump.
In concrete pit 7' x 7' x 9'. Min lift = 150'

5. Water is used for: Domestic6. State whether or not water has been turned into works of diversion: yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

Domestic - SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, Township 16 South, Range 28 East, B. M.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? _____

Remarks: Schoonover, well driller, says formation is gravel and mud clear to bottom of well - that water supply is weak and that muddy water comes with heavy pumping.

This examination was made on the 13 day of December, 19 57(Signed) E. M. Humphrey Examiner.

G25973

State of Idaho, By
G. Bryce Bennett, State Highway Engineer,
603 Main St., Boise, Idaho

McBrea

Permit No. G-25973

#J5896M276

Examination for Completion of Works &
Beneficial Use Proofs

County Cassia

20-16S.-28E.

Q2 Creek 259pm.

S= Well

PL. = S.E.S.W. Co. 20, T. 16 N. R. 28 E.

Waco Domestic

243 Ept. in Boise
Transportation
Ray Power

Filed May 25, 1955

Rev. - Oct. 4, 1957

2X110x20x550
140
92
262
62 1/2

~~Stowell~~
Stowell

Woody Gray } Shoshone
Chuck Blashy }

Phone = Jensen 2228

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

RECEIVED
DEC 19 1957

Department of Reclamation

2 by. Waco Domestic
Pump 10x856
S. E. S. W. Co. 20, T. 16 N. R. 28 E.
300' end 100' x 856
3" pipe 100' left
Pit 70' x 9 1/2'

F. Morse Pump.
Serial # C5D 100 R X B.
in C. A. A. well.

SP4SW420

COOLY

STREVELL PORT OF ENTRY

Scale 1" = 200'

SE 4 SW 4 20
T 16 S
R 28 E

3025
S 28° 29'

PROJECT F1 2011 (1)

NE 4 NW 4 29

T 16 S
R 28 E

B25973

3025

3030

POU - F1 2011 3035

WELL 120' 1/2"

CIVIL WORK

WELL 120'

BRACK

Well, submersible Pump
C.A.A. Well

November 4, 1957

Re: Permit No. G-25973

Mr. G. Bryce Bennett
603 Main Street,
Boise, Idaho

Dear Mr. Bennett:

We acknowledge receipt of the Deposition of Holder and two witnesses, also affidavit of publication in the Oakley Herald, all submitted in proof of Completion of Works and Water to Beneficial Use on Permit No. G-25973.

Before final action is taken in the matter, the law requires that a field examination be made by an engineer from this department.

We cannot tell just when this examination will be made, but our field engineer will try and contact you at the time he makes the examination so that arrangements may be made to show him over the grounds.

Very truly yours,

MARK E. KULP
State Reclamation Engineer
By

Edna P. Rutledge (Mrs.)
Chief Clerk

EPR:lw

25973

**NOTICE OF PROOF OF
COMPLETION OF WORKS
and
APPLICATION OF WATER
TO BENEFICIAL USE**

Notice is hereby given that at 2:00 P. M., on the 18th day of October, 1957, at Boise, County of Ada, State of Idaho, before Gordon M. Hawkes, Notary Public, State Hwy. Bldg., proof will be submitted of the completion of works for the diversion of .056 cubic feet per second of underground waters from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-25973 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the department holding said permit is State of Idaho, Department of Highways, Box 879, Boise, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is .056 cubic feet per second.

3. The use to which said water has been applied is Domestic purposes, and the amount applied to beneficial use is .056 cubic feet per second.

4. The point of diversion of said water is SE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 20, TWP 16 S, Rge. 28 E, B.M.

5. The place where said water is used is SE $\frac{1}{4}$, SW $\frac{1}{4}$, Sec. 20, TWP 16 S, Rge. 28 E, B.M.

6. The date of priority which said user is prepared to establish is May 25, 1957.

MARK R. KULP
State Reclamation Engineer
First publication Sept. 19, 1957,
Fourth publication Oct. 10, 1957

Affidavit of Publication

RECEIVED
NOV 4 1957

I, Charles Brown, being first duly sworn on oath, say:

That I am the publisher and printer of THE OAKLEY HERALD, which is a newspaper of general circulation in Owyhee County, Idaho, and which has been continuously and uninterruptedly published at said place during a period of more than 70 consecutive weeks prior to the final publication of the notice

which mentioned; that a notice

of which the attached clipping is a copy, was published in the regular issue

of said newspaper for 4 consecutive weeks, to-wit, on

Sept. 19, 26, Oct. 3, 10.

Charles Brown

Subscribed and sworn to before me this 12

day of October 1957

Wallace A. L.



STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

RECEIVED
OCT 18 1957
Department of Reclamation

Permit No. G-25973

Proof of Application of Water to Beneficial Use
and Completion of Works
Deposition of Holder

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. G. Pryce Bennett, 603 Main Street, Boise, Idaho, State Highway
Engineer, P. O. Box 879, Boise, Idaho.

Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf.

Ans. State of Idaho, Department of Highways

Ques. 3. State number and date of permit, and date of priority you propose to establish under the permit.

Ans. G-25973. ¹⁰⁻⁴ May 25, 1955. ~~November 15, 1957.~~ → 5-25-55

Ques. 4. State source of water supply and give exact location of point of diversion.

Ans. Well. SE1SW1 Section 20, Township 16 South, Range 28 East,
Boise Meridian.

Ques. 5. Describe your works of diversion, and state amount of water they are capable of conveying from point of diversion to place of use, and give name of canal or ditch or other works by which water is conducted to such place of use. If a well, state depth of well, depth and size of casing and depth to water. If pump is used, state discharge of pump and tell how it was measured or determined. If sprinkler irrigation, give number and size of nozzles and operating pressure.

Ans. Depth of well = 300'. Depth of casing = 200'. Size of casing =
8" with 3" pump column. Pump discharges .056 cubic feet per second.
The amount of discharge was measured by the maximum capacity of
the pump.

Ques. 6. State for what purpose water is used and describe place of use. (If for irrigation, name each subdivision in which used, and number of acres in each subdivision that have actually been irrigated with said water.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Domestic. SE1SW1 Section 20, Township 16 South, Range 28
East, Boise Meridian.

G25973

Ques. 7. If for other than irrigation purposes; state how applied, amount of horse power generated, etc.

Ans. Domestic.

Ques. 8. What is the minimum amount of water required for the purpose specified above?

Ans. .056 cubic feet per second.

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder.

Ans.

Ques. 10. State when, how, in what amount and to what extent the water diverted under above mentioned permit has been used.

Ans. The diverted water has been used for domestic purposes since November 15, 1951.

Ques. 11. State when, how, in what amount and to what extent waters other than those diverted under the above mentioned permit have been diverted and applied to beneficial use upon the lands herein described. Give full particulars regarding such other appropriations and rights claimed thereunder.

Ans. No other waters have been used.

(Sign)

G. Bryce Bennett
G. Bryce Bennett
State Highway Engineer

or
PHC

I hereby certify that the foregoing testimony was read to the above subscribed before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in Boise, County of Ada, State of Idaho, on this 18th day of October, A. D. 1957.

Gordon M. Hawkes
Gordon M. Hawkes

Notary Public for Idaho, residing at Boise, Idaho.

My commission expires Feb. 16, 1958.

825973

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No. G-25973

Proof of Application of Water to Beneficial Use
Deposition of Witness and Completion of Works

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. N. L. McGrea. 819 North 18th Street, Boise, Idaho.
Maintenance Engineer. P. O. Box 879, Boise, Idaho.

Ques. 2. Are you acquainted with G. Bryce Bennett, the holder of Permit No. G-25973? How long have you known him and where does he reside?

Ans. Ten years. 603 Main Street, Boise, Idaho

Ques. 3. Have you read or heard read said Permit No. G-25973, and are you familiar with its provisions and conditions?

Ans. Yes.

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Well. SE 1/4 SW 1/4 Section 20, Township 16 South, Range 28 East, Boise Meridian. 2 horse power pump.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. .056 cubic feet per second.

Ques. 6. (Pumps) How much water in cubic feet per second, miner's inches, or gallons per minute have you seen the pump deliver, and how did you measure or estimate the amount?

Ans. .056 cubic feet per second. The amount was measured by the maximum capacity of the pump.

G25973

Ques. 7. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Domestic. SE1SW1 Section 20, Township 16 South, Range 28 East, Boise Meridian.

Ques. 8. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. Domestic.

Ques. 9. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans.

Ques. 10. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. None.

Ques. 11. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I have observed from time to time that the diverted waters have been used for domestic purposes since November 15, 1957.

(Signed) N. L. McCrea
N. L. McCrea

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Boise, County of Ada, State of Idaho, on this 18th day of October, A. D. 1957.

Gordon M. Hawkes
Gordon M. Hawkes, Notary Public.
Residing at Boise, Idaho.

My commission expires February 16, 1958.

825973

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

Permit No. G-25973

Proof of Application of Water to Beneficial Use

Deposition of Witness and Completion of Works

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. J. H. Cairns, 1811 Sunrise Rim, Boise, Idaho. Assistant State
Highway Engineer. P. O. Box 879, Boise, Idaho.

Ques. 2. Are you acquainted with G. Bryce Bennett, the
holder of Permit No. G-25973? How long have you known him and where does
he reside?

Ans. Ten years. 603 Main Street, Boise, Idaho.

Ques. 3. Have you read or heard read said Permit No. G-25973, and are you
familiar with its provisions and conditions?

Ans. Yes.

Ques. 4. State source of water supply, place of diversion, and describe works for con-
veying water from point of diversion to place of use.

Ans. Well. SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 20, Township 16 South, Range 28 East,
Boise Meridian. 2 horse power pump.

Ques. 5. How many second feet of water do you estimate said works will safely con-
duct to place of use, and how much water have you seen being so conveyed?

Ans. .056 cubic feet per second.

Ques. 6. (Pumps) How much water in cubic feet per second, miner's inches, or gallons
per minute have you seen the pump deliver, and how did you measure or estimate the
amount?

Ans. .056 cubic feet per second. The amount was measured by the
maximum capacity of the pump.

J 25973

Ques. 7. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Domestic. SE 1/4 SW 1/4 Section 20, Township 16 South, Range 28 East, Boise Meridian.

Ques. 8. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. Domestic.

Ques. 9. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans.

Ques. 10. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. None.

Ques. 11. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I have observed from time to time that the diverted waters have been used for domestic purposes since November 15, 1957.

(Signed) _____

J. H. Cairns

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Boise County of Ada, State of Idaho, on this 18th day of October, A. D. 1957.

Gordon M. Hawkes, Notary Public.
Residing at Boise, Idaho.

My commission expires Feb. 16, 1958.

825973

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

RE: Permit No. G-25973
Department of Highways

Date: September 17, 1937

Oakley Herald
Oakley, Idaho
Gentlemen:

Enclosed you will find notice for publication once a week for four consecutive weeks prior to **October 18, 1937** the date set for proof; the expense of the publication is to be paid by the applicant, **State of Idaho, Dept. of Highways, Box 879, Boise, Idaho**, to whom you should furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice, and furnish this office with a copy of the first publication.

Very truly yours,

MARK R. KULP

State Reclamation Engineer
By

Edna P. Rutledge (Mrs.)
Chief Clerk

EPR:vm
Encl.

(The depositions were handed Mr. Byrum when in the office by RWT)

25973

Sept 20

NOTICE OF PROOF OF COMPLETION OF WORKS
and
APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 2:00 P. M., on the 18th
day of October, 1957, at Boise, County of
Ada, State of Idaho, before Gordon M. Hawkes, Notary
Public, State Hwy. Bldg., proof will be submitted of the completion of
works for the diversion of .056 cubic feet per second of underground waters
from a well, and of the application to beneficial use of said water, in accordance
with the terms and conditions of Permit No. G-25973 heretofore issued by
the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the ~~person or corporation~~^{department} holding said
permit ~~is~~^{is} State of Idaho, Department of Highways, Box 879, Boise, Idaho

2. Said works of diversion will be fully completed on the date set for such
completion, and the amount of water which said works are capable of conveying to
the place of use is .056 cubic feet per second.

3. The use to which said water has been applied is Domestic
purposes, and the amount applied to beneficial use is
.056 cubic feet per second.

4. The point of diversion of said water is Sec. 20, TWP 16 S,
Rge. 28 E, B.M.

5. The place where said water is used is Sec. 20, TWP 16 S,
Rge. 28 E, B.M.

6. The date of priority which said user is prepared to establish is
November 15, 1957 ~~November 15, 1957~~ May 25, 1957

825973

MARK R. KILP
State Reclamation Engineer

1107

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) September 10, 1957

P. O. Box 879
Address

Boise, Idaho
City State

TO THE STATE RECLAMATION ENGINEER:

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published at my expense in the Oakley Herald of Oakley, Idaho published in the county in which the works are situated.

By R. L. Byrum
R. L. Byrum
Chief Right of Way Agent

(In case of canals or other works designed to divert and carry more than 50 cubic feet of water per second, the following certificate must be signed by a well-known and competent engineer.)

I hereby certify that the facts set forth in the attached notice are true.

Engineer

825973

S T A T E O F I D A H O

DEPARTMENT OF RECLAMATION

RE: Permit No. G-25973

August 1, 1957

State of Idaho- Department of Hiways
P.O. Box 879
Boise, Idaho

Att: Bryce G. Bennett

Dear Sir:

We enclose herewith blank notice for proof of completion of works and application of water to beneficial use under your Permit No. G-25973. This notice should be filled out in duplicate and returned to this office at least 40 days before the date upon which you wish to make this proof, in order to allow time for the four weeks' publication required by law.

This proof must be submitted before a Notary Public or other officer authorized by law to administer oaths.

The date for proof, as set out in your permit, is not later than October 4, 1957.

Very truly yours,

MARK R. KULP

State Reclamation Engineer

J25973

October 12, 1955

RE: Permits Nos. G-25971 to G-25976 inclusive
25977 & 25978

Department of Highways
BUILDING

Attention: Mr. E. V. Miller,
State Highway Engineer

Dear Mr. Miller:

We enclose the above numbered Permits of the Department
of Highways and direct attention to the limitations and conditions
as given on the fourth page under approval of the State Reclamation
Engineer.

Very truly yours,

MARK R. KULP
State Reclamation Engineer
By

Chief Clerk

Ashll
Enc.

25973

Form No. 0

	8	9	10	11
	17	16	15	14
	20	21	22	23
	29	28	27	26
	32	33	34	35
		T 16 S T 17 S		
	5	4	3	2

R 28 E

Permit Map No. 9-125973
As Approved
JAN 15 1968
MARK E. RULP
City Reclamation Engineer

SCALE: 2 Inches Equal 1 Mile. Draw Plan in Ink.

P25973