


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Barkdull Ranch  
(Applicant)  
By Carl Barkdull

# IDAHO DEPT OF WATER RESOURCES

## 41-07063



660 0 660 1320 Feet

T9S, R28E, SEC. 25, SESE



- RECOMMENDED PLACE OF USE
- POINT OF DIVERSION
- ~ SECTION LINES
- 1/4 - 1/4 LINES

MICROFILMED  
OCT 23 2000

GIS PLACE OF USE PRESENTATION  
1987 &/OR 1988 NAPP PHOTOGRAPHY

DATA ENTRY BY: STEVE CLELLAND  
DATE: September 7, 1999

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**


Permit No. 41-7063  
Phone No. 226-5817  
1. Owner: Barkdull Ranches  
Current Address: 646 Reed St. Am Falls, ID 83211  
2. Accompanied by: Carl Barkdull EXAM. DATE: 6/13/91  
Address: Am. Falls, ID 83211 Phone No. \_\_\_\_\_  
Relationship to Permit Holder: Trustee  
3. Source: groundwater tributary to \_\_\_\_\_  
Laynes gulch creek Snake River

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: none  
\_\_\_\_\_ ☐ Copies Attached  
2. Other water rights with same point of diversion: none  
\_\_\_\_\_ ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = approx 50'


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).  
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

# GEOLOGICAL SURVEY

113° 7' 30"  
42° 37' 30"

27° 00' 00" E

29° 5'



CLAIM A41-07063 INIT Sur

T. R. S. Q/Q

P/D 9S 28E 25 SESE

PHOTO BB 84 OPQ

DT.&ID. 8-20-1976

OCT 23 2000



photo looking n'ly

well house



pump house here





photo looking e'ly



photo looking sw'ly

MICROFILMED  
OCT 23 2000



pump house here



photo looking e'ly



photo looking sw'ly



MICROFILMED  
OCT 23 2000



pump house here



photo looking e'ly



photo looking sw'ly



MICROFILMED  
OCT 23 2000



pump house here

photo looking e'ly



photo looking sw'ly

MICROFILMED  
OCT 23 2000



pump house here



photo looking sw'ly

MICROFILMED  
OCT 23 2000



pump house here




photo looking sw'ly

MICROFILMED  
OCT 23 2000



inside pumphouse

MICROFILMED  
OCT 23 2000



State of Idaho  
Department of Water Resources  
**Water Right License**

WATER RIGHT NO.      41-07063

Priority: August 13, 1982

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

14.7 AF

This is to certify, that BARKDULL RANCHES

3202 HEADSTROM LN

AMERICAN FALLS ID 83211

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 13, 1982; and has submitted Proof of Beneficial Use on September 8, 1987. An examination indicates that the works have a diversion capacity of 0.110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 04/01 to 10/31       | 0.03 CFS                 | 4.0 AF               |
| STOCKWATER            | 01/01 to 12/31       | 0.11 CFS                 | 10.7 AF              |
|                       | Totals               | 0.11 CFS                 | 14.7 AF              |

LOCATION OF POINT(S) OF DIVERSION:

SESESE , Sec. 25, Township 09S, Range 28E  
POWER County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 09S        | 28E        | 25         | SESE         | 1            |              | 1            |

Total number of acres irrigated: 1

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 9<sup>TH</sup> day of AUGUST, 2000.

MICROFILMED

OCT 23 2000

Acting for

KARL J. DREHER

Director

Form 217  
03/86

RECORDED

SEP 08 1987

NO V REC'D. (D.J.B.)  
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only  
Fee Received \$ 50.00  
Date 11/2/87  
Receipt # 45643  
Receipt by CW  
Reviewed by \_\_\_\_\_  
Sent to region \_\_\_\_\_

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 41-1063

Name(s) of Permit Holder: BARKDULL Ranches

Post Office Address: 6416 Reed St.

Am Falls Id 83211

Telephone No. 226-5817

Source of Water: ① Layne's Gulch Creek

SOURCE ② Ground water

Extent of Use:

Domestic 3 (number of households)

Stockwater 810 cows (number and type of stock)

Irrigation 3 (1) (acres)

Other/Remark calves bulls

Total rate and/or volume for which proof is submitted 23<sup>7</sup>.20 cfs \_\_\_\_\_ acre-feet

Show the date water was first diverted and beneficially used under this permit: 8/13/82

Measuring Device: Required? Yes 1 No  
Installed? Yes 1 No

Fee enclosed \$ EXEMPT 50.<sup>00</sup>  
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes 1 No  
Installed? Yes 1 No

\* See letter dated 9-14-88

Person to contact to accompany the Department representative during the field examination:

CARL BARKDULL  
(Name)

226-5817  
(Telephone Number)

6416 Reed St. Am Falls, Idaho 83211  
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

FEB 29 1988

9/21/87

Date

Carl Barkdull Owner

Signature of Permit Holder (and title, if appropriate)

**APPROVED**  
**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**APPLICATION FOR PERMIT****RECEIVED**

To appropriate the public waters of the State of Idaho

AUG 13 1982

1. Name of applicant Barkdull Ranches Phone 548-2802 226 Department of Water Resources  
Southern District OfficePost office address 646 Reed, American Falls, Idaho 832112. Source of water supply Laynes Gulch Creek which is a tributary of Snake River  
a. Source #2 ground water3. Location of point of diversion is SE  $\frac{1}{4}$  of SE  $\frac{1}{4}$  of Section 25 Township 9 SouthRange 28 E.B.M. Power \_\_\_\_\_ County, additional points of diversion if any: \_\_\_\_\_

## 4. Water will be used for the following purposes:

Amount 0.20 <sup>PHONE CONV. WITH BEN CAVANESS 8-16-82</sup> for livestock purposes from Jan. 1 to Dec. 31 (both dates inclusive)  
(cfs or acre-feet per annum)Amount 0.02 for irrigation purposes from Apr. 15 to Oct. 31 (both dates inclusive)  
(cfs or acre-feet per annum)Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

## 5. Total quantity to be appropriated:

a. 0.27 0.23 cubic feet per second and/or b. \_\_\_\_\_ acre-feet per annum.

## 6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump, panel, line to livestock  
trough, line to our residenceb. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir  
capacity \_\_\_\_\_ acre-feet, materials used in storage dam: \_\_\_\_\_Period of year when water will be diverted to storage \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Month/Day) (Month/Day)c. Proposed well diameter is 6 inches; proposed depth of well is 400 feet.7. Time required for the completion of the works and application of the water to the proposed beneficial  
use is 5 years (minimum 1 year - maximum 5 years).

## 8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE  $\frac{1}{4}$  of SE  $\frac{1}{4}$  of Section 25 Township 9 South  
Range 28 E.B.M.


(2) Amount of power to be generated: \_\_\_\_\_ horsepower under \_\_\_\_\_ feet of head.

(3) List number of each kind of livestock to be watered 400 head of cows, 400 calves  
10, Bulls. PHONE CONV. WITH BEN CAVANESS 8-16-82(4) Name of municipality to be served \_\_\_\_\_, or number of families to be  
supplied with domestic water \_\_\_\_\_

(5) If water is to be used for other purposes describe: \_\_\_\_\_



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Barkdull Ranch  
(Applicant)  
By Carl Barkdull

Proposed Priority 8/13/1982

Received by mmya Date 8/13/82 Time 3:00 p  
Preliminary check by T.G.B. Fee \$ 45.00 # 20912  
Receipted by mmya Date 8/13/82  
Publication prepared by mmya Date 8/16/82  
Published in Idaho Co. Press  
Publication dates 8/25 + 8/26/82  
Publication approved mmya Date 8/26/82  
Protests filed by: None

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by ADM RC

#### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 41-7063, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Diversion works from the stream are required in order to show beneficial use for stockwatering purposes from the stream.

Witness my hand this 8<sup>th</sup> day of November, 19 82.

A. Glen Saxton  
Chief, Operations Bureau

**Cavaness and Beebe**

BEN CAVANESS  
MARK BEEBE

ATTORNEYS-AT-LAW  
P.O. Box 70  
American Falls, Idaho 83211

Telephone  
(208) 226-2562

August 12, 1982

Appropriation Examiner  
Dept. of Water Resources  
1041 Blue Lakes Ave. North  
Twin Falls, Idaho 83301

Re: Barkdull Ranches applications


Dear Sir:

This office is filing two water applications which are enclosed for water which is used by Barkdull Ranches for the watering of their cattle.

Accompanying the applications is our business account check in the amount of \$90.00 to cover the required filing fees.

Please review the enclosed applications and advise if you find them to be in proper form, or let me know if you have any problems or questions.

Very truly yours,



Ben Cavaness

BC:mh

cc: Carl Barkdull

RECEIVED  
AUG 15 1982  
TWIN FALLS, IDAHO

# Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER }

S.S.

Brett Crompton..... being first duly sworn

on oath, states:

That he is the editor of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for <sup>2</sup> successive weekly issues thereof, the date of the first publication being the 25 day of Aug., 1982

the date of last publication being the

1 day of Sept., 1982

(Signed) Brett Crompton

Subscribed and sworn to before me this

20 day of Sept., 1982

Notary Public, residing at American Falls, Idaho.

My Commission expires the

day of 1982

## Legal Notice

Published in the Power County Press August 25, 1982 and September 1, 1982

### NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

41-7063

BARKDULL RANCHES  
646 REED, AMERICAN FALLS,  
ID 83211

Source: LAYNES GULCH CREEK  
tributary to SNAKE RIVER  
GROUNDWATER

Date Filed: 08/13/1982

Amount: 0.23 CFS

Diversion Point: SESE Sec 25 T 09S  
R 28E, POWER Co.

Use: IRRIGATION (0.03 CFS)  
from 04/15 to 10/31

STOCKWATER (0.20 CFS) from  
01/01 to 12/31

Place of Use: SESE Sec 25 T 09S R  
28E for 1 ACRES

Diversion Means: PUMP, PANEL,  
TROUGH

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before SEPTEMBER 13, 1982.

A. KENNETH DUNN  
Director

RECEIVED

SEP 24 1982

Department of Water Resources  
Southern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 10, 2000

DIRK KEMPTHORNE  
GOVERNOR

KARL J. DREHER  
DIRECTOR

BARKDULL RANCHES  
3202 HEADSTROM LN  
AMERICAN FALLS ID 83211

RE: WATER RIGHT 41-07063

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley Walter Keen  
Water Right Supervisor

SWK:klt

Enclosures

MICROFILMED

OCT 23 2000


MICROFILMED

**CERTIFICATE OF MAILING**

I hereby certify that on the **10th** day of **August, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

**RE: Water Right 41- 07063**

**BARKDULL RANCHES  
3202 HEADSTROM LN  
AMERICAN FALLS ID 83211**

  
Kari Lynn Townsend  
Secretary

OCT 23 2000

**EXPLANATORY INFORMATION  
TO ACCOMPANY A  
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

**PETITION FOR RECONSIDERATION**

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

**EXCEPTIONS AND BRIEFS**

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

**REQUEST FOR HEARING**

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

**ORAL ARGUMENT**

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

**CERTIFICATE OF SERVICE**

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED  
OCT 23 2000

### FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 41-07063 Date: 8/2/2000 Reviewer: Kay Walker

Change/OK

Name/Address

correct mailing address per exam

Source

Point of Diversion:

OK  
AP

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

would OL > WR  
no plu OL > AJ

Overlaps: Right(s): none

File reviewed \_\_\_\_\_ Profile reports printed \_\_\_\_\_

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.23 cfs

Fee Limit 0.20 cfs

Measured \_\_\_\_\_ cfs

Theoretical 0.11 cfs

Recommended Total Diversion Rate 0.11

Water Uses

OK

Change (P46)

Irrigation 0.03 cfs 4.0 af

Stockwater 0.11 cfs 10.7 af

Domestic \_\_\_\_\_ cfs \_\_\_\_\_ af

\_\_\_\_\_ cfs \_\_\_\_\_ af

\_\_\_\_\_ cfs \_\_\_\_\_ af

Total 0.11 cfs 14.7 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/079)

overlap spec combined rts (W35)

>1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

irrig season =  
4/1 - 10/31

Volume Determination

0.03 cfs x 1.9835 x 214 days = 12.7 af (vs) 1 acres x 4.0 (FHR) = 4.0 af

800 x 0.0134 = 10.7 AF

3.0 cu

Remarks:

R68

Additional Conditions

No Watermaster Control - 01

yes GW Measurement/Measuring Device

Other

Trust (052/R55 - remove 051)

Non-trust (048/049)

water msmt. dist  
Abbeeden - American Falls gw dist  
gwma peritgw area  
Government Lots? \_\_\_\_\_

Advance Priority? \_\_\_\_\_

yes  
no

If yes, explain why below.

SRBA Claim?

YES - Directors report 11/2/99

Adjust memo \_\_\_\_\_

no measurement  
or reporting  
reg'd. 0.24  
cfs

Amend Letters \_\_\_\_\_

P87, S06

Second Amendment Notice \_\_\_\_\_

S06

< 5 ac.

Water Right Number - R41-07063

Prefix Translation: RESEARCH

Old (D) Number -

\*\*\* C - CURRENT OWNER \*\*\*  
BARKDULL RANCHES1 - 3202 HEDSTROM LN  
2 -  
3 -  
City- AMERICAN FALLS  
Phone - 208-226-5817

State- ID Zip- 83211

+ - - Priority Date - - +  
08/13/1982+ - - Region - - +  
17 SOUTHERN+ - - Stage - - +  
P - PERMIT

+ - - Status - - +

+ - - Source - - - +  
LANES GULCH CREEK  
GROUNDWATER+ - - Tributary - - - +  
SNAKE RIVER+ - - Twn Rng Sec Tract Lot Rflg County Point of Diversion - - - +  
09S 28E 25 SE SE SE (77) POWER

+ - - Code Description Period From Period To Water Use Diversion Rate Diversion Volume - - - +

01 - IRRIGATION  
04 - STOCKWATER04/01 10/31  
01/01 12/310.030  
0.200+ - Total Div. Rate - + - Total Div. Volume - +  
0.230+ - Total Consumptive Use - + - KW Usage - +  
0.0+ - - Twn Rng Sec Tract Lot Acres Place of Use - - - +  
09S 28E 25 SE SE 1.0 01 IRRIGATION (77) POWER  
09S 28E 25 SE SE 04 STOCKWATER (77) POWER

Total Acres: 1.0

+ - - Diversion Means - PUMP, PANEL, TROUGH AND SPRINKLER SYSTEM

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

+ - - Remarks - - - - -

EXP STOCKWATER, 400 RANGE

+ - - Old Water Right Numbers - - - - -  
4107063

**Prefix Translation: RESEARCH**

Conditions of Approval

THIS RIGHT IS CONDITIONED UPON COMPLETION OF THE APPROPRIATION IN ACCORDANCE WITH THE STATUTORY PROCEDURE FOR APPROPRIATION OF WATER RIGHTS. THIS RIGHT REMAINS SUBJECT TO ALL CONDITIONS SET FORTH IN THE PERMIT UPON WHICH THIS RIGHT IS BASED, AND WILL BE SUBJECT TO ALL CONDITIONS SET FORTH IN THE LICENSE ISSUED BY IDWR UPON COMPLETION OF THE STATUTORY APPROPRIATION PROCESS.

```

+ + + + + Decree Defendant - - - + + - Decree Dat
00/00/0000

```

+-----+  
 Date: 07/09/1999 User Id: TFAHCETT Subject: ADDRESS CHANGE  
 ADDRESS CHANGED PER NOTICE OF ERROR REC'D 7/8/99.

00/00/00 +

| Adjudication Rights Dates and Flags Area |              |                         |              |
|------------------------------------------|--------------|-------------------------|--------------|
| Court Report Filing                      | - 00/00/0000 | Field Inspection Made   | - 05/31/1995 |
| Objection Filed Date                     | - 00/00/0000 | Field Inspection Flag   | -            |
| Response Filed Date                      | - 00/00/0000 | Verified Date           | - 07/09/1999 |
| Claim Received Date                      | - 03/09/1990 | Last Amended Date       | - 00/00/0000 |
|                                          |              | Receipt Number          | - X777777    |
|                                          |              | POU Ownership Flag      | - Y          |
|                                          |              | Name Connector          | -            |
|                                          |              | Civil Case Number       | -            |
|                                          |              | Old Case Number         | -            |
|                                          |              | Old Judicial District   | -            |
|                                          |              | Temporary Right         | - P          |
|                                          |              | Water District          | -            |
|                                          |              | Federal/State Indicator | - S          |
|                                          |              | Presumption Flag        | -            |
|                                          |              | Notice of Error Flag    | -            |

RECEIVED  
FEB 23 2000  
STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 41-07063

1. Owner: BARKDULL RANCHES Phone No. 226-5817

Current Address: 3202 HEADSTROM LN, AMERICAN FALLS, ID 83211

2. Accompanied by: \_\_\_\_\_ EXAM DATE: 6/13/91

Address: \_\_\_\_\_ SRBA EXAM: 5/31/95  
Phone No. \_\_\_\_\_

Relationship to Permit Holder: \_\_\_\_\_

3. Source: GROUND WATER tributary to \_\_\_\_\_

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

| Ident No. | Gov't Lot | 1/4 | 1/4 | 1/4 | Sec. | Twp. | Rge. | County | Method of Determination/Remarks |
|-----------|-----------|-----|-----|-----|------|------|------|--------|---------------------------------|
|           |           | SE  | SE  | SE  | 25   | 9S   | 28E  | POWER  | BB84 & GIS                      |
|           |           |     |     |     |      |      |      |        |                                 |
|           |           |     |     |     |      |      |      |        |                                 |
|           |           |     |     |     |      |      |      |        |                                 |

2. Place(s) of Use:

Indicate Method of Determination GIS

| TWP | RGE | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 9S  | 28E | 25  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | 1  | 1.0    |
|     |     | 25  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | S  |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

MICROFILMED

OCT 23 2000

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

ATTACHED  
AS  
2ND COPY OF  
REPORT

Scale: 1" = \_\_\_\_\_

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

| Well or Diversion Identification No.* | Motor Make  | Hp | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---------------------------------------|-------------|----|------------------|-----------|-----------------------------------|
|                                       | Submersible | 7  |                  |           |                                   |
|                                       |             |    |                  |           |                                   |
|                                       |             |    |                  |           |                                   |

\*Code to correspond with No. on map and aerial photo

## D. FLOW MEASUREMENTS

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

MICROFILMED  
OCT 23 2000

E. NARRATIVE/REMARKS/COMMENTS

< See general comments from draft B.U. Report as prepared by Brian Block of 6-20-91. >

Five acres found irrigated by this system - limited by this permit to 1.0 acres. Attempts were made by Georgia Satterlee to measure actual flow but she was denied access. Therefore the flow was based on Theoretical Calculation.

Claimant has submitted second permit to make up the balance of irrigation; Still in the application stage.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED  
OCT 23 2000

Additional Computation Sheets Attached

# F. FLOW CALCULATIONS

Measured Method: (Theo. Calc.)

$$Q = \frac{8.8(0.7)(7)}{300 + (2.31 \cdot 35)} = 0.113 \text{ cfs}$$

$h_p = 7$   
 $h_t = 300'$   
 $\text{pressure} = 35 \text{ psi (G.T.)}$

# G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1)(4) = 4 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.03)(214)(1.9835) = 12.74 \text{ AF}$$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.0 \text{ AF}$

2. Volume Calculations for Other Uses: (800 head) (Chart allows 0.19 cfs, limited to flow)

$$\frac{800 \times 12 \text{ gpd} \times 365}{325 \text{ gpd}} = 10.75 = 10.8$$

# H. RECOMMENDATIONS

1. Recommended Amounts

| Beneficial Use | Period of Use | Rate of Diversion | Annual Volume  |
|----------------|---------------|-------------------|----------------|
| IRRIGATION     | 4/1<br>10/31  | 0.03<br>Q (cfs)   | 4.0<br>V (afa) |
| STOCK WATER    | 1/1<br>12/31  | 0.11              | 10.8           |
|                |               | Totals:           | 14.8           |

2. Recommended Amendments

☐ Change P.D. as reflected above  
☒ Add P.D. as reflected above  
☐ Add P.U. as reflected above  
☐ Other

# I. AUTHENTICATION


Field Examiner's Name STEVE CLELLAND Date 2/18/00

Reviewer \_\_\_\_\_ Date \_\_\_\_\_

MICROFILMED  
OCT 23 2000  
SEAL

# IDAHO DEPT OF WATER RESOURCES

## 41-07063



660 0 660 1320 Feet

T9S, R28E, SEC. 25, SESE



- RECOMMENDED PLACE OF USE**
- POINT OF DIVERSION
  - Λ SECTION LINES
  - 1/4 - 1/4 LINES

MICROFILMED  
OCT 23 2000

**GIS PLACE OF USE PRESENTATION**  
1987 &/OR 1988 NAPP PHOTOGRAPHY

**DATA ENTRY BY: STEVE CLELLAND**  
**DATE: September 7, 1999**

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**


1. Owner: Barkdull Ranches Permit No. 41-7063  
Current Address: 646 Reed St. Am Falls, ID 83211 Phone No. 226-5817  
2. Accompanied by: Carl Barkdull EXAM. DATE: 6/13/91  
Address: Am. Falls, ID 83211 Phone No. \_\_\_\_\_  
Relationship to Permit Holder: Trustee  
3. Source: groundwater tributary to Snake River  
Laynes Gulch Creek

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: none ☐ Copies Attached  
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = approx 50'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).  
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

**3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

Submersible 7hp. well pump serviced 3 residences,  
5 acres of pasture and a stock corral as well as  
4 remote stock-watering tanks. Total of 800  
cattle watered. Cattle also use out-of-stream water  
to pressure tanks (50 gal. ea.) connected to well.  
(pressure gauge was not operable)

☐ See Remarks on page 4 for continuation

|                                       |            |    |                  |             |                                   |
|---------------------------------------|------------|----|------------------|-------------|-----------------------------------|
| Well or Diversion Identification No.* | Motor Make | Hp | Motor Serial No. | Pump Make   | Pump Serial No. or Discharge Size |
|                                       |            | 7  |                  | Submersible |                                   |
|                                       |            |    |                  |             |                                   |
|                                       |            |    |                  |             |                                   |
|                                       |            |    |                  |             |                                   |

\*Code to correspond with No. on map and aerial photo

**5. Point(s) of Diversion:**

[illegible]

**Indicate Method of Determination.**

**6. Place(s) of Use:**

[illegible]

***Do not use this space***

OCT 23 2000  
MICROFILMED

Do not use this space

#### D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

---

---

---

---

---

#### E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: *horsepower*

#### F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: \_\_\_\_\_ psi x 2.31 = \_\_\_\_\_ ft (1); Dynamic pumping level: \_\_\_\_\_ ft (2)

Total Head: (1) + (2) = \_\_\_\_\_ (3) ; Flow rate: \_\_\_\_\_ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = \_\_\_\_\_ (5)

Meter Input KW: 3.6 x \_\_\_\_\_ KH x \_\_\_\_\_ CTR or \_\_\_\_\_ MULT x \_\_\_\_\_ PTR x \_\_\_\_\_ N/ \_\_\_\_\_ T = \_\_\_\_\_ (6)

Meter Input HP: (6) x 1.34 = \_\_\_\_\_ (7)

Panel Input KW: \_\_\_\_\_ Ave PF x \_\_\_\_\_ Ave Volts x \_\_\_\_\_ Ave Amps x .001732 = \_\_\_\_\_ (6)

Panel Input HP: (6) x 1.34 = \_\_\_\_\_ (7) Efficiency: (5)/(7) x 100 = \_\_\_\_\_ %

#### G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5(3.5) = 17.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.11(245) = 26.95$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.5$

2. Volume Calculations for Other Uses:

$V(\text{domestic}) \Rightarrow 2 \text{ person rural residence} = 120 \text{ gpd. (exhibit 13)}$

$\frac{3(120 \text{ gpd}) \cdot (365 \text{ days})}{325,850} = 0.4 \text{ afa.}$

$V(\text{stockwater}) = 10.7 \text{ afa. (800 head, exhibit 17)}$

MICROFILMED  
OCT 23 2000

**H. REMARKS AND OVERLAP REVIEW ANALYSIS**

150 head are watered under Permit 41-7064 during the rest of the year.  
 Rate of diversion for irrigation is based on the calculated well capacity.

Rate for domestic is based on the allowable rate of 0.04 cfs.

Stockwater rate is based on the required amount for 800 cattle — difference between recommended rate and well capacity is made up by out of stream diversion.

Owner said Apple Lanes Gulch Cr. flows about 2-3 gpm most of the time. Cattle pastured on west side of road drink from stream. Cattle east of road drink from well.

**I. RECOMMENDATIONS****1. Recommended Amounts**

| Beneficial Use | Period of Use |       | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|----------------|---------------|-------|------------------------------|--------------------------|
|                | From          | To    |                              |                          |
| irrigation     | 3/15          | 11/15 | 0.11                         | 17.5                     |
| domestic       | 1/1           | 12/31 | 0.04                         | 0.4                      |
| stockwater     | 1/1           | 12/31 | 0.19                         | 10.7                     |
| Totals:        |               |       | 0.20                         | 28.6                     |

**2. Recommended Amendments**
☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
**J. AUTHENTICATION**

Field Examiner's Name

Brian Block

Signature

Brian Block

Certification Date

Field Report Preparation Date

6/20/91

CONSULTANT SEAL

**K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.**

MICROFILMED  
 OCT 23 2000


**PERMIT 41-07063**

**DATE: JUNE 5, 1995**

[illegible]

**ACRES:** Brian Block shows 5 acres irrigated within the place of use. His sketch of the POU on the USGS Quad map is greatly overshadowed and his sketch on the exam write-up shows the acres distribution slightly different than found by my exam and review of the aerial maps. However, my review of OPQ BB84, dated 8-20-1976, and the NAPP photo 377-81, dated 7-22-1987, shows the irrigated acres to be 5.0 acres total. Measured acres by grid overlay on the OPQ.

DISTRIBUTION OF ACRES: sketch of POU




# GEOLOGICAL SURVEY

113° 7' 30"  
42° 37' 30"

27 00 00 E

29 5'



CLAIM A41-07063 INIT Sw  
T. R. S. Q/Q  
P/D 9S 28E 25 SESESE  
PHOTO BB 84 OPQ MICROFILMED  
DT. & ID. 8-20-1976

OCT 23 2000

## A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

| RIGHT     | TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | CNTY  |
|-----------|------|------|------|-----|-----|-----|-----|-------|
| A41-07063 | 09S  | 28E  | 25   |     | SE  | SE  |     | POWER |

OTHER AJ CLAIMS WITH SAME AJ POD  
A PREFIX R PREFIX  
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT  
NONE

SOURCE: LAYNES GULCH CREEK  
GROUNDWATER

TRIB: SNAKE RIVER

## B. WR POINT OF DIVERSION AND SOURCE:

| RIGHT    | TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | CNTY  |
|----------|------|------|------|-----|-----|-----|-----|-------|
| 41-07063 | 09S  | 28E  | 25   |     | SE  | SE  |     | POWER |

OTHER WR RECORDS WITH SAME WR POD  
A PREFIX R PREFIX  
NONE NONE

AJ CLAIMS IN SAME 40 ACRE TRACT  
A PREFIX R PREFIX  
NONE NONE

SOURCE: LAYNES GULCH CREEK  
GROUNDWATER

TRIB: SNAKE RIVER

## C. FIELD EXAM REQUIRED?

| DUE TO POD DISCREPANCY?    | (Y/N) | DATABASE | FIELD EXAMINER |
|----------------------------|-------|----------|----------------|
| DUE TO SOURCE DISCREPANCY? | (Y/N) | N        |                |

## REMARKS:

Confirmed POD by Exam on 5-31-95 & Permit Exam.  
used Map OPO 8884.

Source: G.U. well confirmed by pit Exam.  
Laynes Gulch: short-term not only.  
LAYNES

(name spelling per OPO)

MICROFILMED  
OCT 23 2000

CLAIM NUMBER: 1-01603

COUNTY

77

TRIB: ~~SNAKE RIVER~~

DATE: 6-5-75

END: " " " NO SENSE

Source: ~~Kayak's~~ Gulch  
LANES

Tab: Snake R?

MICROFILMED  
OCT 23 2000





photo looking n'ly

well house



pump house here

photo looking e'ly




photo looking sw'ly

MICROFILMED  
OCT 23 2000

OCT 23 2000  
MICROFILMED



photo looking sw'ly




photo looking e'ly

pump house here



OCT 23 2008  
MICROFILMED




photo looking sw'ly




photo looking e'ly

pump house here





photo looking sw'ly



photo looking e'ly



pump house here

OCT 23 2000  
MICROFILMED





photo looking sw'ly



pump house here


OCT 23 2003  
MICROFILMED

photo looking sw'ly



OCT 23 2000  
MICROFILMED

pump house here






bro

inside pumphouse

MICROFILM

OCT 23 2000

Barkdull Ranches 41-07063



# FLOW CALCULATION:

41-7063

known data:

$$hp = 7$$

$$lift = 300 \text{ ft} \quad (\text{based on interview with owner and nearby well logs})$$

$$Press = \overset{35-40}{\underset{30}{\cancel{40}}} \text{ psi} \quad (\text{estimate})$$

$$Q = \frac{8.8 (0.7) (7)}{300 + 2.31 \left( \underset{35}{\cancel{40}} \right)} = \boxed{0.11 \text{ cfs.}}$$

200 gpm

400 400 10-15-5-1 MICROFILM  
OCT 23 2000

LAIM NUMBER

A41-07063

DATE

9/1/99

TRANSFER NUMBER

(PERMIT)

AGENT

Sec

CLAIMED ACRE TOTAL

1.0

GIS ACRE TOTAL

5.4

|      | TWP | RNG | SEC | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |     |     |
|------|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|-----|
|      |     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW  | SE  |
| LAIM | 9S  | 28E | 25  |    |    |    |    |    |    |    |    |    |    |    |    |    |    | 1   | 1   |
| GIS  |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    | 5.4 | 5.4 |
| ECOM |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| LAIM |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| GIS  |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| ECOM |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| LAIM |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| GIS  |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |
| ECOM |     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |     |

41-POU.SHP

A01 = Process as Permit to License.

HAPE NOS.

41-POD.SHP

OS. DESCRIPTION

3F TABLES UPDATED

I-DBPOU.DBF

I-DBPOD.DBF

EG LAYOUT

MICRO

OCT 23 2000

41-07063.jpg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE  
GOVERNOR

KARL J. DREHER  
DIRECTOR

2-29-00

RECEIVED

MAR 1 2000

Department of Water Resources

Barkdull ranches  
Carl Barkdull  
3202 Hedstrom Lane  
American Falls, ID 83211

Dear Mr. Barkdull:

Please find enclosed the Application for Permit that you recently filed with our office. Review of your application revealed some items needing further clarification, or perhaps change.

Apparently water right permit 41-07063 also covers some of the same uses described on your application. Water right permit 41-07063 has been recommended to be licensed for the diversion of 0.11 cfs of groundwater for irrigation and stockwater use. The recommended diversion rate of 0.11 cfs was derived from a theoretical calculation based on information obtained in a 1991 field examination. This recommended diversion rate represents the maximum capacity of your system as of 1991. The recommended irrigation use is for 1 acre of irrigation and the stockwater use was based on 800 head of livestock.

Examination of your application reveals that you are filing based on pre 1987 development. Your application lists irrigation of 5 acres, stockwater for 175 head of cattle and 5 horses, and domestic use for two houses. Examination of 1987 aerial photography reveals that there was 5 acres irrigated in 1987. It appears that 1 of the 5 acres is covered by permit 41-07063. In addition it appears that the stockwater use described on your application is more than covered by permit 41-07063. Taking all of this into consideration, your application should probably be for only 4 acres of irrigation and domestic use for two homes.

MICROFILMED

OCT 23 2000

Page 2  
2-29-00

I have enclosed an Application for Permit that reflects the information mentioned above for your reference and/or possible use. In addition I have also enclosed a blank Application for Permit form along with instructions. Please note that a map showing the point of diversion and place of use is required to be submitted along with an Application for Permit. I have enclosed a map so you can indicate the location of your well and place of use.

The application has been filed in the name of "Barkdull Ranches". Please note if the applicant is a corporation or partnership, the person signing the application must either be an officer or elected official of the corporation or partnership and must show the position with the signature. The applicant must also submit a list of corporate or partnership officers, directors, and/or partners and corresponding addresses along with the application.

**Please be aware that I have returned your Application for Permit so you may address the issues discussed in this letter. I will give you 30 days from the date of this letter to resubmit a corrected application before I initiate a refund of your \$50 filing fee.**

I encourage you to send a corrected application, map, and the necessary supporting documents to this office (attn: John Freitag) as soon as possible to prevent further delays in the processing of your application. If you have any questions or need any further assistance feel free to contact me at your convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "John Freitag", written over a horizontal line.

John Freitag  
Water Rights Agent

Enclosures:

MICROFILMED  
OCT 23 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

SOUTHERN REGION

DIRK KEMPTHORNE  
GOVERNOR

KARL J. DREHER  
DIRECTOR

08 November 1999

Barkdull Ranches  
3202 Headstrom Lane  
American Falls, ID. 83211

RE: 41-07063

Dear Mr. Barkdull,

The recommendations for Basin 41 were finalized on 05 November 1999. The permit, 41-07063, and SRBA claim, A41-07063 identifies the stockwater and irrigation elements. The irrigation shown on both the permit and the adjudication claim is only for one acre. However, both the examiner for the Beneficial Field Use and the field review for the SRBA claim verified 5 (five) acres irrigated. The four acres can be identified as beneficially used through the permit process.

Enclosed you will find an application for permit partially filled out. Please look it over and change any item that is incorrect. Your signature is necessary in addition to a \$50.00 filing fee, which pays for the public notice advertised in the local paper.

If you have any questions, please call the Southern Region Office at 736-3033, and ask for Steve Clelland.

Cordially,

Georgia Satterlee  
Sr. Water Resource Agent

enclosures

MICROFILMED  
OCT 23 2000

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

41-7063  
Permit No.

Staff Analysis Sheet  
for  
Beneficial Use Field Report

Need  
app for permit 4 acres  
measurement

41-07063

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form  
☒ Copy of Permit  
☒ Copies of any Amendments/Orders with conditions of approval  
☒ Computer Data Proof Report  
☒ Copy of U.S.G.S. Quad  
☐ Check for Government Lots. If so, make a copy of Government Plat  
Check of P/D index 5/31/88 TJ (Initial and date)  
Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?  
Type of Overlap? ☐ Add acres or uses to existing system  
☐ Increase rate of flow or volume  
☐ Other: \_\_\_\_\_

- Check of P/U index 5/31/88 TJ (Initial and date)  
Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?  
Type of Overlap? ☐ Increase rate of flow or volume  
☐ Add P/D's  
☐ Increase number of acres within tracts  
☐ Other: \_\_\_\_\_

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? \_\_\_\_\_ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form  
☒ Photographs of Point of Diversion and Place of Use  
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 6/20/91 Brian Block (Signature of examiner and date)  
Exam Reviewed by Senior Water Resource Agent \_\_\_\_\_ (Initial and date)  
Exam Reviewed by Manager of Regional Office AD 2/18/2000 (Initial and date)  
Exam Date Entered in Computer \_\_\_\_\_ (Initial and date)  
Exam sent to State Office \_\_\_\_\_ (Initial and date)  
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original  
Refiled in White File \_\_\_\_\_ (Initial and date)

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 11-7063

Date: 2-3-1988

General Considerations:

y Name same as permit  
y Signature the same as permit holder  
y Address change \_\_\_\_\_ If yes, prepare a data entry  
y Proof received timely \_\_\_\_\_  
\_\_\_\_\_ Reinstated  
y Source of Water: *\* Nov. 1, 1987 is a Sunday. Proof is timely received Nov. 2, 1987*  
y Surface water  
\_\_\_\_\_ Groundwater  
\_\_\_\_\_ 1. well log in file  
\_\_\_\_\_ 2. drilling permit  
\_\_\_\_\_ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses  
y y Is rate or volume and fee appropriate?  
y Has permit holder indicated when water was first put to a beneficial use? *\* See letter dated 9-14-87 11-5-1987.*

Measuring Device:

N/A Is a measuring device or access port required?  
N/A Has one been installed?  
\_\_\_\_\_ Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:  
Date proof received \_\_\_\_\_  
Date proof due \_\_\_\_\_ + \_\_\_\_\_  
No. of days late \_\_\_\_\_ = \_\_\_\_\_  
Priority date \_\_\_\_\_ + \_\_\_\_\_  
NEW PRIORITY DATE \_\_\_\_\_ = \_\_\_\_\_

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

November 5, 1987

Barkdull Ranches  
646 Reed St.  
American Falls, ID 83211

Gentlemen:

Re: Permit No. 41-7063

On September 14, 1987, I returned the proof form and requested a proof submittal with a \$50 filing fee. As a result, you submitted a proof and fee. Now, I have determined my letter was in error.

Enclosed is a copy of the proof along with an instruction sheet/fee schedule. Note that for the diversion of 0.23 cfs, the filing fee is \$100. If 0.23 cfs is your actual water use, then please remit the additional \$50. If, however, your water use is 0.20 or less, the first \$50 will cover the field examination fee.

Please advise me by December 1 of your decision.

I apologize for any inconvenience this may have caused you.

Sincerely,

RITA I. FLECK  
Secretary/Records Manager

Enc.

RECEIVED

MAR 9 1988

Department of Water Resources  
Southern Region Office

MICROFILMED

OCT 23 2000

S 25 T 9 S - R 28 E

Form 217  
03/86

RECEIVED

For Office Use Only  
 Fee Received \$ 50.00  
 Date 11/2/87  
 Receipt # 45643  
 Receipt by SW  
 Reviewed by \_\_\_\_\_  
 Sent to region \_\_\_\_\_

SEP 06 1987  
 NO V REC'D. (D. JB)  
 Department of Water Resources

STATE OF IDAHO

MAR 9 1988

DEPARTMENT OF WATER RESOURCES

## PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 41-1063Name(s) of Permit Holder: BARKDULL RanchesPost Office Address: 6416 Reed St.Am Falls Id 83211 Telephone No. 226-5817Source of Water: ① Layne's Gulch CreekSOURCE ② Ground water

Extent of Use:

Domestic 3 (number of households)Stockwater 810 cows (number and type of stock)Irrigation 3 (1) (acres)Other/Remark Calves bullsTotal rate and/or volume for which proof is submitted 23-20 cfs \_\_\_\_\_ acre-feetShow the date water was first diverted and beneficially used under this permit: 8/13/82

Measuring Device: Required? Yes No  
 Installed? Yes No

Fee enclosed \$ EXEMPT 50.00  
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No  
 Installed? Yes No

\* See attached letter

Person to contact to accompany the Department representative during the field examination:

CARL BARKDULL

(Name)

226-5817

(Telephone Number)

6416 Reed St. Am Falls Idaho 83211

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho. MICROFILMED

9/21/87

Date

Carl Barkdull

Signature of Permit Holder (and title, if appropriate)

OCT 23 2000

November 5, 1987

Barkdull Ranches  
646 Reed St.  
American Falls, ID 83211

Gentlemen:

Re: Permit No. 41-7063

On September 14, 1987, I returned the proof form and requested a proof submittal with a \$50 filing fee. As a result, you submitted a proof and fee. Now, I have determined my letter was in error.

Enclosed is a copy of the proof along with an instruction sheet/fee schedule. Note that for the diversion of 0.23 cfs, the filing fee is \$100. If 0.23 cfs is your actual water use, then please remit the additional \$50. If, however, your water use is 0.20 or less, the first \$50 will cover the field examination fee.

Please advise me by December 1 of your decision.

I apologize for any inconvenience this may have caused you.

Sincerely,

RITA I. FLECK  
Secretary/Records Manager

Enc.

*[Handwritten signature]*

FEB 29 1988

September 14, 1987

Barkdull Ranches  
646 Reed St.  
American Falls, ID 83211

Gentlemen:

Re: Permit No. 41-7063

Returned is the proof of beneficial use form submitted to this office on September 8, 1987.

Enclosed is an instruction sheet for submitting proof of beneficial use. Note that for the amount of water being diverted, 0.23 cfs, there is a \$50 filing fee. Please remit the fee by November 1, 1987 to keep the permit in good standing.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,


RITA I. FLECK  
Secretary/Records Manager

Enclosure

*Nov. 1, 1987 is a Sunday.*

*[Handwritten signature]*  
FEB 29 1988

Carl Barkdull  
646 Reed Street  
American Falls, ID 83211



State of Idaho  
Dept of Water Resource  
Statehouse  
Boise, Id 83720

BARKDULL RANCHES  
646 REED  
AMERICAN FALLS, ID 83211

CERTIFIED MAIL  
August 31, 1987

138884

PROOF DUE NOTICE

RE: Permit No. 41-7063

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK  
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 29 1988

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**COMMENCEMENT OF WORKS**

Permit No. 41-1063

Name(s) of Permit Holder(s): \_\_\_\_\_

Post Office Address: 6416 Reed St.  
Alm Falls, Id 83211 Tel. No. 296-5817

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 1948 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control\*:

\*Note: A financing difficulty is  
not an acceptable reason.

10-7-85 Carol Beckwith  
Date Signature of Permit Holder

Carl Markdull  
646 Reed Street  
American Falls, ID 83211

8 OCT  
1985



RECEIVED



OCT 10 1985  
IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE  
BOISE, IDAHO 83720

Department of Water Resources



State of Idaho

## DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS  
Governor

A. KENNETH DUNN  
Director

Mailing address:  
Statehouse  
Boise, Idaho 83720  
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON  
CHIEF, OPERATIONS BUREAU

**MICROFILMED**

FEB 29 1988

S T A T E O F I D A H O  
DEPARTMENT OF WATER RESOURCES

---

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440

BARKDULL RANCHES  
646 REED  
AMERICAN FALLS, ID 83211

NOVEMBER 23, 1982

RE: PERMIT NO. 41-7063

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.  
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

NOV 23 1982

State of Idaho  
Department of Water Resources

7063

APPLICATION FOR PERMIT ANALYSIS SHEET

BARKDULL RANCHES

INITIAL REVIEW BY: T. G. Blau

APPLICATION NUMBER: 41-7063

CHECK:

- ☒ Source.  
☒ Point of diversion.  
☒ County.  
☒ Quantity of water and period of use.  
☒ Description of diverting works.  
☒ Time required for beneficial use of water.  
☒ Place of use or acres irrigated.  
☒ Map.  
☒ Signature.  
☒ Fee.  
☒ Yes ☐ No Field check required.  
☐ Yes ☒ No Critical groundwater area.  
☐ Yes ☒ No Request dam safety information. Sent by: \_\_\_\_\_ Date: \_\_\_\_\_  
☐ Yes ☐ No\* In form to receipt.

Field check by: \_\_\_\_\_  
Date: \_\_\_\_\_  
Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

10/6/82 After talking with Terry (Southern) about the  
2 sources, she concluded that the creek  
was for stock drinking only & that there probably  
would be no actual diversions, therefore  
the special condition is recommended.

SEND COPIES TO:

- ☐ Idaho State Health Department.  
☐ Idaho Fish and Game Department.  
☐ Idaho Department of Lands.  
☐ U.S. Bureau of Land Management.  
☐ U.S. Forest Service.  
☐ Other \_\_\_\_\_

Copies sent by: \_\_\_\_\_ Date: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

PROCESSING:

- ☐ Yes ☒ No  
☐ Yes ☒ No

Platted by: \_\_\_\_\_ Map No. BB 33  
Other rights on same place of use. \_\_\_\_\_

- ☒ Yes ☐ No\*  
☐ Yes ☐ No

In form for advertising. 9/13/82 ✓  
Final date for protests: \_\_\_\_\_  
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/24/82 ✓  
☒ Application published correctly. If not, record action taken: \_\_\_\_\_  
☒ Fee amount, receipt date & number, recorded on application.  
☒ Publication dates and paper, recorded on application.  
☒ Protests, dates, withdrawal, etc., recorded on application.

- ☒ Yes ☒ No  
☐ Yes ☒ No

Measuring device required.  
Access port required.  
Will water be delivered by watermaster? If yes, what district? \_\_\_\_\_

8/13/82  
Date of priority recommended.

Special conditions of approval or cover letter. 26

Cattle drinking from creek without diversion works does  
not constitute an actual water right.

By: ADA

Date: 9/29/82

STATE OFFICE REVIEW:

return receipt  
SLW/L17

26 & special cond above  
**RECEIVED**  
OCT 04 1982

- ☐ See attached sheet for more information.  
By: [Signature]

Date: 10-22-82

POINT OF DIVERSION AND STREAM INDEX INFORMATION

| TRACT                   | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------------------------|-----|-----|-----|--------------|---------------|-------|
| IDAHO STREAM CODE INDEX |     |     |     |              |               |       |

| TRACT                   | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------------------------|-----|-----|-----|--------------|---------------|-------|
| IDAHO STREAM CODE INDEX |     |     |     |              |               |       |

| TRACT                   | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------------------------|-----|-----|-----|--------------|---------------|-------|
| IDAHO STREAM CODE INDEX |     |     |     |              |               |       |

| TRACT                   | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------------------------|-----|-----|-----|--------------|---------------|-------|
| IDAHO STREAM CODE INDEX |     |     |     |              |               |       |

| TRACT                   | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------------------------|-----|-----|-----|--------------|---------------|-------|
| IDAHO STREAM CODE INDEX |     |     |     |              |               |       |

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Southern Region

---

1041 Blue Lakes Blvd N.  
Twin Falls, Idaho 83301  
(208) 734-3578

AUGUST 16, 1982

Power County Press  
174 Idaho Street  
American Falls, ID 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 13, 1982.

Yours truly,

Mary A. Hill  
Secretary

Encl.

100-100000-100000

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

---

41-7063-

BARKDULL RANCHES

646 REED, AMERICAN FALLS, ID 83211

Source: LAYNES GULCH CREEK tributary to SNAKE RIVER  
GROUNDWATER

Date Filed: 08/13/1982

Amount: 0.23 CFS

Diversion Point: SESE Sec 25 T 09S R 28E, POWER Co.

Use: IRRIGATION (0.03 CFS) from 04/15 to 10/31  
STOCKWATER (0.20 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 25 T 09S R 28E FOR 1 ACRES

Diversion Means: PUMP, PANEL, TROUGH

---

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before SEPTEMBER 13, 1982.

A. KENNETH DUNN

Director

Published 8/25 & 9/1/82.

**RECEIVED**

Published in the Power County  
Press August 25, 1982 and  
September 1, 1982

# NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the  
following application(s) have been  
submitted for permit to appropriate  
the public waters of the State of  
Idaho:

41-7063

BARRDULL RANCHES  
646 REED, AMERICAN FALLS,  
ID 83211  
Source: LAYNES GULCH CREEK  
tributary to SNAKE RIVER  
GROUNDWATER  
Date Filed: 08/13/1982  
Amount: 0.23 CFS

Diversion Point: SESE Sec 25 T 09S  
R 28E, POWER CO.  
Use: IRRIGATION (0.03 CFS)  
from 04/15 to 10/31  
STOCKWATER (0.20 CFS) from  
01/01 to 12/31  
Place of Use: SESE Sec 25 T 09S R  
28E for 1 ACRES  
Diversion Means: PUMP, PANEL,  
TROUGH

If issued, the permit(s) will be sub-  
ject to all prior water rights. Protests  
against the granting of any permit  
must be filed with the Director of the  
Idaho Department of Water  
Resources, 1041 Blue Lakes Blvd.  
North, Twin Falls, Idaho 83301 and  
received on or before SEPTEMBER  
13, 1982.

A. KENNETH DUNN  
Director

*8/26/82*  
*maury*  
*dd*