



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

A. Roscoe Huston
 (Applicant)



MICROFILMED
MAY 15 1998

043

NAP

385-43

U



RECEIVED

TO: Sharla Curtis

AUG 11 1997

DATE: August 8, 1997

FROM: Jim Stanton

Department of Water Resources

SUBJECT: Licensing of Permits 41-07018 & 7032, Roscoe Weston
Relinquishment of Permit 41-07024

As we discussed, the relinquishment of the last permit on this system is attached. The other 2 permits should be licensed according to my original exams, with one exception. The 77-acre pivot (the west pivot of the two on the north end of the farm) was never installed, nor was the land under it irrigated by other means. For whatever reason, my recommendation on that part of 41-07032 was incorrect. That pivot covers 7 acres in the NE/SW, 10 ac in Lot 3 (NW/SW), 14 ac in Lot 4 (SW/SW), 15 ac in SE/SW Sec. 18 T. 10S R. 31E, and 10 ac in NE/SE and 21 ac in SE/SE Sec. 13 T. 10S R. 30E as recommended in the 7032 exam. Those acres should be removed from the recommendation, with the flow rates and annual volume adjusted accordingly to 8.78 cfs and 1756 AFA. Although the pumping capacity of these wells was reduced when the boosters were removed a couple of years ago, Mr. Weston told me that he plans to reinstall the boosters and to put the two large pivots on the south end of the farm back into production. The two smaller pivots on the SE corner of the farm will go into CRP. So I think it would improper to reduce the proposed licenses based on my recent exam for 7024, as the reduced usage has been in place for less than 5 years. They owners claimed that their wells were designed to pump over 8000 gpm, but could not come up with any test data to show that this actually occurred.

*rounded
acres
yields
8.80 cfs
1760.0 af*

With regard to annual volume, Mr. Weston told me that they run their wells a maximum of 60 days a season. At 14.55 cfs, this is 1731.6 AFA or 0.93 AFA/acre. The Rockland Valley can be successfully dry-farmed for grain in a good year, so these wells only supplement natural moisture. I recommended the standard 4.0 AFA, so I'm not sure which figure you want to use. We have always licensed for the standard volumes regardless of crops grown or actual historic volume usage, so it may be unfair to restrict the volumes now. This property is in the Aberdeen-American Falls Groundwater District, so they will be looking at his actual volume usage anyway. All of this farm is in grain, and is every year. The land between the pivots is also in grain, except for some large gullies that run thru the place.

The correct mailing address for Mr. Weston is 4448 Hwy 37, Rockland 83271.

Hope this sufficient to get these things licensed. Thanks.

MICROFILMED

MAY 15 1998

MEMORANDUM


Date: June 16, 1995
From: Jim Johnson
To: Files 41-07018, 41-7032, and 41-07053²⁴
Subject: Defer licensing

=====

In follow up to a call from the permit holder all activity toward processing the licenses for 41-07018 and 41-7032 should be deferred until an examination is completed on permit 41-07053²⁴. The three rights are used together in a common system a complete analysis cannot be done with having exams on all three rights. Proof of beneficial use has been received on permit 41-07053 and a field exam should be completed during the summer of 1995.²⁴

MICROFILMED

MAY 15 1998




41-7032


Well A



Well C



MICROFILMED
MAY 15 1998



Department of Water Resources
WELL DRILLER'S REPORT

FEB 18 1977

Department of Water Resources
Southern District Office

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Eastern District Office

1. WELL OWNER

Name EMMETT E. Weston
Address 890 River Heights, Logan, Utah 84321
Owner's Permit No. 41 7018

2. WATER LEVEL

Static water level 198 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other
Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ T. at ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 815 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness 250 inches 16 inches 1 feet 754 feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
5000 perforations 200 feet 700 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____ Model No. _____
Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet
Placed from _____ feet to _____ feet
Surface seal depth 20 Material used in seal ☐ Cement grout ☒ Peddling clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth

6. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes, No
	From	To		
	0	65	Topsoil - Sandy Loam	
	65	120	Gray Clay - Little Gravel	
	120	240	Sand Stone	
	240	245	Sticky White Clay	X
	245	260	Gravel	
	260	325	Sticky Clay	
	325	453	Soupy Clay	X
	453	455	White Lime Rock	
	455	520	Clay	
	520	595	Soft White Rock	
	595	548	White Lime Rock	
	548	815	Clay w/ Hard Streaks	

6. LOCATION OF WELL

Sketch map location must agree with written location.



Substation name _____
Lot No. _____ Block No. _____

County _____ Range _____

SW 1/4 Sec. 19 T. 10 N. R. 30 E. S. 10

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

10. Work started Nov. 1975 Finished Jan. 1977


11. DRILLER'S CERTIFICATION

Firm Name Wallace & Son Firm No. 52
Address Aberdeen, ID
Signed by (Firm Official) Paul Wallace Jr.
and Paul Wallace
(Seal)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

*This law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.*

1. WELL OWNER Name <u>Weston Farms</u> Address <u>Rockland, Idaho</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>280</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of _____ Quality _____																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>16"</td><td>0</td><td>30</td><td>Sandy Soil</td><td> </td><td>X</td></tr> <tr><td>"</td><td>30</td><td>90</td><td>Yellowed Sandstone</td><td> </td><td>X</td></tr> <tr><td>"</td><td>90</td><td>190</td><td>Reddish Clay and Gravel</td><td> </td><td>X</td></tr> <tr><td>"</td><td>190</td><td>230</td><td>Brown Sandstone and Gravel</td><td> </td><td>X</td></tr> <tr><td>"</td><td>230</td><td>250</td><td>Hard Rock Shelves and Br clay</td><td> </td><td>X</td></tr> <tr><td>"</td><td>250</td><td>445</td><td>Blue Clay and Gravel</td><td>X</td><td> </td></tr> <tr><td>"</td><td>445</td><td>460</td><td>Red Clay</td><td> </td><td>X</td></tr> <tr><td>"</td><td>460</td><td>475</td><td>Gravel and grey clay</td><td>X</td><td> </td></tr> <tr><td>"</td><td>475</td><td>580</td><td>Rock Limestone Grey</td><td>X</td><td> </td></tr> <tr><td>"</td><td>580</td><td>650</td><td>Hard Rock, Grey Broken spots about every 2-3 feet</td><td>X</td><td> </td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	16"	0	30	Sandy Soil		X	"	30	90	Yellowed Sandstone		X	"	90	190	Reddish Clay and Gravel		X	"	190	230	Brown Sandstone and Gravel		X	"	230	250	Hard Rock Shelves and Br clay		X	"	250	445	Blue Clay and Gravel	X		"	445	460	Red Clay		X	"	460	475	Gravel and grey clay	X		"	475	580	Rock Limestone Grey	X		"	580	650	Hard Rock, Grey Broken spots about every 2-3 feet	X	
Hole Diam.	Depth		Material	Water																																																																			
	From	To		Yes	No																																																																		
16"	0	30	Sandy Soil		X																																																																		
"	30	90	Yellowed Sandstone		X																																																																		
"	90	190	Reddish Clay and Gravel		X																																																																		
"	190	230	Brown Sandstone and Gravel		X																																																																		
"	230	250	Hard Rock Shelves and Br clay		X																																																																		
"	250	445	Blue Clay and Gravel	X																																																																			
"	445	460	Red Clay		X																																																																		
"	460	475	Gravel and grey clay	X																																																																			
"	475	580	Rock Limestone Grey	X																																																																			
"	580	650	Hard Rock, Grey Broken spots about every 2-3 feet	X																																																																			
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	RECEIVED FEB 22 1980 Department of Water Resources Eastern District Office																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>16 inches</td> <td>2 feet</td> <td>276 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>800 perforations</td> <td>250 feet</td> <td>275 feet</td> </tr> <tr> <td>4000 perforations</td> <td>350 feet</td> <td>475 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Well cuttings ☐ Puddling clay Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" pipe</u>		Thickness	Diameter	From	To	250 inches	16 inches	2 feet	276 feet													Number	From	To	800 perforations	250 feet	275 feet	4000 perforations	350 feet	475 feet																																									
Thickness	Diameter	From	To																																																																				
250 inches	16 inches	2 feet	276 feet																																																																				
Number	From	To																																																																					
800 perforations	250 feet	275 feet																																																																					
4000 perforations	350 feet	475 feet																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County _____ SE 1/4 SW 1/4 Sec. 24, T. 10 N., R. 30 E/W.	10. Work started <u>April 24, 79</u> finished <u>May 22, 1979</u>																																																																						
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Paul Vollmer & Sons</u> Firm No. <u>67</u> Address <u>Aberdeen, Idaho 83210</u> Signed by (Firm Official) <u>Harry Vollmer</u> and (Operator) <u>Harry Vollmer</u>																																																																							

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

FEB 18 1977

1. WELL OWNER

Name Roscoe Weston
Address 89J River Heights, Logan, Utah 84321
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (Describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☒ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 750 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>547</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____ Model No. _____
Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet
Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout
☐ Pudding clay ☒ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County POWELL

SE 1/4 SE 1/4 Sec. 25 T. 10 N. R. 30 E. 1/4

7. WATER LEVEL

Static water level 350 feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other
Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes No
	From	To		
	2	200	Red Clay (Grog)	X
	200	300	Red Clay	X
	400	450	Green Clay (Lime)	X
	450	526	Gravel	X
	526	535	Clay	X
	535	546	Rock	X
	546	605	Hard Rock	X
	605	750	Rock	X

10. Work started Sept. 8, 1976 finished Sept. 24, 1976

11. DRILLERS CERTIFICATION

Firm Name Paul Vollmer & Son Firm No. 67

Address Aberdeen, Id. Date 2/3/77

Signed by (Firm Official) Paul Vollmer Jr.

and Paul Vollmer Jr.
(Operator)

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Eastern District Office

1. WELL OWNER

Name H. Roscoe Weston

Address Rockland, Id.

Owner's Permit No. 9-7080

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 615 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>20</u> inches	<u>1</u> feet	<u>466</u> feet
<u>16</u> inches	<u>16</u> inches	<u>425</u> feet	<u>525</u> feet
<u>16</u> inches	<u>16</u> inches	<u>525</u> feet	<u>585</u> feet
<u>16</u> inches	<u>16</u> inches	<u>585</u> feet	<u>615</u> feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
800 perforations 200 feet 300 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____ Model No. _____
Type _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet to _____ feet
Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal ☐ Cement grout
☐ Pudding clay ☒ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County _____ Power _____

NW 1/4 NE 1/4 Sec. 25, T 10, N 30 E 10

7. WATER LEVEL

Static water level 200 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ F. Quality _____

Artesian closed in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____

9. LITHOLOGIC LOG

Hole Diam.	Depth From	Depth To	Material	Water Yes: No
	0	115	Clay	X
	115	155	Gravel and Clay	X
	155	165	Gravel	X
	165	200	Gravel and Clay	X
	200	205	Gravel	X
	205	245	Gravel and Clay	X
	245	255	Clay	X
	255	280	Gravel and Clay	X
	280	468	Clay	X
	468	490	Lime Rock	X
	490	512	Lime and Clay Strata	X
	512	530	Lime Rock and Clay	X
	530	585	Broken Lime Rock	X
	585	615	Lime Rock - White	X

10. Work started 10/1/76 finished 12/10/76

11. DRILLERS CERTIFICATION

Firm Name Paul Vollmer & Son Firm No. 62

Address Aberdeen, Id. Date 2/14/77

Signed by (Firm Official) Paul Vollmer
and Leo Margenau
(Operator)

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF POWER } s.s.

Phyllis Ringe

being first duly sworn

on oath, states:

That ~~she~~ is the ~~principal clerk of~~ the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 26th day of January, 1978

the date of last publication being the

2nd February

day of 19 78

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

9th day of Feb, 1978

Rose Ann Smith
Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of 19

RECEIVED

FEB 10

OK
2/13/78

Legal Notice

Published in the Power County Press on January 26 and February 2, 1978

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 41-7032 in the name of H. Roscoe Weston was advertised incorrectly by the paper on Dec. 28, 1977, and Jan. 4, 1978. Following is the correct notice.

Notice is hereby given that H. Roscoe Weston, Logan, Utah 84321, has on 12/13/77 submitted Application No. 41-7032 for a permit to appropriate 52.8 cubic feet per second of water from ground water by means of existing & new wells, pumps, pivots & wheel lines within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 36; SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 30E.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, Twp. 10S, Rge. 31E., B.M., Power County, to be used from Mar. 15 to Nov. 15 for irrigation purposes of 5,000 acres, within the W $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 36, Twp. 10S, Rge. 30E., B.M.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17; S $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 18; Sec. 19; SW $\frac{1}{4}$, Sec. 20; W $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 29; Sec. 30; W $\frac{1}{2}$, Sec. 31, Twp. 10S, Rge. 31E., B.M.; E $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$; Sec. 1, Twp. 11S, Rge. 30E., B.M.; N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before February 13, 1978.

C. STEPHEN ALLRED
Director

MICROFILMED

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF POWER } S.S.

Phyllis Ringe

being first duly sworn

on oath, states:

That ~~she~~ is the ~~principal clerk of~~ the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 29th day of December, 1977

the date of last publication being the 5th day of January, 1978

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

6th day of Jan, 1978

Rose Ann Link
Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of, 19

RECEIVED

JAN 9 1978

Department of Water Resources
Southern District Office

Legal Notice

Published in the Power County Press on December 29, 1977 and January 5, 1978
NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that H. Roscoe Weston Logan, Utah 84321 has on 12/13/77 submitted Application No. 41-7032 for a permit to appropriate 52.8 cubic feet per second of water from ground water by means of existing & new wells, pumps, pivots & wheel lines within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 36; SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 30E.; SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 17, Twp. 10S, Rge. 31E., B.M. to be used from Mar. 15 to Nov. 15 for irrigation purposes of 5,000 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 36, Twp. 10S, Rge. 30E., B.M.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17; S $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ Sec. 18; Sec. 19; SW $\frac{1}{4}$, Sec. 20; W $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 29; Sec. 30; W $\frac{1}{2}$, Sec. 31, Twp. 10S, Rge. 31E., B.M.; E $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 1, Twp. 11S, Rge. 30E., B.M.; N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

Twp. 11S, Rge. 30E., B.M.; N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 16, 1977.

C. STEPHEN ALLRED
Director

received
no gully

not

correct

called paper 1/9/78 + 1/12/78
sent corrected advertisement 1/7/78

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 41-07032

Priority: December 31, 1977

Maximum Diversion Rate: 8.36 CFS
Maximum Diversion Volume: 1672.0 AF

This is to certify, that H ROSCOE WESTON
4448 STATE HWY 37
ROCKLAND ID 83271

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 13, 1977; and has submitted Proof of Beneficial Use on March 13, 1990. An examination indicates that the works have a diversion capacity of 18.260 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	8.36 CFS	1672.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 24, Township 10S, Range 30E
NWNW , Sec. 25, Township 10S, Range 30E
NENW , Sec. 25, Township 10S, Range 30E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	30E	24	NENE 33	NWNW 33	SWNE 33	
			SENE 33	NENW 9	NWNW 5	
			SWNW 15	SENE 31	NESW 33	
			NWSW 33	SWSW 33	SESW 33	
			NESE 33	NWSE 33	SWSE 33	
			SESE 33			456
		25	NENE 33	NWNW 33	SWNE 33	
			SENE 33	NENW 33	NWNW 33	
			SWNW 33	SENE 33	NESW 33	
			NWSE 33	SWSE 33	SESE 33	396
		36	NENE 33	NWNW 33	SWNE 33	
			SENE 33			132
		31E 18	NESW 15	SESW 10	NESE 7	
			NWSE 31	SWSE 38	SESE 7	108
		19	NWNE 29	SWNE 31	NENW 35	
			Lot 1(NWNW) 2	Lot 2(SWNW) 3	SENE 36	
			NESW 27	Lot 3(NWSW) 7	Lot 4(SWSW) 16	
			SESW 40	NESE 6	NWSE 11	
			SWSE 35	SESE 32		310
		20	NESW 1	NWSW 12	SWSW 40	
			SESW 6			59
		29	NWNW 8	SWNW 8	NWSW 22	38
		30	NENE 38	NWNE 20	SWNE 32	
			SENE 21	NENW 27	Lot 1(NWNW) 1	
			Lot 2(SWNW) 19	SENE 40	NESW 33	
			Lot 3(NWSW) 9	NESE 35	NWSE 28	
			SWSE 31	SESE 25		359

Total number of acres irrigated: 1858


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 41-07032

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. Rights 41-07018 and 41-07032 when combined shall not exceed a total diversion rate of 18.26 cfs, a total annual diversion volume of 6165.1 af at the field headgate, and the irrigation of 1858 acres.
7. This right is limited to the irrigation of 418 acres within the place of use described above in a single irrigation season.
8. Right 41-07018 is also diverted through the point(s) of diversion described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of MARCH, 1998.


Acting for KARL J. DREHER, Director

MAY 15 1998

State of Idaho
Department of Water Resources

RECEIVED

MAR 02 1998

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 41-07032

Department of Water Resources

Date of Priority: December 31, 1977

Maximum Diversion Rate: 8.36 CFS

Maximum Diversion Volume: 1672.0 AF

Comes now
4448 STATE HWY 37
ROCKLAND ID 83271

H ROSCOE WESTON

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 41-07032, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	8.36 CFS	1672.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 24, Township 10S, Range 30E
NWNE , Sec. 25, Township 10S, Range 30E
NENW , Sec. 25, Township 10S, Range 30E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	30E	24	NENE 33	NWNE 33	SWNE 33	
			SENE 33	NENW 9	NWNW 5	
			SWNW 15	SENE 31	NESW 33	
			NWSW 33	SWSW 33	SESW 33	
			NESE 33	NWSE 33	SWSE 33	
			SESE 33			456
		25	NENE 33	NWNE 33	SWNE 33	
			SENE 33	NENW 33	NWNW 33	
			SWNW 33	SENE 33	NESE 33	
			NWSE 33	SWSE 33	SESE 33	396
		36	NENE 33	NWNE 33	SWNE 33	
			SENE 33			132
31E		18	NESW 15	SESW 10	NESE 7	
			NWSE 31	SWSE 38	SESE 7	108
		19	NWNE 29	SWNE 31	NENW 35	
			Lot 1(NWNW) 2	Lot 2(SWNW) 3	SENE 36	
			NESW 27	Lot 3(NWSW) 7	Lot 4(SWSW) 16	
			SESW 40	NESE 6	NWSE 11	
			SWSE 35	SESE 32		310
		20	NESW 1	NWSW 12	SWSW 40	
			SESW 6			59
		29	NWNW 8	SWNW 8	NWSW 22	38
		30	NENE 38	NWNE 20	SWNE 32	
			SENE 21	NENW 27	Lot 1(NWNW) 1	
			Lot 2(SWNW) 19	SENE 40	NESW 33	

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 41-07032

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
Lot	3(NWSW)	9	NESE	35	NWSE	28
	SWSE	31	SESE	25		359
Total number of acres irrigated:						1858

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Reckland, this 25th day of Feb., 1998.

[Signature]
(Signature)

MAY 15 1998

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 41-07032

FOR DEPARTMENT USE ONLY

Preliminary check by SJK Fee = \$50.00 Receipted by KS # 0041521 Date 3.2.78


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 41-07032 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. Rights 41-07018 and 41-07032 when combined shall not exceed a total diversion rate of 18.26 cfs, a total annual diversion volume of 6165.1 af at the field headgate, and the irrigation of 1858 acres.
7. This right is limited to the irrigation of 418 acres within the place of use described above in a single irrigation season.
8. Right 41-07018 is also diverted through the point(s) of diversion described above.

Witness my hand this 6TH day of MARCH, 1978.


Acting for **KARL J. DREHER, Director**

REV 13 82

RECEIVED

MAR 13 1990

Department of Water Resources
Boise, Idaho

RECEIVED

MAR 15 1990

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received 600.00

Date 3-13-90

Receipt # 15011514

Receipt by SCC

Reviewed by MB-4-11-90

Sent to region

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 41-07032

Name(s) of Permit Holder: H. ROSCOE WESTON

Post Office Address: 4448 STATE HWY. 37, ROCKLAND, ID 83271

Telephone No. (208) 548-2279

Source of Water: Groundwater

Extent of Use:

Domestic (number of households)

Stockwater (number and type of stock)

Irrigation 2480 (acres)

Other/Remark

Total rate and/or volume for which proof is submitted 52.8 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 3/15/1976

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ 600.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

R. Scott WESTON
(Name)

548-2279
(Telephone Number)

4448 STATE HWY. 37, Rockland, ID 83271
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

APR 18 1990

3-13-90

Date

R. Roscoe Weston

Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by K. Young
Date 4/19/89
Receipt # CO06412

RECEIVED
APR 19 1989

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 41-07032

Name(s) of Permit Holder: H Roscoe Weston

Post Office Address: 4448 State Hwy 37

Rockland Id 83271 Telephone No. 548-2478

Date Proof is Due: April 1 1989

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Please Refer to Enclosed Letter

Costing \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Permit holder(s) request an extension to April 1, 19 90.
(1 yr. minimum)

R Roscoe Weston
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1991.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to December 31, 1977, pursuant to Sec. 42-218a, Idaho Code.

Signed this 3rd day of May, 19 89.

H. Glen Saxton
Chief, Water Allocations Bureau

MICROFILMED

JUN 1 1989

5/78

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAR 13 1984

REQUEST FOR EXTENSION OF TIME

MAR 12 1984

To provide additional time in which to submit
Department of Water Resources proof of beneficial use on a water right permit

Department of Water Resources
Southern District Office

H. Roscoe Weston of 890 River Heights Blvd
(Name) (Address)
Jordan, Utah
State of Utah, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 41-7032.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before 4-1, 19 84.

That he has heretofore performed the following work described under said permit: Well has been constructed, 5 pivots are installed.

Costing \$ 580,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: a lawsuit on the water of a neighbor has held up the development. We need to install 4 more pivots.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to 4-1-, 19 89.

H. Roscoe Weston
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to April 1, 1989.

Signed this 15 day of May, 19 84.

J. Glen Saylor
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied.

Received \$1500 3-13-84 #33837

MICROFILMED

Identification No. _____

Application No. 41-7032

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant H. Roscoe Weston Phone: 1-801-752-8641
post office address 890 River Heights Blvd., Logan, Utah 84321
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 10S
Range 30E B.M. Power County; additional points of diversion if any: _____
SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 25; NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 36; SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 13
T. 10S R. 30E; SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 17 T. 10S R. 31E; SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24 T. 10S R. 30E
b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 52.8 cfs for irrigation purpose from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 52.8 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing & new wells, pumps, pivots
and wheel lines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 600 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 900,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

X = 40 acres

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	30E	13		X	X	X	X			X	X	X	X	X	X	X	X	X	520
		14													X	X	X	X	160
		24	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~640~~
		25	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~					~~X~~	~~X~~	~~X~~	~~X~~	~~480~~
		36	~~X~~	~~X~~	~~X~~	~~X~~									X			X	~~80~~ ~~240~~
	31E	17							X			X	X						120
		18			X	X			X	X	X	X	X	X	X	X	X	X	480
		19	X	X	X	X	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~160~~ ~~640~~
10S	31E	20									X	X	X	X					160
		29						X	X			X							120
		30	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~20~~ ~~X~~	~~20~~ ~~X~~	~~40~~ ~~X~~	~~40~~ ~~X~~	~~120~~ ~~640~~
		31					~~X~~	~~X~~	X	X	X	X	X	X					~~240~~ ~~320~~
11S	30E	1	X			X									X			X	160
	31E	6	X	X	X	X	X	X	X	X									320

X = 40 Acres

Total number of acres to be irrigated. 2640
5,000

of water per acre for all of the land described herein. This filing was made so that water from all described wells could be co-mingled and used on any part of this property. Warm Springs water is usable in April & May in Sec. 18. South Fork Rock Creek water is used all season in Sec. 17, 18, & 20.

Amended 4-10-79 *WRB*

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

v - 40 acres

See Attached Sheet

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. Permits 41-7018, 41-7024, decreed rights to Warm Springs Creek & South Fork Rock Creek


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This filing, when combined with Permits 41-7018 & 41-7024, will provide 1" of water per acre for all of the land described herein. This filing was made so that water from all described wells could be co-mingled and used on any part of this property. Warm Springs water is usable in April & May in Sec. 18. South Fork Rock Creek water is used all season in Sec. 17, 18, & 20.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

A. Roscoe Weston
(Applicant)

Proposed Priority 12-13-77

Received by Date 12-13-77 Time 3 PM
Preliminary check by VS Fee \$ 380.00
Received by Date 12-13-77 # 7455
Publication prepared by Date 12/20/77 11/17/78
Published in Down Co. News
Publication dates 12/29/77, 1/5/78, 1/25 & 2/1/78
Publication approved by Date 2/12/78
Priority reduced to Reason
Protests filed by: David G. Nelson, Attorney
Broom, & Richard May (John B. Taylor, atty.)
Copies of protests forwarded by SM 2/15/78
Hearing held by Date
Recommended for approval denial by VS 3.5.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 41-7032 , and said application is hereby APPROVED.
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 84.

c. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department. (2) Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use. (3) The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land. (4) Unperforated well casing shall be used to a minimum depth of:

175 feet in S¹/₄NE¹/₄, 200 feet in S¹/₂SE¹/₄, Sec. 24; 100 feet S¹/₂SW¹/₄, Sec. 13; 225 feet in NE¹/₄NE¹/₄, Sec. 36; in Twp. 10S, Rge. 30E, B. M.; and shall be extended into the next confining layer.

Witness my hand this 27th day of April, 1979.

J. Allen Boyton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 11, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

H ROSCOE WESTON
4448 STATE HWY 37
ROCKLAND ID 83271

RE: WATER RIGHTS 41-07018/41-07032

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses are preliminary orders issued by the Department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,

- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Also, I have enclosed a copy of you approved licensing amendment for you to keep for your records.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure


RECORDED
MAY 15 1988

CERTIFICATE OF MAILING

I hereby certify that on the 11th day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Approved Licenses)** to the person(s) listed below:

WATER RIGHTS 41-07018/41-07032

**H ROSCOE WESTON
4448 STATE HWY 37
ROCKLAND ID 83271**


Kari Lynn Townsend
Secretary



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 17, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

H ROSCOE WESTON
PO BOX 336
LOGAN UT 84321

RE: Water Rights 41-07018 and 41-07032

Dear Mr. Weston:

After reviewing the information submitted by Gail Staley, I have revised the licensing recommendations for permits 41-07018 and 41-07032. Before the licenses can be issued, however, the permits still need to be amended to correctly identify the places of use. Please review and sign the enclosed amendment forms and return them to me within fourteen days. Each amendment form must be accompanied by a \$50.00 filing fee -- \$100.00 total.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosure

RECEIVED
MAY 15 1998

MEMORANDUM

DATE: February 12, 1998

TO: Water Right Files 41-07018 and 42-07032

FROM: Shelley W. Keen ^{SWK}

RE: Diversion Rate

I have been analyzing all available data to determine the maximum combined diversion rate for the three-well irrigation system operated under water appropriation permits 41-07018 and 42-07032. In this memo I will summarize and analyze the available data and recommend a combined diversion rate for licensing.

Water is diverted from three wells referred to as "A", "B", and "C". The three wells are located within a few hundred feet of each other, which suggests a strong probability of well interference. Well "A" was supposedly drilled in 1976, well "B" about 1977, and well "C" about 1979. A well log on file with IDWR indicates that Vollmer and Sons drilled a well in the NWNE of Section 25 in the fall of 1976. The static water level in this well was 200 feet. The timing matches well "A", but the location suggests that this is the well referred to as "B". Unfortunately, I cannot find another log for a well drilled at or near this location in 1976 or 1977.

Well "C" is probably represented by a well log showing that Vollmer and Sons drilled a well in the SESW of Section 24 in the spring of 1979. While the location in Section 24 suggests well "A", the timing suggests well "C". The wells are so close together near the line separating Sections 24 and 25 that the driller could easily have mistaken the location. The static water level in this well was 280 feet.

Gail Staley of G. J. Verti-Line Pumps, Inc., in Twin Falls sent me copies of receipts and pump curves for the pumps and motors installed in the three wells. The receipts indicate that well "A" was equipped with a 300 h.p. pump and motor in the late summer of 1976. The system was designed to produce 3900 gpm (8.69 cfs) at 252 feet of head. Well "B" received a 300 h.p. pump and motor designed to produce 2500 gpm (5.57 cfs) at 363 feet of head in the spring of 1977. Well "C" received a 200 h.p. pump and motor in the summer of 1981. It was designed to pump 1800 gpm (4.01 cfs) at 365 feet of head. The permit holder, Roscoe Weston, told me that Kechter Brothers of Burley installed 150 h.p. booster pump on each system at the time the well pumps were installed. The boosters were necessary to pressurize the distribution system which consisted of eleven 800 gpm pivots, according to Weston and Staley.

I have been unable to determine satisfactory answers to two questions about the information the system design information. First, why was system "A" designed for 110 feet less head than the other two systems? Perhaps the answer lies in the missing well log. One plausible explanation,

however, is that the potential drawdown in well "A" was initially miscalculated. The design of "B" and "C" probably benefited from the knowledge gained from operating "A".

The second question is how eleven 800 gpm pivots could be operated from a system designed to produce a maximum of 8200 gpm (3900 + 2500 + 1800). Mr. Weston did not seem to agree with the suggestion that not all of the pivots were operated simultaneously.

Proof of Beneficial Use was submitted for permit 41-07018 in 1985 and for permit 41-07032 in 1990. In 1988 John Westra of IDWR conducted an energy audit for wells "A" and "C". Using a Collins meter he measured "A" at 2581 gpm and "C" at 1927 gpm. Mr. Weston is disappointed with the measurement of "A", but seems satisfied with "C". It is difficult to discern why "A" was not living up to the 3900 gpm design. One thought is that the dynamic pumping depth may be greater than the design anticipated. According to the pump curve submitted by Mr. Staley, if pump "A" was working against a head of 360 feet like "B" and "C" were designed to do, it would produce in the 2250 gpm range and at a less-than-optimum efficiency. This would be consistent with John Westra's determination that pump "A" was operating at a "fair" efficiency.


In 1990 Jim Stanton of IDWR measured system "B" at 2023 gpm (4.51 cfs) using an annubar. Mr. Staley is dissatisfied with this measurement also. I can see no apparent reason to discredit the measurement.

In 1997 Jim Stanton used a sonic meter to conduct additional flow measurements in connection with permit 41-07024, which has been relinquished. He measured "A" at 2961 gpm (6.60 cfs), "B" at 1548 gpm (3.45 cfs), and "C" at 907 gpm (2.02 cfs). Jim suggests that the flow from "C" was about 0.72 cfs low because one small pivot was not operating. Unfortunately these measurements cannot realistically be compared with the earlier measurements because Mr. Weston had converted to low pressure nozzles and removed the booster pumps from his system. Mr. Weston is adamant that he intends to install new booster pumps to get back the flow rates he insists his system could produce in the 1980s.

The licensing recommendation presented to Mr. Weston was for 14.55 cfs determined by combining John Westra's two 1988 measurements and Jim Stanton's 1990 measurement. The entire 1858-acre place of use was recommended with no limitations. While it is possible that Mr. Weston has not ever irrigated 1858 acres in a single season, at this point it would be difficult to ascertain the maximum number of acres irrigated in a single season during the development period. While it has been the practice in the SRBA to limit irrigation to one acre for every 0.01 cfs, that practice was not recommended in this case for two reasons. First, the system is self-limiting in that the water can be stretched only so far. Second, as Jim Stanton points out, dry-farming grain is possible in the area. Irrigation supplements the natural precipitation.

Because of the inconsistent nature of the data collected, it is difficult to determine the maximum diversion rate appropriated by Mr. Weston under permits 41-07018 and 41-07032. It is possible that prior to the 1988 measurements the diversions from the three wells closely approximated their designed capacities of approximately 8200 gpm, or 18.26 cfs. Licensing 18.26 cfs would certainly get much closer to the SRBA practice of limiting irrigation rights to one acre for every 0.01 cfs.

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	GE	300	BMJ225116	Aurora	37670321
2	GE	300	BMJ213114	"	71543
3	GE	300	CTJ304142	"	3X1 70198

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Meter						April 1997

2. Measurements: See Remarks.

Well A = 6.60 cfs, Well B = 3.45 cfs, Well C = 2.02 cfs

NOV 15 1998

From file 41-07024

S.W. Keen

0374.4 MMSEC
097.01 % TOMODE SELECT
INPUTKIND OF FLUID
? ANOTHERSENSOR MOUNTING
? UDATA CHANGE
? YESCHANGE DATA
? FLUIDKIND OF FLUID
? WATERSPACING
10.185 IN U07-18 11:1400 *R
+ 2.923E 3GPM07-18 11:1400 *R
+ 3.132E 3GPMZERO MODE
CLEAR07-18 11:1700 *R
+ 3.025E 3GPM07-18 11:1700 *R
+ 2.927E 3GPM07-18 11:1900 *R
+ 2.992E 3GPM07-18 11:2100 *R
+ 2.971E 3GPM07-18 11:2300 *R
+ 2.953E 3GPM07-18 11:2300 *R
+ 2.955E 3GPM07-18 11:2500 *R
+ 2.943E 3GPM07-18 11:2500 *R
+ 2.962E 3GPM07-18 11:2600 *R
+ 2.964E 3GPM07-18 11:2600 *R
+ 2.941E 3GPM07-18 11:2700 *R
+ 2.965E 3GPM2161
3PM
6.60
cfs0374.4 MMSEC
097.01 % TOMODE SELECT
INPUTKIND OF FLUID
? ANOTHERSOUND VELOCITY
1530 M/S-SENSOR MOUNTING
? UTYPE OF SENSOR
? SMALLDATA CHANGE
? NOSPACING
8.709 IN U07-18 12:1500 *R
+ 1.550E 3GPM07-18 12:1500 *R
+ 1.567E 3GPM07-18 12:1600 *R
+ 1.552E 3GPM07-18 12:1600 *R
+ 1.545E 3GPM07-18 12:1700 *R
+ 1.544E 3GPM07-18 12:1700 *R
+ 1.541E 3GPM07-18 12:1800 *R
+ 1.541E 3GPM07-18 12:1900 *R
+ 1.537E 3GPM1548
average
2.45
cfs07-18 12:2800 *R
+ 5.952E 0FPS07-18 12:2800 *R
+ 002.40 % A12MODE SELECT
TO CHECK0376.8 MMSEC
100.29 % TOMODE SELECT
TO CHECK0391.9 MMSEC
097.39 % TO0391.9 MMSEC
097.40 % TOMODE SELECT
INPUTMODE SELECT
DATA SETKIND OF FLUID
? ANOTHERSOUND VELOCITY
1530 M/S-SENSOR MOUNTING
? UTYPE OF SENSOR
? SMALLSPACING
8.517 IN UZERO MODE
CLEAR07-18 13:2200 *R
+ 002.60 % A1207-18 13:2300 *R
+ 913.507E 0GPM07-18 13:2300 *R
+ 919.972E 0GPM07-18 13:2300 *R
+ 996.864E 0GPM07-18 13:2400 *R
+ 917.998E 0GPM07-18 13:2600 *R
+ 899.524E 0GPM07-18 13:2600 *R
+ 919.947E 0GPM07-18 13:2700 *R
+ 902.147E 0GPM07-18 13:2700 *R
+ 894.222E 0GPM07-18 13:2800 *R
+ 921.432E 0GPM907
average
3.07
cfsFrom file 41-07024
S.W. Keen

E. NARRATIVE/REMARKS/COMMENTS

System consists of 3 wells & pumps, buried mainlines to 13 pivot sprinklers of various sizes. System was examined in 1970 for other permits. Wells had booster pumps at that time, & all 3 wells were connected, but the boosters were removed 2-3 years ago, & Well C was disconnected from the other wells. The 2 small pivots on the SE corner of the farm, recommended under 41-07018, are no longer in use. The 2 south pivots, and the west pivot on the north end of the farm, all recommended under 41-07032, are also no longer in use. So no new land has been developed under 41-07024. Present P/U is actually smaller than what was previously recommended. Wells A & B were measured at a combined rate of 10.05 cfs. Well C was measured at 2.02 cfs, but this is not the full capacity of the well. Two full-size pivots were being run from Well C during the measurement, but another small pivot that is also served by this well was off due to mainline problems. Small pivot is about 940' long (per ASCS photo), 940' x 1320' = 119. With a standard pivot at 101 cfs, 71% = 0.72 cfs. Measured 2.02 cfs + 0.72 cfs = 2.74 cfs Total Flow for Well C. System capacity = 12.79 cfs. This is less than the 14.55 cfs recommended under 41-07018, so no additional water has been developed.

Recommend permit be cancelled for lack of development. Will try to get owner to relinquish permit.

Have conditions of permit approval been met? ☒ yes ☐ no

NOV 15 1998

From file 41-07024
S.W. Kee

MEMORANDUM

DATE: February 9, 1998

TO: Water Right Files 41-07018 and 41-07032


FROM: Shelley W. Keen *SWK*

RE: Diversion rate recommendations

Last Friday (2/6/98) Roscoe and Scott Weston came by the office to talk about the diversion rates recommended for licenses 41-07108 and 41-07032. They believe that the licenses should be issued for a combined diversion rate greater than 14.55 cfs. According to the Westons, in the early 1980s they had a combined diversion rate of about 20 cfs. They say the measurements that form the basis for the 14.55 cfs recommendation were taken after they began to experiment with low pressure nozzles, etc. Roscoe Weston is going to have Gail Staley of G. J. Verti-Line Pumps, Inc., provide documentation to support the higher diversion rate.

Roscoe Weston's office phone number in Logan is 435-792-4867.

RECEIVED
MAY 1 3 1998



G.J. VERTI-LINE PUMPS, INC.

1970 Highland Ave. East - P.O. Box 892
Twin Falls, Idaho 83303
Fax (208) 733-5009
Phone (208) 733-4278

02/06/98

To Whom It May Concern:

The following is a list of pumps located on the Roscoe Weston, Farm
South of Rockland, Idaho.

Pump A

300 HP Aurora Pump #376-86487

This pump was installed in May of 1976

Pump setting: 260 ft. of 12 x 3 x 1 15/16 column tube and shaft assembly

Pump design: 3900 GPM at 237 ft. pumping level

Pump B

300 HP Aurora Pump #377-71543

This pump was installed in April of 1977

Pump setting: 350 ft. of 12 x 3 x 1 15/16 column tube and shaft assembly

Pump design: 2500 GPM at 333 ft. pumping level

Pump C

200 HP Aurora Pump #3x1-70198

This pump was installed in June of 1981

Pump setting: 370 ft. of 10 x 2 1/2 x 1 11/16 column tube and shaft assembly

Pump design: 1800 GPM at 335 ft. pumping level

During the time the above pumps were installed, we were a Factory Branch of
Aurora Pumps, in Twin Falls, Idaho. Gail J. Staley was the branch manager.
Gail and his son Eric have since purchased this pump sales and service
facility in Twin Falls, Idaho, and go by the name of G. J. Verti-line Pumps, Inc..

Respectfully yours,

G. J. Verti-Line Pumps, Inc..

Gail J. Staley
President

RECEIVED
MAY 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 30, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

H ROSCOE WESTON
4448 STATE HWY 37
ROCKLAND ID 83271

RE: WATER RIGHTS 41-07018 & 41-07032

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permits referenced above prior to issuing water right licenses. By issuing licenses, the Department confirms that water rights have been established in compliance with the terms of the permits. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permits. Therefore, before licenses can be issued, your permits must be amended to depict your water rights as they were actually developed.

The enclosed Application for Amendment forms depict the point(s) of diversion and place(s) of use and other information as it will appear on the licenses when they are issued. Please review the amendment forms carefully. If you concur with the information presented, please sign the forms and return them with the \$50.00 filing fee (each - \$100.00 total) within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
MAY 15 1998



MEMORANDUM

TO: Files 41-07018 and 41-07032

FROM: Sharla

DATE: January 7, 1998

RE: Recommendation Adjustment(s)

The final license recommendations for Permit Nos. 41-07018 and 41-07032 are based on the following:

41-07018:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	14.55 cfs	5672.0 afa
------------	-------------	-----------	------------

41-07032:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	8.80 cfs
------------	-------------	----------

For rights with > 5.0 acres, the number of acres per $\frac{1}{4}$ is rounded to the nearest whole number; the rates and/or volume components have been modified accordingly. The standard irrigation season for this area is 4/1 - 10/31.

Jim Stanton confirmed that there's no surface water overlap, per telecon 1/29

Examiner: Jim Stanton

Exam Date: October 23, 1990

RECORDED

MAY 15 1998

U 4 8



RECEIVED

TO: Sharla Curtis

AUG 11 1997

DATE: August 8, 1997

FROM: Jim Stanton

Department of Water Resources

SUBJECT: Licensing of Permits 41-07018 & 7032, Roscoe Weston
Relinquishment of Permit 41-07024

As we discussed, the relinquishment of the last permit on this system is attached. The other 2 permits should be licensed according to my original exams, with one exception. The 77-acre pivot (the west pivot of the two on the north end of the farm) was never installed, nor was the land under it irrigated by other means. For whatever reason, my recommendation on that part of 41-07032 was incorrect. That pivot covers 7 acres in the NE/SW, 10 ac in Lot 3 (NW/SW), 14 ac in Lot 4 (SW/SW), 15 ac in SE/SW Sec. 18 T. 10S R. 31E, and 10 ac in NE/SE and 21 ac in SE/SE Sec. 13 T. 10S R. 30E as recommended in the 7032 exam. Those acres should be removed from the recommendation, with the flow rates and annual volume adjusted accordingly to 8.78 cfs and 1756 AFA. Although the pumping capacity of these wells was reduced when the boosters were removed a couple of years ago, Mr. Weston told me that he plans to reinstall the boosters and to put the two large pivots on the south end of the farm back into production. The two smaller pivots on the SE corner of the farm will go into CRP. So I think it would improper to reduce the proposed licenses based on my recent exam for 7024, as the reduced usage has been in place for less than 5 years. They owners claimed that their wells were designed to pump over 8000 gpm, but could not come up with any test data to show that this actually occurred.

*rounded
acres
yields
8.80 cfs
1760.0 af*

With regard to annual volume, Mr. Weston told me that they run their wells a maximum of 60 days a season. At 14.55 cfs, this is 1731.6 AFA or 0.93 AFA/acre. The Rockland Valley can be successfully dry-farmed for grain in a good year, so these wells only supplement natural moisture. I recommended the standard 4.0 AFA, so I'm not sure which figure you want to use. We have always licensed for the standard volumes regardless of crops grown or actual historic volume usage, so it may be unfair to restrict the volumes now. This property is in the Aberdeen-American Falls Groundwater District, so they will be looking at his actual volume usage anyway. All of this farm is in grain, and is every year. The land between the pivots is also in grain, except for some large gullies that run thru the place.

The correct mailing address for Mr. Weston is 4448 Hwy 37, Rockland 83271.

Hope this sufficient to get these things licensed. Thanks.

5-07024-2
MAY 15 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 41-07032

DATE 7/24/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change ✓

Is change clarification of originally intended source? ✓

POINT OF DIV ✓ NEW

If not, prepare Notice of Intent to Void ✓

Amendment required yes

PLACE OF USE ✓

Amendment required yes

Does map agree with written description? ✓ yes ✓ no

OVERLAPS ✓ P/D ✓ P/U

RATE OF DIV

Permitted Rate 52.8 cfs

Fee limit 20.0 cfs \$600.00

Measured 14.55 cfs

Theoretical ✓ cfs

Recommended Total Div Rate 10.34 cfs

ANNUAL VOLUME/
NATURE OF USES ✓

Use ✓

Volume Calculation

517 X 4.0 = af

440 af

✓ af

✓ af

SUBTOTAL 2068.0 af

Flow rate 10.34 cfs X 214 days X 1.98 = 4381.3 af

Total volume recommended ✓ af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W35 (41-07018, 14.55 cfs) 1760. 5820
36 4

CONDITIONS ✓ Watermaster Control WD# ✓

✓ GW Measurement/Measuring Device

✓ Overlap

✓ Use-specific conditions 065,079

Advancement of Priority Date Required ✓ yes ✓ no

SRBA Claim Filed NA

1st Amend Letter P37, P38

Adjustment Memo rate

2nd Amend Letter P42

rounded acres

MEMORANDUM

Date: June 16, 1995
From: Jim Johnson
To: Files 41-07018, 41-7032, and 41-07053²⁴
Subject: Defer licensing

=====

In follow up to a call from the permit holder all activity toward processing the licenses for 41-07018 and 41-7032 should be deferred until an examination is completed on permit 41-07053²⁴. The three rights are used together in a common system a complete analysis cannot be done with having exams on all three rights. Proof of beneficial use has been received on permit 41-07053 and a field exam should be completed during the summer of 1995.^{2nd}

ENCLOSURE

MAY 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 23, 1994

H ROSCOE WESTON
4448 STATE HWY 37
ROCKLAND ID 83271

RE: WATER RIGHT NO. 41-07032

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED
MAY 15 1995

RECEIVED

24 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 20 1994

Department of Water Resources
Southern Region Office

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: H. Roscoe Weston Permit No. 41-7022
Current Address: Weston Wheat Farm, 4440 Hwy. 37, Rockland, ID 83271 Phone No. 548-2283
2. Accompanied by: Mr. Weston EXAM. DATE: 10-23-90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 41-7024 (pending extension of time) ☐ Copies Attached
2. Other water rights with same point of diversion: 41-7018, permit 41-7024 ☐ Copies Attached ☒ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

MAY 13 1996

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☒ Aerial Photo Attached (required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
 3 connected wells with motors, pumps, boosters. Minilines to 5 pivots of various sizes. Wells serve 18 pivots, the other 13 pivots are under permit 41-9018 as recommended for licensing. Land around the pivots is dry farmed.

4. See field notes

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
A				SW 24	105	30E	lower	
B				NW 25				
C				NE NW				

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE%	NW%	SE%	SW%	NE%	NW%	SE%	SW%	NE%	NW%	SE%	SW%	Totals
105	30E	13													31
		25													132
		36													132
	31E	18													154
		19													6
		20													58
		29													3

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Measured 14.55 cfs. (see exam on 41-7018)

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached (Exam on 41-7018)

1. Measured Method:

516 gals x .02 cfs/gal = 10.32 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 516 \times 4.0 = 2064 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 10.32 \times 245 \times 1.9835 = 5015.1$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2064 \text{ AFA}$

2. Volume Calculations for Other Uses:

MAILED
MAY 15 1988

H. REMARKS AND OVERLAP REVIEW ANALYSIS

This permit should be amended to cover the 5 pivots not covered by Permit 41-7018 as recommended for licensing. Permit 41-7018 as recommended covers the core land served the 3 wells (up to permit acreage limits). Permit 41-7032 is recommended to cover the additional irrigated land surrounding the core land. Of the 5000 acres filed on, about 2000 acres (actually 1940 ac.) are actually watered. Actual diversion rate is 0.38" per acre. Irrigation supplements natural rainfall in the area. Not to exceed 14.55 cfs when combined with RT. 41-7018.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afy)
Irrigation	3-15 11-15	10.32	3064

2. Recommended Amendments

- ☒ Change P.D. as reflected above
- ☒ Change P.U. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☐ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name J.F. Stanton

Signature J.F. Stanton

Certification Date 3/31/93

Field Report Preparation Date 12-21-90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



* See attached Memo. BC

MEMORANDUM

TO: File 41-7032
FROM: Brenda Chapman
DATE: August 22, 1994
RE: Adjustments Made

=====


* A season of use, rate or volume adjustment was recommended based on the information below.

- ☐ The stockwater rate was adjusted to the current Field Examiner's Handbook recommended rate.
- ☐ The stockwater rate was reduced based on a 24 hours a day spring diversion rather than a 2 hour per day groundwater diversion.
- ☐ The irrigation season and volume rates were adjusted to the current Field Headgate Requirement and Season of Use chart's recommendations.
- ☒ The Period of Use was modified to coincide with the standard irrigation season for that area.


10/13/94
10/13/94

41-7032

Well A



Well C



41-7018

April 13, 1990

H. ROSCOE WESTON
4448 STATE HWY. 37
ROCKLAND, ID 83271

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 41-07032

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 18 1990

May 4, 1989

H. Roscoe Weston
4448 State Hwy. 37
Rockland, ID 83271

Dear Mr. Weston:

Re: Permit NO. 41-7032

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1991. Note that the permit has been reinstated with an advance in priority since the extension request was received after the proof due date.

Note that the department has granted several extensions. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant future requests.

If you have any questions concerning your permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

Microfilm

JUN 13 1989

Weston Farms
4448 State Hwy 37
Rockland, Id. 83271
(208) 548-2478

RECEIVED
APR 19 1989

April 17, 1987

Department of Water Resources

State of Idaho Dept of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Id. 83720

Mr. L. Glen Saxton
Chief, Water Allocation Bureau

RE: Permit No 4i-07032

Dear Mr. Saxton:

Please accept this letter as explanation of our request for extension of time.

In the summer of 1987 we had a ²(permit test) for this permit. The person from the water department, I'm sorry I can't recall his name, said he didn't feel the test was accurate and suggested that we have a retest preformed by the energy resources bureau of the water department.

In the summer of 1988 Mr. John Westra came to our farm and preformed the tests again. He confirmed the findings of the 1987 test and suggested that we improve our irrigation system main lines, then retest again.

I have been in contact with our local S.C.S. office and talked to Mr. Jim Stalnaker and Mr. Clay Erickson. Mr. Erickson has made some engineering studies and recommendations to improve this situation and frankly it is going to be expensive.

I understand there are programs to help finance a project of this nature, which we are looking into.

For this reason I am applying for an extension of time again, and hope you can find it acceptable to approve.

Sincerely

Scott Weston

Scott Weston

MICROFILMED

JUN 13 1989

H. ROSCOE WESTON
4448 HWY 37
ROCKLAND ID 83271

April 7, 1989

LAPSE NOTICE

RE: PERMIT NO. 41-07032

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated January 31, 1989.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this department within sixty days of the date of mailing of this lapse notice or the permit will no longer be of any force or effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

LGS:RF

JUN 13 1989

CERTIFICATION OF MAILING

I hereby certify that on 4-7-89
a copy of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Jodi L. Schultz

H. Roscoe Weston
4448 Hwy. 37
Rockland, ID 83271

January 31, 1989

138901

PROOF DUE NOTICE

RE: PERMIT NO. 41-07032

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 13 1989

FROM *Sharla*

DATE

TO *Files*SUBJECT *Address change*

In telecon on this date, Roscoe Weston's address is:

*4448 Hwy. 37
Rockland, ID
83271*

SIGNATURE

MICROFILMED

JUN 13 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

JUN 13 1989

May 15, 1984

H. Roscoe Weston
890 River Heights Blvd.
Logan, UT 84321

Dear Mr. Weston:

Re: Permit No. 41-7032

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to April 1, 1989.

In connection with the development of a water right under this permit, the Department wishes to call to your attention an Idaho Supreme Court decision issued in November 1982 which likely could affect your future use of water.

The decision in the case of Idaho Power Company vs the State of Idaho, et al stated in part that Idaho Power Company's use of water for power generation purposes at the Swan Falls dam on the Snake River is not subordinated to upstream depletion by later-in-time uses. The question of whether Idaho Power's 8,400 cfs water right at Swan Falls dam has been diminished by subsequent development, however, was remanded back to district court for determination. The findings of the district court could restrict water availability or require compensation to Idaho Power Company for uses developed later in time than Idaho Power Company's water right at Swan Falls dam.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

April 26, 1984

H. Roscoe Weston
890 River Heights Blvd.
Logan, UT 84321

Dear Mr. Weston:

Re: Permit No. 41-7032

On March 12, 1984, this office received the request for extension of time. Before the Department will take action on the extension request, we request that you provide the Department with a copy of the well log for your well.

Condition #4 on your approved permit states that unperforated well casings shall be used to a specific depth depending on the location of the well. The Department wishes to followup and to see if this condition been met.

Please submit the well logs by May 15 so final action can be taken on the request.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

Well driller certifies that this report is filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Madison Farms</u> Address <u>Rockland, Idaho</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>200</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure <u>P.A.L.</u> Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ of Quality _____																																																																																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Reconditioned ☐ Abandoned (describe method of abandonment) _____	8. WELL TEST DATA ☐ Pump ☐ Sailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																											
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																													
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Depth</th> <th>From</th> <th>To</th> <th>Material</th> <th>Notes</th> </tr> </thead> <tbody> <tr><td>0</td><td>0</td><td>30</td><td>Sandy soil</td><td>2</td></tr> <tr><td>30</td><td>30</td><td>50</td><td>Yellowish sandstone</td><td>2</td></tr> <tr><td>50</td><td>50</td><td>100</td><td>Yellowish clay and gravel</td><td>2</td></tr> <tr><td>100</td><td>100</td><td>150</td><td>Yellow sandstone and gravel</td><td>2</td></tr> <tr><td>150</td><td>150</td><td>200</td><td>Hard rock sandstone and clay</td><td>2</td></tr> <tr><td>200</td><td>200</td><td>250</td><td>Hard clay and gravel</td><td>2</td></tr> <tr><td>250</td><td>250</td><td>300</td><td>Red clay</td><td>2</td></tr> <tr><td>300</td><td>300</td><td>350</td><td>Gravel and gray clay</td><td>2</td></tr> <tr><td>350</td><td>350</td><td>400</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>400</td><td>400</td><td>450</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>450</td><td>450</td><td>500</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>500</td><td>500</td><td>550</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>550</td><td>550</td><td>600</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>600</td><td>600</td><td>650</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>650</td><td>650</td><td>700</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>700</td><td>700</td><td>750</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>750</td><td>750</td><td>800</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>800</td><td>800</td><td>850</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>850</td><td>850</td><td>900</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>900</td><td>900</td><td>950</td><td>Red clay and gravel</td><td>2</td></tr> <tr><td>950</td><td>950</td><td>1000</td><td>Red clay and gravel</td><td>2</td></tr> </tbody> </table>	Depth	From	To	Material	Notes	0	0	30	Sandy soil	2	30	30	50	Yellowish sandstone	2	50	50	100	Yellowish clay and gravel	2	100	100	150	Yellow sandstone and gravel	2	150	150	200	Hard rock sandstone and clay	2	200	200	250	Hard clay and gravel	2	250	250	300	Red clay	2	300	300	350	Gravel and gray clay	2	350	350	400	Red clay and gravel	2	400	400	450	Red clay and gravel	2	450	450	500	Red clay and gravel	2	500	500	550	Red clay and gravel	2	550	550	600	Red clay and gravel	2	600	600	650	Red clay and gravel	2	650	650	700	Red clay and gravel	2	700	700	750	Red clay and gravel	2	750	750	800	Red clay and gravel	2	800	800	850	Red clay and gravel	2	850	850	900	Red clay and gravel	2	900	900	950	Red clay and gravel	2	950	950	1000	Red clay and gravel	2
Depth	From	To	Material	Notes																																																																																																											
0	0	30	Sandy soil	2																																																																																																											
30	30	50	Yellowish sandstone	2																																																																																																											
50	50	100	Yellowish clay and gravel	2																																																																																																											
100	100	150	Yellow sandstone and gravel	2																																																																																																											
150	150	200	Hard rock sandstone and clay	2																																																																																																											
200	200	250	Hard clay and gravel	2																																																																																																											
250	250	300	Red clay	2																																																																																																											
300	300	350	Gravel and gray clay	2																																																																																																											
350	350	400	Red clay and gravel	2																																																																																																											
400	400	450	Red clay and gravel	2																																																																																																											
450	450	500	Red clay and gravel	2																																																																																																											
500	500	550	Red clay and gravel	2																																																																																																											
550	550	600	Red clay and gravel	2																																																																																																											
600	600	650	Red clay and gravel	2																																																																																																											
650	650	700	Red clay and gravel	2																																																																																																											
700	700	750	Red clay and gravel	2																																																																																																											
750	750	800	Red clay and gravel	2																																																																																																											
800	800	850	Red clay and gravel	2																																																																																																											
850	850	900	Red clay and gravel	2																																																																																																											
900	900	950	Red clay and gravel	2																																																																																																											
950	950	1000	Red clay and gravel	2																																																																																																											
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dig ☐ Other _____																																																																																																															
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>16 inches</td> <td>2 feet</td> <td>275 feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing pipe deepened? ☒ Yes ☐ No Was casing pipe or casing? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Field ☐ Torch Size of perforation _____ inches 000 _____ feet _____ to _____ feet 5000 _____ feet _____ to _____ feet Well casing material ☒ Yes ☐ No Manufacture _____ Year _____ Company _____ Address _____ City _____ State _____ Zip _____	Thickness	Diameter	From	To	250 inches	16 inches	2 feet	275 feet																																																																																																							
Thickness	Diameter	From	To																																																																																																												
250 inches	16 inches	2 feet	275 feet																																																																																																												

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

RECEIVED
FEB 16 1977

1. WELL OWNER

Name Rodcoe Weston
Address 89J River Heights, Logan, Utah 84321
Owner's Permit No. _____

2. WATER LEVEL

Static water level 357 feet below surface of land
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

3. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (Describe method of abandoning: _____)

4. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____

5. PROPOSED USE

☐ Domestic ☐ Irrigation ☒ Test ☐ Other (Specify type) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

6. METHOD DRILLED

☒ Cable ☒ Rotary ☐ Dug ☐ Other

7. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 750 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>547</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number _____ From _____ To _____

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Bottom seal depth 30 Material used in seal ☐ Cement grout


☐ Pudding clay ☒ Well collapse

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing

☒ Overhaul to seal depth

8. LOCATION OF WELL

Sketch map location must agree with written location.



Subsurface Name _____

Lot No. _____ Block No. _____

County BOISE

Work started 1976 2 13 ended 1976 23 11

9. DRILLER'S CERTIFICATION

For name Paul Veltman & Son _____ For No. 52

Address Abundance, ID _____

Signed by (For Official) Paul Veltman _____

or Paul Veltman _____

Drill No. 52

DATE Feb 10 1977

FILED Feb 10 1977

FORWARD THE WAVE COPY TO THE DEPARTMENT

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

25 FEB 10 1977

Department of Water Resources
Eastern District Office

1. WELL OWNER

Name B. Roscoe Maston

Address Rockland, Id.

Owner's Permit No. 9-1770

2. WATER LEVEL

Static water level 200 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ F. Quality _____

Artesian closed-in pressure _____ P.S.I.

Controlled by ☐ Valve ☐ Cap ☐ Plug

3. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

4. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other

Discharge G.P.M. _____ Draw down _____ Date _____

5. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Yes ☐ Other (specify type)

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

6. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dig ☐ Other

7. WELL CONSTRUCTION

Diameter of hole 20 inches Total depth 615 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
250 inches	20 inches	1 foot	465 feet
inches	16 inches	625 feet	525 feet
inches	inches	feet	feet
inches	inches	feet	feet
inches	inches	feet	feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
800 perforations	200 feet	300 feet
perforations	feet	feet
perforations	feet	feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used is seal ☐ Cement grout

☐ Pudding clay ☒ Bitum asphalt

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing


☒ Surface is seal depth

8. LITHOLOGIC LOG

Well Depth	Depth		Material	Remarks
	From	To		
0	115		Clay	
115	155		Gravel and Clay	
155	165		Gravel	
165	200		Gravel and Clay	
200	205		Gravel	
205	245		Gravel and Clay	
245	255		Clay	
255	280		Gravel and Clay	
280	400		Clay	
400	420		Lime Rock	
420	512		Lime and Clay Strata	
512	530		Lime Rock and Clay	
530	585		Broken Lime Rock	
585	615		Lime Rock - white	

9. LOCATION OF WELL

Sketch map location must agree with written location.



Section Name _____

Lot No. _____ Block No. _____

County _____ State _____

Work started 10/1/76 Finished 12/10/76

10. DRILLER'S CERTIFICATION

I, Donna Jean Wallace, Driller

Address Abandon, Id.

Signed by (Two Names) Donna Jean Wallace

Joe M. Mays

Witness Joe M. Mays

SEE 3, 4, 5 Sec. 26, T. 16, R. 2E, S. 1E

SEE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WRITTEN COPY TO THE DEPARTMENT

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

March 14, 1984

H. Roscoe Weston
890 River Heights Blvd.
Logan, UT 84321

PERMIT NO. 41-7032

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 33837.

Roberta Garrett
Records Supervisor

Enclosure

RECEIVED
MAR 15 1984
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138389

WESTON, H. ROSCOE
890 RIVER HEIGHTS BLVD.
LOGAN, UT 84321

PROOF DUE NOTICE

JANUARY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 41-7032 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

May 1, 1979

Re: Permit No. 41-7032

H. Roscoe Weston
890 River Heights Blvd.
Logan, Utah 84321

Dear Mr. Weston:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring unperforated well casing shall be used to a minimum depth of: 175 feet in S¹/₂NE¹/₄, 200 feet in S¹/₂SE¹/₄, Sec. 24; 100 feet in SE¹/₄SW¹/₄, Sec. 13; 225 feet in NE¹/₄NE¹/₄, Sec. 36; in Twp. 10S, Rge. 30E, B. M.; and shall be extended into the next confining layer. Also note the condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

RECEIVED
MAY 1 1979
WATER RESOURCES DIVISION

INTER-DEPARTMENT MEMO — 1

FROM Loten Holmes

DATE 4/10/79

TO file 41-7032

SUBJECT Amendment of application

The Applicant has deleted the lands under
Previous Permits 41-7018 & 41-7024.

This leaves the 52.8 cfs Appurtenant to 2640 Acres
at a rate of .02 cfs/Ac.



SIGNATURE

WELL LOCATIONDEPTH RESTRICTION LEVEL

2. Proposed New Wells

✓a.	SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T10S, R30, E.B.M.	200.0 feet
✓b.	SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T10S, R30, E.B.M.	175.0 feet
✓c.	SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T10S, R30, E.B.M.	200.0 feet
✓d.	NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 36, T10S, R30, E.B.M.	225.0 feet
✓e.	SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, T10S, R30, E.B.M.	100.0 feet
✓f.	SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24, T10S, R30, E.B.M.	175.0 feet

The applicant, by his execution of this stipulation consents to the terms hereof and protestants by their execution hereof through their attorney, agree to withdraw their protest and allow applicant to receive a permit to proceed with the drilling of said wells subject to the terms of this stipulation.

Dated this 23rd day of January, 1978.

APPLICANT

H. Roscoe Weston
H. ROSCOE WESTON

Ben Cavaness
Ben Cavaness,
his attorney

PROTESTANTS

ROCKLAND VALLEY WATER DISTRICT

By Farold J. Nelson
Farold J. Nelson

By Stan Groom
Stan Groom

By Richard May
Richard May

John B. Kuter
John B. Kuter, their Attorney

RECORDED

BEFORE THE STATE OF IDAHO, DEPARTMENT OF WATER RESOURCES

APPLICATION OF H. ROSCOE WESTON,)
Application No. 41-7032) STIPULATION
-----)

COMES NOW, H. ROSCOE WESTON, applicant in the above numbered permit, and Ben Cavaness, his attorney, also John B. Kugler, attorney for Protestants, Farold J. Nelson, Stan Groom, and Richard May, representative of all of the waterusers of the Rockland Valley Water District. All of the above parties herewith individually and collectively stipulate that the Idaho Department of Water Resources may issue a permit to the applicant above-named provided that the applicant consents to the following conditions being placed upon his permit and license by the department, to-wit:

"That applicant shall cause each and every water bearing strata encountered in the drilling of each and every well drilled pursuant to the above numbered permit from the surface elevation of said well to the depth hereinafter set out for said well location to be cased out by emplacement of solid non-perforated casing through the entire water bearing strata and into the next impervious soil strata encountered. Failure to so case the well or perforation of the casing so placed between the surface level and the said designated depth or through to the next impervious layer, shall be considered to be a violation of the conditions of the permit and the permit shall then be subject to cancellation by the Department."

<u>WELL LOCATION</u>	<u>DEPTH RESTRICTION LEVEL</u>
----------------------	--------------------------------

- | | |
|---|----------------|
| 1. Existing wells | |
| a. NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25, T 10S, R30 E.B.M. (warm water), already under permit, intend to intertie the well with new wells, cased out to 200 feet. | No restriction |
| b. SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25, T 10S, R30 E.B.M. (warm water), already under permit, cased out to 200 feet. Intend to intertie with new wells. | No restriction |
| c. SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, T 10S, R31 E.B.M. (Old Fae Moss well) constitutional water right, approx. 50 miners inches in output - will not enlarge unless seek new permit at later date - intend to intertie into new wells. | No restriction |

41-7032 - ROSCOE H. WESTON

County Agent's Office - Power County Courthouse, American Falls, Idaho

January 23, 1979 - 1:00 p.m.

Name	Address	Representing
Roscoe Weston	Logan, Utah	Same
J. W. Chan	American Falls, Idaho	R. Weston
Scott Weston	Rockland, Idaho	R. Weston ~~(scribble)~~
HERB WESTON	Rockland, Id.	R. Weston
M. Donald Weston	Logan, Utah	R. Weston
John B. Fugler	147 Stanford, Pocatello	John B. Fugler

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

In the Matter of Protest Against Approval)
of Application for Permit No. 41-7032)
in the name of Roscoe H. Weston)
_____)

NOTICE OF CONFERENCE AND/OR HEARING

On December 13, 1977, Roscoe H. Weston filed with the Department of Water Resources an application to appropriate the public waters of the State of Idaho. On January 30, 1978, the Department received protests against approval of said application from John B. Kugler, Attorney at Law, in behalf of Farold J. Nelson, Stan Groom and Richard May, as representatives of the water users of the Rockland Valley Water District.


The Department has set the matter of protest for conference and/or hearing for Tuesday, January 23, 1979, at 1:00 p.m., at the Power County Courthouse in the County Agent's Office in American Falls, Idaho. Any hearing will be held in accordance with the Rules and Regulations of the Idaho Code and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

Any party desiring the taking of stenographic notes by a qualified court reporter must request such in writing at least five (5) days before the date set for hearing and must submit to the director the name of a qualified reporter who is available on the date set for hearing. The party requesting the reporter shall bear the expense of the reporter's attendance fees. A taped record of the proceedings will be maintained for the appeal period.

Failure to appear at the time and place set for hearing by the applicant or protestant may allow the Department without prejudice to dismiss the protest or the applications. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing parties.

Dated this 2nd day of January, 1979.


LOREN O. HOLMES
Southern Region Supervisor



UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS



SENDER INSTRUCTIONS

Print your name, address, and ZIP CODE in the space below.

- Complete items 1, 2, and 3 on the reverse.
- Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300

**RETURN
TO**



IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT OFFICE
1041 BLUE LAKES BLVD. NORTH
TWIN FALLS, IDAHO 83301

(Name of Sender)

(Street or P.O. Box)

(City, State, and ZIP Code)

RECEIVED
JAN 8 1979
Department of Water Resources
Southern District Office

#41-7032 - Roscoe H. Weston

- **SENDER:** Complete items 1, 2, and 3. Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

XX ☐ Show to whom and date delivered: \$

☐ Show to whom, date, and address of delivery. : _____¢

☐ RESTRICTED DELIVERY

Show to whom and date delivered.....¢

☐ RESTRICTED DELIVERY

Show to whom, date, and address of delivery. \$_____

(CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO:

John Kugler - Attney at Law
216 Idaho - American Falls, Id

3. ARTICLE DESCRIPTION:

REGISTERED NO. | CERTIFIED NO. | INSURED NO.

(Always obtain signature of addressee or agent.)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent

Carol Schreiner

DATE OF DELIVERY

1-5-79

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BOND

Microfilm & Tapes

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP CODE in the space below.

- Complete items 1, 2, and 3 on the reverse.
- Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



**RETURN
TO**

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT OFFICE
1041 BLUE LAKES BLVD. NORTH
TWIN FALLS, IDAHO 83301

(Name of Sender)

JAN 8 1979

**Department of Water Resources
Southern District Office**

(Street or P.O. Box)

(City, State, and ZIP Code)

#41-7032 - Roscoe H. Weston

● SENDER: Complete items 1, 2, and 3.

Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

☒ Show to whom and date delivered. _____

☐ Show to whom, date, and address of delivery. _____

☐ RESTRICTED DELIVERY

Show to whom and date delivered. _____

☐ RESTRICTED DELIVERY

Show to whom, date, and address of delivery. \$ _____

(CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO:

Roscoe H. Weston

890 River Heights Blvd.

Logan, Utah 83231

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

044

(Always obtain signature of addressee by agent)

I have received the article described above:

SIGNATURE ☐ Addressee ☐ Authorized agent

4. Anita Weston

DATE OF DELIVERY

1-4-79

POSTMARK

JAN 4 1979

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

U.S. POST OFFICE'S
INITIALS

MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
SOUTHERN DISTRICT OFFICE
1041 BLUE LAKES BLVD. NORTH
TWIN FALLS, IDAHO 83301

Indicate type of mail:
☐ REGISTERED ☐ C.O.D. ☐ CERTIFIED
This stamp helps insure certificate of mailing for additional postage and date of receipt

Pro. Leary # 41-7032
James W. Guston

Name and Address of Sender

NUMBER OF ARTICLES	NAME OF ADDRESSEE, STREET AND POST OFFICE ADDRESS	POSTAGE	FEE	R.R. FEE	ACTUAL VALUE	HANDLING CHARGE	REMARKS
1	John Leary	15	80	45			
2	James W. Guston	15	80	45			
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

TOTAL NO. OF PIECES LISTED BY SENDER
TOTAL NO. OF PIECES RECD AT P.O.
POSTMASTER, PER (Name of receiving employee)
DECLARATION of value is required on international registered mail



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

December 5, 1978

John Kugler
Attorney at Law
216 Idaho
American Falls, Idaho 83211

Re: Applications for Permit No. 41-7034 - Kent McMichael
41-7035 - Ralph Woodworth & Sons
41-7027) - Grant Udy & Sons
41-7028)
41-7033 - Clifford Nelson
41-7032 - H. Roscoe Weston
41-7036 - Farren &/or MarDee Porath


Dear Mr. Kugler:

Conferences and/or hearings on the above referenced applications have tentively been scheduled for January 23 & 24, 1979 at the County Agent's Office in the County Courthouse in American Falls, Idaho.

Notices formally setting the conferences and/or hearings will be sent by certified mail early in January. These notices will set the time and place for the meetings.

If you have any questions, please contact me.

Sincerely,


Loren O. Holmes
Southern Region Supervisor

LOH:marya

RECEIVED
DEC 11 1978
SOUTHERN REGION



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

December 5, 1978

Ben Cavaness
Attorney at Law
376 Roosevelt
American Falls, Idaho 83211

Re: Applications for Permit No. 41-7034 - Kent McMichael
41-7035 - Ralph Woodworth & Sons
41-7027) - Grant Udy & Sons
41-7028)
41-7033 - Clifford Nelson
41-7032 - H. Roscoe Weston
41-7036 - Farren &/or MarDee Porath

Dear Mr. Cavaness:

Conferences and/or hearings on the above referenced applications have tentively been scheduled for January 23 & 24, 1979 at the County Agent's Office in the County Courthouse in American Falls, Idaho.

Notices formally setting the conference and/or hearings will be sent by certified mail early in January. These notices will set the time and place for the meetings.

If you have any questions, please contact me.

Sincerely,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

December 5, 1978

H. Roscoe Weston
890 River Heights Blvd
Logan, Utah 84321

Re: Applications for Permit No. 41-7034 - Kent McMichael
41-7035 - Ralph Woodworth & Sons
41-7027)- Grant Udy & Sons
41-7028)-
41-7033 - Clifford Nelson
41 7032 - H. Roscoe Weston
41-7036 - Farren &/or MarDee Porath

Dear Mr. Weston:

Conferences and/or hearings on the above referenced applications have tentively been scheduled for January 23 & 24, 1979 at the County Agent's Office in the County Courthouse in American Falls, Idaho.

Notices formally setting the conference and/or hearings will be sent by certified mail early in January. These notices will set the time and place for the meetings.

If you have any questions, please contact me.

Sincerely,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

RECEIVED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

December 5, 1978

Sterling Schow - Chairman
Agriculture Extension Agent
P. O. Box 179
American Falls, Idaho 83217

Dear Mr. Schow:

This is to confirm the use of the conference room for conference and/or hearing to be held by this office on Tuesday and Wednesday, January 23 and 24, 1979.

Thank you for your cooperation in this matter.

Sincerely,

Mary A. Hill
Secretary

for

Loren O. Holmes
Southern Region Supervisor

RECORDED

INTER-DEPARTMENT MEMO — 1

FROM Sheryl Merritt

DATE June 13, 1978

TO File

SUBJECT Application for Permit No. 41-7032 - H. Roscoe Weston

On June 6, 1978, Mr. Weston called our office and requested a hearing to be held on the above-referenced application as soon as possible. I informed Mr. Weston that our office would be getting a new Supervisor as of July 1.

I informed Terry Blau, Acting Southern Region Supervisor, of Mr. Weston's phone call and he asked if I would call Mr. Weston and inform him that a hearing will be held some time in mid-July.

On June 13, 1978, I phoned Mr. Weston and informed him that a hearing will be scheduled some time in mid-July.


MICROFILMED

SIGNATURE

Dear Mr. Weston:

Since you picked up a copy of the protest of your application, attached please find the form letter which accompanies a copy of the protest when sent to the applicant; this is for your records.

Sincerely,

A handwritten signature in cursive script that reads "Sheryl Merritt". The signature is fluid and written in dark ink.

Sheryl Merritt
Secretary



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3573

February 16, 1978

Mr. H. Roscoe Weston
890 River Heights Blvd.
Logan, UT 84321

Re: Application for Permit No. 41-7032

Dear Mr. Weston:

Enclosed is a copy of a protest filed against the issuance of a permit pursuant to your Application No. 41-7032. The Department suggests you contact the protestant directly in an effort to determine the nature of the protest and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?


If this office can be of further assistance, please contact us.

Sincerely,

Michael L. Steele
Michael L. Steele
Southern Region Supervisor

MLS:sm
Enc.

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

February 16, 1978

Mr. John B. Kugler
Attorney at Law
216 Idaho Street
American Falls, ID 83211

Re: Protest filed in behalf of Farold J.
Nelson, Stan Groom, & Richard May

Dear Mr. Kugler:

Your protest against the approval of the above referenced application has been received and a copy has been sent to the applicant. The Department suggests you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying an application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?

If this office can be of further assistance, please contact us.

Sincerely,

Michael L. Steele
Michael L. Steele
Southern Region Supervisor

MLS:sm

Michael L. Steele

JAN 30 1978

RECEIVED

BEFORE THE IDAHO DEPARTMENT OF WATER RESOURCES

Application of	)	
H. ROSCOE WESTON,	)	PROTEST
Application No.	)	
41-7032	)	
	)	

COMES NOW the water users, Farold J. Nelson, Stan Groom, and Richard May, as representatives of the water users of the Rockland Valley Water District, the same being users of water from the U. S. Ditch, the South Fork of Rock Creek, the East Fork of Rock Creek and other springs and ditches within Rockland Valley, by and through their attorney, John B. Kugler, and protest the application of

I.

The proposed application and diversion will reduce and adversely affect the existing water rights of water users in the Rockland Valley.

II.

The diversion of water as sought in the above application has or will result in reduction of stream flow now decreed to the water users above named and other water users of the same class, which uses have been continuous through said users and their said predecessors for more than twenty years.

III.


The applicant has heretofore drilled wells and appropriated waters in violation of permit requirements and in violation of the laws of the State of Idaho and is not fit and proper party to be granted appropriation rights.

IV.

The applicant has at all times heretofore willfully encroached upon and invaded existing water rights of protestants and the application is made for speculative purposes.

RECEIVED

WHEREFORE, Protestants pray that the application be denied and that the Department issue immediate cease and desist orders directing applicant to refrain from diverting waters, pumping the wells or ponding of waters in the areas which are the subject matter of the application.



JOHN B. KUGLER
Attorney for Protestants

Affidavit of Publication

STATE OF IDAHO
COUNTY OF POWER } S.S.

Phyllis Ringe
being first duly sworn
on oath, states:

That ~~she~~ is the ~~principal clerk of~~ the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 26th day of January, 1978

the date of last publication being the

2nd February
day of 1978

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

9th day of Feb, 1978

Kevin L. Smith
Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL.) day of , 19

RECORDED

OK
2/13/78

Legal Notice

Published in the Power County Press on January 26 and February 2, 1978

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 41-7032 in the name of H. Roscoe Weston was advertised incorrectly by the paper on Dec. 28, 1977, and Jan. 4, 1978. Following is the correct notice.

Notice is hereby given that H. Roscoe Weston, Logan, Utah 84321, has on 12/13/77 submitted Application No. 41-7032 for a permit to appropriate 52.8 cubic feet per second of water from ground water by means of existing & new wells, pumps, pivots & wheel lines within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 36; SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 30E.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, Twp. 10S, Rge. 31E., B.M., Power County, to be used from Mar. 15 to Nov. 15 for irrigation purposes of 5,000 acres, within the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 36, Twp. 10S, Rge. 30E., B.M.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17; S $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 18; Sec. 19; SW $\frac{1}{4}$, Sec. 20; W $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 29; Sec. 30; W $\frac{1}{2}$, Sec. 31, Twp. 10S, Rge. 31E., B.M.; E $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 1, Twp. 11S, Rge. 30E., B.M.; N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before February 13, 1978.

C. STEPHEN ALLRED
Director

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 41-7032 in the name of H. Roscoe Weston was advertised incorrectly by the paper on Dec. 28, 1977, and Jan. 4, 1978. Following is the correct notice.

Notice is hereby given that H. Roscoe Weston, Logan, Utah 84321, has on 12/13/77 submitted Application No. 41-7032 for a permit to appropriate 52.8 cubic feet per second of water from ground water by means of existing & new wells, pumps, pivots & wheel lines within the $SE\frac{1}{4}SW\frac{1}{4}$, $SE\frac{1}{4}NW\frac{1}{4}$, $SW\frac{1}{4}SE\frac{1}{4}$, $SW\frac{1}{4}NE\frac{1}{4}$, Sec. 24; $NW\frac{1}{4}NE\frac{1}{4}$, $SW\frac{1}{4}NE\frac{1}{4}$, Sec. 25; $NE\frac{1}{4}NE\frac{1}{4}$, Sec. 36; $SE\frac{1}{4}SW\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 30E.; $SW\frac{1}{4}NW\frac{1}{4}$, Sec. 17, Twp. 10S, Rge. 31E., B.M., Power County, to be used from Mar. 15 to Nov. 15 for irrigation purposes of 5,000 acres within the $W\frac{1}{2}NE\frac{1}{4}$, $SE\frac{1}{4}NE\frac{1}{4}$, $E\frac{1}{2}NW\frac{1}{4}$, $S\frac{1}{2}$, Sec. 13; $SE\frac{1}{4}$, Sec. 14; Sec. 24; $N\frac{1}{2}$, $SE\frac{1}{4}$, Sec. 25; $NE\frac{1}{4}$, $E\frac{1}{2}SE\frac{1}{4}$, Sec. 36, Twp. 10S, Rge. 30E., B.M.; $SW\frac{1}{4}NW\frac{1}{4}$, $W\frac{1}{2}SW\frac{1}{4}$, Sec. 17; $S\frac{1}{2}NE\frac{1}{4}$, $S\frac{1}{2}NW\frac{1}{4}$, $S\frac{1}{2}$, Sec. 18; Sec. 19; $SW\frac{1}{4}$, Sec. 20; $W\frac{1}{2}NW\frac{1}{4}$, $NW\frac{1}{4}SW\frac{1}{4}$, Sec. 29; Sec. 30; $W\frac{1}{2}$, Sec. 31, Twp. 10S, Rge. 31E., B.M.; $E\frac{1}{2}NE\frac{1}{4}$, $E\frac{1}{2}SE\frac{1}{4}$, Sec. 1, Twp. 11S, Rge. 30E., B.M.; $N\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before February 13, 1978.

C. STEPHEN ALLRED
Director

Published in the Power County Press on 1/25 and 2/1/78.

MICROFILMED

Published in the Power County Press on
January 26 and February 2, 1978

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 41-7032 in the name of H. Roscoe Weston was advertised incorrectly by the paper on Dec. 28, 1977, and Jan. 4, 1978. Following is the correct notice.

Notice is hereby given that H. Roscoe Weston, Logan, Utah 84321, has on 12/13/77 submitted Application No. 41-7032 for a permit to appropriate 52.8 cubic feet per second of water from ground water by means of existing & new wells, pumps, pivots & wheel lines within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 36; SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 30E.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17, Twp. 10S, Rge. 31E., B.M., Power County, to be used from Mar. 15 to Nov. 15 for irrigation purposes of 5,000 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 36, Twp. 10S, Rge. 30E., B.M.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17; S $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 18; Sec. 19; SW $\frac{1}{4}$, Sec. 20; W $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 29; Sec. 30; W $\frac{1}{2}$, Sec. 31, Twp. 10S, Rge. 31E., B.M.; E $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 1, Twp. 11S, Rge. 30E., B.M.; N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before February 13, 1978.

C. STEPHEN ALLRED

Director

OK
CJ 1/25/78

January 12, 1978

Power County Press
174 Idaho Street
American Falls, Idaho 83301

Re: Notice of Correction for Application for Permit No. 41-7032 - H. Roscoe Weston

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:dj

Bill submitted: _____

RECEIVED

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER } s.s.

Phyllis Ringe

being first duly sworn

on oath, states:

That ~~she~~ is the ~~principal clerk of~~ the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for ~~2~~ successive weekly issues thereof, the date of the first publication being the 29th day of December, 1977

the date of last publication being the

5th day of January, 1978

(Signed)

Subscribed and sworn to before me this

6th day of January, 1978

Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of , 19

Legal Notice

Published in the Power County Press on December 29, 1977 and January 5, 1978

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that H. Roscoe Weston Logan, Utah 84321 has on 12/13/77 submitted Application No. 41-7032 for a permit to appropriate 52.8 cubic feet per second of water from ground water by means of existing & new wells, pumps, pivots & wheel lines within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25; SW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 36; SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 30E.; SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 17, Twp. 10S, Rge. 31E., B.M. to be used from Mar. 15 to Nov. 15 for irrigation purposes of 5,000 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 36, Twp. 10S, Rge. 30E., B.M.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17; S $\frac{1}{2}$ NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ Sec. 18; Sec. 19; SW $\frac{1}{4}$, Sec. 20; W $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 29; Sec. 30; W $\frac{1}{2}$, Sec. 31, Twp. 10S, Rge. 31E., B.M.; E $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 1, Twp. 11S, Rge. 30E., B.M.; N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

Twp. 11S, Rge. 30E., B.M.; N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or before January 16, 1978.

C. STEPHEN ALLRED
Director

received
no gallery

not

correct

called paper 1/9/78 + 1/12/78
sent corrected advertisement 1/17/78

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that H. Roscoe Weston

Logan, Utah 84321

has on 12/13/77 submitted Application No. 41-7032

for a permit to appropriate 52.8 cubic feet per second ~~acres feet per annum~~
of water from ground water

by means of existing & new wells, pumps, pivots & wheel lines

within the ^{SE $\frac{1}{4}$ SW $\frac{1}{4}$} ~~SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 24; NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25; NE $\frac{1}{4}$ NE $\frac{1}{4}$~~

Sec. 36; SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 10S, Rge. 30E.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 17,

Twp. 10S, Rge. 31E., B.M.

to be used from Mar. 15 to Nov. 15

for irrigation purposes of 5,000 acres

within the W $\frac{1}{2}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 13; SE $\frac{1}{4}$, Sec. 14; Sec. 24; N $\frac{1}{2}$, SE $\frac{1}{4}$, Sec. 25;
NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 36, Twp. 10S, Rge. 30E., B.M.; SW $\frac{1}{4}$ NW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17; S $\frac{1}{2}$ NE $\frac{1}{4}$,
S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$, Sec. 18; Sec. 19; SW $\frac{1}{4}$, Sec. 20; W $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 29; Sec. 30; W $\frac{1}{2}$, Sec. 31,
Twp. 10S, Rge. 31E., B.M.; E $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 1, Twp. 11S, Rge. 30E., B.M.;
N $\frac{1}{2}$, Sec. 6, Twp. 11S, Rge. 31E., B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1041 Blue Lakes Blvd., North, Twin Falls, Idaho, 83301 on or be-
fore January 16, 1977.

C. STEPHEN ALLRED

Director

Published in the Power County Press

on 12/29/77 and 1/5/78

MICROFILMED

December 20, 1977

Power County Press
174 Idaho Street
American Falls, ID 83211

Re: Application for Permit No. 41-7032 - H. Roscoe Weston

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Sincerely,

Michael L. Steele
Southern Region Supervisor

MLS:sm

Enc.

Bill submitted: **MICROFILMED**